

Page 1/7

Revision: 29.04.2024

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

# SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
  - Trade name: Flexitime Mono Phase Cat. (1:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- · Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempt from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
  - · Labelling according to Regulation (EC) No 1272/2008 Void
    - · Hazard pictograms Void
    - Signal word Void
    - · Hazard statements Void
  - Additional information: see 2.1
- · 2.3 Other hazards -
  - Results of PBT and vPvB assessment
    - · PBT: Not applicable.
    - · vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
  - Description: -
  - · Dangerous components:

CAS: 14464-46-1 EINECS: 238-878-4

Cristobalite

STOT RE 1, H372

25-50%

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - After inhalation Supply fresh air; consult doctor in case of symptoms.

(Contd. on page 2)



Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Cat. (1:1)

(Contd. of page 1)

- · After skin contact If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
  - · Protective equipment: Put on breathing apparatus.
  - · Additional information -

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid contact with eyes and skin.

- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

· 6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - · Further information about storage conditions: None.

(Contd. on page 3)



Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 6 (replaces version 5) Revision: 29.04.2024 Printing date 29.04.2024

Trade name: Flexitime Mono Phase Cat. (1:1)

· 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 2)

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
  - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
  - Appropriate engineering controls No further data; see section 7.
  - Individual protection measures, such as personal protective equipment
    - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Not required.
- Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butvl rubber. BR Nitrile rubber, NBR

- Eye/face protection Safety glasses
- · Body protection: Light weight protective clothing

### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
  - General Information

· Physical state

Fluid Light grey

· Colour: Smell:

Characteristic

Odour threshold:

Not determined.

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and

300 °C

boiling range

Not applicable.

· Flammability

(Contd. on page 4)



Page 4/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

Trade name: Flexitime Mono Phase Cat. (1:1)

(Contd. of page 3) · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined. · Flash point: >130 °C · Auto-ignition temperature: >400 °C Not determined. Decomposition temperature: SADT · pH · Viscosity: Not determined. Kinematic viscosity Not determined. · Kinematic viscosity Not determined. · dynamic: · Solubility Not miscible or difficult to mix · Water: · Partition coefficient n-octanol/water (log value) Not determined. Steam pressure: Not determined. Vapour pressure: Density and/or relative density Density at 20 °C 1.6 g/cm3 Relative density Not determined. · Vapour density Not determined. No further relevant information available. 9.2 Other information · Appearance: Form: Pasty · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. Not determined. · Change in condition Evaporation rate Not determined. · Information with regard to physical hazard classes **Explosives** Void Flammable gases Void · Aerosols Void · Oxidising gases · Gases under pressure Void Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit Void flammable gases in contact with water Oxidising liquids Void

(Contd. on page 5)



Page 5/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Cat. (1:1)

(Contd. of page 4)

Void	dising solids	٠ ر	
Void	anic peroxides	٠ ر	
Void	rosive to metals		
Void	ensitised explosives	· <b>[</b>	
Void Void	anic peroxides rosive to metals	. C	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
  - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None
  - Additional information: -

# **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - · Acute toxicity Based on available data, the classification criteria are not met.
  - · Skin corrosion/irritation Based on available data, the classification criteria are not met.
  - · Serious eye damage/irritation Based on available data, the classification criteria are not met.
  - Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
  - Germ cell mutagenicity Based on available data, the classification criteria are not met.
  - · Carcinogenicity Based on available data, the classification criteria are not met.
  - Reproductive toxicity Based on available data, the classification criteria are not met.
  - STOT-single exposure Based on available data, the classification criteria are not met.
  - STOT-repeated exposure Based on available data, the classification criteria are not met.
  - Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endo	· Endocrine disrupting properties			
556-67-2	octamethylcyclotetrasiloxane	List II; III		
540-97-6	Dodecamethylcyclohexasiloxane	List II		
541-02-6	Decamethylcyclopentasiloxane	List II		

## SECTION 12: Ecological information

- · 12.1 Toxicity
  - · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
  - · PBT: Not applicable.
  - · vPvB: Not applicable.

(Contd. on page 6)



Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

(Contd. of page 5)

Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Cat. (1:1)

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
  - · Additional ecological information:
    - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packagings:
  - · Recommendation:

Disposal must be made according to official regulations. Non contaminated packagings can be used for recycling.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according t instruments	<b>o IMO</b> Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

- GE

(Contd. on page 7)



Page 7/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

Trade name: Flexitime Mono Phase Cat. (1:1)

(Contd. of page 6)

Revision: 29.04.2024

# SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H372 Causes damage to organs through prolonged or repeated exposure.

· Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IMDS. International Maintime Code to Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CASS: Chemical Abstracts Service (Wiscines of the American Chemical Society)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

\* Data compared to the previous version altered.



Page 1/9

Revision: 29.04.2024

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

## SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
  - Trade name: Flexitime Mono Phase Base (1:1)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
  - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
  - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· Additional information:

Since the product is a medical device in the sense of Directive 93/42/EEC (MDD) or the Regulation (EU) 2017/745 (MDR), that is intended for the end user and is used invasively or with physical contact, it is exempt from the classification and labeling obligation according to Regulation (EC) 1272/2008.

- · 2.2 Label elements
  - · Labelling according to Regulation (EC) No 1272/2008 Void
    - · Hazard pictograms Void
    - · Signal word Void
    - · Hazard statements Void
  - · Additional information: see 2.1
- · 2.3 Other hazards -

	· Resui	ts of PBT and VPVB assessment
	· PB	T:
	556-67-2	octamethylcyclotetrasiloxane
	· <b>vP</b> ·	vB:
Ī	556-67-2	octamethylcyclotetrasiloxane

### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
  - Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	50-75%
EINECS: 238-878-4	STOT RE 1, H372	
		(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

		(Contd. of page 1)
CAS: 78330-21-9	Alcohols, C11-14 iso, C13-rich, ethoxylated	≥1-<3%
	Eye Dam. 1, H318	
CAS: 556-67-2	octamethylcyclotetrasiloxane	≥0.025-<0.25%
EINECS: 209-136-7	Flam. Lig. 3, H226	
Index number: 014-018-00-1	Repr. 2, H361f	
Reg.nr.: 01-2119529238-36-xxxx	Aquatic Chronic 1, H410 (M=10)	
_	PBT; vPvB	
· SVHC		
556-67-2 octamethylcyclotetrasile	oxane	
Additional information For the	ne wording of the listed hazard phrases refer to se	ection 16

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
  - · After skin contact if skin irritation continues, consult a doctor.
  - · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
  - · After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
  - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
  - · Protective equipment: Put on breathing apparatus.
  - · Additional information -

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eyes and skin.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

(Contd. of page 2)

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

-

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
  - · Storage
    - Requirements to be met by storerooms and containers: No special requirements.
    - Information about storage in one common storage facility: Not required.
    - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
  - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

ח	NI	l e

## 556-67-2 octamethylcyclotetrasiloxane

	otamouny toy orototi domoxume	
Oral	general population, long term, systemic	3.7 mg/Kg (not defined)
Inhalative	worker industrial, long term, systemic	73 mg/m3 (not defined)
	worker industrial, long term, local	73 mg/m3 (not defined)
	general population, long term, systemic	13 mg/m3 (not defined)
	general population, long term, local	13 mg/m3 (not defined)

#### ·PNECs

#### 556-67-2 octamethylcyclotetrasiloxane

freshwater
marine water
sewage treatment plant
sediment, dry weight, freshwater
sediment, dry weight, marine water

0.0015 mg/l (not defined)
10 mg/l (not defined)
3 mg/Kg (not defined)
0.3 mg/Kg (not defined)

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

(Contd. of page 3)

Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not required.

· Hand protection

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Light weight protective clothing

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state Fluid Violet Colour:

Smell: Characteristic Odour threshold: Not determined. Not determined

• Melting point/freezing point:

Boiling point or initial boiling point and

300 °C boiling range · Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined. · Upper: Not determined. >130 °C

· Flash point: >500 °C · Auto-ignition temperature:

Decomposition temperature: Not determined.

·SADT

pН Not determined.

Viscosity:

Kinematic viscosity Not determined.

· Kinematic viscosity

· dynamic: Not determined.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

(Contd. of page 4)

· Solubility

Water:

Not miscible or difficult to mix

· Partition coefficient n-octanol/water (log

value)
Steam pressure:

Not determined. Not determined.

· Vapour pressure:

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

No further relevant information available.

Appearance:

Form:

Pasty

1/014

Important information on protection of health

and environment, and on safety.

· Self-inflammability: · Explosive properties: Product is not selfigniting. Product is not explosive.

Not determined.

· Solvent content:

Solids content:

58.5 %

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

· EXPIOSIVES	voia
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 6)



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

(Contd. of page 5)

Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

- · 10.2 Chemical stability
  - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
  - · Additional information: -

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:				
78330-21-	78330-21-9 Alcohols, C11-14 iso, C13-rich, ethoxylated				
Oral	LD50	7,400 mg/kg (rat)			
556-67-2	octamethy	rlcyclotetrasiloxane			
Oral	LD50	>4,800 mg/kg (rat) (OECD 401)			
Dermal	LD50	>2,375 mg/kg (rat) (OECD 402)			
Inhalative	LC50/4 h	36 mg/l (rat) (OECD 403)			

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

The morniadon on other natural				
· Endocrine disrupting properties				
556-67-2	octamethylcyclotetrasiloxane	List II; III		
540-97-6	Dodecamethylcyclohexasiloxane	List II		
541-02-6	Decamethylcyclopentasiloxane	List II		

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

•	Aο	ıua	tic	toxi	cit	v:
	4				٠.٠.	, -

#### 78330-21-9 Alcohols, C11-14 iso, C13-rich, ethoxylated

EC50/72h	2-10 mg/l (algae)
EC50/48h	2-10 mg/l (daphnia)
LC50/96h	5.6 mg/l (fish)

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024 Version number 6 (replaces version 5) Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

		(Contd. of page 6)
556-67-2 oc	tamethylcyclotetrasiloxane	, , , , , , , , , , , , , , , , , , ,
EC50/21d	>0.015 mg/L (daphnia) (EPA OTS 797.1330)	
EC50/48h	>0.015 mg/l (daphnia) (EPA OTS 797.1300)	
LC50/96h	>0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 91d	≥0.0044 mg/l (fish)	
NOEC / 21d	≥0.015 mg/l (daphnia) (EPA OTS 797.1330)	
NOEC / 96h	<0.022 mg/l (algae) (EPA OTS 797.1050)	
	≥0.022 mg/l (fish) (EPA OTS 797.1400)	
NOEC / 48h	≥0.015 mg/l (daphnia) (EPA OTS 797.1300)	
ErC50/ 96h	>0.022 mg/L (algae) (EPA OTS 797.1050)	

#### · 12.2 Persistence and degradability

### 556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % /29d (not defined) (OECD 310)

#### · 12.3 Bioaccumulative potential

#### 556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12,400 (not defined)

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

#### · PBT:

556-67-2 octamethylcyclotetrasiloxane

#### · vPvB

556-67-2 octamethylcyclotetrasiloxane

## · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
  - · Additional ecological information:
    - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

# SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

#### Uncleaned packagings:

## Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

Revision: 29.04.2024

# Trade name: Flexitime Mono Phase Base (1:1)

(Contd. of page 7)

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information	n	
14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>to IMO</b> Not applicable.	
· Transport/Additional information:	-	
UN "Model Regulation":	Void	

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
    - · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

SADT: Self Accelerating Decomposition Temperature

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 6 (replaces version 5)

Revision: 29.04.2024

(Contd. of page 8)

# Trade name: Flexitime Mono Phase Base (1:1)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
\*\* Data compared to the previous version altered.

\* Data compared to the previous version altered.

GB