## EU-Safety Data Sheets relating 91/155/EEC number: 190-301

Home Nr.: 190-301 Revise at: 01.2010

Name of Cmrce. Tiger Starshine Finishing Paste

Version: 1.1 Class of: 01.2010

Product no.: 190-301-00

Code:

#### 01. Identification of the Substance and of the Company

**Product Definition** 

Name of Cmrce.: Tiger Starshine Finishing Paste
Product-Infos: Tiger Starshine Finishing Paste
Manufacturer: DENTAURUM GmbH & Co. KG
Turnstraße 31 D-75228 Ispringen

Information from

Chemie

Emergency-Info: 07231-803-184/190

# 02. Composition/Information on Ingredients

**Chemical Nature:** 

Aluminium oxide abrasive, mixing in a water / solvent emulsion with ammonia

#### **Dangerous Contents:**

CAS number/Description:	Concentration:	GS:	R Phrases:
64742-96-7 Mixture of hydrocarbon	10 - 15	Xn	10, 65
64742-82-1 Mixture of hydrocarbon	10 - 15	Xn	10, 65, 51/53
7664-41-7 Ammonia Solution (25%)	1 - 5	С	34, 37

# 03. Hazards Identification

Harmful if swallowed.36/38 Irritating to eyes and skin

#### 04. First-Aid Measures

- First aid measures / inhalation

Ensure supply of fresh air.

In the event of symptoms refer for medical treatment.

First aid measures / skin contact

In case of contact with skin wash off immediately with soap and water

First aid measures / eye contact

In case of contact with eyes rinse thoroughly with water

- First aid measures/ if swallowed

Do not induce vomiting.

Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

Advice to doctor / treatment

## EU-Safety Data Sheets relating 91/155/EEC number: 190-301

### 05. Fire-fighting Measures

Suitable extinguishing materials

foam

dry powder

carbon dioxide

water spray jet

Extinguishing media that must not be used for safety reasons

Full water jet

#### 06. Accidental Release Measures

- personal precautions

Hand protection

environmental precautions

Do not discharge into the drains/surface waters/groundwater.

- methods for cleaning up/taking up

Take up with absorbend material and dispose

Take up mechanically

#### 07. Handling and Storage

- Advice on safe handling

Keep the packaging shut tightly.

- Advice on protection against fire and explosion

No special measures necessary

- Further information on storage conditions

Store in a dry place.

Keep in a cool place.

#### 08. Exposure Controls/Personal Protection

General protective measures
 Avoid contact with eyes and skin

## 09. Physical and chemical Properties

- Form

Pasty

Colour

blue

- Odour

product specific

of ammonia

Flash point / remarks: ca. 51,5℃

Density / remarks: 1.14 - 1.17 g/m³ (20 C<sup>9</sup>)

- Viscosity / remarks: 9000 - 14000 mPas (20℃)

# 10. Stability and Reactivity

- Hazardous reactions

No hazardous reactions known.

## EU-Safety Data Sheets relating 91/155/EEC number: 190-301

### 11. Toxicological Information

Experiences made in practice

Frequent persistent contact with the skin can cause skin irritation.

Irritates the eyes and the skin.

General remarks

No toxicological data are available.

## 12. Ecological Information

- General information / ecology

Ecological data are not available

Do not discharge product unmonitored into the environment.

### 13. Disposal Considerations

Disposal / product

Can be taken to the appropriate waste disposal site or incineration plant in compliance with the regulations of local authorities.

Waste code no. (only EC): 200301

- Disposal / contaminated packaging

Uncontaminated packaging may be taken for recycling

# 14. Transport Information

No dangerous good

### 15. Regulatory Information

Labelling

The product does not require a hazard warning label in accordance withEC directives/the relevant national laws.

Although this product does not require a hazard warning label, we recommend that the safety advice should be observed.

Water hazard class / remarks

not water hazardous

#### 16. Other Information

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.