# SAFETY DATA SHEET SOFRELINER TOUGH Primer

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name SOFRELINER TOUGH Primer

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Denture Liner, a component of kit. For dental professionals only.

## 1.3. Details of the supplier of the safety data sheet

Supplier

Tokuyama Dental Italy S.r.l. Via dell'Artigianato, 7,

36030 Montecchio Precalcino, Vicenza, Italy

TEL: +39-0445-334545 FAX: +39-0445-339133

Contact person http://www.tokuyama-dental.com/tdc/contact.html

Manufacturer

**Tokuyama Dental Corporation** 

38-9, Taitou 1-chome, Taitou-ku, Tokyo

110-0016, Japan TEL: +81-3-3835-2261 FAX: +81-3-3835-2265

# 1.4. Emergency telephone number

**Emergency telephone** Regional Medicines and Poisons Information Centre NI,

**Pharmacy Department** 

Royal Hospital Suite, Grosvenor Road, Belfast

Emergency telephone: 844 892 0111 Telephone: +44 28 90 63 2032 Fax:+44 28 90 24 8030

E-mail address: nirdic.nirdic@belfasttrust.hscni.net

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

**Health hazards** Eye Irrit. 2 - H319: STOT SE 3 - H336

Environmental hazards Not Classified

#### 2.2. Label elements

# Pictogram





Signal word Danger

**Hazard statements** H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### **SOFRELINER TOUGH Primer**

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label

information

EUH066 Repeated exposure may cause skin dryness or cracking.

**Contains ETHYL ACETATE** 

Supplementary precautionary

P240 Ground/ bond container and receiving equipment.

statements P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/ doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

# 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

**ETHYL ACETATE** 60-100%

CAS number: 141-78-6 FC number: 205-500-4

Classification

Flam. Liq. 2 - H225 Eve Irrit. 2 - H319 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if any

discomfort continues.

Skin contact Wash skin thoroughly with soap and water.

#### **SOFRELINER TOUGH Primer**

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation Vapours may cause drowsiness and dizziness.

Skin contact Repeated exposure may cause skin dryness or cracking.

Eye contact May cause severe eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam. Carbon dioxide or dry powder.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Highly flammable liquid and vapour. Irritating gases or vapours.

Hazardous combustion

products

No known hazardous decomposition products.

# 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

for firefighters

Special protective equipment Wear chemical protective suit.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Personal precautions

#### 6.2. Environmental precautions

**Environmental precautions** Avoid the spillage or runoff entering drains, sewers or watercourses.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into

containers. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions All handling should only take place in well-ventilated areas. Use explosion-proof electrical,

ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures

against static discharges. Avoid contact with skin, eyes and clothing. Avoid breathing

vapour/spray.

#### **SOFRELINER TOUGH Primer**

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash promptly if skin becomes

contaminated. Wash at the end of each work shift and before eating, smoking and using the

toilet.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Store at temperatures between 0°C/32°F and

25°C/77°F.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

## **ETHYL ACETATE**

Long-term exposure limit (8-hour TWA): WEL 200 ppm Short-term exposure limit (15-minute): WEL 400 ppm

WEL = Workplace Exposure Limit

## 8.2. Exposure controls

Appropriate engineering

Provide adequate general and local exhaust ventilation. Use explosion-proof electrical,

ventilating and lighting equipment.

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

**Hand protection** Wear protective gloves.

Other skin and body

protection

controls

Wear appropriate clothing to prevent any possibility of skin contact.

**Hygiene measures**Do not eat, drink or smoke when using this product. Promptly remove any clothing that

becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet. Use

appropriate skin cream to prevent drying of skin.

## SECTION 9: Physical and Chemical Properties

# 9.1. Information on basic physical and chemical properties

**Appearance** Clear liquid

Colour Colourless

Odour Characteristic

Odour threshold Not available.

**pH** Not available.

Melting point Not available.

Initial boiling point and range 77°C

Flash point -4°C

**Evaporation rate** Not available.

**Evaporation factor** Not available.

Flammability (solid, gas) Not available.

# **SOFRELINER TOUGH Primer**

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 2 % Upper flammable/explosive limit: 11.5 %

Other flammability Not available.

Vapour pressure Not available.

Vapour density Not available.

Relative density Not available.

Solubility(ies) Not available.

Partition coefficient Not available.

Auto-ignition temperature 427°C

**Decomposition Temperature** Not available.

Viscosity Not available.

**Explosive properties** Not explosive.

Oxidising properties Not available.

9.2. Other information

Other information Not available.

#### SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product. See the other subsections

of this section for further details.

10.2. Chemical stability

**Stability** The product is highly flammable.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not known.

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Avoid exposure to high temperatures or direct

sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Heating may generate the following products: Toxic gases or vapours.

#### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Routes of exposure Skin , Eyes , Ingestion , Inhalation , Health effects: See section 4.2.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Not available.

Acute toxicity - dermal

# **SOFRELINER TOUGH Primer**

Notes (dermal LD<sub>50</sub>) Not available.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Not available.

Skin corrosion/irritation

Skin corrosion/irritation Not available.

Animal data Not available.

Serious eye damage/irritation

**Serious eye damage/irritation** Eye Irrit. 2 - H319 Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Not available.

Skin sensitisation

**Skin sensitisation** Not available.

Germ cell mutagenicity

Genotoxicity - in vitro Not available.

**Genotoxicity - in vivo** Not available.

Carcinogenicity

Carcinogenicity Not available.

Reproductive toxicity

Reproductive toxicity - fertility Not available.

Reproductive toxicity -

Not available.

development

Specific target organ toxicity - single exposure

**STOT - single exposure** STOT SE 3 - H336 May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available.

Aspiration hazard

Aspiration hazard Not available.

SECTION 12: Ecological Information

**Ecotoxicity** No data on possible environmental effects have been found.

12.1. Toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic Not available.

invertebrates

Acute toxicity - aquatic plants Not available.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

# **SOFRELINER TOUGH Primer**

Partition coefficient Not available.

12.4. Mobility in soil

Mobility No information available.

# 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

# SECTION 14: Transport information

# 14.1. UN number

**UN No. (ADR/RID)** 1133

**UN No. (IMDG)** 1133

**UN No. (ICAO)** 1133

# 14.2. UN proper shipping name

Proper shipping name

**ADHESIVES** 

(ADR/RID)

Proper shipping name (IMDG) ADHESIVES

Proper shipping name (ICAO) ADHESIVES

Proper shipping name (ADN) ADHESIVES

#### 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID label 3

IMDG class 3

ICAO class/division 3

# Transport labels



# 14.4. Packing group

ADR/RID packing group

IMDG packing group

ICAO packing group

# 14.5. Environmental hazards

# **SOFRELINER TOUGH Primer**

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

**EmS** F-E, S-D

**Emergency Action Code** •3YE

**Hazard Identification Number** 33

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation (EC) No 1907/2006 (REACH).

(EC) No 1272/2008 (CLP).

(EU) No 2015/830.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: Other information**

Classification procedures according to Regulation (EC)

Flam. Liq. 2 - H225: On basis of test data. Eye Irrit. 2 - H319: Calculation method. STOT SE 3

- H336: Calculation method.

Training advice

1272/2008

Ensure operatives are trained to minimise exposure. Only trained personnel should use this

material.

Revision comments

Revision date 20/09/2016

Revision 2

Hazard statements in full H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

The information which is contained in this document is based on available data. However, as such has been obtained from various sources, including independent laboratories, it is given without warranty or representation that is complete, accurate and can be replied upon. Tokuyama Dental Corp. has not attempted to conceal in any way the deleterious aspects of the product listed herein, but makes no warranty as to such information.