

SDI Limited

Version No: 5.1.1.1 Safety Data Sheet (Conforms to Regulations (EC) No 2015/830) Issue Date: **18/03/2016** Print Date: **24/03/2016** Initial Date: **Not Available** L.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1.Product Identifier

Product name	Riva Coat
Synonyms	Not Available
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Dental professional use: For the protection of glass-ionomer cement from dehydration.		
Uses advised against	Not Applicable		

1.3. Details of the supplier of the safety data sheet

Registered company name	SDI Limited	SDI Brazil Industria E Comercio Ltda	SDI Germany GmbH		
Address	3-15 Brunsdon Street VIC Bayswater 3153 Australia	Rua Dr. Virgilio de Carvalho Pinto, 612 São Paulo CEP 05415-020 Brazil	Hansestrasse 85 Cologne D-51149 Germany		
Telephone	+61 3 8727 7111 (Business Hours) +55 11 3092 7100 +49 0 2203 9255 0				
Fax	+61 3 8727 7222	+49 0 2203 9255 200			
Website	www.sdi.com.au	www.sdi.com.au			
Email	info@sdi.com.au	brasil@sdi.com.au	germany@sdi.com.au		
Registered company name	SDI (North America) Inc.				
Address	1279 Hamilton Parkway IL Itasca 60143 United S	1279 Hamilton Parkway IL Itasca 60143 United States			
Telephone	+1 630 361 9200 (Business hours)				
Fax	Not Available				
Website	Not Available				
Email	USA.Canada@sdi.com.au				

1.4. Emergency telephone number

Association / Organisation	SDI Limited	Not Available	Not Available
Emergency telephone numbers	+61 3 8727 7111	Not Available	Not Available
Other emergency telephone numbers	ray.cahill@sdi.com.au	Not Available	Not Available
Association / Organisation	Not Available		
Emergency telephone numbers	+61 3 8727 7111		
Other emergency telephone numbers	Not Available		

SECTION 2 HAZARDS IDENTIFICATION

2.1.Classification of the substance or mixture

Considered a dangerous mixture according to directive 1999/45/EC, Reg. (EC) No 1272/2008 (if applicable) and their amendments. Not classified as Dangerous Goods for transport purposes.

DSD classification	n case of mixtures, classification has been prepared by following DPD (Directive 1999/45/EC) and CLP Regulation (EC) No 1272/2008 regulations				
DPD classification ^[1]	R43 May cause SENSITISATION by skin contact.				
Legend:	1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI				

Classification according to regulation (EC) No 1272/2008 [CLP] ^[1]	Skin Sensitizer Category 1			
Legend:	1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI			
2.2. Label elements				
CLP label elements				
SIGNAL WORD	WARNING			
Hazard statement(s)				
H317	May cause an allergic skin reaction.			

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P280	P280 Wear protective gloves/protective clothing/eye protection/face protection.				
P261	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.				
P272	P272 Contaminated work clothing should not be allowed out of the workplace.				

Precautionary statement(s) Response

P302+P352	IF ON SKIN: Wash with plenty of water and soap.				
P333+P313	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.				
P362+P364 Take off contaminated clothing and wash it before reuse.					

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

May produce discomfort of the eyes, respiratory tract and skin*.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No		%[weight]	Name	Classification according to directive 67/548/EEC [DSD]	Classification according to regulation (EC) No 1272/2008 [CLP]
1.Not Available 2.Not Available 3.Not Available 4.Not Available		100	acrylic monomer	Not Applicable	Not Applicable
Le	egend:	1. Classification by vendor; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI 4. Classification drawn from C&L			

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

General	If skin contact occurs: If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
---------	---

	 Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. Seek medical attention.
Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known

5.3. Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.Decomposes on heating and produces; carbon dioxide (CO2) carbon monoxide (CO)

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so.

Continued...

- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labelled containers for recycling.
- Neutralise/decontaminate residue (see Section 13 for specific agent).
- Collect solid residues and seal in labelled drums for disposal.
- Wash area and prevent runoff into drains.
- + After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- If contamination of drains or waterways occurs, advise emergency services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Fire and explosion protection	See section 5
Other information	Store in a dry and well ventilated-area, away from heat and sunlight. Store between 10 and 25 deg. C. Store away from sources of heat or ignition / naked lights.

Suitable container	 DO NOT repack. Use containers supplied by manufacturer only. Check that containers are clearly labelled and free from leaks
Storage incompatibility	 Avoid storage with reducing agents. Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

7.3. Specific end use(s)

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name		TWA	STEL	Peak		Notes
Not Available	Not Available	Not Available		Not Available	Not Available	Not Availab	le	Not Available
EMERGENCY LIMITS								
Ingredient	Material name		TEEL-1		TEEL-2		TEEL-3	
Riva Coat	Not Available		Not Availa	able	Not Available		Not Availa	ble
Ingredient	Original IDLH				Revised IDLH			
acrylic monomer	Not Available				Not Available			

MATERIAL DATA

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.
	General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear SAA approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the workplace possess varying

	Type of Contaminant:		Air Speed:
	solvent, vapours, degreasing etc., evaporating from tank (in still air)		0.25-0.5 m/s (50-100 f/min)
	aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transf acid fumes, pickling (released at low velocity into zone of active generation)	fers, welding, spray drift, plating	0.5-1 m/s (100-200 f/min.)
	direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas zone of rapid air motion)	1-2.5 m/s (200-500 f/min)	
	grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial air motion).	2.5-10 m/s (500-2000 f/min.)	
	Within each range the appropriate value depends on:		
	Lower end of the range	Upper end of the range	
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents	
	2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity	
	3: Intermittent, low production.	3: High production, heavy use	
	4: Large hood or large air mass in motion	4: Small hood - local control only	
	Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple e of distance from the extraction point (in simple cases). Therefore the air speed at the extraction por distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when the other solvents of the solvent solvent and the solvents of the solvent solvent solvent solvent and the solvent so	bint should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici	after reference to nin.) for extraction of its within the extraction
	of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider	bint should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici	after reference to nin.) for extraction of its within the extraction
8.2.2. Personal protection	of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider	bint should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici	after reference to nin.) for extraction of its within the extraction
8.2.2. Personal protection Eye and face protection	of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point of the extraction point. Safety glasses with side shields.	point should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici nen extraction systems are installed o irritants. A written policy document, de de a review of lens absorption and ad be trained in their removal and suitab ove contact lens as soon as practicabl	after reference to nin.) for extraction of its within the extraction r used. escribing the wearing of isorption for the class of le equipment should be ie. Lens should be remov
	 of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Safety glasses with side shields. Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate in lenses or restrictions on use, should be created for each workplace or task. This should include chemicals in use and an account of injury experience. Medical and first-aid personnel should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remo at the first signs of eye redness or irritation - lens should be removed in a clean environment of the should be created for each workplace or task. 	point should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici nen extraction systems are installed o irritants. A written policy document, de de a review of lens absorption and ad be trained in their removal and suitab ove contact lens as soon as practicabl	after reference to nin.) for extraction of its within the extraction r used. escribing the wearing of isorption for the class of le equipment should be ie. Lens should be remov
Eye and face protection	 of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Safety glasses with side shields. Safety glasses with side shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate in lenses or restrictions on use, should be created for each workplace or task. This should neadily available. In the event of chemical exposure, begin eye irrigation immediately and removal the first signs of eye redness or irritation - lens should be removed in a clean environment of Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] 	point should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici nen extraction systems are installed o irritants. A written policy document, de de a review of lens absorption and ad be trained in their removal and suitab ove contact lens as soon as practicabl	after reference to nin.) for extraction of its within the extraction r used. escribing the wearing of isorption for the class of le equipment should be ie. Lens should be remov
Eye and face protection Skin protection	 of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Safety glasses with side shields. Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate in lenses or restrictions on use, should be created for each workplace or task. This should include chemicals in use and an account of injury experience. Medical and first-aid personnel should be readily available. In the event of chemical exposure, begin eye irrigation immediately and removant the first signs of eye redness or irritation - lens should be removed in a clean environment of Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] See Hand protection below Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber 	point should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici nen extraction systems are installed o irritants. A written policy document, de de a review of lens absorption and ad be trained in their removal and suitab ove contact lens as soon as practicabl	after reference to nin.) for extraction of its within the extraction r used. escribing the wearing of isorption for the class of le equipment should be ie. Lens should be remov
Eye and face protection Skin protection Hands/feet protection	 of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point distance from the contaminating source. The air velocity at the extraction fan, for example, should a solvents generated in a tank 2 meters distant from the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the extraction point. Constant the second process of the extraction point. Other mechanical consider apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more where the analytic process of the proces of the process of the proces of the proces	point should be adjusted, accordingly, a be a minimum of 1-2 m/s (200-400 f/r rations, producing performance defici nen extraction systems are installed o irritants. A written policy document, de de a review of lens absorption and ad be trained in their removal and suitab ove contact lens as soon as practicabl	after reference to nin.) for extraction of its within the extraction r used. escribing the wearing of isorption for the class of le equipment should be ie. Lens should be remov

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear, pale yellow slightly viscous liquid with ester-like odour, does not mix with water.				
Physical state	Liquid	Relative density (Water = 1)	1.15		
Odour	Not Available	Partition coefficient n-octanol / water	Not Available		
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available		
pH (as supplied)	Not Available	Decomposition temperature	Not Available		
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available		
Initial boiling point and boiling range (°C)	Gel before boiling	Molecular weight (g/mol)	Not Applicable		
Flash point (°C)	Not Available	Taste	Not Available		
Evaporation rate	Not Available	Explosive properties	Not Available		

Continued...

Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2.Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhaled	Limited evidence exists, or practical experience predicts, that the material produces irritation of the respiratory system in a significant number of individuals following inhalation.				
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.				
Skin Contact	following direct contact, and/or produces sign being present twenty-four hours or more after result in a form of contact dermatitis (nonaller	ce predicts, that the material either produces inflammation of the skin in a substantial number of individuals ificant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may rgic). The dermatitis is often characterised by skin redness (erythema) and swelling (oedema) which may ind thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of a of the epidermis.			
Eye	produce significant ocular lesions which are p	ce suggests, that the material may cause eye irritation in a substantial number of individuals and/or is expected to oresent twenty-four hours or more after instillation into the eye(s) of experimental animals. Repeated or prolonged erised by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision may occur.			
Chronic	Practical experience shows that skin contact of producing a positive response in experime	with the material is capable either of inducing a sensitisation reaction in a substantial number of individuals, and/or ntal animals.			
_	TOXICITY	IRRITATION			
Riva Coat	Riva Coat Not Available				
Legend:	1. Value obtained from Europe ECHA Regist extracted from RTECS - Register of Toxic Ef	ered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data fact of chamical Substances			

Acute Toxicity	\odot	Carcinogenicity	\odot
Skin Irritation/Corrosion	\otimes	Reproductivity	\otimes
Serious Eye Damage/Irritation	0	STOT - Single Exposure	\otimes
Respiratory or Skin sensitisation	*	STOT - Repeated Exposure	\otimes
Mutagenicity	0	Aspiration Hazard	0
			 Data available but does not fill the criteria for classification Data required to make classification available

Data Negarica to make classification
 Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
Not Available	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 -Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5.Results of PBT and vPvB assessment

	P	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Product / Packaging Recycle wherever possible. disposal Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed. Waste treatment options Not Available Sewage disposal options Not Available

SECTION 14 TRANSPORT INFORMATION

Labels Required Marine Pollutant NO HAZCHEM Not Applicable Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS 14.1.UN number Not Applicable 14.2.Packing group Not Applicable 14.3.UN proper shipping Not Applicable name 14.4.Environmental hazard Not Applicable Class Not Applicable 14.5. Transport hazard class(es) Subrisk Not Applicable Not Applicable Hazard identification (Kemler) Classification code Not Applicable 14.6. Special precautions for Hazard Label Not Applicable use Special provisions Not Applicable Limited quantity Not Applicable Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number Not Applicable

14.2. Packing group	Not Applicable	
14.3. UN proper shipping name	Not Applicable	
14.4. Environmental hazard	Not Applicable	
14.5. Transport hazard class(es)	ICAO/IATA Class Not Applicable ICAO / IATA Subrisk Not Applicable ERG Code Not Applicable	
	ERG Code Not Applicable	
	Special provisions	Not Applicable
	Cargo Only Packing Instructions	Not Applicable
14.6. Special precautions for user	Cargo Only Maximum Qty / Pack	Not Applicable
	Passenger and Cargo Packing Instructions	Not Applicable
	Passenger and Cargo Maximum Qty / Pack	Not Applicable
	Passenger and Cargo Limited Quantity Packing Instructions	Not Applicable
	Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. Packing group	Not Applicable
14.3. UN proper shipping name	Not Applicable
14.4. Environmental hazard	Not Applicable
14.5. Transport hazard class(es)	IMDG Class Not Applicable IMDG Subrisk Not Applicable
14.6. Special precautions for user	EMS Number Not Applicable Special provisions Not Applicable Limited Quantities Not Applicable

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable
14.2. Packing group	Not Applicable
14.3. UN proper shipping name	Not Applicable
14.4. Environmental hazard	Not Applicable
14.5. Transport hazard class(es)	Not Applicable Not Applicable
	Classification code Not Applicable
	Special provisions Not Applicable
14.6. Special precautions for user	Limited quantity Not Applicable
	Equipment required Not Applicable
	Fire cones number Not Applicable

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation: - The Control of Substances Hazardous to Health Regulations (COSHH) 2002 - COSHH Essentials - The Management of Health and Safety at Work Regulations 1999

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	Y

China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	Y
Korea - KECI	Y
New Zealand - NZloC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

Other information

DSD / DPD label elements



Relevant risk statements are found in section 2.1

Indication(s) of danger	Xi
SAFETY ADVICE	
S02	Keep out of reach of children.
S23	Do not breathe gas/fumes/vapour/spray.
S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.
\$37	Wear suitable gloves.
S40	To clean the floor and all objects contaminated by this material, use water and detergent.
S46	If swallowed, seek medical advice immediately and show this container or label.
S56	Dispose of this material and its container at hazardous or special waste collection point.

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by SDI Limited using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

The information contained in the Safety Data Sheet is based on data considered to be accurate, however, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.

Other information:

Prepared by: SDI Limited 3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia Phone Number: +61 3 8727 7111 Date of preparation/revision: 23rd September 2015 Department issuing SDS: Research and Development Contact: Technical Director

Prepared by: SDI Limited 3-15 Brunsdon Street, Bayswater Victoria, 3153, Australia

Phone Number: +61 3 8727 7111

Date of preparation/revision: 23rd September 2015

Department issuing SDS: Research and Development

Contact: Technical Director