



## Safety Data Sheet

Copyright, 2017, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 18-1161-1 **Version number:** 3.00  
**Revision date:** 23/05/2017 **Supersedes date:** 04/09/2012  
**Transportation version number:** 3.00 (21/06/2018)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

3M™ RELYX™ UNICEM™ Aplicap/Maxicap

#### Product Identification Numbers

70-2011-1559-2	70-2011-1563-4	70-2011-1777-0	70-2011-1979-2	70-2011-1983-4
7000054874	7000129064	7000054889	7000054910	7000129079

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Dental Product

##### Restrictions on Use

For use only by dental professionals.

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

18-0262-8, 17-9608-5

### TRANSPORTATION INFORMATION

70-2011-1559-2, 70-2011-1563-4, 70-2011-1777-0, 70-2011-1979-2,  
70-2011-1983-4

**ADR/RID:** UN3082, NOT RESTRICTED AS PER SPECIAL PROVISION 375, ENVIRONMENTALLY HAZARDOUS SUBSTANCE EXEMPTION, III, --.

**IMDG-CODE:** UN3082, NOT RESTRICTED AS PER IMDG CODE 2.10.2.7, MARINE POLLUTANT EXCEPTION, III, IMDG-Code segregation code: NONE, EMS: --.

**ICAO/IATA:** UN3082, NOT RESTRICTED AS PER SPECIAL PROVISION A197, ENVIRONMENTALLY HAZARDOUS SUBSTANCE EXCEPTION, III.

## KIT LABEL

### 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

#### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

### 2.2. Label elements CLP REGULATION (EC) No 1272/2008

#### SIGNAL WORD

DANGER.

#### Symbols:

GHS05 (Corrosion) | GHS07 (Exclamation mark) | GHS09 (Environment) |

#### Pictograms



#### HAZARD STATEMENTS:

H318

Causes serious eye damage.

H317

May cause an allergic skin reaction.

H411

Toxic to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

##### Prevention:

P280B

Wear protective gloves and eye/face protection.

P273

Avoid release to the environment.

##### Response:

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P310 present and easy to do. Continue rinsing.  
Immediately call a POISON CENTRE or doctor/physician.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

**Disposal:**

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**Revision information:**

Company Telephone information was added.  
Section 1: Product name information was modified.  
Section 01: SAP Material Numbers information was added.  
Section 1: Restrictions on use information information was added.  
Section 2: H phrase reference information was added.  
Label: CLP Classification information was added.  
Label: CLP Environmental Hazard Statements information was added.  
Section 02: Label Elements: CLP Medical Device information was added.  
Label: CLP Precautionary - Disposal information was added.  
Label: CLP Precautionary - Prevention information was added.  
Label: CLP Precautionary - Response information was added.  
Label: Graphic information was added.  
Label: Signal Word information was added.  
Remark (phrase) information was deleted.  
Section 2: Risk phrase information information was deleted.  
Safety phrase information was deleted.  
Section 2: Symbol information was deleted.



## Safety Data Sheet

Copyright, 2017, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	18-0262-8	<b>Version number:</b>	4.02
<b>Revision date:</b>	23/05/2017	<b>Supersedes date:</b>	04/09/2012
<b>Transportation version number:</b>	1.00 (04/09/2012)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Dental Product

##### Restrictions on Use

For use only by dental professionals.

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

##### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

For full text of H phrases, see Section 16.

**2.2. Label elements**

CLP REGULATION (EC) No 1272/2008

**SIGNAL WORD**

WARNING.

**Symbols:**

GHS07 (Exclamation mark) |

**Pictograms**



**HAZARD STATEMENTS:**

H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS**

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SUPPLEMENTAL INFORMATION**

**Supplemental Hazard Statements:**

EUH208 Contains Disodium peroxodisulphate. May produce an allergic reaction.

**2.3. Other hazards**

For information on hazards and safe use, please consider the corresponding sections of this document.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	266-046-0		80 - 95	Substance with a Community level exposure limit in the workplace
Disodium peroxodisulphate	7775-27-1	231-892-1		< 1	Ox. Sol. 3, H272; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT SE 3, H335 Acute Tox. 4, H302
Titanium dioxide	13463-67-7	236-675-5		< 0.5	Substance with a Community level exposure limit in the workplace
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	122334-95-6	310-178-4		1 - 10	Substance not classified as hazardous
Calcium Hydroxide	1305-62-0	215-137-3		< 5	Skin Corr. 1C, H314

**3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder**

1-benzyl-5-phenyl barbituric acid	72846-00-5	276-940-2		1 - 5	Substance not classified as hazardous
-----------------------------------	------------	-----------	--	-------	---------------------------------------

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye contact**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Extinguishing media**

Material will not burn.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products****Substance**

None known.

**Condition**

During combustion.

**5.3. Advice for fire-fighters**

No special protective actions for fire-fighters are anticipated.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

**6.2. Environmental precautions**

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Calcium Hydroxide	1305-62-0	UK HSC	TWA:5 mg/m <sup>3</sup>	
Titanium dioxide	13463-67-7	UK HSC	TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup>	
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	Manufacturer determined	TWA(as dust):10 mg/m <sup>3</sup>	

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

#### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

#### **Skin/hand protection**

See Section 7.1 for additional information on skin protection.

#### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### *Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter type P

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Solid.
<b>Specific Physical Form:</b>	Powder
<b>Appearance/Odour</b>	Odourless powders of different colours.
<b>Odour threshold</b>	<i>No data available.</i>
<b>pH</b>	<i>Not applicable.</i>
<b>Boiling point/boiling range</b>	<i>Not applicable.</i>
<b>Melting point</b>	<i>No data available.</i>
<b>Flammability (solid, gas)</b>	Not classified
<b>Explosive properties</b>	Not classified
<b>Oxidising properties</b>	Not classified
<b>Flash point</b>	No flash point
<b>Autoignition temperature</b>	<i>Not applicable.</i>
<b>Flammable Limits(LEL)</b>	<i>No data available.</i>
<b>Flammable Limits(UEL)</b>	<i>No data available.</i>
<b>Vapour pressure</b>	<i>Not applicable.</i>
<b>Relative density</b>	<i>No data available.</i>
<b>Water solubility</b>	Negligible
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Evaporation rate</b>	<i>Not applicable.</i>
<b>Vapour density</b>	<i>Not applicable.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>Viscosity</b>	<i>Not applicable.</i>
<b>Density</b>	> 1 g/ml

### **9.2. Other information**

**Molecular weight** *No data available.*

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**



This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic respiratory reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Additional Health Effects:

#### Carcinogenicity:

**3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder**

Contains a chemical or chemicals which can cause cancer.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE 2,000 - 5,000 mg/kg
OXIDE GLASS CHEMICALS (non-fibrous)	Dermal		LD50 estimated to be > 5,000 mg/kg
OXIDE GLASS CHEMICALS (non-fibrous)	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Calcium Hydroxide	Dermal	Rabbit	LD50 > 2,500 mg/kg
Calcium Hydroxide	Ingestion	Rat	LD50 7,340 mg/kg
1-benzyl-5-phenyl barbituric acid	Dermal	Professional judgement	LD50 estimated to be 2,000 - 5,000 mg/kg
1-benzyl-5-phenyl barbituric acid	Ingestion	Rat	LD50 > 2,000 mg/kg
Disodium peroxodisulphate	Dermal	Rabbit	LD50 > 10,000 mg/kg
Disodium peroxodisulphate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 47.93 mg/l
Disodium peroxodisulphate	Ingestion	Rat	LD50 895 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
OXIDE GLASS CHEMICALS (non-fibrous)	Professional judgement	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Rabbit	No significant irritation
Calcium Hydroxide	Human	Corrosive
Titanium dioxide	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
OXIDE GLASS CHEMICALS (non-fibrous)	Professional judgement	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Rabbit	No significant irritation
Calcium Hydroxide	Rabbit	Corrosive
Titanium dioxide	Rabbit	No significant irritation

**Skin Sensitisation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Human and animal	Not classified
1-benzyl-5-phenyl barbituric acid	Mouse	Not classified
Titanium dioxide	Human and animal	Not classified

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	In Vitro	Not mutagenic
1-benzyl-5-phenyl barbituric acid	In Vitro	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Hydroxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 2.5 mg/m3	20 minutes
1-benzyl-5-phenyl barbituric acid	Ingestion	nervous system	Not classified	Rat	NOAEL 2,000 mg/kg	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, 3-	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

**3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder**

(trimethoxysilyl)propyl ester, reaction products with vitreous silica						
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide	13463-67-7	Sheepshead Minnow	Experimental	96 hours	LC50	>240 mg/l
Titanium dioxide	13463-67-7	Fish	Experimental	30 days	NOEC	>100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	30 days	NOEC	3 mg/l
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3		Data not available or insufficient for classification			
Calcium Hydroxide	1305-62-0	Water flea	Experimental	48 hours	EC50	1,062 mg/l
Calcium Hydroxide	1305-62-0	Western Mosquitofish	Experimental	96 hours	LC50	13,400 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	122334-95-6		Data not available or insufficient for classification			
1-benzyl-5-phenyl barbituric acid	72846-00-5		Data not available or insufficient for classification			
Disodium	7775-27-1	Water flea	Experimental	48 hours	EC50	64.6 mg/l

**3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder**

peroxodisulphate						
Disodium peroxodisulphate	7775-27-1	Rainbow trout	Experimental	96 hours	LC50	163 mg/l
Disodium peroxodisulphate	7775-27-1	Green Algae	Experimental	72 hours	EC50	116 mg/l
Disodium peroxodisulphate	7775-27-1	Green Algae	Experimental	72 hours	NOEC	3.2 mg/l
Disodium peroxodisulphate	7775-27-1	Water flea	Experimental	21 days	NOEC	10 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	122334-95-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Calcium Hydroxide	1305-62-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-benzyl-5-phenyl barbituric acid	72846-00-5	Modeled Biodegradation	28 days	BOD	30.6 % weight	OECD 301C - MITI test (I)
Disodium peroxodisulphate	7775-27-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction	122334-95-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**3M™ ESPE™ RelyX™ Unicem Aplicap/Maxicap Powder**

products with vitreous silica						
Calcium Hydroxide	1305-62-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Experimental BCF-Carp	42 days	Bioaccumulation factor	9.6	Other methods
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-benzyl-5-phenyl barbituric acid	72846-00-5	Modeled Bioconcentration		Bioaccumulation factor	4.84	Other methods
Disodium peroxodisulphate	7775-27-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

See Section 11.1 Information on toxicological effects

Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

180106\* Chemicals consisting of or containing dangerous substances.

**SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Carcinogenicity**

**Ingredient**

Titanium dioxide

**CAS Nbr**

13463-67-7

**Classification**

Grp. 2B: Possible human  
carc.

**Regulation**

International Agency  
for Research on Cancer

**Global inventory status**

Contact 3M for more information. The components of this product are in compliance with the new substance notification requirements of CEPA.

**15.2. Chemical Safety Assessment**

Not applicable

**SECTION 16: Other information**

**List of relevant H statements**

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

**Revision information:**

Company Telephone information was added.  
Section 1: Product name information was modified.  
Section 1: Restrictions on use information information was added.  
Section 2.1: Classification information information was deleted.  
Contains statement for sensitizers information was added.  
Section 2: EU sensitizer phrase information was deleted.  
Section 2: H phrase reference information was added.  
Label: CLP Classification information was added.  
Section 02: Label Elements: CLP Medical Device information was added.  
Label: CLP Precautionary - Response information was added.  
Label: Graphic information was added.  
Label: Signal Word information was added.  
Section 2: Label ingredient information information was deleted.  
List of sensitizers information was added.  
Section 2: Other hazards phrase information was modified.  
Risk phrase - None information was deleted.  
Section 3: Composition/ Information of ingredients table information was added.  
Section 3: Composition/ Information of ingredients table information was deleted.  
Section 3: Reference to H statement explanation in Section 016 information was added.  
Section 3: Reference to R and H statement explanation in Section 16 information was deleted.  
Section 3: Reference to section 15 for Nota info information was deleted.  
Section 4: First aid for eye contact information information was modified.  
Section 5: Fire - Advice for fire fighters information information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 7: Precautions safe handling information information was modified.  
Section 8: Appropriate Engineering controls information information was modified.  
Section 8: BLV information was added.

Section 8: Eye/face protection text information was deleted.  
Section 8: mg/m<sup>3</sup> key information was deleted.  
Section 8: Occupational exposure limit table information was added.  
Section 8: Occupational exposure limit table information was modified.  
OEL Reg Agency Desc information was modified.  
Section 8: Personal Protection - Eye information information was added.  
Section 8: Personal Protection - Respiratory Information information was modified.  
Section 8: Personal Protection - Skin/hand information information was modified.  
Section 8: ppm key information was deleted.  
Section 8: Respiratory protection - recommended respirators guide information was added.  
Section 8: Respiratory protection - recommended respirators information information was added.  
Section 9: Decomposition Temperature information was added.  
Section 9: Flash point information information was modified.  
Section 9: Odour Threshold information was added.  
Section 9: Property description for optional properties information was added.  
Section 9: Solubility (non-water) information was added.  
Section 10.1: Reactivity information information was modified.  
Section 10: Hazardous decomposition products during combustion text information was added.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Aspiration Hazard Table information was deleted.  
Section 11: Aspiration Hazard text information was added.  
Section 11: Carcinogenicity Table information was modified.  
Section 11: Classification disclaimer information was added.  
Section 11: Classification disclaimer information was deleted.  
Section 11: Disclosed components not in tables text information was added.  
Section 11: Germ Cell Mutagenicity Table information was modified.  
Section 11: Health Effects - Eye information information was modified.  
Section 11: Health Effects - Ingestion information information was modified.  
Section 11: Health Effects - Skin information information was modified.  
Section 11: Reproductive and/or Developmental Effects text information was added.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Respiratory Sensitization Table information was deleted.  
Section 11: Respiratory Sensitization text information was added.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was modified.  
Section 11: Target Organs - Single Table information was modified.  
Section 12: Acute aquatic hazard information information was deleted.  
Section 12: Chronic aquatic hazard information information was deleted.  
Section 12: Classification Warning information was added.  
Section 12: Classification Warning information was deleted.  
Section 12: Component ecotoxicity information information was added.  
Prints No Data if Biocumulative potential information is not present information was deleted.  
Prints No Data if Component ecotoxicity information is not present information was deleted.  
Prints No Data if Persistence and Degradability information is not present information was deleted.  
Section 12: Persistence and Degradability information information was added.  
Section 12: Biocumulative potential information information was added.  
Section 13: 13.1. Waste disposal note information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 14: Transportation classification information was modified.  
Section 15: Carcinogenicity information information was added.  
Section 15: Regulations - Inventories information was modified.  
Section 15: Symbol information information was deleted.  
Section 16: List of relevant R phrase information information was deleted.  
Section 16: List of relevant R-phrases information was deleted.



Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**



## Safety Data Sheet

Copyright, 2017, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	17-9608-5	<b>Version number:</b>	4.02
<b>Revision date:</b>	23/05/2017	<b>Supersedes date:</b>	04/09/2012
<b>Transportation version number:</b>	1.00 (04/09/2012)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Dental Product

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

This product is a medical device as defined in Directive 93/42/EEC (MDD), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

##### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318  
Skin Sensitization, Category 1 - Skin Sens. 1; H317  
Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

#### 2.2. Label elements

**CLP REGULATION (EC) No 1272/2008**

**SIGNAL WORD**

DANGER.

**Symbols:**

GHS05 (Corrosion) | GHS07 (Exclamation mark) |GHS09 (Environment) |

**Pictograms**



**Ingredients:**

Ingredient	CAS Nbr	% by Wt
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	40 - 50
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	25 - 35

**HAZARD STATEMENTS:**

H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS**

**Prevention:**

P280B	Wear protective gloves and eye/face protection.
P273	Avoid release to the environment.

**Response:**

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTRE or doctor/physician.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

**Disposal:**

P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
------	--

**2.3. Other hazards**

For information on hazards and safe use, please consider the corresponding sections of this document.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
2-Propenoic acid, 2-methyl-, 1,1'-[1-	1224866-			40 - 50	Eye Dam. 1, H318

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	76-5				
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	203-652-6	01-2119969287-21	25 - 35	Skin Sens. 1, H317
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	248-607-1	01-2120102014-82	22 - 34	Aquatic Chronic 4, H413
2,6-Di-tert-butyl-p-cresol	128-37-0	204-881-4		< 0.25	Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1
Acetic acid, copper(2+) salt, monohydrate	6046-93-1			< 0.2	Aquatic Acute 1, H400,M=100; Aquatic Chronic 1, H410,M=100

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

## 3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid

### Substance

Carbon monoxide.  
Carbon dioxide.

### Condition

During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible using non-sparking tools. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Store away from heat. Store away from acids. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
------------	---------	--------	------------	---------------------

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**2,6-Di-tert-butyl-p-cresol 128-37-0 UK HSC TWA:10 mg/m<sup>3</sup>

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

**Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Derived no effect level (DNEL)**

Ingredient	Degradation Product	Population	Human exposure pattern	DNEL
2,2'-ethylenedioxydiethyl dimethacrylate		Worker	Dermal, Long-term exposure (8 hours), Systemic effects	13.9 mg/kg bw/d
2,2'-ethylenedioxydiethyl dimethacrylate		Worker	Inhalation, Long-term exposure (8 hours), Systemic effects	48.5 mg/m <sup>3</sup>

**Predicted no effect concentrations (PNEC)**

Ingredient	Degradation Product	Compartment	PNEC
2,2'-ethylenedioxydiethyl dimethacrylate		Agricultural soil	0.274 mg/kg d.w.
2,2'-ethylenedioxydiethyl dimethacrylate		Freshwater	0.164 mg/l
2,2'-ethylenedioxydiethyl dimethacrylate		Freshwater sediments	1.85 mg/kg d.w.
2,2'-ethylenedioxydiethyl dimethacrylate		Marine water	0.0164 mg/l
2,2'-ethylenedioxydiethyl dimethacrylate		Marine water sediments	0.185 mg/kg d.w.
2,2'-ethylenedioxydiethyl dimethacrylate		Sewage Treatment Plant	10 mg/l

**8.2. Exposure controls**

In addition, refer to the annex for more information.

**8.2.1. Engineering controls**

Use in a well-ventilated area.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

**Skin/hand protection**

See Section 7.1 for additional information on skin protection.

**Respiratory protection**

None required.

### 8.2.3. Environmental exposure controls

Refer to Annex

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Liquid.
Appearance/Odour	Clear yellow liquid with acrylate odour.
Odour threshold	<i>No data available.</i>
pH	2.3
Boiling point/boiling range	> 93.3 °C
Melting point	<i>No data available.</i>
Flammability (solid, gas)	Not applicable.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	64 °C [ <i>Test Method:</i> Tagliabue closed cup]
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Relative density	1.14 [ <i>Ref Std:</i> WATER=1]
Water solubility	< 63 g/l
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
Viscosity	<i>No data available.</i>
Density	1.14 g/ml

### 9.2. Other information

Molecular weight	<i>No data available.</i>
Percent volatile	<i>No data available.</i>

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

None known.

## 10.6 Hazardous decomposition products

### Substance

None known.

### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Ingestion	Rat	LD50 > 2,000 mg/kg
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	Ingestion	Rat	LD50 > 17,600 mg/kg



**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

2,6-Di-tert-butyl-p-cresol	Dermal	Rat	LD50 > 2,000 mg/kg
2,6-Di-tert-butyl-p-cresol	Ingestion	Rat	LD50 > 2,930 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Rabbit	Minimal irritation
2,2'-ethylenedioxydiethyl dimethacrylate	Guinea pig	Mild irritant
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	Rabbit	No significant irritation
2,6-Di-tert-butyl-p-cresol	Human and animal	Minimal irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Rabbit	Corrosive
2,2'-ethylenedioxydiethyl dimethacrylate	Professional judgement	Moderate irritant
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	Rabbit	Mild irritant
2,6-Di-tert-butyl-p-cresol	Rabbit	Mild irritant

**Skin Sensitisation**

Name	Species	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Guinea pig	Not classified
2,2'-ethylenedioxydiethyl dimethacrylate	Human and animal	Sensitising
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	Guinea pig	Not classified
2,6-Di-tert-butyl-p-cresol	Human	Not classified

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	In Vitro	Not mutagenic
2,2'-ethylenedioxydiethyl dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	In Vitro	Not mutagenic
2,6-Di-tert-butyl-p-cresol	In Vitro	Not mutagenic
2,6-Di-tert-butyl-p-cresol	In vivo	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	Mouse	Not carcinogenic
2,6-Di-tert-butyl-p-cresol	Ingestion	Multiple animal	Some positive data exist, but the data are not sufficient for classification

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

		species	
--	--	---------	--

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for male reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
2,2'-ethylenedioxydiethyl dimethacrylate	Ingestion	Not classified for development	Mouse	NOAEL 1 mg/kg/day	1 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	2 generation

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2,2'-ethylenedioxydiethyl dimethacrylate	Dermal	kidney and/or bladder   blood	Not classified	Mouse	NOAEL 833 mg/kg/day	78 weeks
2,6-Di-tert-butyl-p-cresol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	28 days
2,6-Di-tert-butyl-p-cresol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	blood	Not classified	Rat	LOAEL 420 mg/kg/day	40 days
2,6-Di-tert-butyl-p-cresol	Ingestion	endocrine system	Not classified	Rat	NOAEL 25 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	heart	Not classified	Mouse	NOAEL 3,480 mg/kg/day	10 weeks

**Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Green algae	Experimental	72 hours	NOEC	56 mg/l
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Algae other	Experimental	72 hours	EC50	0.005 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Crustacea	Experimental	96 hours	EC50	>12.8 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1		Modeled - using QSAR		NOEC	0.004 mg/l
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Common Carp	Experimental	96 days	LC50	0.004 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Ricefish	Experimental	42 days	NOEC	0.053 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Zebra Fish	Experimental	96 hours	LC50	>100 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Green algae	Experimental	72 hours	EC50	>0.4 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Water flea	Experimental	21 days	NOEC	0.023 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Green algae	Experimental	72 hours	Effect Concentration 10%	0.4 mg/l
2,6-Di-tert-butyl-p-cresol	128-37-0	Water flea	Experimental	48 hours	EC50	0.48 mg/l
2,2'-ethylenedioxydiethyl	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

dimethacrylate						
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Green Algae	Experimental	72 hours	EC50	>100 mg/l
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	Green algae	Experimental	72 hours	NOEC	>100 mg/l
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	Water flea	Experimental	48 hours	EC50	>100 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Calculated Photolysis		Photolytic half-life (in air)	5.67 hours (t <sub>1/2</sub> )	Other methods
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Analogous Compound Biodegradation	28 days	BOD	60 % weight	Other methods
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Estimated Biodegradation	28 days	BOD	60 % weight	Other methods
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-	1224866-76-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide						
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Experimental Biodegradation	28 days	BOD	82 % weight	OECD 301F - Manometric respirometry
2,6-Di-tert-butyl-p-cresol	128-37-0	Experimental Biodegradation	28 days	BOD	4.5 % weight	OECD 301C - MITI test (I)
(1-Methylethylidene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Laboratory Bioaccumulation		Log Kow	1.88	Other methods
2,2'-ethylenedioxydiethyl dimethacrylate	109-16-0	Experimental Bioaccumulation		Log Kow	1.88	Other methods
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-	1224866-76-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

propanediyl dimethacrylate and phosphorus oxide						
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Experimental Bioconcentration		Log Kow	-0.2	Other methods
2,6-Di-tert-butyl-p-cresol	128-37-0	Experimental BCF-Carp	56 days	Bioaccumulation factor	1276	OECD 305E - Bioaccumulation flow-through fish test
(1-Methylethylene)bis(4,1-phenyleneoxy-3,1-propanediyl) bismethacrylate	27689-12-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

See Section 11.1 Information on toxicological effects

Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

180106\* Chemicals consisting of or containing dangerous substances.

**SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Carcinogenicity**

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
2,6-Di-tert-butyl-p-cresol	128-37-0	Gr. 3: Not classifiable	International Agency for Research on Cancer

**Global inventory status**

Contact 3M for more information.

**15.2. Chemical Safety Assessment**

A chemical safety assessment has been carried out for the relevant substances in this material by the registrant in accordance with regulation REGULATION (EC) No 1907/2006

**SECTION 16: Other information**

**List of relevant H statements**

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

**Revision information:**

Formulation: Section 16: Annex information was added.  
Professional use in Dental products: Section 16: Annex information was added.  
Company Telephone information was added.  
Section 1: Product use information information was modified.  
CLP: Ingredient table information was added.  
Section 2: H phrase reference information was added.  
Section 2: Indication of danger information information was deleted.  
Label: CLP Classification information was added.  
Label: CLP Environmental Hazard Statements information was added.  
Section 02: Label Elements: CLP Medical Device information was added.  
Label: CLP Precautionary - Disposal information was added.  
Label: CLP Precautionary - Prevention information was added.  
Label: CLP Precautionary - Response information was added.  
Label: Graphic information was added.  
Label: Signal Word information was added.  
Section 2: Label ingredient information information was deleted.  
Section 2: Other hazards phrase information was modified.  
Section 2: R phrase reference information was deleted.  
Remark (phrase) information was deleted.

Risk phrase information was deleted.  
Safety phrase information was deleted.  
Section 2: Symbol information was deleted.  
Section 3: Composition/ Information of ingredients table information was added.  
Section 3: Composition/ Information of ingredients table information was deleted.  
Section 3: Reference to H statement explanation in Section 016 information was added.  
Section 3: Reference to R and H statement explanation in Section 16 information was deleted.  
Section 3: Reference to section 15 for Nota info information was deleted.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 7: Conditions safe storage information was modified.  
Section 7: Precautions safe handling information information was modified.  
Section 8: 8.2. Exposure controls information information was added.  
Section 8: 8.2.3. Environmental exposure controls information information was added.  
Section 8: Appropriate Engineering controls information information was modified.  
Section 8: BLV information was added.  
Section 8: DNEL table row information was added.  
Section 8: Eye/face protection text information was deleted.  
Section 8: Occupational exposure limit table information was added.  
Section 8: Occupational exposure limit table information was modified.  
OEL Reg Agency Desc information was added.  
Section 8: Personal Protection - Eye information information was modified.  
Section 8: Personal Protection - Respiratory Information information was deleted.  
Section 8: Personal Protection - Skin/hand information information was modified.  
Section 8: PNEC table row information was added.  
Section 8: Respiratory protection information information was added.  
Section 8: STEL key information was added.  
Section 8: TWA key information was added.  
Section 9: Decomposition Temperature information was added.  
Section 9: Flammability (solid, gas) information information was added.  
Section 9: Flammability (solid, gas) information information was deleted.  
Section 9: Odour Threshold information was added.  
Section 9: Property description for optional properties information was added.  
Section 9: Property description for optional properties information was deleted.  
Section 9: Solubility (non-water) information was added.  
Section 10: Hazardous decomposition products during combustion text information was added.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Aspiration Hazard Table information was deleted.  
Section 11: Aspiration Hazard text information was added.  
Section 11: Carcinogenicity Table information was modified.  
Section 11: Classification disclaimer information was added.  
Section 11: Classification disclaimer information was deleted.  
Section 11: Disclosed components not in tables text information was added.  
Section 11: Germ Cell Mutagenicity Table information was modified.  
Section 11: Health Effects - Skin information information was modified.  
Section 11: Reproductive and/or Developmental Effects text information was added.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Respiratory Sensitization Table information was deleted.  
Section 11: Respiratory Sensitization text information was added.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Specific Target Organ Toxicity - single exposure text information was added.  
Section 11: Target Organs - Repeated Table information was modified.  
Section 11: Target Organs - Single Table information was deleted.



Section 12: Acute aquatic hazard information information was deleted.  
 Section 12: Chronic aquatic hazard information information was deleted.  
 Section 12: Classification Warning information was added.  
 Section 12: Classification Warning information was deleted.  
 Section 12: Component ecotoxicity information information was added.  
 Prints No Data if Biocumulative potential information is not present information was deleted.  
 Prints No Data if Component ecotoxicity information is not present information was deleted.  
 Prints No Data if Persistence and Degradability information is not present information was deleted.  
 Section 12: Persistence and Degradability information information was added.  
 Section 12: Biocumulative potential information information was added.  
 Section 13: 13.1. Waste disposal note information was modified.  
 Section 13: Standard Phrase Category Waste GHS information was modified.  
 Section 14: Transportation classification information was modified.  
 Section 15: Carcinogenicity information information was added.  
 Section 15: Chemical Safety Assessment information was modified.  
 Annex: Prediction of exposure statement information was added.  
 Section 16: List of relevant R phrase information information was deleted.  
 Section 16: List of relevant R-phrases information was deleted.  
 Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

## Annex

1. Title	
<b>Substance identification</b>	2,2'-ethylenedioxydiethyl dimethacrylate; EC No. 203-652-6; CAS Nbr 109-16-0;
<b>Exposure Scenario Name</b>	Formulation
<b>Lifecycle Stage</b>	Widespread use by professional workers
<b>Contributing activities</b>	PROC 05 -Mixing or blending in batch processes PROC 08a -Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC 08b -Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC 09 -Transfer of substance or mixture into small containers (dedicated filling line, including weighing) ERC 02 -Formulation into mixture
<b>Processes, tasks and activities covered</b>	Mixing operations (open systems). Open sampling. Transfer of substance/mixture with dedicated engineering controls. Transfers without dedicated controls, including loading, filling, dumping, bagging.
2. Operational conditions and risk management measures	
<b>Operating Conditions</b>	<b>Physical state:</b> Liquid. <b>General operating conditions:</b> Duration of exposure per day at workplace [for one worker]: 8 hours/day; Emission days per year: 100 days per year; Indoor use;
<b>Risk management measures</b>	Under the operational conditions described above the following risk management measures apply: <b>General risk management measures:</b> <b>Human health:</b> Protective Gloves - Chemical resistant; Safety glasses with side shields.; <b>Environmental:</b> Municipal Sewage Treatment Plant;

**3M™ ESPE™ Relyx™ Unicem™ Aplicap/Maxicap Liquid**

<b>Waste management measures</b>	Sludge should be incinerated, contained or reclaimed;
<b>3. Prediction of exposure</b>	
<b>Prediction of exposure</b>	Human and environmental exposures are not expected to exceed the DNELs and PNECs when the identified risk management measures are adopted.

<b>1. Title</b>	
<b>Substance identification</b>	2,2'-ethylenedioxydiethyl dimethacrylate; EC No. 203-652-6; CAS Nbr 109-16-0;
<b>Exposure Scenario Name</b>	Professional use in Dental products
<b>Lifecycle Stage</b>	Widespread use by professional workers
<b>Contributing activities</b>	PROC 0 -Other Process or activity PROC 19 -Manual activities involving hand contact ERC 08c -Widespread use leading to inclusion into/onto article (indoor)
<b>Processes, tasks and activities covered</b>	Hand-mixing of preparations, e.g. plasters, resins, two-component adhesives.
<b>2. Operational conditions and risk management measures</b>	
<b>Operating Conditions</b>	<b>Physical state:</b> Liquid. <b>General operating conditions:</b> Duration of exposure per day at workplace [for one worker]: 8 hours/day; Emission days per year: 365 days/year; Indoor use;
<b>Risk management measures</b>	Under the operational conditions described above the following risk management measures apply: <b>General risk management measures:</b> <b>Human health:</b> Protective Gloves - Chemical resistant; Safety glasses with side shields.; <b>Environmental:</b> Municipal Sewage Treatment Plant;
<b>Waste management measures</b>	No use-specific waste management measures are required for this product. Refer to Section 13 of main SDS for disposal instructions:
<b>3. Prediction of exposure</b>	
<b>Prediction of exposure</b>	Human and environmental exposures are not expected to exceed the DNELs and PNECs when the identified risk management measures are adopted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)