

Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: CLEARFIL SE BOND 2; BOND

· Article number: 195-B

· Registration number Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental bonding material

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Europe GmbH Philipp-Reis-Str. 4, 65795 Hattersheim am Main

Germany

Phone:+49 (0)69 305 35 840 Fax:+49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

5 Whitworth Road, Stevenage,

Hertfordshir, SG1 4QS

Great Britain

Tel: +44- (0) 1438 747344 Fax: +44- (0)1438 758909 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

· 1.4 Emergency telephone number:

National Poisons information Service (London Centre)

Guy's & St. Thomas' Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON **SE14 5ER** 

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- Signal word Warning
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

(Contd. on page 2)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

(Contd. of page 1)

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

#### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard-determining components of labelling: bisphenol A diglycidylmethacrylate
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

| Dangerous compone | ents:   |        |
|-------------------|---|--------|
| CAS: 1565-94-2    |   | 25-45% |
| EINECS: 216-367-7 | ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319                     |        |
|                   |   | 20-40% |
| EINECS: 212-782-2 | ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 |        |

#### · Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aliphatic dimethacrylate

Colloidal silica

dl-Camphorquinone

**Initiators** 

Accelerators

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

(Contd. of page 2)

**4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** See Section 8.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

(Contd. of page 3)

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

pH-value:

Form: Liquid
Colour: Yellow
Odour: Odourless
Odour threshold: Not determined

· Change in condition

Melting point/Melting range:-12 °C (2-hydroxyethyl methacrylate)Boiling point/Boiling range:205 °C (2-hydroxyethyl methacrylate)

Not determined

• **Flash point:** 97 °C (2-hydroxyethyl methacrylate)

• **Ignition temperature:** Not determined

• **Decomposition temperature:** Not determined

• **Danger of explosion:** Product does not present an explosion hazard.

(Contd. on page 5)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

|                                     |                                   | (Contd. of page 4) |
|-------------------------------------|-----------------------------------|--------------------|
| Explosion limits:                   |                                   |                    |
| Lower:                              | Not applicable                    |                    |
| Upper:                              | Not applicable                    |                    |
| Oxidising properties                | Not determined                    |                    |
| Density at 20 °C:                   | 1.14 g/cm <sup>3</sup>            |                    |
| Relative density                    | Not determined                    |                    |
| · Vapour density                    | Not applicable                    |                    |
| Evaporation rate                    | Not determined                    |                    |
| Solubility in / Miscibility with    |                                   |                    |
| water:                              | Not miscible or difficult to mix. |                    |
| Partition coefficient (n-octanol/wa | ter): Not determined              |                    |
| · Viscosity:                        | Not determined                    |                    |

No further relevant information available.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

9.2 Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 value | s relevant for | classification: |
|-----------------|----------------|-----------------|
|-----------------|----------------|-----------------|

## 868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig) 3275 mg/kg (mouse) 5050 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

GB ·



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

(Contd. of page 5)

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

| Void            |                                       |
|-----------------|---------------------------------------|
|                 |                                       |
| Void            |                                       |
|                 |                                       |
|                 |                                       |
| Void            |                                       |
|                 |                                       |
| Void            |                                       |
|                 |                                       |
| No              |                                       |
| Not applicable. |                                       |
| ex II of        |                                       |
| Not applicable. |                                       |
|                 | Void  Void  Void  No  Not applicable. |

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 7)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; BOND

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

### · Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

\* Data compared to the previous version altered.

GB -



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: CLEARFIL SE BOND 2; PRIMER

· Article number: 195-P

· Registration number Not applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental bonding material

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Europe GmbH Philipp-Reis-Str. 4,

65795 Hattersheim am Main

Germany

Phone:+49 (0)69 305 35 840 Fax:+49 (0)69 305 35 640 E-mail: dental@kuraray.de

· Supplier:

J & S Davis

5 Whitworth Road, Stevenage,

Hertfordshir, SG1 4QS

Great Britain

Tel: +44- (0) 1438 747344 Fax: +44- (0)1438 758909 E-mail: jsdsales@js-davis.co.uk

· Further information obtainable from: Manufacturer or Supplier

1.4 Emergency telephone number:

National Poisons information Service (London Centre)

Guy's & St. Thomas' Hospital Trust

Medical Toxicology Unit

Avonley Road LONDON SE14 5ER

Emergency telephone: (local) 0870 600 6266 or +44 20 7771 5394

Administrative telephone: +44 20 7 771 53 10 Facsimile number: +44 20 7 771 53 09

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- Signal word Warning
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

(Contd. on page 2)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 1)

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 868-77-9 2-hydroxyethyl methacrylate 20-40% EINECS: 212-782-2 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317

Other ingredients:

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophilic aliphatic dimethacrylate

dl-Camphorquinone

Accelerators

Water

Dyes

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures See Section 8.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

-7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 3)

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

| SECTION 7. I hysical and ch         | The state of the s |
|-------------------------------------|--|
| 9.1 Information on basic physical a | and chemical properties  |
| General Information                 |  |
| Appearance:                         |  |
| Form:                               | Liquid   |
| Colour:                             | Orange   |
| Odour:                              | Odourless  |
| Odour threshold:                    | Not determined.  |
| pH-value at 20 °C:                  | < 2.5  |
| · Change in condition               |  |
| Melting point/Melting range:        | -12 °C (2-hydroxyethyl methacrylate)   |
| <b>Boiling point/Boiling range:</b> | 205°C(2-hydroxyethyl methacrylate)   |
| · Flash point:                      | 97 °C (2-hydroxyethyl methacrylate)  |
| Ignition temperature:               | Not determined   |
| Decomposition temperature:          | Not determined   |
| Danger of explosion:                | Product does not present an explosion hazard.  |
| · Explosion limits:                 |  |
| Lower:                              | Not determined   |
| Upper:                              | Not determined   |
| · Oxidising properties              | Not determined   |
| · Vapour pressure:                  | Not determined   |
| · Density at 20 °C:                 | 1 g/cm <sup>3</sup>  |

(Contd. on page 5)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 4)

Relative density
 Vapour density
 Evaporation rate
 Not determined
 Not determined

· Solubility in / Miscibility with

water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined

· Viscosity: Not determined

• **9.2 Other information** No further relevant information available.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

### 868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig) 3275 mg/kg (mouse)

5050 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 5)

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

| <b>SECTION 14: Transport informa</b>    | tion            |  |
|---|-----------------|--|
| 14.1 UN-Number                          |                 |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.2 UN proper shipping name            |                 |  |
| ADR, ADN, IMDG, IATA                    | Void            |  |
| 14.3 Transport hazard class(es)         |                 |  |
| ADR, ADN, IMDG, IATA                    |                 |  |
| Class                                   | Void            |  |
| 14.4 Packing group                      |                 |  |
| ADR, IMDG, IATA                         | Void            |  |
| 14.5 Environmental hazards:             |                 |  |
| Marine pollutant:                       | No              |  |
| 14.6 Special precautions for user       | Not applicable. |  |
| 14.7 Transport in bulk according to Ann | nex II of       |  |
| Marpol and the IBC Code                 | Not applicable. |  |
| UN "Model Regulation":                  | Void            |  |

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

(Contd. on page 7)



Printing date 13.09.2016 Version number 2 Revision: 13.09.2016

Trade name: CLEARFIL SE BOND 2; PRIMER

(Contd. of page 6)

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

\* Data compared to the previous version altered.

GB -