

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IconDry

Product group:	Endprodukt
CAS No:	64-17-5
Index No:	603-002-00-5
EC No:	200-578-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Flammable liquid: Flam. Liq. 2
Hazard Statements:
Highly flammable liquid and vapour.

2.2. Label elements

Signal word:	Danger
Pictograms:	GHS02



Hazard statements

H225	Highly flammable liquid and vapour.
------	-------------------------------------

Precautionary statements

P233	Keep container tightly closed.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P102	Keep out of reach of children.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Ethanol.

Sum formula:	C ₂ H ₆ O
Molecular weight:	46,07

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 2 of 6

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	ethanol, ethyl alcohol	< 100 %
64-17-5	F - Highly flammable R11	
603-002-00-5	Flam. Liq. 2; H225	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap. Change contaminated clothing. Rub in high-fat content cream.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

If swallowed, immediately drink: Water. Consult physician.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Atomized water. alcohol resistant foam. Carbon dioxide (CO₂). Extinguishing powder. Sand.**Unsuitable extinguishing media**

High power water jet.

5.2. Special hazards arising from the substance or mixture

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition - No smoking.

The following must be prevented: inhalation. skin contact. Eye contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep away from sources of ignition - No smoking. Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 3 of 6

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.
Store only in original container.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: liquid
Colour: colourless-transparent
Odour: characteristic

Test method

pH-Value: neutral

Changes in the physical state

Melting point: ca. -115 °C
Initial boiling point and boiling range: ca. 80 °C
Flash point: 12 °C
Lower explosion limits: 3.5 vol. %
Upper explosion limits: 15 vol. %
Ignition temperature: 425 °C
Vapour pressure: 59 hPa
(at 20 °C)
Density (at 20 °C): ca. 0,8 g/cm³
Water solubility: complete miscible

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 4 of 6

Viscosity / dynamic:
(at 20 °C)

1,3 mPa·s

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

heat.

10.5. Incompatible materials

Oxidizing agents. peroxides. acid. Alkali metals.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, oral LD50: (species: Rat.): > 6200 mg/kg; Acute toxicity, inhalant 95.6 mg / l / 4 h

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64-17-5	ethanol, ethyl alcohol				
	oral	LD50	6200 mg/kg	Rat	IUCLID
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS

Irritation and corrosivity

In case of prolonged or frequently repeated skin contact: irritant.; Following eye contact: irritant.

SECTION 12: Ecological information**12.1. Toxicity**

Acute fish toxicity (Leuciscus idus): LC50: > 8140 mg / l / 48 h (Ethanol);

Acute Daphnia toxicity (Daphnia magna): EC50: 9268 - 14221 mg / l / 48 h

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64-17-5	ethanol, ethyl alcohol					
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID

12.2. Persistence and degradability

Easily biodegradable (concerning to the criteria of the OECD)

12.3. Bioaccumulative potential**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Remove according to the regulations.

Waste disposal number of waste from residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 5 of 6

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances
Classified as hazardous waste.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Classification code: F1
 Special Provisions: 144 601
 Limited quantity: 1 L
 Transport category: 2
 Hazard No: 33
 Tunnel restriction code: D/E

Other applicable information (land transport)

E2

Marine transport (IMDG)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: 144
 Limited quantity: 3 L
 EmS: F-E, S-D

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN 1170
14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconDry

Print date: 20.04.2016

Product code: 6700

Page 6 of 6



Special Provisions: A3
Limited quantity Passenger: 1 L
IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

E2
: Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulatory information

SECTION 16: Other information**Relevant R-phrases (Number and full text)**

11 Highly flammable.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

IconEtch

CAS No: 7647-01-0
 Index No: 017-002-00-2
 EC No: 231-595-7

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH
 Street: Elbgaustraße 248
 Place: D-22547 Hamburg
 Telephone: +49. (0) 40. 84006-0
 e-mail: info@dmg-dental.com
 Internet: www.dmg-dental.com
 Telefax: +49. (0) 40. 84006-222

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
 Skin corrosion/irritation: Skin Corr. 1B
 Specific target organ toxicity - single exposure: STOT SE 3
 Hazard Statements:
 May be corrosive to metals.
 May cause respiratory irritation.
 Causes severe skin burns and eye damage.

2.2. Label elements

Signal word: Danger
 Pictograms: GHS05-GHS07

**Hazard statements**

H290 May be corrosive to metals.
 H335 May cause respiratory irritation.
 H314 Causes severe skin burns and eye damage.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 2 of 6

Chemical characterization

Hydrochloric (HCl).

Sum formula: HCl

Molecular weight: 36,46

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
	Hydrochloric (HCl).	15 - 20 %
7647-01-0	C - Corrosive, Xi - Irritant R34-37	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. Consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water. Remove contaminated clothing immediately and dispose off safely.

After contact with eyes

Move victim out of danger zone. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

After ingestion

Do not induce vomiting. Rinse mouth immediately and drink large quantities of water. Consult physician.

SECTION 5: Firefighting measures**5.1. Extinguishing media****5.2. Special hazards arising from the substance or mixture**

Material is not combustible.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

The following must be prevented: inhalation. skin contact. Eye contact. Wear suitable protective clothing.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning upAbsorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Suitable material for diluting or neutralizing: lime-Water. , "lime water" Ca(OH)₂ aq.**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 3 of 6

Advice on safe handling

Wear suitable protective clothing and gloves. Avoid contact with eyes.

Further information on handling

Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Suitable material for Container: Glass. material, acid proof.

Advice on storage compatibility

Do not store together with: Alkalis (alkalis). metal.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

8.2. Exposure controls**Protective and hygiene measures**

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber):.0,4mm

Respiratory protection

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: Paste
 Colour: green
 Odour: pungent

Test method

pH-Value: ca.1

Changes in the physical state

point of decomposition: >100 °C

Lower explosion limits:

Upper explosion limits:

Vapour pressure: ca.21 hPa
(at 20 °C)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 4 of 6

Density (at 20 °C):

ca 1,1 g/cm³

Water solubility:

miscible.

SECTION 10: Stability and reactivity**10.4. Conditions to avoid**

at °C: ca 100-point of decomposition

10.5. Incompatible materials

metals in powder form. metal. amines. Alkalis (alkalis).

10.6. Hazardous decomposition products

Hydrochloric (HCl).

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, oral LD50: (species: Rat.): 3000 ppm (Vol.)/1h

Irritation and corrosivity

Irritant effect on the eye: corrosive. Risk of serious damage to eyes.

Irritant effect on the skin: Causes burns.

Following inhalation: Coughing. shortage of breath. Gas / vapours, irritant.

After ingestion: Causes burns. Nature of Hazard: Stomach perforation.

Additional information on tests

highly caustic.

SECTION 12: Ecological information**Further information**

Leakage into the environment must be prevented.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Remove according to the regulations.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances
Classified as hazardous waste.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
Hazard label: 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 5 of 6



Classification code: C1
 Special Provisions: 520
 Limited quantity: 1 L
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Other applicable information (land transport)

E2

Marine transport (IMDG)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: -
 Limited quantity: 1 L
 EmS: F-A, S-B

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: A3
 Limited quantity Passenger: 0.5 L
 IATA-packing instructions - Passenger: 851
 IATA-max. quantity - Passenger: 1 L
 IATA-packing instructions - Cargo: 855
 IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

E2

: Y840

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconEtch

Print date: 20.04.2016

Product code: 6102

Page 6 of 6

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**National regulatory information****SECTION 16: Other information****Relevant R-phrases (Number and full text)**

- 34 Causes burns.
- 37 Irritating to respiratory system.

Relevant H- and EUH-phrases (Number and full text)

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016

Product code: 2600

Page 1 of 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

IconInfiltrant

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory/skin sensitization: Resp. Sens. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause respiratory irritation.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

2.2. Label elements

Signal word:	Warning
Pictograms:	GHS07

**Hazard statements**

H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Precautionary statements

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Waste disposal according to official state regulations.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016

Product code: 2600

Page 2 of 5

3.2. Mixtures**Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

name	CAS	%
TEDMA	109-16-0	70-95
Camphoro Quinone	10373-78-1	< 2.5

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO₂).**Unsuitable extinguishing media**

High power water jet.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable protective clothing. The following must be prevented: inhalation. skin contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect mechanically.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**Ensure adequate ventilation of the storage area.
Keep container tightly closed in a cool, well-ventilated place.**Further information on storage conditions**

Store only in original container.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016

Product code: 2600

Page 3 of 5

8.1. Control parameters**8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation of the storage area.

Protective and hygiene measures

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless - yellow
Odour:	like: ester

Test method

pH-Value: not applicable

Changes in the physical state

point of decomposition: > 250 °C

Flash point: 100 °C

Lower explosion limits: not determined

Upper explosion limits: not determined

Vapour pressure: not determined

Density: 1 g/cm³

Water solubility: miscible.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Preparation not tested.

10.2. Chemical stabilityPreparation not tested.
Substances sensitive to light.**10.3. Possibility of hazardous reactions**Preparation not tested.
No risks worthy of mention.**10.4. Conditions to avoid**Light. heat.
Decomposition takes place from temperatures above: 200 °C**10.5. Incompatible materials**

Reducing agents. radical former. heavy metals.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent). Substances sensitive to

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016

Product code: 2600

Page 4 of 5

light.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Preparation not tested.

Acute toxicity

Acute toxicity, oral (Rat.): LD50: > 5000 mg/kg

Acute toxicity, dermal (Rabbit.): LD50: > 3000 mg/kg

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

Additional information on tests

Contains Methacrylic esters.: May produce an allergic reaction.

SECTION 12: Ecological information**12.1. Toxicity**

Preparation not tested.

12.2. Persistence and degradability

Preparation not tested.

12.3. Bioaccumulative potential

Preparation not tested.

12.4. Mobility in soil

Preparation not tested.

12.5. Results of PBT and vPvB assessment

Preparation not tested.

12.6. Other adverse effects

Preparation not tested.

Further information

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

Waste disposal number of waste from residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances
Classified as hazardous waste.

SECTION 14: Transport information**Other applicable information**

Not a hazardous material with respect to these transportation regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

IconInfiltrant

Print date: 20.04.2016

Product code: 2600

Page 5 of 5

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information**Relevant H- and EUH-phrases (Number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Further Information

-

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)