

Page 1/11

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: G-Premio Bond
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

 $\cdot$  1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

• Information department: Regulatory affairs • 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

# **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

- Flam. Liq. 2 H225 Highly flammable liquid and vapour.
- Skin Corr. 1 H314 Causes severe skin burns and eye damage.
- *Eye Dam. 1* H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

*Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labeled according to the CLP regulation.* 

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

• Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: acetone

(Contd. on page 2)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

	(Contd. of page 1)
2,2'-ethylenedio.	xydiethyl dimethacrylate
• Hazard stateme	nts
H225 Highly fla	mmable liquid and vapour.
H314 Causes se	vere skin burns and eye damage.
H317 May cause	e an allergic skin reaction.
H336 May cause	e drowsiness or dizziness.
	o aquatic life with long lasting effects.
· Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves / eye protection / face protection.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazar	ds
· Results of PBT	and vPvB assessment
• <b>PBT</b> : Not applie	cable

• *vPvB:* Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterization: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
67-64-1	acetone	25-<50%
	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	≥10-<20%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
85590-00-7	methacryloyloxydecyl dihydrogen phosphate	5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
	Skin Sens. 1, H317	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
	Repr. 2, H361f	
128-37-0	Butylated hydroxytoluene	0.5-<1%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional i	<i>formation:</i> For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 3)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 2)

#### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

#### • General information:

*Immediately remove any clothing soiled by the product.* 

If symptoms persist consult doctor. • After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

# After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment. If skin irritation continues, consult a doctor. After eye contact:

*After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Call a doctor immediately.* 

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Use neutralizing agent. Absorb liquid components with liquid-binding material.

(Contd. on page 4)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 3)

Trade name: G-Premio Bond

Dispose of the collected material according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray on a naked flame or any incandescent material. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

#### • Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8:** Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

67-64-1 acetone

*IOELV* Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

· Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 4)

Trade name: G-Premio Bond

- Immediately remove all soiled and contaminated clothing.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9.1 Information on basic physical a	nd chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Acetone-like	
Odor threshold:	Not determined.	
pH-value at 20 °C:	1.8	
Change in condition		
Melting point/Melting range:	-95 °C	
Boiling point/Boiling range:	55 °C	
Flash point:	-17 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.6 Vol %	
Upper:	13 Vol %	
Vapor pressure:	Not determined.	
Density at 20 °C:	$0.94  g/cm^3$	

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

		(Contd. of page 5
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
<b>Organic solvents:</b>	31.1 %	
Water:	24.0 %	
VOC (EC)	377.9 g/l	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

67-64-1 acetone

*Oral LD50 5,800 mg/kg (rat (f+m))* 

Dermal LD50 20,000 mg/kg (rabbit)

#### 128-37-0 Butylated hydroxytoluene

*Oral LD50* >6,000 mg/kg (rat (f+m)) (OECD 401)

- · Primary irritant effect:
- · on the skin:

Causes severe skin burns and eye damage.

• on the eye:

Causes serious eye damage.

- Sensitization:
- May cause an allergic skin reaction.
- Additional toxicological information:

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity No further relevant information available.* 

(Contd. on page 7)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 6)

Trade name: G-Premio Bond

- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)* No further relevant information available.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue			
	8 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except		
	kitchen and restaurant wastes not arising from immediate health care)		
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans		
18 01 06*	chemicals consisting of or containing hazardous substances		

(Contd. on page 8)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 7)

EU

• Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1090
	0111070
14.2 UN proper shipping name	A seton a mintura
DOT ADR	Acetone mixture 1090 ACETONE mixture
ADK IMDG, IATA	ACETONE mixture ACETONE
	ACLIONE
14.3 Transport hazard class(es)	
ADR	
3	
Class	2 (E1) Elammable liquide
Label	3 (F1) Flammable liquids
	, 
IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	F-E,S-D
Stowage Category	E
14.7 Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
Exception quantines (22)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	 D/E

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1090 ACETONE MIXTURE, 3, II

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

#### • Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

1344-28-1 aluminium oxide

128-37-0 Butylated hydroxytoluene

· MAK (German Maximum Workplace Concentration)

1344-28-1 aluminium oxide

128-37-0 Butylated hydroxytoluene

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)

Ι

A4

A4

A4

2

4

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

#### **SECTION 16: Other information** · Relevant phrases H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 *Repr. 2: Reproductive toxicity – Category 2* STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also

(Contd. on page 11)

EU

EU

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 10) subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/11

# Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: G-Premio Bond
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Auxiliary for dental technology

 $\cdot$  1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental

• Information department: Regulatory affairs • 1.4 Emergency telephone number: International: +01-813-248-0585 (ChemTel Inc.)

# **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

- Flam. Liq. 2 H225 Highly flammable liquid and vapour.
- Skin Corr. 1 H314 Causes severe skin burns and eye damage.
- *Eye Dam. 1* H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

*Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labeled according to the CLP regulation.* 

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

• Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: acetone

(Contd. on page 2)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

	(Contd. of page 1)
2,2'-ethylenedio.	xydiethyl dimethacrylate
• Hazard stateme	nts
H225 Highly fla	mmable liquid and vapour.
H314 Causes se	vere skin burns and eye damage.
H317 May cause	e an allergic skin reaction.
H336 May cause	e drowsiness or dizziness.
	o aquatic life with long lasting effects.
· Precautionary s	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P260	Do not breathe dusts or mists.
P280	Wear protective gloves / eye protection / face protection.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· 2.3 Other hazar	ds
· Results of PBT	and vPvB assessment
• <b>PBT</b> : Not applie	cable

• *vPvB:* Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterization: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
67-64-1	acetone	25-<50%
	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	≥10-<20%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
85590-00-7	methacryloyloxydecyl dihydrogen phosphate	5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	2.5-<5%
	Skin Sens. 1, H317	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-<2.5%
	Repr. 2, H361f	
128-37-0	Butylated hydroxytoluene	0.5-<1%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional i	<i>formation:</i> For the wording of the listed hazard phrases refer to section 16.	

(Contd. on page 3)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 2)

#### **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

#### • General information:

*Immediately remove any clothing soiled by the product.* 

If symptoms persist consult doctor. • After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

# After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment. If skin irritation continues, consult a doctor. After eye contact:

*After eye contact: Protect unharmed eye. Rinse opened eye for several minutes under running water. Call a doctor immediately.* 

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources Avoid contact with the eyes and skin. Wear protective clothing.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.
6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Use neutralizing agent. Absorb liquid components with liquid-binding material.

(Contd. on page 4)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 3)

Trade name: G-Premio Bond

Dispose of the collected material according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Do not spray on a naked flame or any incandescent material. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in unopened original receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

#### • Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8:** Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

Components with limit values that require monitoring at the workplace:

67-64-1 acetone

*IOELV* Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

· Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 4)

Trade name: G-Premio Bond

- Immediately remove all soiled and contaminated clothing.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9.1 Information on basic physical a	nd chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Acetone-like	
Odor threshold:	Not determined.	
pH-value at 20 °C:	1.8	
Change in condition		
Melting point/Melting range:	-95 °C	
Boiling point/Boiling range:	55 °C	
Flash point:	-17 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	2.6 Vol %	
Upper:	13 Vol %	
Vapor pressure:	Not determined.	
Density at 20 °C:	$0.94  g/cm^3$	

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

		(Contd. of page 5
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
<b>Organic solvents:</b>	31.1 %	
Water:	24.0 %	
VOC (EC)	377.9 g/l	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

67-64-1 acetone

*Oral LD50 5,800 mg/kg (rat (f+m))* 

Dermal LD50 20,000 mg/kg (rabbit)

#### 128-37-0 Butylated hydroxytoluene

*Oral LD50* >6,000 mg/kg (rat (f+m)) (OECD 401)

- · Primary irritant effect:
- · on the skin:

Causes severe skin burns and eye damage.

• on the eye:

Causes serious eye damage.

- Sensitization:
- May cause an allergic skin reaction.
- Additional toxicological information:

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *Repeated dose toxicity No further relevant information available.* 

(Contd. on page 7)

EU

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

(Contd. of page 6)

Trade name: G-Premio Bond

- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)* No further relevant information available.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue			
	8 00 00 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except		
	kitchen and restaurant wastes not arising from immediate health care)		
18 01 00	wastes from natal care, diagnosis, treatment or prevention of disease in humans		
18 01 06*	chemicals consisting of or containing hazardous substances		

(Contd. on page 8)

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 7)

EU

• Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1090
	011070
14.2 UN proper shipping name	Acatoma mintuna
DOT ADR	Acetone mixture 1090 ACETONE mixture
ADK IMDG, IATA	ACETONE
	ACLIONE
14.3 Transport hazard class(es)	
ADR	
3	
Class	3 (F1) Flammable liquids
Label	3 (11) Fiammable liquids
IMDG, IATA	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids 33
EMS Number:	55 F-E,S-D
	Г-Е, <b>5</b> -D Е
Stowage Category	
14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1090 ACETONE MIXTURE, 3, II

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

#### • Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

• TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

1344-28-1 aluminium oxide

128-37-0 Butylated hydroxytoluene

· MAK (German Maximum Workplace Concentration)

1344-28-1 aluminium oxide

128-37-0 Butylated hydroxytoluene

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

 $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 10)

Ι

A4

A4

A4

2

4

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

#### **SECTION 16: Other information** · Relevant phrases H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Classification according to Regulation (EC) No 1272/2008 Calculation method · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Flam. Liq. 2: Flammable liquids - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 *Repr. 2: Reproductive toxicity – Category 2* STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • \* Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also

(Contd. on page 11)

EU

EU

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2020

Version number 3

Revision: 09.12.2020

Trade name: G-Premio Bond

(Contd. of page 10) subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.08.2018

\*

\*

Version number 3

Revision: 12.09.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
• <b>Trade name:</b> <u>G-MULTI PRIMER</u> • <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> No further relevant information available.
· Application of the substance / the mixture Auxiliary for dental technology
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84 msds@gc.dental</li> </ul>
<ul> <li>Further information obtainable from: Regulatory affairs</li> <li>1.4 Emergency telephone number: National poison center for United Kingdom of Great Britain and Northern Ireland: Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383 Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180 Penarth: +44 292 071 55 54</li> </ul>
SECTION 2: Hazards identification
<ul> <li>• 2.1 Classification of the substance or mixture</li> <li>• Classification according to Regulation (EC) No 1272/2008</li> <li>Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.</li> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapour.</li> <li>Skin Sens. 1 H317 May cause an allergic skin reaction.</li> </ul>
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008</li> <li>Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.</li> <li>• Hazard pictograms</li> </ul>
GHS02 GHS07
· Signal word Danger
· Hazard-determining components of labelling:
2,2'-ethylenedioxydiethyl dimethacrylate (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate (Contd. on page 2)

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

#### Trade name: G-MULTI PRIMER

	(Contd. of page 1)
Hazard statemen	ts
H225 Highly flan	umable liquid and vapour.
H317 May cause	an allergic skin reaction.
Precautionary ste	utements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P303+P361+P35	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazard	S
Results of PBT a	nd vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· Description:

\*

\*

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:		
CAS: 64-17-5	ethyl alcohol	90-<100%
EINECS: 200-578-6	Flam. Liq. 2, H225	
Index number: 603-002-00-5		
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate	1-<2.5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	1-<2.5%
EINECS: 203-652-6	Skin Sens. 1, H317	
CAS: 1565-94-2	(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-	0.5-<1%
EINECS: 216-367-7	propanediyl)] bismethacrylate	
	Eye Dam. 1, H318; Skin Sens. 1, H317	
Additional information, For	the wording of the listed hereard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

#### • After skin contact:

Generally the product does not irritate the skin. Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

(Contd. of page 2)

#### Trade name: G-MULTI PRIMER

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

\*

\*

*Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.* 

• 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Remove persons from danger area.
Keep away from ignition sources.
Wear protective equipment. Keep unprotected persons away.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Avoid contact with the eyes and skin.
Wear protective clothing.
• 6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
Prevent seepage into sewage system, workpits and cellars.
Dilute with plenty of water.
$\cdot$ 6.3 Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Allow to evaporate.
Absorb liquid components with liquid-binding material.
Dispose of the material collected according to regulations.
· 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

GB

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

See Section 13 for disposal information.

(Contd. of page 3)

# SECTION 7: Handling and storage

# • 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin. • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Information about storage in one common storage fac • Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

Store in a cool place.

\*

• 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

#### 64-17-5 ethyl alcohol

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Suitable respiratory protective device recommended.

(Contd. on page 5)

GB –

<sup>· 8.1</sup> Control parameters

<sup>· 8.2</sup> Exposure controls

<sup>·</sup> Personal protective equipment:

<sup>•</sup> General protective and hygienic measures:

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

#### Trade name: G-MULTI PRIMER

(Contd. of page 4)

#### • Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

9.1 Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Liquid	
Colour:	Colourless	
Odour:	Alcohol-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	-114.5 °C	
	Undetermined.	
Initial boiling point and boiling range	e: 78 °C	
	Undetermined.	
Flash point:	13 °C	
-	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	425 °C	
	Undetermined.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	

- GB -

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

	(Contd. of pag
• Explosion limits:	
Lower:	3.5 Vol %
	Not determined.
Upper:	15 Vol %
	Not determined.
· Vapour pressure at 20 °C:	59 hPa
	Not determined.
· Density at 20 °C:	0.8 g/cm <sup>3</sup>
2	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water at 20 °C:	1.000 g/l
	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	92.0 %
VOC (EC)	736.2 g/l
· 9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64-17-5 ethyl alcohol

\*

*Oral LD50 7,060 mg/kg (rat (f+m))* 

Inhalative LC50/4 h 20,000 mg/l (rat (f+m))

· Primary irritant effect:

· Skin corrosion/irritation No further relevant information available

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)

<sup>—</sup> GB

*Printing date* 02.08.2018

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

#### · Respiratory or skin sensitisation

May cause an allergic skin reaction.

• *Repeated dose toxicity No further relevant information available.* 

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

#### 

(Contd. of page 6)

<i>inting date 02.08.2018</i>	Version number 3 Re	evision: 12.09.201
ade name: G-MULTI PRIMER		
		(Contd. of page 7
· 14.3 Transport hazard class(es)		
·ADR		
3		
· Class	3 (F1) Flammable liquids.	
· Label	3	
· IMDG, IATA		
3		
· Class	3 Flammable liquids.	
· Label	3	
· 14.4 Packing group		
· ADR, IMDG, IATA	11	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> </ul>	Warning: Flammable liquids. 33	
• EMS Number:	F- $E$ , $S$ - $D$	
· Stowage Category	A	
14.7 Transport in bulk according to A		
Marpol and the IBC Code	Not applicable.	
• Transport/Additional information:		
· ADR	17	
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2	
Excepted quantités (EQ)	Maximum net quantity per inner packaging: 3	30 ml
	Maximum net quantity per outer packaging: 5	
· Transport category	2	
• Tunnel restriction code	D/E	
· IMDG	17	
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2	
Exception quantantes (EQ)	Maximum net quantity per inner packaging: 3	30 ml
	Maximum net quantity per outer packaging: 5	
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION MIXTURE,	3 11

(Contd. on page 9)

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

#### Trade name: G-MULTI PRIMER

(Contd. of page 8)

#### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

#### · Classification according to Regulation (EC) No 1272/2008 Calculation method

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*
- Flam. Liq. 2: Flammable liquids Category 2
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- *Eye Irrit. 2: Serious eye damage/eye irritation Category 2*
- Skin Sens. 1: Skin sensitisation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- · Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* Data compared to the previous version altered. This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.

<sup>(</sup>Contd. on page 10)

Printing date 02.08.2018

Version number 3

Revision: 12.09.2017

Trade name: G-MULTI PRIMER

(Contd. of page 9)

GB

Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.