

# **Safety Data Sheet OPTIBOND SOLO PLUS**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. **Product identifier**

: OPTIBOND SOLO PLUS Product name

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Relevant identified uses

: Professional use Main use category Function or use category : Dental materials.

### Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.I. Via Passanti, 332 84018 Scafati (SA) - Italy T +39-081-850-8311

E-mail: safety@kerrhawe.com

Manufacturer Kerr Italia S.r.I. Via Passanti, 332 84018 Scafati (SA) - Italy T +39-081-850-8311

E-mail: safety@kerrhawe.com

Contact person: safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

# **Emergency telephone number**

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-

800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111

# SECTION 2: HAZARDS IDENTIFICATION

# Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Sol. 1 H228 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Skin Sens. 1 H317

Full text of classification categories and H statements : see section 16

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP) : Danger

Hazardous ingredients : 2-hydroxyethyl methacrylate Hazard statements (CLP) : H228 - Flammable solid

H315 - Causes skin irritation H317 - May cause an allergic skin reaction



H319 - Causes serious eye irritation

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P280 - Wear eye protection, protective gloves P273 - Avoid release to the environment

P501 - Dispose of contents/container to an authorised waste collection point

Extra phrases : The product is seen as a medical device and therefore not subject to labelling (EU-

regulation 1907/2006, article 2, paragraph 6c).

### 2.3. Other hazards

Other hazards not contributing to the : None under normal conditions.

classification

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol, ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	20 - 25	Flam. Liq. 2, H225
2-hydroxyethyl methacrylate	(CAS No) 868-77-9 (EC no) 212-782-2 (EC index no) 607-124-00-X (REACH-no) 01-2119490169-29	>= 15 - <20	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
alkali fluorosilicates(Na)	(CAS No) 16893-85-9 (EC no) 240-934-8 (EC index no) 009-012-00-0 (REACH-no) 01-2119490169-29	>= 0,8 - <1,2	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301

Full text of H-phrases: see section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

First-aid measures general : No particular/specific measures required.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical advice/attention if you feel unwell.

First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.

First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON

CENTER or doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

No specific measures identified.

### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO2) and

powder.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Hazardous decomposition products in case of : Carbon dioxide. Carbon monoxide. Fluorides.

fire

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not eat, drink or smoke in areas where product is used. Avoid contact with skin and

eves.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### For emergency responders

No additional information available

### 6.2. Environmental precautions

Discharging into rivers and drains is forbidden.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

Methods for cleaning up : Large spills: scoop solid spill into closing containers. Take up liquid spill into absorbent

material. Notify authorities if product enters sewers or public waters.

# 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Keep away from heat, hot surfaces,

sparks, open flames and other ignition sources. No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep only in original container. Keep container tightly closed.

Incompatible products : Oxidizing agent. Strong acids.

Incompatible materials : Oxidizing substances.

Storage area : Store in a well-ventilated place.

# 7.3. Specific end use(s)

Consult the supplier for further information.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

ethanol, ethyl alcohol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm

# 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses.

Hand protection : Wear suitable gloves. Nitrile rubber gloves. Layer thickness : 0,09mm. Breakthrough time :

>480 min. STANDARD EN 374.

Eye protection : Safety glasses. STANDARD EN 166.
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Respiratory protection not applicable. In case of insufficient ventilation, wear suitable

respiratory equipment. Wear a respirator conforming to EN140 with Type A/P2 filter or

better





Other information : Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid Appearance : Paste. Colour : Pale yellow. Odour : Fruity.

Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

: 18 °C Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available : No data available Flammability (solid, gas) Vapour pressure No data available Relative vapour density at 20 °C : No data available Relative density : No data available Density : 1.25 g/cm3

Solubility Material insoluble in water.

Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **Chemical stability** 10.2.

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### Conditions to avoid 10.4.

No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Oxidizing agent.

#### **Hazardous decomposition products** 10.6.

No decomposition if stored normally.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Acute toxicity : Ingestion of large amounts may cause discomfort. Uncured material may be harmful if

swallowed.

ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 20000 mg/m³
LC50 inhalation rat (Vapours - mg/l/4h)	124.7 mg/l/4h
2-hydroxyethyl methacrylate (868-77-9)	
LD50 oral rat	5050 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
alkali fluorosilicates(Na) (16893-85-9)	
LD50 oral rat	125 mg/kg

: Causes skin irritation. Skin corrosion/irritation Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. **Toxicity**

: Presents no particular risk to the environment, provided the disposal requirements (see Ecology - general

section 13) and national or local regulations are complied with.

ethanol, ethyl alcohol (64-17-5)	
LC50 fish 1	13500 mg/l (96 hours - Pimephales promelas)
EC50 Daphnia 1	54000 mg/l (48 hours - Daphnia magna)
IC50 algae	> 10.9 mg/l (IC50, 72 hours - Skeletonema costatum)
2-hydroxyethyl methacrylate (868-77-9)  LC50 fish 1 227 mg/l (96 hours - Pimephales promelas)	

#### 12.2. Persistence and degradability

OPTIBOND SOLO PLUS		
Persistence and degradability	No data available.	
ethanol, ethyl alcohol (64-17-5)		
BOD (% of ThOD)	≥ 0.4 % ThOD BOD5/COD	
Biodegradation	85 % (28 days, method: OECD 301D)	
2-hydroxyethyl methacrylate (868-77-9)		
Biodegradation	84 % (OECD 301D method)	

#### 12.3. Bioaccumulative potential

OPTIBOND SOLO PLUS	
Bioaccumulative potential	No data.
2-hydroxyethyl methacrylate (868-77-9)	
Bioconcentration factor (BCF REACH)	1,3 - 1,5
Log Pow	0.47

#### 12.4. Mobility in soil

OPTIBOND SOLO PLUS	
Ecology - soil	Slightly soluble.

#### 12.5. Results of PBT and vPvB assessment

# **OPTIBOND SOLO PLUS**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Other adverse effects : None to our knowledge. Additional information : No other effects known

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.

Recover the product with absorbent material. Dispose of contents/container in accordance Waste treatment methods

with licensed collector's sorting instructions.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials Avoid release to the environment.

European List of Waste (LoW) code : 18 01 06\* - chemicals consisting of or containing dangerous substances

# **SECTION 14: TRANSPORT INFORMATION**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1170

 UN-No. (IMDG)
 : 1170

 UN-No. (IATA)
 : 1170

 UN-No. (ADN)
 : 1170

UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (IATA) : Ethyl alcohol solution

Proper Shipping Name (ADN) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (ethanol, ethyl alcohol(64-

17-5)), 3, III, (D/E)

Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



**IMDG** 

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : Not applicable



14.4. **Packing group** 

Packing group (ADR) : 111 : 111 Packing group (IMDG) : 111 Packing group (IATA) Packing group (ADN) : 111

Packing group (RID) : Not applicable

14.5. **Environmental hazards** 

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

: TP1

: S2

#### 14.6. Special precautions for user

### - Overland transport

Classification code (ADR) : F1 Special provisions (ADR) : 144, 601 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special

provisions (ADR)

: LGBF Tank code (ADR) Vehicle for tank carriage : FL : 3 Transport category (ADR) Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation

(ADR)

Hazard identification number (Kemler No.)

Orange plates

30

Tunnel restriction code (ADR) : D/E EAC code : •2YE

- Transport by sea

: 144, 223 Special provisions (IMDG) Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG)

Packing instructions (IMDG) : P001, LP01 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T2 Tank special provisions (IMDG) : TP1 : F-E EmS-No. (Fire) : S-D EmS-No. (Spillage) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

19% Miscible with water.

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 : 60L PCA max net quantity (IATA) CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180

ERG code (IATA) : 3L

# Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### **National regulations**

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# **SECTION 16: OTHER INFORMATION**

Data sources : EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC.

Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

 Date of issue
 : 15/07/2015

 Revision date
 : 15/07/2015

:

Signature : K. Dyreskog

### Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Sol. 1	Flammable solids, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H225	Highly flammable liquid and vapour
H228	Flammable solid
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.



# Safety Data Sheet Gel Etchant

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. **Product identifier**

Product name : Gel Etchant

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses

: Professional use Main use category Function or use category : Dental materials.

### Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier Kerr Italia S.r.I. Via Passanti, 332 84018 Scafati (SA) - Italy T +39-081-850-8311

E-mail: safety@kerrhawe.com

Manufacturer Kerr Corporation 1717 West Collins Avenue 92867 Orange - CALIFORNIA (U.S.A.)

T 00-800-41-050-505 safety@kerrhawe.com

Contact person: safety@kerrhawe.com - tel. 00-800-41-050-505 (08.00-17.00)

# **Emergency telephone number**

Emergency number : CHEMTREC® Emergency Call Center. Emergency Telephone Number (for USA only) 001-

800-424-9300 International and Maritime Telephone Number +1 (703) 527-3887

Country	Organisation/Company	Address	Emergency number
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111

# SECTION 2: HAZARDS IDENTIFICATION

# Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1B H314

Full text of classification categories and H statements : see section 16

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazardous ingredients : phosphoric acid ... %, orthophosphoric acid ... % Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling

P280 - Wear protective gloves, eye protection P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P501 - Dispose of contents/container to an authorised waste collection point

Extra phrases The product is seen as a medical device and therefore not subject to labelling (EU-

regulation 1907/2006, article 2, paragraph 6c).

#### 2.3. Other hazards

Other hazards not contributing to the

classification

: None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

#### 3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
phosphoric acid %, orthophosphoric acid %	(CAS No) 7664-38-2 (EC no) 231-633-2 (EC index no) 015-011-00-6 (REACH-no) 01-2119485924-24	36 - 39	Skin Corr. 1B, H314
pigment	(REACH-no) N/A		Not classified

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
phosphoric acid %, orthophosphoric acid %	(CAS No) 7664-38-2 (EC no) 231-633-2 (EC index no) 015-011-00-6	(10 =< C < 25) Skin Irrit. 2, H315 (10 =< C < 25) Eye Irrit. 2, H319 (C >= 25) Skin Corr. 1B, H314
	(REACH-no) 01-2119485924-24	

Full text of H-phrases: see section 16

# **SECTION 4: FIRST AID MEASURES**

### Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or First-aid measures after ingestion

doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

# Indication of any immediate medical attention and special treatment needed

No specific measures identified.

### **SECTION 5: FIREFIGHTING MEASURES**

# **Extinguishing media**

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon

dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 52 Special hazards arising from the substance or mixture

Fire hazard : Non flammable.

: Product is not explosive. Explosion hazard

Hazardous decomposition products in case of

: Phosphoric acid mist. Phosphorus oxides.



### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear appropriate personal protective equipment - see Section 8. Avoid contact with skin

and eyes. Wear chemically protective gloves, lab coat or apron to prevent prolonged or

repeated skin contact.

For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Provide good ventilation in process

area to prevent formation of vapour. Do not breathe vapours. Avoid contact with skin and

eyes.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated

place away from : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

Incompatible materials : Metals. Sulfites. Bases.
Storage area : Store at room temperature.

# 7.3. Specific end use(s)

Consult the supplier for further information.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

phosphoric acid %, orthophosphoric acid % (7664-38-2)			
United Kingdom	Local name	Orthophosphoric acid	
United Kingdom	WEL TWA (mg/m³)	1 mg/m³	
United Kingdom	WEL STEL (mg/m³)	2 mg/m³	

# 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses. Avoid all unnecessary exposure.

Hand protection : Wear suitable gloves. Neoprene or nitrile rubber gloves. Layer thickness : 0,09mm.

Breakthrough time: >480 min. STANDARD EN 374.

Eye protection : Chemical goggles or face shield. STANDARD EN 166.


Skin and body protection : Wear suitable protective clothing

Respiratory protection : Respiratory protection not applicable. In case of insufficient ventilation, wear suitable

respiratory equipment. Extra personal protection: A/P2 filter respirator for organic vapour

and harmful dust. Standard EN 149.





standards and in discussion with the supplier of the protective equipment. For even minor contact, immediately remove contaminated clothing. Wash skin thoroughly with mild soap

and water.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state: SolidAppearance: gel.Colour: Violet.

Odour : none to slight.

Odour threshold : No data available

pH : 0.5 - 1.5

Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : 100 °C

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Non flammable
Vapour pressure : 760 mm Hg

Relative vapour density at 20 °C : ≈

Relative density : No data available

Density : 1.2 g/cm<sup>3</sup>

Solubility : In water, material soluble.

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : Product is not explosive.
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

# **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Bases. Strong acids.

### 10.6. Hazardous decomposition products

No decomposition if stored normally.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

phosphoric acid %, orthophosphoric acid % (7664-38-2)	
LD50 oral rat	1530 mg/kg
LD50 dermal rabbit	2740 mg/kg
LC50 inhalation rat (mg/l)	> 0.85 mg/l 1h
Clair as massis a limitation	Causas aguara akin huma and aug damaga

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 0.5 - 1.5

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: 0.5 - 1.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Under normal conditions of use, no adverse effects to health have been observed. Based on

available data, the classification criteria are not met.

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

phosphoric acid %, orthophosphoric acid % (7664-38-2)	
LC50 fish 1	138 mg/l (96 hours - Gambusia affinis)
EC50 Daphnia 1	3.4 mg/l (12 hours - Daphnia pulex)

# 12.2. Persistence and degradability

Gel Etchant	
Persistence and degradability	No data available.

### 12.3. Bioaccumulative potential

phosphoric acid %, orthophosphoric acid % (7664-38-2)	
Log Pow	< 0
Bioaccumulative potential	No bioaccumulation.

# 12.4. Mobility in soil

Gel Etchant	
Ecology - soil	Slightly soluble.

# 12.5. Results of PBT and vPvB assessment

### **Gel Etchant**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

Other adverse effects : None to our knowledge.

Additional information : No other effects known. Avoid release to the environment

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.

Waste treatment methods : Recover the product with absorbent material. Dispose of contents/container in accordance

with licensed collector's sorting instructions.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to ...

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 18 01 06\* - chemicals consisting of or containing dangerous substances

# **SECTION 14: TRANSPORT INFORMATION**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 1805

 UN-No. (IMDG)
 : 1805

 UN-No. (IATA)
 : 1805

 UN-No. (ADN)
 : 1805

UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : PHOSPHORIC ACID, SOLUTION
Proper Shipping Name (IMDG) : PHOSPHORIC ACID SOLUTION
Proper Shipping Name (IATA) : Phosphoric acid, solution

Proper Shipping Name (ADN) : PHOSPHORIC ACID, SOLUTION

Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III, (E) Transport document description (IMDG) : UN 1805 PHOSPHORIC ACID SOLUTION, 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



**IMDG** 

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

: 111 Packing group (ADR) : 111 Packing group (IMDG) : 111 Packing group (IATA) : III Packing group (ADN)

Packing group (RID) : Not applicable

14.5. **Environmental hazards** 

Dangerous for the environment : No Marine pollutant : No

: No supplementary information available Other information

#### 14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C1 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4 (ADR)

: TP1 Portable tank and bulk container special

provisions (ADR)

: L4BN Tank code (ADR) : AT Vehicle for tank carriage : 3 Transport category (ADR) Special provisions for carriage - Packages : V12

(ADR)

Hazard identification number (Kemler No.) . 80

Orange plates

80 1805

Tunnel restriction code (ADR) : E EAC code : 2R

- Transport by sea

Special provisions (IMDG)

Stowage category (IMDG)

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 : TP1 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B

: A Properties and observations (IMDG) : Miscible in water. Mildly corrosive to most metals.

: 223

- Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L : 856 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 8L

# Rail transport

No data available

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# SECTION 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# **National regulations**

EC-regulation 453/2010/EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

# SECTION 16: OTHER INFORMATION

 Other information
 : None.

 Date of issue
 : 27/11/2008

 Revision date
 : 15/07/2015

 Supersedes
 : 29/08/2013

 Signature
 : K. Dyreskog

### Full text of H- and EUH-statements:

Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H314	Causes severe skin burns and eye damage

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.