

Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

 Trade name: Flexitime Fast & Scan Easy Dynamix Heavy Tray, Hea Light Flow 	
• 1.2 Relevant identified uses of the substance or mixture No further relevant information available.	and uses advised against
· Application of the substance / the mixture Dental impl	ression material
• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Kulzer GmbH	Tal 10 (0)000 407
Leipziger Straße 2, 63450 Hanau (Germany) • Informing department: E-Mail: msds@kulzer-dental.com • 1.4 Emergency telephone number: Emergency CONTACT	Tel.: +49 (0)800 4372 m T (24-Hour-Number): +49 (0)6132-84463
SECTION 2: Hazards identification	
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2 The product is not classified according to the CLP regula	
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Safety data sheet available on request. 2.3 Other hazards - Results of PBT and vPvB assessment PBT: Not applicable. 	Void

· Description:

2-component silicone impression material comprising base paste and matching catalyst paste for addition curing

· Dangerous components: Void

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact If skin irritation continues, consult a doctor.

(Contd. on page 2)



Page 2/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

(Contd. of page 1)

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray, ... Medium Flow, ... Light Flow

- · After eye contact Rinse opened eye for several minutes under running water. After swallowing
 - Rinse out mouth and then drink plenty of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.
- . 5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters
 - Protective equipment: No special measures required.
 - · Additional information -

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). 6.4 Reference to other sections
- See Section 13 for information on disposal.
- See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)



Page 3/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray , ... Medium Flow, ... Light Flow

(Contd. of page 2)

ĠВ

8.1 Control para · Components The product of monitored at t · DNELs 13463-67-7 Titar Inhalative worke · PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.wa	with critical values that require monitoring at the workplace: bes not contain any relevant quantities of materials with critical values that have to be workplace. dioxid industr., l.te., local 10 mg/m3 (human) profess., l.te., local 10 mg/m3 (human) dioxid 0.127 mg/l (nd) 1 mg/l (nd) it. 1000 mg/Kg (nd) vat. 100 mg/Kg (nd) 100 mg/Kg (nd)
8.1 Control para · Components The product of monitored at t · DNELs 13463-67-7 Titar Inhalative worke · PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.wo sedim., dw, mar.wo soil,dw	meters with critical values that require monitoring at the workplace: bes not contain any relevant quantities of materials with critical values that have to be workplace. dioxid industr., l.te., local 10 mg/m3 (human) profess., l.te., local 10 mg/m3 (human) dioxid 0.127 mg/l (nd) 1 mg/l (nd) 1 mg/l (nd) it. 1000 mg/Kg (nd) it. 100 mg/Kg (nd) it. 100 mg/Kg (nd)
· DNELs 13463-67-7 Titar Inhalative worke · PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	dioxid industr., l.te., local 10 mg/m3 (human) profess., l.te., local 10 mg/m3 (human) dioxid 0.127 mg/l (nd) 1 mg/l (nd) 1 mg/l (nd) it. 1000 mg/Kg (nd) it. 100 mg/Kg (nd) it. 100 mg/Kg (nd) it. 100 mg/Kg (nd)
13463-67-7 Titar Inhalative worke worke PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	industr., I.te., local 10 mg/m3 (human) profess., I.te., local 10 mg/m3 (human) dioxid
Inhalative worke worke PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	industr., I.te., local 10 mg/m3 (human) profess., I.te., local 10 mg/m3 (human) dioxid
worke • PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.w soil,dw	profess., I.te., local 10 mg/m3 (human) dioxid 0.127 mg/l (nd) 1 mg/l (nd) ht. 1000 mg/Kg (nd) rat. 100 mg/Kg (nd) 100 mg/Kg (nd)
· PNECs 13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	dioxid 0.127 mg/l (nd) 1 mg/l (nd) it. 1000 mg/Kg (nd) vat. 100 mg/Kg (nd) 100 mg/Kg (nd)
13463-67-7 Titar freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	0.127 mg/l (nd) 1 mg/l (nd) nt. 1000 mg/Kg (nd) rat. 100 mg/Kg (nd) 100 mg/Kg (nd)
freshwater marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	0.127 mg/l (nd) 1 mg/l (nd) nt. 1000 mg/Kg (nd) rat. 100 mg/Kg (nd) 100 mg/Kg (nd)
marine water sedim., dw, fre.w sedim., dw, mar.v soil,dw	1 mg/l (nd) ht. 1000 mg/Kg (nd) rat. 100 mg/Kg (nd) 100 mg/Kg (nd)
sedim., dw, mar.v soil,dw	nt. 1000 mg/Kg (nd) rat. 100 mg/Kg (nd) 100 mg/Kg (nd)
sedim., dw, mar.v soil,dw	vat. 100 mg/Kg (nd) 100 mg/Kg (nd)
,	
· Additional	
General particular The usual Breathing Protection not absolu Check prot recommen Materia	ely neccessary ective gloves prior to each use for their proper condition.
marks of of seve and has • Penetra The exa and has • For the materia Butyl ru Nitrile ru	f quality and varies from manufacturer to manufacturer. As the product is a preparation al substances, the resistance of the glove material can not be calculated in advance therefore to be checked prior to the application. tion time of glove material ct break trough time has to be found out by the manufacturer of the protective glove to be observed. permanent contact of a maximum of 15 minutes gloves made of the followin Is are suitable: bber, BR bber, NBR tion: not absolutely neccessary



Page 4/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray , ... Medium Flow, ... Light Flow

· Body protection: Light weight protective clothing

(Contd. of page 3)

 9.1 Information on basic physical and chemical properties General Information 		
Appearance: Form: Colour: Smell: Odour threshold:	Pasty Different according to colour Odourless Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined Not determined	
· Flash point:	Not applicable	
 Inflammability (solid, gaseous) 	Not applicable.	
· Ignition temperature:		
 Decomposition temperature: 	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
 Critical values for explosion: Lower: Upper: 	Not determined. Not determined.	
· Steam pressure:	Not determined.	
 Density Relative density Vapour density Evaporation rate 	Not determined Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
 Viscosity: dynamic: kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

(Contd. on page 5)



Page 5/7

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray, ... Medium Flow, ... Light Flow

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: None

Additional information: -

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

Polydimethy	Polydimethylsiloxan		
Oral	LD50	> 5000 mg/kg (rat)	
Polydimethy	Polydimethysiloxan		
Oral	LD50	> 5000 mg/kg (rat)	
Sensitisation	Sensib.	nicht sensib. (guinea pig) (OECD 406; nach Magnusson-Kligman)	
13463-67-7 T	13463-67-7 Titandioxid		
Oral	LD50	> 5000 mg/kg (rat) (OECD 425)	
Dermal	LD50	> 5000 mg/kg (rabbit)	
Inhalative	LC50/4 h	> 6.8 mg/l (rat)	

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
 CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.
 Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

No further relevant information available.

(Contd. on page 6)



Page 6/7

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray, ... Medium Flow, ... Light Flow

(Contd. of page 5)

 13463-67-7 Titandioxid

 EC50/72h (static)
 16 mg/l (algae) (EPA-600-9/78-018)

 EC50/48h (static)
 > 100 mg/l (daphnia) (OECD 202)

- LC50/96h (static) > 100 mg/l (fish) (OECD 203)
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
 Additional ecological information:
 General notes: Avoid transfer into the environment.
- General notes: Avoid transfer into the environment.
 12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Small quantities can be polymerized with the matching system component(s) and the cured solid material can be disposed of with the regular garbage.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: • Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	



Page 7/7

Safety data sheet according to 1907/2006/EC. Article 31

Printing date 03.06.2017

Version number 3

Revision: 03.06.2017

(Contd. of page 6)

Trade name: Flexitime Fast & Scan Easy Putty, ... Dynamix Putty, ... Dynamix Heavy Tray, ... Heavy Tray, ... Medium Flow, ... Light Flow

· Transport/Additional information:

· UN "Model Regulation":

Void

_

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Mairitime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative * * Data compared to the previous version altered. GB



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

· 1.1 Product identifie	er	
	iversal Adhesive	
	ed uses of the substance or mixtu	re and uses advised against
	e substance / the mixture use with silicone impression material	S
• Manufacturer/Su Kulzer GmbH	pplier of the safety data sheet pplier: 2, 63450 Hanau (Germany)	Tel.: +49 (0)800 43725
· Informing depart	ment: E-Mail: msds@kulzer-dental.c	
SECTION 2: Haza	ards identification	
	the substance or mixture cording to Regulation (EC) No 1272	2/2008
	5 Highly flammable liquid and vapour	
	5 Causes skin irritation.	•
	Causes serious eye damage.	
· 2.2 Label elements		
The product is clas Hazard pictog	ing to Regulation (EC) No 1272/200 ssified and labelled according to the (rams	CLP regulation.
GHS02 GHS	05	
· Signal word D	anger	
Hazard-detern	nining components of labelling:	
titanium tetrabu • Hazard staten		
	ammable liquid and vapour.	
H315 Causes s	skin irritation.	
	serious eye damage.	
• Precautionary P210 P241 P303+P361+P	Keep away from heat/sparks/ope Use explosion-proof electrical/ve 353 IF ON SKIN (or hair): Remove	e/Take off immediately all contaminat
P305+P351+P P310 P321	clothing. Rinse skin with water/sl 338 IF IN EYES: Rinse cautiously contact lenses, if present and ea Immediately call a POISON CEN Specific treatment (see on this la	with water for several minutes. Remc sy to do. Continue rinsing. ITER/doctor.
· 2.3 Other hazards -	, , , , , , , , , , , , , , , , , , , ,	<i>,</i>
D	nd vPvB assessment	



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

· vPvB: Not applicable.

(Contd. of page 1)

3.2 Chemical characterisati · Description: -	on: Mixtures	
· Dangerous components:		
CAS: 141-78-6 EINECS: 205-500-4	ethyl acetate Flam. Lig. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	10-25%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 2119488216-32-xxxx	xylene, mixed isomers, pure Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	5-10%
CAS: 5593-70-4 EINECS: 227-006-8	titanium tetrabutanolate Flam. Lig. 3, H226; Eye Dam. 1, H318; Skin Irrit. 2, H315	0-5%
CAS: 100-41-4 EINECS: 202-849-4	ethylbenzene Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332	0-5%
CAS: 556-67-2 EINECS: 209-136-7	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 4, H413	< 1%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Instantly rinse with water.
- If skin irritation continues, consult a doctor.
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam. **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- 5.2 Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: No special measures required.

(Contd. on page 3) GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

(Contd. of page 2)

Trade name: Universal Adhesive

· Additional information -

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep upprotected persons away
- Wear protective equipment. Keep unprotected persons away. • 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues). Do not flush with water or aqueous cleansing agents
- 6.4 Reference to other sections No dangerous materials are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep containers tightly sealed.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
 - Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
 Storage
 - Requirements to be met by storerooms and containers: Store in cool location.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:
 - Store in cool, dry conditions in well sealed containers.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

78-6 ethyl acetate Short-term value: 400 ppm Long-term value: 200 ppm -20-7 xylene, mixed isomers							
Long-term value: 200 ppm							
-20-7 xylene, mixed isomers							
	, pure						
Short-term value: 441 mg/m ³ Long-term value: 220 mg/m ³ , Sk; BMGV	, 100 ppm 50 ppm	1					
1-4 ethylbenzene							
Short-term value: 552 mg/m ³ Long-term value: 441 mg/m ³ , Sk	, 125 ppm 100 ppm	1					
1						(C	Contd. on pa
1	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ Long-term value: 441 mg/m ³ ,	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ , 125 ppm Long-term value: 441 mg/m ³ , 100 ppm	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ , 125 ppm Long-term value: 441 mg/m ³ , 100 ppm	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ , 125 ppm Long-term value: 441 mg/m ³ , 100 ppm	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ , 125 ppm Long-term value: 441 mg/m ³ , 100 ppm	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m ³ , 125 ppm Long-term value: 441 mg/m ³ , 100 ppm	Sk; BMGV 1-4 ethylbenzene Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

 Ingredients with biological line 	mit valuas:
1330-20-7 xylene, mixed isomers, pure	
BMGV 650 mmol/mol creatinine	6
Medium: urine	
Sampling time: post shift	
Parameter: methyl hippuric acid	
	that were valid during the compilation were used as basis
8.2 Exposure controls	
· Personal protective equipment	
General protective and hygienic	measures
Avoid contact with the eyes.	, modeur ee
Keep away from foodstuffs, bever	ages and food.
Instantly remove any soiled and in	npregnated garments.
Wash hands during breaks and at	the end of the work.
Avoid contact with the eyes and sl	kin.
Breathing equipment:	n n ann an an ann an an
	l exhaust. If exposition to vapours is possible, use breath
protective mask (filter A).	
Protection of hands: Check protective gloves prior to ea	ach usa far thair propar condition
recommended	
· Material of gloves	
The selection of the suitable	gloves does not only depend on the material, but also
further marks of quality and va	aries from manufacturer to manufacturer. As the product i
preparation of several subst	tances, the resistance of the glove material can not
	therefore to be checked prior to the application.
Penetration time of glove ma	iterial
	has to be found out by the manufacturer of the protect
gloves and has to be observed	
· For the permanent contac	t of a maximum of 15 minutes gloves made of t
 For the permanent contac following materials are suital 	t of a maximum of 15 minutes gloves made of t
• For the permanent contac following materials are suital Butyl rubber, BR	t of a maximum of 15 minutes gloves made of t
• For the permanent contac following materials are suital Butyl rubber, BR Nitrile rubber, NBR	et of a maximum of 15 minutes gloves made of t ble:
• For the permanent contac following materials are suital Butyl rubber, BR	et of a maximum of 15 minutes gloves made of a ble: accessary
 For the permanent contac following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne 	et of a maximum of 15 minutes gloves made of a ble: accessary
 For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely net Body protection: Light weight protection 	et of a maximum of 15 minutes gloves made of a ble: accessary otective clothing
For the permanent contac following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight pro SECTION 9: Physical and chem	et of a maximum of 15 minutes gloves made of t ble: accessary otective clothing ical properties
For the permanent contac following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight pro SECTION 9: Physical and chem 9.1 Information on basic physical and	et of a maximum of 15 minutes gloves made of a ble: accessary otective clothing ical properties
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight protection: SECTION 9: Physical and chem 9.1 Information on basic physical and General Information	et of a maximum of 15 minutes gloves made of a ble: accessary otective clothing ical properties
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight protection: SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Appearance:	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties chemical properties
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight protection: SECTION 9: Physical and chem SECTION 9: Physical and chem General Information Appearance: Form:	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties chemical properties Fluid
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight protection: SECTION 9: Physical and chem 9.1 Information on basic physical and General Information Appearance:	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties chemical properties Fluid Blue
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight protection: SECTION 9: Physical and chem SECTION 9: Physical and chem Outpearance: Form: Colour:	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties chemical properties Fluid Blue Ester-like
 For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely net Body protection: Light weight protection: Light weight protection: Light weight protection Body protection: Light weight protection: Colour: Co	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties chemical properties Fluid Blue Ester-like Not determined.
 For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely net Body protection: Light weight protection: Light weight protection: Light weight protection on basic physical and General Information Appearance: Form: Colour: Smell: Odour threshold: pH-value: 	et of a maximum of 15 minutes gloves made of t ble: eccessary otective clothing ical properties chemical properties Fluid Blue Ester-like
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight pro- SECTION 9: Physical and chem SECTION 9: Physical and chem Official experimentation Official experimentation Appearance: Form: Colour: Smell: Odour threshold: pH-value: Change in condition	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties ical properties fluid Blue Ester-like Not determined. Not determined.
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight pro- SECTION 9: Physical and chem SECTION 9: Physical and chem Official experimentation P.1 Information on basic physical and General Information Appearance: Form: Colour: Smell: Odour threshold: pH-value: Change in condition Melting point/Melting range:	et of a maximum of 15 minutes gloves made of a ble: eccessary otective clothing ical properties ical properties fluid Blue Ester-like Not determined. Not determined.
 For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely net Body protection: Light weight protection: Light weight protection: Light weight protection: Light weight protection: Colour: Smell: Odour threshold: pH-value: Boiling point/Boiling range: 	et of a maximum of 15 minutes gloves made of the ble: eccessary otective clothing ical properties ical properties chemical properties Fluid Blue Ester-like Not determined. Not determined. Not determined 77 °C
For the permanent contact following materials are suital Butyl rubber, BR Nitrile rubber, NBR Eye protection: not absolutely ne Body protection: Light weight pro- SECTION 9: Physical and chem SECTION 9: Physical and chem Official experimentation P.1 Information on basic physical and General Information Appearance: Form: Colour: Smell: Odour threshold: pH-value: Change in condition Melting point/Melting range:	et of a maximum of 15 minutes gloves made of t ble: eccessary otective clothing ical properties ical properties fluid Blue Ester-like Not determined. Not determined.



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

	(Contd. of page 4)
 Inflammability (solid, gaseous) 	Not applicable.
· Ignition temperature:	460 °C
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
Critical values for explosion: Lower: Upper:	2.1 Vol % 11.5 Vol %
 Steam pressure at 20 °C: 	102 hPa
Density at 20 °C Relative density Vapour density Evaporation rate	1.20169 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix
· Partition coefficient (n-octanol/wa	ater): Not determined.
Viscosity: dynamic: kinematic: 9.2 Other information	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None Additional information: -
- SECTION 11: Toxicological information · 11.1 Information on toxicological effects · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: 141-78-6 ethyl acetate Oral LD50 5600 mg/kg (rat) Dermal LD50 18000 mg/kg (rabbit) Sensitisation Sensib. nicht sensib. (guinea pig) (OECD-Prüfrichtlinie 406) 1330-20-7 xylene, mixed isomers, pure Oral LD50 8700 mg/kg (rat) Dermal LD50 2000 mg/kg (rabbit) (Contd. on page 6)

GB -



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

		(Contd. of page 5)
Inhalative		6350 mg/l (rat)
100-41-4 et	-	
Oral	LD50	3500 mg/kg (rat)
Dermal	LD50	17800 mg/kg (rabbit)
SA Ca Se Resp Based CMR CMR CMR CA STOT STOT	auses skin in erious eye o auses seriou iratory or s d on availab effects (ca erm cell mu arcinogenic eproductive F-single exp F-repeated	on/irritation
SECTION	12: Ecol	ogical information
· 12.1 Toxici		
· Aquatic		
141-78-6 et	•	
	3300 mg/l (a	- /
7	717 mg/l (da	phnia) (DIN 38412)
7 LC50/96h	717 mg/l (da 230 mg/l (fis	phnia) (DIN 38412) h)
LC50/96h 2 • 12.2 Persis • 12.3 Bioacc • 12.4 Mobilit • 12.5 Result • PBT: No • vPvB: N	717 mg/l (da 230 mg/l (fis tence and c cumulative ty in soil No s of PBT au t applicable ot applicable	nphnia) (DIN 38412) h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment
LC50/96h 2 • 12.2 Persis • 12.3 Bioacc • 12.4 Mobilit • 12.5 Result • PBT: No • vPvB: N	717 mg/l (da 230 mg/l (fis tence and c cumulative ty in soil No s of PBT au t applicable ot applicable	nphnia) (DIN 38412) h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e.
LC50/96h 2 • 12.2 Persis • 12.3 Bioaco • 12.4 Mobilio • 12.5 Result • PBT: No • vPvB: N • 12.6 Other	717 mg/l (da 230 mg/l (fis tence and o cumulative ty in soil No s of PBT al t applicable ot applicable adverse eff	nphnia) (DIN 38412) h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e.
 LC50/96h 12.2 Persis 12.3 Bioacc 12.4 Mobiliti 12.5 Result PBT: No vPvB: N 12.6 Other SECTION 13.1 Waste Recomm 	717 mg/l (da 230 mg/l (fis tence and o cumulative ty in soil No s of PBT an t applicable ot applicable adverse eff 13: Disp treatment nendation	phnia) (DIN 38412) h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e. fects No further relevant information available. fects No further relevant information available. osal considerations methods
LC50/96h 2 · 12.2 Persis · 12.3 Bioaco · 12.4 Mobilit · 12.5 Result · PBT: No · vPvB: N · 12.6 Other a SECTION · 13.1 Waste · Recomm Must not system. · Unclean	717 mg/l (da 230 mg/l (fis tence and o cumulative ty in soil No s of PBT al t applicable ot applicable adverse eff 13: Disp treatment be dispose ed packagi	aphnia) (DIN 38412) h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e. e. fects No further relevant information available. osal considerations methods d of together with household garbage. Do not allow product to reach sewage
LC50/96h 2 • 12.2 Persis • 12.3 Bioacc • 12.4 Mobilit • 12.5 Result • PBT: No • vPvB: N • 12.6 Other • 13.1 Waste • Recomm Must not system. • Unclean • Reco	717 mg/l (da 230 mg/l (fis tence and o cumulative ty in soil No s of PBT al t applicable ot applicable adverse eff 13: Disp treatment be dispose ed packagi mmendatio	h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e. e. fects No further relevant information available. fects No further relevant information available. osal considerations methods d of together with household garbage. Do not allow product to reach sewage ings:
LC50/96h 2 • 12.2 Persis • 12.3 Bioacc • 12.4 Mobilit • 12.5 Result • PBT: No • vPvB: N • 12.6 Other • 13.1 Waste • Recomm Must not system. • Unclean • Reco	717 mg/l (da 230 mg/l (fis tence and o cumulative ty in soil No s of PBT al t applicable ot applicable adverse eff 13: Disp treatment be dispose ed packagi mmendatio 14: Tran	h) degradability No further relevant information available. potential No further relevant information available. o further relevant information available. nd vPvB assessment e. fects No further relevant information available. Osal considerations methods d of together with household garbage. Do not allow product to reach sewage ings: on: Disposal must be made according to official regulations.



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

	(Contd. of page
 14.2 UN proper shipping name ADR IMDG, IATA 	1866 RESIN SOLUTION, special provision 6401 RESIN SOLUTION
· 14.3 Transport hazard class(es)	
ADR	
· Class	3 (F1) Flammable liquids.
	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
 14.4 Packing group ADR, IMDG, IATA 	11
 14.5 Environmental hazards: Marine pollutant: 	No
14.6 Special precautions for user Kemler Number:	Warning: Flammable liquids.
· Kemler Number: · EMS Number:	33 F-E,S-E
· Stowage Category	В
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	ex II Not applicable.
· Transport/Additional information:	-
ADR	
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E2
	Maximum net quantity per inne
	packaging:30 ml ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
 IMDG Limited quantities (LQ) 	5L
Excepted quantities (ÉQ)	Code: E2
	Maximum net quantity per inne packaging: 30 ml
	Maximum net quantity per oute packaging: 500 ml
	(Contd. on page



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.09.2017

Version number 3

Revision: 28.09.2017

Trade name: Universal Adhesive

· UN "Model Regulation":

UN 1866 RESIN SOLUTION, SPECIAL PROVISION 640D, 3, II

(Contd. of page 7)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage. H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- Flam. Liq. 2: Flammable liquids Category 2 Flam. Liq. 3: Flammable liquids Category 3 Acute Tox. 4: Acute toxicity Category 4 Skin Irrit. 2: Skin corrosion/irritation Category 2 Eye Dam. 1: Serious eye damage/eye irritation Category 1

- Eye Irrit. 2: Serious eye damage/eye irritation Category 2 Eye Irrit. 2: Serious eye damage/eye irritation Category 2 Repr. 2: Reproductive toxicity Category 2 STOT SE 3: Specific target organ toxicity (single exposure) Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) Category 2 Asp. Tox. 1: Aspiration hazard Category 1
- Aquatic Chronic 4: Hazardous to the aquatic environment long-term aquatic hazard Category 4

GB