

according to UK REACH Regulation

### VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

VITA VM®LC PRIMER I

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals medical device

Auxiliary for manufacture of dental products

# 1.3. Details of the supplier of the safety data sheet

Company name: VITA Zahnfabrik H.Rauter GmbH & Co.KG

Street: Spitalgasse 3

Place: D-79713 Bad Säckingen

Post-office box: 1338

D-79704 Bad Säckingen

Telephone: +49(0)7761-562-0 Telefax: +49(0)7761-562-299

e-mail: info@vita-zahnfabrik.com

Contact person: regulatory affairs

e-mail: info@vita-zahnfabrik.com
Internet: www.vita-zahnfabrik.com

Responsible Department: Regulatory Affairs **1.4. Emergency telephone** +49-(0)761-19240

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### **GB CLP Regulation**

# Hazard components for labelling

acetone; propan-2-one; propanone

Signal word: Danger

Pictograms:





#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.



according to UK REACH Regulation

## VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 2 of 9

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

| CAS No     | Chemical name  |              |                  | Quantity |
|------------|--|--------------|------------------|----------|
|            | EC No  | Index No     | REACH No         |          |
|            | Classification (GB CLP Regulation)                           |              |                  |          |
| 67-64-1    | acetone; propan-2-one; propanone                             |              |                  |          |
|            | 200-662-2  | 606-001-00-8 | 01-0211947130-49 |          |
|            | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 |              |                  |          |
| 85590-00-7 | MDP; 10-Methacryloyl-oxydecyl-dihydrogenphosphat             |              |                  |          |
|            | Skin Corr. 1; H314   |              |                  |          |
| 64-19-7    | Essigsäure   |              |                  |          |
|            | Flam. Liq. 3, Met. Corr. 1, Skin Corr. 1; H226 H290 H314     |              |                  |          |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

|         | 1 11, 111111               |  |  |  |  |  |
|---------|----------------------------|--|--|--|--|--|
| CAS No  | EC No                      | Chemical name                              |  |  |  |  |
|         | Specific Conc. I           | Specific Conc. Limits, M-factors and ATE   |  |  |  |  |
| 67-64-1 | 200-662-2                  | 200-662-2 acetone; propan-2-one; propanone |  |  |  |  |
|         | dermal: LD50 = 20000 mg/kg |  |  |  |  |  |

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.





according to UK REACH Regulation

#### VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 3 of 9

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

# 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities



according to UK REACH Regulation

## VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 4 of 9

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

| CAS No   | Substance                  | ppm  | mg/m³ | fibres/ml | Category      | Origin |
|----------|----------------------------|------|-------|-----------|---------------|--------|
| 128-37-0 | 2,6-Di-tert-butyl-p-cresol | -    | 10    |           | TWA (8 h)     | WEL    |
| 64-19-7  | Acetic acid                | 10   | 25    |           | TWA (8 h)     | WEL    |
|          |                            | 20   | 50    |           | STEL (15 min) | WEL    |
| 67-64-1  | Acetone                    | 500  | 1210  |           | TWA (8 h)     | WEL    |
|          |                            | 1500 | 3620  |           | STEL (15 min) | WEL    |

### 8.2. Exposure controls







### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Recommended glove articles KCL Butyl Breakthrough time: 480 min Butyl caoutchouc (butyl rubber)

#### Skin protection

Protective clothing.

#### Respiratory protection

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

# Changes in the physical state

Melting point/freezing point: not determined

Revision No: 1 GB - EN Print date: 21.02.2023



according to UK REACH Regulation

| \/IT A | \/R/ |    | DD     | 184 |     | п |
|--------|------|----|--------|-----|-----|---|
| VITA   | V IV | WL | <br>РK | ΙV  | IEK |   |

Revision date: 24.08.2020 Product code: 331 Page 5 of 9

Boiling point or initial boiling point and 55,8-56,6 °C

boiling range:

Flash point: -20°C °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: 2.6 vol. % Upper explosion limits: 13.0 vol. %

Self-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined
pH-Value: not determined
Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

not determined

not determined

not determined

not determined

not determined

9.2. Other information

Information with regard to physical hazard classes

Oxidizing properties Not oxidising.

Other safety characteristics

Solid content: not determined Evaporation rate: not determined

**Further Information** 

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

## 10.5. Incompatible materials

No information available.



according to UK REACH Regulation

## VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 6 of 9

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

| CAS No  | Chemical name                             |                     |  |  |        |  |
|---------|---|---------------------|--|--|--------|--|
|         | Exposure route Dose Species Source Method |                     |  |  | Method |  |
| 67-64-1 | acetone; propan-2-one; propanone          |                     |  |  |        |  |
|         | dermal                                    | LD50 20000<br>mg/kg |  |  |        |  |

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

#### 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

# 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)



according to UK REACH Regulation

## VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 7 of 9

14.1. UN number or ID number:UN 109014.2. UN proper shipping name:ACETONE14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:UN 109014.2. UN proper shipping name:ACETONE14.3. Transport hazard class(es):3

14.4. Packing group:
Hazard label:

3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number:UN 109014.2. UN proper shipping name:ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1090 14.2. UN proper shipping name: ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Limited quantity Passenger: 1 L

Passenger LQ: Y341



according to UK REACH Regulation

| \/IT A | \/R/ |    | DD     | 184 |     | п |
|--------|------|----|--------|-----|-----|---|
| VITA   | V IV | WL | <br>РK | ΙV  | IEK |   |

Revision date: 24.08.2020 Product code: 331 Page 8 of 9

Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU

(SEVESO III):

P5c FLAMMABLE LIQUIDS

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

# Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)



according to UK REACH Regulation

## VITA VM®LC PRIMER I

Revision date: 24.08.2020 Product code: 331 Page 9 of 9

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Flam. Liq. 2; H225  | On basis of test data    |
| Skin Irrit. 2; H315 | Calculation method       |
| Eye Irrit. 2; H319  | Calculation method       |
| STOT SE 3; H336     | Calculation method       |

### Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|------|-------------------------------------|
| H226 | Flammable liquid and vapour.        |
| H290 | May be corrosive to metals.         |

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)