

according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Revision date: 10.11.2017

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KaVo CLEANspray

Product code:

1.007.0568

1.007.0579

Further trade names

CLEANspray®, CLEANspray 2110, CLEANspray 2110P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

The product is intended for professional use.

1.3. Details of the supplier of the safety data sheet

| Company name: | KaVo Dental GmbH | |
|--------------------------|---|--------------------------------|
| Street: | Bismarckring 39 | |
| Place: | D-88400 Biberach | |
| Telephone: | +49 (0) 7351 56 0 | Telefax: + 49 (0) 7351 56 1488 |
| e-mail: | sdb@kavo.com | |
| e-mail (Contact person): | support@gefahrstoff.com | |
| Internet: | http://www.kavo.com/ | |
| Responsible Department: | Questions concerning SDB: PES-Ingenieurgese | ellschaft mbH |
| 1.4. Emergency telephone | +49 (0) 7351 56 4000 (24 h) | |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 3 Hazard Statements: Pressurised container: May burst if heated.

<= 1 % by mass of the contents are flammable.

Chemical heat of combustion in kJ/g: < 20

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Hazard statements

H229

Pressurised container: May burst if heated.

Precautionary statements

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No |
|-----------|---|
| | smoking. |
| P251 | Do not pierce or burn, even after use. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| | |

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients



according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Page 2 of 8

Revision date: 10.11.2017

KaVo. Dental Excellence

3.2. Mixtures

Chemical characterization

Contains: propylene glycol, Water, Complexing agent, Aerosol propellants

Hazardous components

| CAS No | Chemical name | | | Quantity | | | |
|----------|---|-------------------------|--|----------|--|--|--|
| | EC No | EC No Index No REACH No | | | | | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | | | |
| 124-38-9 | Carbon dioxide | Carbon dioxide | | | | | |
| | 204-696-9 | 204-696-9 | | | | | |
| | Compressed gas; H280 | | | | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

No special measures are necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Heating causes rise in pressure with risk of bursting. In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Revision date: 10.11.2017

Page 3 of 8

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not pierce or burn, even after use.

Advice on protection against fire and explosion

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Protect from sunlight.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions Recommended storage temperature: 0 °C - 25 °C

7.3. Specific end use(s)

Cleaning agent The product is intended for professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|----------------|-------|-------|-----------|---------------|--------|
| 124-38-9 | Carbon dioxide | 5000 | 9150 | | TWA (8 h) | WEL |
| | | 15000 | 27400 | | STEL (15 min) | WEL |

Additional advice on limit values

Monitoring and observation processes: To follow: DIN EN 482, DIN EN 689, DIN EN 14042

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.



according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Revision date: 10.11.2017

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

No special environmental measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid (Aerosol) | |
|--|------------------|---------------------|
| Colour: | colourless | |
| Odour: | characteristic | |
| pH-Value (at 20 °C): | | 6,5 - 7,5 |
| Changes in the physical state | | |
| Melting point: | | No data available |
| Initial boiling point and boiling range: | | No data available |
| Flash point: | | not applicable |
| Flammability | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| Explosive properties | | |
| The product is not: Explosive. | | |
| Lower explosion limits: | | not applicable |
| Upper explosion limits: | | not applicable |
| Ignition temperature: | | No data available |
| Auto-ignition temperature | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| Decomposition temperature: | | No data available |
| Oxidizing properties | | |
| Not oxidising. | | |
| Vapour pressure: | | No data available |
| Density (at 20 °C): | | 0,995 - 1,005 g/cm³ |
| Water solubility: | | completely miscible |
| | | |

Page 4 of 8



Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Revision date: 10.11.2017

Solubility in other solvents not determined Partition coefficient: Viscosity / dynamic: Viscosity / kinematic:

Vapour density: Evaporation rate:

9.2. Other information

Odour threshold: No data available refraction index nD: 1,3342 - 1,3359 (20 °C) Conductivity: 1700 - 1900 uS/cm (20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from heat. Protect from sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Page 5 of 8

not applicable No data available No data available No data available No data available



according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Revision date: 10.11.2017

12.2. Persistence and degradability

The product is not: Readily biodegradable (according to OECD criteria). The statement is derived from the properties of the single components.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not mix with other wastes.

Waste disposal number of used product

160505 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number:</u> | UN 1950 |
|-----------------------------------|-----------------|
| 14.2. UN proper shipping name: | AEROSOLS |
| 14.3. Transport hazard class(es): | 2 |
| 14.4. Packing group: | - |
| Hazard label: | 2.2 |
| | 2 |
| Classification code: | 5A |
| Special Provisions: | 190 327 344 625 |
| Limited quantity: | 1 L |
| Excepted quantity: | E0 |
| Transport category: | 3 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number:</u> | UN 1950 |
| 14.2. UN proper shipping name: | AEROSOLS |
| 14.3. Transport hazard class(es): | 2 |

Page 6 of 8



40 44 0047

KaVo. Dental Excellence

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo CLEANspray

| Revision date: 10.11.2017 | | | Page | 7 of 8 |
|---|-------------------------|-----------------|------|--------|
| 14.4. Packing group: | - | | | |
| Hazard label: | 2.2 | | | |
| | | | | |
| | $\langle \rangle$ | | | |
| | 2 | | | |
| Classification code: | 5A | | | |
| Special Provisions: | 190 327 344 625 | | | |
| Limited quantity: Excepted quantity: | 1 L E0 | | | |
| Marine transport (IMDG) | LU | | | |
| <u>14.1. UN number:</u> | UN 1950 | | | |
| 14.2. UN proper shipping name: | AEROSOLS | | | |
| 14.3. Transport hazard class(es): | 2.2 | | | |
| 14.4. Packing group: | - | | | |
| Hazard label: | 2.2 | | | |
| | | | | |
| | | | | |
| | 2 | | | |
| Special Provisions: | 63, 190, 277, 327, 3 | 844, 381, 959 | | |
| Limited quantity: | 1000 mL | | | |
| Excepted quantity: EmS: | E0 | | | |
| | F-D, S-U | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | |
| <u>14.1. UN number:</u> | UN 1950 | | | |
| 14.2. UN proper shipping name: | AEROSOLS, non-fla | ammable | | |
| 14.3. Transport hazard class(es): | 2.2 | | | |
| <u>14.4. Packing group:</u> Hazard label: | - 2.2 | | | |
| | 2.2 | | | |
| | | | | |
| | 2 | | | |
| Special Provisions: | A98 A145 A167 A80 |)2 | | |
| Limited quantity Passenger: | 30 kg G | | | |
| Passenger LQ: | Y203 | | | |
| Excepted quantity: | E0 | | | |
| IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: | | 203 75 kg | | |
| IATA-max. quantity - Passenger. IATA-packing instructions - Cargo: | | 203 | | |
| IATA-max. quantity - Cargo: | | 150 kg | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | no | | | |
| 14.6. Special precautions for user | | | | |
| No special measures are necessary. | | | | |
| 14.7. Transport in bulk according to Annex | II of Marpol and the IB | <u> 3C Code</u> | | |
| not applicable | | | | |
| SECTION 15: Regulatory information | | | | |
| oconomits. Regulatory information | | | | |



according to Regulation (EC) No 1907/2006

KaVo CLEANspray

Page 8 of 8

Revision date: 10.11.2017

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III): Additional information To follow: Regulation (EC) No. 648/2004 (Detergents regulation) National regulatory information Water contaminating class (D): 1 - slightly water contaminating 15.2. Chemical safety assessment Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,5,7,10,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|-----------------|--------------------------|
| Aerosol 3; H229 | On basis of test data |

Relevant H and EUH statements (number and full text)

| H229 | Pressurised container: May burst if heated. |
|------|---|
| H280 | Contains gas under pressure; may explode if heated. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Page 1 of 9

Revision date: 10.11.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier KaVo DRYspray Product code: 1.007.0570 1.007.0580 Further trade names DRYspray®, DRYspray 2117, DRYspray 2117P **REACH Registration Number:** 01-0000019758-54-XXXX CAS No: 29118-24-9 EC No: 471-480-0 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture For cleaning up. The product is intended for professional use. 1.3. Details of the supplier of the safety data sheet Kaltenbach & Voigt GmbH Company name: **Bismarckring 39** Street: Place: D-88400 Biberach Telephone: +49 (0) 7351 56 0 Telefax: + 49 (0) 7351 56 1488 sdb@kavo.com e-mail: e-mail (Contact person): support@gefahrstoff.com Internet: http://www.kavo.com/ Responsible Department: Questions concerning SDB: PES-Ingenieurgesellschaft mbH +49 (0) 7351 56 4000 (24 h) 1.4. Emergency telephone number: **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Regulation (EC) No. 1272/2008 Hazard categories: Gases under pressure: Liquefied gas Hazard Statements: Contains gas under pressure; may explode if heated. <= 1 % by mass of the contents are flammable. Chemical heat of combustion in kJ/g: < 20

2.2. Label elements

| Regulation (EC) No. 1 | 272/2008 |
|-----------------------|--|
| Signal word: | Warning |
| Hazard statements | |
| H229 | Pressurised container: May burst if heated. |
| Precautionary state | ments |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P251 | Do not pierce or burn, even after use. |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |



KaVo. Dental Excellence.

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017

2.3. Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Can cause frostbite.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Gases under pressure (liquefied gas).

Hazardous components

| CAS No | Chemical name | | | Quantity | | |
|------------|---|--|--|----------|--|--|
| | EC No Index No REACH No | | | | | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | | |
| 29118-24-9 | 1,3,3,3-Tetrafluoro-1-propene | | | | | |
| | 471-480-0 01-0000019758-54-XXXX | | | | | |
| | Liquefied gas; H280 | | | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Put victim at rest, cover with a blanket and keep warm. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

In case of frostbite, wash with plenty of water; do not remove clothing. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

No special measures are necessary.

4.2. Most important symptoms and effects, both acute and delayed

Frostbite

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen fluoride. Carbonyl difluoride.

Page 2 of 9



Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Evacuate area. Avoid contact with skin. Remove all sources of ignition. Do not breathe gas. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

Leave to vapourize.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not pierce or burn, even after use. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Caution! Container under pressure. Remove all sources of ignition.

Advice on storage compatibility

No special measures are necessary.

Further information on storage conditions

Recommended storage temperature: 5 - 25 °C

7.3. Specific end use(s)

For cleaning up. The product is intended for professional use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

Monitoring and observation processes: To follow: DIN EN 482; DIN EN 689, DIN EN 14042

8.2. Exposure controls


Page 3 of 9



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Page 4 of 9





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. Keep away from food, drink and animal feedingstuffs.

Eye/face protection

Wear eye/face protection. (DIN EN 166)

Hand protection

Wear protective gloves. (DIN EN 374)

Suitable material: NBR (Nitrile rubber).

Short-term (single): Thickness of the glove material: >= 0,11 mm.

Long-term (continuous): Thickness of the glove material: >= 0,40 mm Breakthrough time (maximum wearing time): > 480 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

No special environmental measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: Colour: Odour: pH-Value: | liquid (Aerosol) colourless like: Ether | not applicable |
|--|---|--|
| Changes in the physical state Melting point: Initial boiling point and boiling range: | | not applicable -19 °C |
| Flash point: | | not applicable |
| Flammability Solid: Gas: | | No data available No data available |



Revision date: 10.11.2017

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Page 5 of 9

| Explosive properties The product is not: Explosive. | |
|---|--------------------------|
| Lower explosion limits: | not applicable |
| Upper explosion limits: | not applicable |
| Ignition temperature: | No data available |
| Auto-ignition temperature Solid: Gas: | not applicable 368 °C |
| Decomposition temperature: | No data available |
| Oxidizing properties Not oxidising. | |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,19 g/cm³ |
| Water solubility: | practically insoluble |
| Solubility in other solvents not determined | |
| Partition coefficient: | 1,6 |
| Viscosity / dynamic: | No data available |
| Viscosity / kinematic: | No data available |
| Vapour density: | not determined |
| Evaporation rate: | No data available |
| 9.2. Other information | |

Odour threshold: No data available refraction index nD: No data available (20 °C) Conductivity: No data available (20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Hydrogen fluoride. Carbonyl difluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017

Page 6 of 9

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|-------------------------------|--------------------|---------|--------------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 29118-24-9 | 1,3,3,3-Tetrafluoro-1-propene | | | | |
| | inhalative (4 h) vapour | LC50 > 965 mg/l | Rat | Manufacturer | OECD 403 |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Other observations Can cause frostbite. Narcotic effects. Asphyxiant in high concentrations. Causes serious eye irritation. Causes tears. (liquefied gas)

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|-------------------------------|---------|
| 29118-24-9 | 1,3,3,3-Tetrafluoro-1-propene | 1,6 |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Other adverse effects

Global warming potential (GWP): 6

Further information

Avoid release to the environment.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Revision date: 10.11.2017

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

160505

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Do not mix with other wastes.

Waste disposal number of used product

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers other than those mentioned in 16 05 04

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| · · · · · · | |
|-----------------------------------|-----------------|
| <u>14.1. UN number:</u> | UN 1950 |
| 14.2. UN proper shipping name: | AEROSOLS |
| 14.3. Transport hazard class(es): | 2 |
| 14.4. Packing group: | - |
| Hazard label: | 2.2 |
| | |
| | |
| | 2 |
| Classification code: | 5A |
| Special Provisions: | 190 327 344 625 |
| Limited quantity: | 1 L |
| Excepted quantity: | E0 |
| Transport category: | 3 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number:</u> | UN 1950 |
| 14.2. UN proper shipping name: | AEROSOLS |
| 14.3. Transport hazard class(es): | 2 |
| 14.4. Packing group: | - |
| Hazard label: | 2.2 |
| | |
| | |
| | 2 |
| Classification code: | 5A |
| Special Provisions: | 190 327 344 625 |
| Limited quantity: | 1 L |
| Excepted quantity: | E0 |
| Marine transport (IMDG) | |
| 14.1. UN number: | UN 1950 |
| | |



| KK | Safety Data Sheet | |
|--|---|--|
| aVo. Dental Excellence. | according to Regulation (EC) No 1907/2006 | |
| | KaVo DRYspray | |
| Revision date: 10.11.2017 | Page 8 of | |
| 14.2. UN proper shipping name: | AEROSOLS | |
| 14.3. Transport hazard class(es): | 2.2 | |
| 14.4. Packing group: | - | |
| Hazard label: | 2.2 | |
| | | |
| Special Provisions: | 63, 190, 277, 327, 344, 381, 959 | |
| Limited quantity: | 1000 mL | |
| Excepted quantity: | E0 | |
| EmS: | F-D, S-U | |
| Air transport (ICAO-TI/IATA-DGR) | 101 (050 | |
| <u>14.1. UN number:</u> | UN 1950 | |
| 14.2. UN proper shipping name: | AEROSOLS, non-flammable | |
| 14.3. Transport hazard class(es): | 2.2 | |
| 14.4. Packing group: | - | |
| Hazard label: | 2.2 | |
| | | |
| Special Provisions: | A98 A145 A167 A802 | |
| Limited quantity Passenger: | 30 kg G | |
| Passenger LQ: Excepted quantity: | Y203 E0 | |
| IATA-packing instructions - Passenger: | 203 | |
| IATA-max. quantity - Passenger: | 75 kg | |
| IATA-packing instructions - Cargo: | 203 | |
| IATA-max. quantity - Cargo: | 150 kg | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | no | |
| 14.6. Special precautions for user | | |
| No special measures are necessary. | | |
| 14.7. Transport in bulk according to Annex not applicable | c II of Marpol and the IBC Code | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental reg | ulations/legislation specific for the substance or mixture | |
| EU regulatory information | | |
| 2010/75/EU (VOC): | 100 % | |
| Information according to 2012/18/EU (SEVESO III): | Not subject to 2012/18/EU (SEVESO III) | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). | |
| Water contaminating class (D): | 1 - slightly water contaminating | |
| 15.2. Chemical safety assessment | | |
| | estances in this mixture were not carried out. | |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

KaVo DRYspray

Page 9 of 9

Revision date: 10.11.2017

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,7,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

Further Information

H229

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.