

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

- **1.1 Product identifier**
- **Trade name:** *W&H Cleaning Liquid MC-1000*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** *SU20 Health services*
- **Product category** *PC35 Washing and cleaning products (including solvent based products)*
- **Application of the substance / the mixture** *Cleaning material/ Detergent*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*PRISMAN GmbH  
Otto Hahn Ring 6-18  
D-64653 Lorsch  
Germany*
- **Further information obtainable from:**  
*Abteilung Produktsicherheit  
Alexander.Metz@prisman.de*
- **1.4 Emergency telephone number:** *++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr*

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
*Flam. Liq. 3 H226 Flammable liquid and vapour.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the GB CLP regulation.*
- **Hazard pictograms**



GHS02

- **Signal word** *Warning*
- **Hazard statements**  
*H226 Flammable liquid and vapour.*
- **Precautionary statements**  
*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
*P233 Keep container tightly closed.*  
*P280 Wear protective gloves / eye protection.*  
*P403+P235 Store in a well-ventilated place. Keep cool.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**  
*Cleansing agent  
Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	<i>ethanol</i>	<i>Flam. Liq. 2, H225</i>	<i>10-25%</i>
--	----------------	---------------------------	---------------

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**  
Store away from oxidising agents.  
Store away from foodstuffs.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 2)

- **Further information about storage conditions:**  
Keep container tightly sealed.
- 
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

#### · **Ingredients with limit values that require monitoring at the workplace:**

##### **64-17-5 ethanol**

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · **For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:**

Rubber gloves

#### · **For the permanent contact gloves made of the following materials are suitable:** Neoprene gloves

#### · **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Butyl rubber, BR

Natural rubber, NR

#### · **Eye/face protection**



Tightly sealed goggles

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: *W&H Cleaning Liquid MC-1000*

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· <b>Physical state</b>	<i>Fluid</i>
· <b>Colour:</b>	<i>Colourless</i>
· <b>Odour:</b>	<i>Characteristic</i>
· <b>Odour threshold:</b>	<i>Not determined.</i>
· <b>Melting point/freezing point:</b>	<i>Undetermined.</i>
· <b>Boiling point or initial boiling point and boiling range</b>	<i>79 °C</i>
· <b>Flammability</b>	<i>Not applicable.</i>
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	<i>Not determined.</i>
· <b>Upper:</b>	<i>Not determined.</i>
· <b>Flash point:</b>	<i>38 °C</i>
· <b>Decomposition temperature:</b>	<i>Not determined.</i>
· <b>pH at 20 °C</b>	<i>7.6</i>
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	<i>Not determined.</i>
· <b>Dynamic:</b>	<i>Not determined.</i>
· <b>Solubility</b>	
· <b>water:</b>	<i>Fully miscible.</i>
· <b>Partition coefficient n-octanol/water (log value)</b>	<i>Not determined.</i>
· <b>Vapour pressure:</b>	<i>Not determined.</i>
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	<i>0.97 g/cm<sup>3</sup></i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapour density</b>	<i>Not determined.</i>

#### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	<i>Fluid</i>
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Auto-ignition temperature:</b>	<i>Product is not selfigniting.</i>
· <b>Explosive properties:</b>	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	<i>20.0 %</i>
· <b>Water:</b>	<i>79.7 %</i>
· <b>VOC (EC)</b>	<i>20 %</i>
· <b>Solids content:</b>	<i>0.0 %</i>
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	<i>Not determined.</i>

#### · Information with regard to physical hazard classes

· <b>Explosives</b>	<i>Void</i>
	<i>Void</i>
· <b>Flammable gases</b>	<i>Void</i>
	<i>Void</i>
· <b>Aerosols</b>	<i>Void</i>
	<i>Void</i>
· <b>Oxidising gases</b>	<i>Void</i>
	<i>Void</i>
· <b>Gases under pressure</b>	<i>Void</i>
	<i>Void</i>

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 4)

· <b>Flammable liquids</b>	Flammable liquid and vapour. Void
· <b>Flammable solids</b>	Void Void
· <b>Self-reactive substances and mixtures</b>	Void Void
· <b>Pyrophoric liquids</b>	Void Void
· <b>Pyrophoric solids</b>	Void Void
· <b>Self-heating substances and mixtures</b>	Void Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void Void
· <b>Oxidising liquids</b>	Void Void
· <b>Oxidising solids</b>	Void Void
· <b>Organic peroxides</b>	Void Void
· <b>Corrosive to metals</b>	Void Void
· <b>Desensitised explosives</b>	Void Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 5)

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- |   |   |
|---|---|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                       | Void  |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b>                                       | Not regulated. Special provision 144<br>Aqueous solution containing not more than 24% alcohol by volume.              |
| · <b>ADN, IATA</b><br>· <b>IMDG</b>   | Void<br>Not regulated. Special provision 144.<br>Aqueous solutions containing 24 % or less alcohol by volume.<br>Void |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void  |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void  |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                          | No  |

(Contd. on page 7)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Trade name: **W&H Cleaning Liquid MC-1000**

(Contd. of page 6)

- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
GHS label elements  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard statements**  
H226 Flammable liquid and vapour.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves / eye protection.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Customs tariff No.: 3402 20 90

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.
- **Recommended restriction of use** Product only for professional use
- **Department issuing SDS:** Abteilung Produktsicherheit
- **Contact:** Hr. Dr. Metz
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3
- **\* Data compared to the previous version altered.**



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : W & H Service Oil F1 MD 500 STANDARD  
Article-No. : 028119

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricating oil  
Recommended restrictions : Restricted to professional users.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Great Britain Limited  
Unit 10 Pennine Business Park  
Longbow Close  
Huddersfield  
West Yorkshire HD2 1GQ  
Great Britain  
Tel: +44-1422-205115  
Fax: +44-1422-206073  
sales@uk.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone num-  
ber : +49 89 7876 700 (24 hrs)



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 2.7	Revision Date: 24.01.2022	Date of last issue: 06.10.2020 Date of first issue: 20.12.2012	Print Date: 24.01.2022
----------------	------------------------------	---	---------------------------

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### Additional Labelling

EUH210 Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil  
ester oil

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes	Concentration (% w/w)
Dec-1-ene, dimers, hydrogenated	68649-11-6 500-228-5	Acute Tox.4; H332 Asp. Tox.1; H304		>= 1 - < 10

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 2.7	Revision Date: 24.01.2022	Date of last issue: 06.10.2020 Date of first issue: 20.12.2012	Print Date: 24.01.2022
----------------	------------------------------	---	---------------------------

medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.

- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
In case of contact, immediately flush skin with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do NOT induce vomiting.  
Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
- Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Dec-1-ene, dimers, hydrogenated	Industrial use	Inhalation	Acute systemic effects	60 mg/m <sup>3</sup>

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 2.7	Revision Date: 24.01.2022	Date of last issue: 06.10.2020 Date of first issue: 20.12.2012	Print Date: 24.01.2022
----------------	------------------------------	---	---------------------------

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid  
Colour : yellow  
Odour : characteristic  
Odour Threshold : No data available

#### The data/values refer to the main component:

pH : Not applicable  
Melting point/range : No data available  
Boiling point/boiling range : No data available  
Flash point : > 200 °C  
Method: ISO 2592, open cup  
Evaporation rate : No data available  
Flammability (solid, gas) : Not applicable  
Upper explosion limit / Upper flammability limit : No data available  
Lower explosion limit / Lower flammability limit : No data available  
Vapour pressure : < 0.17 hPa (20 °C)  
Relative vapour density : No data available  
Relative density : 0.843 (20 °C)  
Reference substance: Water  
The value is calculated  
Density : 0.84 g/cm<sup>3</sup>  
(20 °C)  
Bulk density : No data available

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 22 mm<sup>2</sup>/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **Dec-1-ene, dimers, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 1.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### Skin corrosion/irritation

##### Product:

Remarks : This information is not available.

##### Components:

##### **Dec-1-ene, dimers, hydrogenated:**

Species : Rabbit  
Assessment : No skin irritation



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, dimers, hydrogenated:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, dimers, hydrogenated:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 2.7	Revision Date: 24.01.2022	Date of last issue: 06.10.2020 Date of first issue: 20.12.2012	Print Date: 24.01.2022
----------------	------------------------------	---	---------------------------

### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

### Components:

**Dec-1-ene, dimers, hydrogenated:**

May be fatal if swallowed and enters airways.

### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 125 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
GLP: yes

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Biodegradability : Result: Not rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Partition coefficient: n-  
octanol/water : log Pow: > 6.5

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environ-  
mental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:

#### **Dec-1-ene, dimers, hydrogenated:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting poten-  
tial : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological infor-  
mation : No information on ecology is available.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- Product : The product should not be allowed to enter drains, water courses or the soil.
- Waste codes should be assigned by the user based on the application for which the product was used.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.
- The following Waste Codes are only suggestions:
- Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils
- uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version 2.7	Revision Date: 24.01.2022	Date of last issue: 06.10.2020 Date of first issue: 20.12.2012	Print Date: 24.01.2022
----------------	------------------------------	---	---------------------------

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 6.3 %

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

- H304 : May be fatal if swallowed and enters airways.  
H332 : Harmful if inhaled.

# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the



# SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations  
2019 - GB



## W & H Service Oil F1 MD 500 STANDARD

Version	Revision Date:	Date of last issue: 06.10.2020	Print Date:
2.7	24.01.2022	Date of first issue: 20.12.2012	24.01.2022

---

product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.