Trade Name: Multi-Cal™ Calcium Hydroxide Paste

1.0	Commercial Product Name and Supplier			
1.1	Commercial product name / designation	Multi-Cal™ Calcium Hydroxide Paste		
1.2	Application / Use	Dental material for use by dental professionals.		
1.2.2	SIC	851 Human h	ealth activity	
1.2.3	Use Category	55		
1.3	Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA		617 926-6666 / Fax: 1 617 ent@pulpdent.com	926-6262
1.4	Emergency Telephone Number	1-800-535-50	53 (24 Hour / USA)	
1.5	Authorized European Representative	Advena Limited Tower Business Centre, 2nd Floor, Tower Street, Swatar, BKR 4013 Malta		
	UK Responsible Person	Advena Limited Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Hazard Class	Hazard Category	Hazard Statement
		Skin irritation	2	H315
		Eye irritation	2	H319
2.1.2	Classification according to Directive 67/548/EEC (See SECTION 16 for full text of risk phrases)	Irritant (Xi), R 36 / 38	
2.2	GHS Label Elements			
	Hazard Pictograms			
	<u>(1)</u>			
	Signal Word: WARNING Restricted to use by dental professional only. Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation. Precautionary Statements P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water P337+P313: If eye irritation persists, get medical and p302+P352: If on skin, wash with plenty of soap and	advice/attention.		
3.0	Composition			
3.1	Chemical characterization of the preparation	Calcium hydro	oxide suspended in a cellulo	ose/water gel matrix.
	• •	•	•	-

Trade Name: Multi-Cal™ Calcium Hydroxide Paste

3.2	Hazardous ing	Hazardous ingredients				
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).	
	1305-62-0	Calcium Hydroxide	39%	Irritant (Xi)	Skin irritation; 2	
				R 36 / 38	Eye irritation; 2	
4.0	First Aid Mea	sures				
4.1	Special Instructions Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. Calcium hydroxide-based preparations present minima hazard in the quantities provided. May cause irritation on contact with eyes Prolonged exposure may cause irritation to mucous membranes, skin gastrointestinal or respiratory tract.					
4.2	Eye Contact		Keep eye attention.	Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.		
4.3	Skin Contact			any contaminated clothing water. Get medical attention	. Wipe off excess from skin. Immediately on if irritation persists.	
4.4	Ingestion		to dilute.		uce vomiting. Give large amounts of water attention for ingestion of large amount. unconscious person.	
4.5	Inhalation Move to fresh air. If necessary, administer artificial respiration and medical attention.		administer artificial respiration and seek			
4.6	Precautions for first responders Wear safety glasses and gloves to prevent contact.		prevent contact.			
4.7	Information fo	r physician				
	Symptoms		Irritation, p	pain or redness in eyes, or	n skin, on mucous membranes.	
	Hazards		mucous n		spiratory system, gastrointestinal tract or h prolonged exposure There is a risk of	
	Treatment		Same as	First Aid above.		
5.0	Fire Fighting	Measures				
5.1	Suitable exting	guishing media	Not a fi	re hazard. Extinguish fire v	with agent suitable for surrounding fire.	
5.2	Extinguishing	media to avoid	None			
5.3	Special expos	ure hazards in a fire	None			
5.4	Special protect	ctive equipment for fire-fig	hters Self-co	ntained breathing apparatu	JS	
6.0	Accidental R	elease Measures				
6.1	Personal prec	autions.	Wear g	loves, lab coat and chemic	cal splash goggles.	
6.2	Environmenta	l precautions	None			
6.3	Method for cle	ean up			s. Wash area of spill with water-saturated and towels in container for disposal.	

 $\textbf{Trade Name} : \textit{Multi-Cal}^{\texttt{TM}} \ \textit{Calcium Hydroxide Paste}$

7.0	Handling and Storage	
7.1	Handling	For use by dental professionals only. Wear gloves, safety glasses; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices. Do not smoke, eat or drink. Wash hands after use.
7.2	Storage	Remove applicator tip immediately after use. Keep tightly capped in original container. Store at cool room temperature. Avoid extremes of temperature (>27°C/80°F, <5°C/40°F) and acids.
7.3	Specific uses	Dental preparation
8.0	Exposure Controls / Personal Protection	on
8.1	Exposure limit values	Not available
8.2	Exposure controls	Wear safety glasses, lab coat and gloves. No other equipment required under normal conditions of use of this product in the quantity provided.
8.2.1	Occupational exposure controls	Wear safety glasses, lab coat and gloves
8.2.1.1	Respiratory protection	Good general ventilation is sufficient to control any airborne vapors.
8.2.1.2	Hand protection	No special requirements other than the usual surgical gloves
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses
8.2.1.4	Skin protection	No special requirements. Good personal hygiene, safety practices and wearing a lab coat should protect from unnecessary exposure.
8.2.1.5	Other controls	Emergency eye wash fountain. Wash hands after use.
8.2.2	Environmental exposure controls	Avoid release into environment as may cause pH variation.
9.0	Physical and Chemical Properties	
9.1	Characteristics	
9.1.1	Appearance / Color / Physical state	White paste
9.1.2	Odor	Odorless
9.2	Important health, safety and environmenta	al information
9.2.1	рН	pH > 12
9.2.2	Boiling point	Decomposes
9.2.3	Flash point	Not combustible
9.2.4	Flammability (solid, gas)	Not combustible
9.2.5	Explosive properties	Not applicable
9.2.6	Oxidizing properties	Not determined
9.2.7	Vapor pressure	< 1 mm Hg (ld: A)
9.2.8	Specific gravity	Not determined
9.2.9	Solubility in water	Slight
9.2.10	Partition coefficient	Not determined
9.2.11	Viscosity	Not determined
9.2.12	Vapor density	Not determined

 $\textbf{Trade Name} : \textit{Multi-Cal}^{\texttt{TM}} \ \textit{Calcium Hydroxide Paste}$

9.2.13	Evaporation rate	Not determined	
10.0	Stability and reactivity		
10.1	Conditions to avoid	Extremes of temperature (>27°C/80°F, <5°C/40°F).	
10.2	Materials to avoid	Calcium hydroxide reacts violently with maleic anhydride, nitro-ethane, nitro-methane, nitro-paraffin, nitro-propane, phosphorus. As a strong alkali, it is incompatible with acids.	
10.3	Hazardous decomposition products	Caustic fumes of calcium oxide when heated to decomposition.	
10.4	Further information	Stable under normal conditions.	
11.0	Toxicological information		
11.1	Acute toxicity	Not toxic. Minimal health hazard under normal conditions of use.	
11.2	Irritation and corrosiveness	Minimal health hazard under normal conditions of dental practice. Prolonged exposure may cause irritation of mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract.	
11.3	Sensitization	Not applicable.	
11.4	Sub-acute, sub-chronic and prolonged toxicity	Narrowing of the esophagus may occur weeks to years after ingestion of large quantities, making swallowing difficult. Persons with pre-existing skin conditions may be more susceptible to the irritating effects of calcium hydroxide	
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	Not considered a carcinogen, mutagen or teratogen. Not toxic to the reproductive system.	
11.6	Empirical data	Not available	
11.7	Clinical Experience	Pulpdent calcium hydroxide preparations have been marketed to and used by dental professionals since 1947. Dentists' experience with thousands of successful procedures is evidence of safe and effective dental treatment.	
12.0	Ecological Information		
12.1	Ecotoxicity	Not considered detrimental to water or soil. Avoid release into environment as calcium hydroxide may cause pH variation. Follow government regulations.	
13.0	Disposal Considerations		
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.	
14.0	Transport Information		
14.1	Restrictions	None. Not regulated.	
14.2	UN Number	None	
14.3	Technical name	Not applicable	
14.4	Packing group	Not applicable	
	IATA class	Not applicable	
15.0	Regulatory Information		

$\textbf{Trade Name} : \textit{Multi-Cal}^{\texttt{TM}} \ \textit{Calcium Hydroxide Paste}$

15.1	EU	Class IIa medical device under MDD 93/42/EEC.	
15.2	US FDA	Class II medical device	
15.3	Health Canada	Class III medical device	
16.0	Other information		
16.1	List of relevant R phrases	R 36 / 38: Irritating to eyes and skin.	
16.2	Hazard Statements	H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation.	
16.3	Precautionary Statements	P280: Wear protective gloves and eye protection P305+P351: If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.	
16.4	Restrictions on use	Calcium hydroxide preparations are to be used only by dental professionals who have been trained in their use.	
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.	
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1;	
16.7	Information which has been added, deleted or revised.	December 2011. European Chemicals Agency This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.	