
### **Project Proposal**

	Date			
	Property Address 1460	E. BAY POINT RD.		
	Zoning	<del></del>		
	Accessory Structures/Generators	New Construction		
	Additions/Remodel   Play Structures			
	Bluff Management	☐ Recreational Facilities/Courts		
	Commercial Signage	□ Roofs		
	Decks/Patios	☐ Solar Panels/Skylights		
X	Fence	☐ Swimming Pools		
, 	Fine Dite	☐ Windows/Doors-change exceeds 25% of		
	Fire Pits	opening		
	Landscaping requiring Impervious Surface/Fill/Excavation Permit	□ Other		
proced project details (type of work size materials etc.);				

# Wrought iron fence, 5 feet high, 25% open. Fence will runslightly in from easement line at

Yes	No	
		Color photographs showing project location, elevations and surrounding views
		Two (2) complete sets of building plans (including elevations and grading)
		Survey
		Samples or brochures showing materials, colors and designs
		Application Fee
		Parcel Number
		ARC Agenda Date:
		Building Permit
		Fill Permit
a		Impervious Surface Permit
		Plan Commission/Conditional Use Permit
		Tax Key Number
		Right-of-Way/Excavation Permit
		Variance Required





04/27/2021

Attention:

Village of Bayside, WI

Architectural Review Committee

PROJECT/SITE OWNER:

Darrell Oyer

PROJECT ADDRESS:

1460 E. Bay Point Rd.

PROJECT SUMMARY:

New fence. appears to be 157' Aluminum wrought iron style, black in color

#### VILLAGE CODE REVIEW

#### LENGTH AND FENCE TYPE:

Proposed length unclear about 157' is approximately 9% of the total property perimeter length of approximately 1,882'. Per the code section copied below a 25% open fence is required.

Village code section 104-125 (j) Fence height: The height of a fence shall be measured from average existing grade of the property. Therefore, if a fence is constructed on a manmade hill or berm, it shall be reduced in height to compensate for the height of the berm or hill to avoid exceeding the overall fence height. Fences constructed behind the rear elevation of the home or behind the forward most point of the adjacent structures shall not exceed six feet in height except when adjacent to an active railroad property, state or county highway, or commercial parking lot property, in which case it shall not exceed eight feet. Fences immediately adjacent to interstate highways may exceed these height limits but may not exceed height restrictions imposed by county, state or federal authorities. Fences constructed within the front yard of a home shall not exceed three feet in height. Ornamental posts protruding less than one foot above the measured average height of a fence may be permitted provided they are at least six feet apart, or are otherwise granted exception for closer proximity by the architectural review committee (which exception shall be subject to a two-thirds vote). In all other cases, fences shall be measured to their highest point (including posts) in determining compliance with height restrictions.

#### PROPOSED FENCE LENGTHS / TYPES COMPLY

#### HEIGHT:

#### PROPOSED HEIGHT IS NON COMPLIANT

Fences constructed within the front yard of a home shall not exceed three feet in height.

#### MATERIAL / FINISH:


Aluminum in wrought iron black metal.

Black metal requires ARC approval.

#### **Tod Doebler**

Plans Examiner 262-957-7414 tdoebler@safebuilt.com

# Proposed Fence. Will be 5 ft tall




## Picture of Proposed Fence Location



## Picture of Proposed Fence Location





MAP PREPARED BY: kee County Register of Deeds Tax Listing Section