

LEGEND: AS - AUTO SPRINKLER BFP - BACK FLOW PREVENTOR C&G - CURB & GUTTER CR - CATCH BASIN CP - CALCULATED POINT SETBACK CL - CENTERLINE CO - CLEAN OUT CONC - CONCRETE D.B. - DEED BOOK DI - DROP INLET ECM - EXISTING CONCRETE MONUMENT EIR - EXISTING IRON ROD EN - EXISTING NAIL EOG - EDGE OF GRAVEL EOP - EDGE OF PAVEMENT EU - END UNKNOWN FFC - FIRE CONNECTION FFE - FINISHED FLOOR ELEVATION FH - FIRE HYDRANT FI - FIRE VALVE GDP - GUARD POST GM - GAS METER GP - GATE POST GR - GATE GU - GAS VALVE HW - HEADWALL IFC - HEATING, VENTILATION, AIR COND. IPI - INVERT LP - LIGHT POLE M - MEASURED M.B. - MAP BOOK MH - MANHOLE N.G.S. - NATIONAL GEODETIC SURVEY NIR - NEW IRON ROD NN - NEW NAIL OVRNG - OVERHANG PB - POWER BOX PIN - PARCEL IDENTIFICATION NUMBER P.L. - PROPERTY LINE PM - POWER METER PP - POWER POLE PR - PAGE PRC - PLASTIC PIPE (R) - RECORDED R/W - RIGHT-OF-WAY RCP - REINFORCED CONCRETE PIPE RW - RETAINING WALL SSM - STORM DRAIN MANHOLE SSMB - SANITARY SEWER MANHOLE TT - TOTAL TRM - TEMPORARY BENCHMARK TERR - TERRACOTTA PIPE TRPD - TELEPHONE PEDISTAL UB - UTILITY BOX WM - WATER BOX WM - WATER METER WY - WATER VALVE

LINE LEGEND: BASEMENT PROPERTY LINE (NOT SURVEYED) RIGHT-OF-WAY (NOT SURVEYED) SETBACK GAS LINE POWER LINE (UNDERGROUND) SANITARY SEWER PIPE STORM DRAIN PIPE TELEPHONE LINE (UNDERGROUND) WATER LINE CHAIN LINK FENCE

TITLE LEGAL DESCRIPTION: The Land is described as follows: TRACT 1: BEGINNING at an iron pin in the centerline of Catawba Street, said iron pin being located at the point where the centerline of Catawba Street intersects the centerline of Fourth Street, running thence with centerline of Fourth Street South 28 degrees 10 minutes 50 seconds West 277.62 feet to an iron pin in the centerline of Fourth Street; thence South 64 degrees 16 minutes 09 seconds East 548.95 feet to an iron pin located in the centerline of Fifth Street; thence with the centerline of Fifth Street North 23 degrees 58 minutes 14 seconds East 16.41 feet to an iron pin; thence North 23 degrees 31 minutes 42 seconds East 232.61 feet to an iron pin; thence North 62 degrees 51 minutes 21 seconds West 29.10 feet to an iron pin; thence North 24 degrees 12 minutes 03 seconds East 38.40 feet to a nail located within the right of way of Catawba Street; thence within the right of way of Catawba Street North 65 degrees 16 minutes 03 seconds West 506.58 feet to the Point of Beginning.

LINE TABLE: LINE BEARING DISTANCE L1(M) S25°58'09" W 36.40 L1(R) S24°12'03" W 36.40 L2(M) S61°05'15" E 29.10' L2(R) S62°51'21" E 29.10' L3(M) S25°45'00" W 16.41 L3(R) S23°58'54" W 16.41 L4 S61°05'15" E 15.03 L5 S58°33'19" E 50.57 L6 S52°23'44" E 73.44 L7 S57°47'54" E 49.95 L8 S62°37'29" E 49.95 L9 S67°53'32" E 50.03 L10 S70°46'25" E 46.14 L11 N16°34'00" E 18.29 L12 N66°42'03" W 6.02

- COMMONWEALTH LAND TITLE INSURANCE COMPANY COMMITMENT NO. 23-3851 EFFECTIVE DATE: JULY 7, 2023 AT 5:00 PM SCHEDULE B - II (EXCEPTIONS)
- Terms, provisions, options, rights of first refusal, covenants, conditions, restrictions, easements, charges, assessments and liens provided for in instruments filed for record in Book 2014, Page 141, Gaston County Registry, and any related maps, plans, plat maps and other documents (if amendment(s) and amendment(s), but omitting any covenants or restrictions, if any, based upon race, color, religion, sex, sexual orientation, familial status, marital status, disability, handicap, national origin, ancestry, or source of income, as set forth in applicable state or federal laws, except to the extent that said covenant or restriction is permitted by applicable law. (As to Tracts 1, 2 and 4 only)
 - Terms, provisions, options, rights of first refusal, covenants, conditions, restrictions, easements, charges, assessments and liens provided for in instruments filed for record in Book 2441, Page 909, Gaston County Registry, and any related maps, plans, plat maps and other documents (if amendment(s) and amendment(s), but omitting any covenants or restrictions, if any, based upon race, color, religion, sex, sexual orientation, familial status, marital status, disability, handicap, national origin, ancestry, or source of income, as set forth in applicable state or federal laws, except to the extent that said covenant or restriction is permitted by applicable law. (As to Tracts 1, 2 and 4 only)
 - Building restriction lines, easements and other matters shown on plat recorded in Plat Book 25, Page 61 and Plat Book 45, Page 59, Gaston County Registry.
 - Easement(s) to Southern Power Company recorded in Book 201, Page(s) 154; Gaston County Registry (As to Tracts 1, 2 and 4 only)
 - Right of Way Agreement to Duke Energy Carolinas recorded in Book 4684, Page(s) 768, Gaston County Registry. (As to Tract 4)
 - Easement(s) to Southern Power Company recorded in Book 139, Page(s) 261 and 310, Gaston County Registry. (As to Tract 3 only)
 - Easement(s) to Duke Power Company recorded in Book 650, Page(s) 382 and 384, Gaston County Registry. (As to Tract 3 only)
 - Deed to Duke Power Company recorded in Book 902, Page(s) 25, Gaston County Registry. (As to Tract 3 only)
 - Lease, a memorandum of which is recorded in Book 4665, Page(s) 214, Gaston County Registry.

RESTRICTIONS PER D.B. 2034, PG. 541 :

SUBJECT PARCELS 126073, 126078, AND 126079 (TRACTS 2, 4, AND 5 OF M.B. 45, PG. 59) ARE SUBJECT TO THE FOLLOWING RESTRICTIONS RECORDED IN DEED BOOK 2034, PAGE 541:

- SETBACKS:
- 30' FRONT SETBACK FROM CATAWBA STREET RIGHT-OF-WAY
 - 25' SIDE SETBACKS
 - 10' LOADING DOCK SETBACK FROM CATAWBA STREET RIGHT-OF-WAY

- UTILITIES AND DRAINAGE EASEMENTS:
- 10' ALONG THE EXTERIOR REAR AND SIDE LOT LINES
 - 5' ALONG THE INTERIOR SIDE LOT LINES
 - 15' ALONG THE FRONT LOT LINES

The foregoing description is taken from an unrecorded survey entitled "Boundary and Physical Survey prepared for Belmont Land and Investment Company, LLC," prepared by R.B. Pharr & Associates, P.A., dated June 15, 2006.

TRACT 4: Being 1.5504 acres more or less designated as Tract 85 as shown on plat recorded in Map Book 43 at Page 59 of the Gaston County Public Registry.

GENERAL NOTE: Site is not designated on the NC brownfield map and further review will be done during the construction plan review phase.

GPS CERTIFICATION: I, KEITH MCCUNNIES, CERTIFY THAT THIS MAP WAS DRAWN UNDER MY SUPERVISION FROM AN ACTUAL GPS SURVEY MADE UNDER MY SUPERVISION AND THE FOLLOWING INFORMATION WAS USED TO PERFORM THE SURVEY:

- CLASS OF SURVEY: 1/1 (1:100,000)
- POSITIONAL ACCURACY: NORTH=0.0009, EAST=0.0015, VERT=0.0089
- TYPE OF GPS FIELD PROCEDURE: REAL-TIME KINEMATIC
- DATE OF SURVEY: MAY 3, 2022
- DATUM/EPOCH: NAD83
- PLUMBED/FIXED-CONTROL: USE: NGS MONUMENT "GROVES"
- GEOID MODEL: GEOID16/CONUS
- COMBINED GRID FACTOR: 1.0000000
- UNITS: US SURVEY FEET


ZONING: ZONING RESTRICTIONS AS PER ZONING ORDINANCE: SUBJECT PROPERTY ZONED: INF-R AND BC-D

FOR FURTHER INFORMATION CONTACT THE CITY OF BELMONT PLANNING AND ZONING DEPARTMENT AT 704-901-2800.

- NOTES:
- THIS PLAT IS NOT FOR RECORDATION AS PER G.S. 47-30 AS AMENDED.
 - ALL CORNERS MONUMENTED AS SHOWN.
 - NO RECOVERABLE NGS MONUMENT LOCATED WITHIN 2,000 FEET OF SUBJECT PROPERTY.
 - THE LOCATION OF UNDERGROUND UTILITIES SHOWN ON THIS MAP IS APPROXIMATE, BASED ON INFORMATION PROVIDED BY OTHERS OR BY FIELD LOCATION. UTILITY LOCATIONS AS SHOWN HEREON ARE INTENDED FOR PLANNING ONLY. ACTUAL LOCATION, SIZE, OR DEPTH OF LINE SHOULD BE VERIFIED WITH THE INDIVIDUAL UTILITY COMPANY BEFORE CONSTRUCTION.
 - BROKEN LINES INDICATE PROPERTY LINES NOT SURVEYED.
 - ELEVATIONS BASED ON N.G.S. MONUMENT "GROVES", ELEVATION = 753.10 FEET, NAVD 88.
 - THE OFF-SITE RIGHT-OF-WAY SHOWN HEREON IS FOR ILLUSTRATIVE PURPOSES ONLY. THE UNDERGROUND CERTIFIES ONLY TO THE RIGHT-OF-WAY'S SUBDIVISION, AND DOES NOT CERTIFY TO THE RIGHT OF WAY WIDTH OF ANY ADJACENT PROPERTIES.
 - IN THE ABSENCE OF ANY KNOWN OFFICIAL DOCUMENTATION (E.G. NC DOT RIGHT-OF-WAY [R/W] TAKING DEED, HIGHWAY MAP, ETC.), THE NC DOT R/W WIDTH IS PRESUMED TO BE THE NOMINAL WIDTH OF THE ROAD, R/W OR HIGHWAY INDEEDITY OF THE SHOULDERS CURRENTLY MAINTAINED BY NC DOT. MOREOVER, SAID WIDTH HAS FURTHER BEEN INSPIRED BY THE NC DOT AS THE WIDTH FROM BACK-OF-DITCH ON ONE SIDE OF A GIVEN ROAD TO THE BACK-OF-DITCH ON THE OPPOSITE SIDE OF SAID ROAD. FURTHERMORE, THE PHYSICAL PRESENCE OF PUBLIC UTILITIES OCCUPYING SUCH CLAIMED MAINTENANCE WIDTH PROVIDES FURTHER EVIDENCE SUPPORTING THE EXISTENCE OF SAID PRESCRIPTIVE R/W WIDTH.
 - RIGHT OF WAY WIDTHS SHOWN ON THIS SURVEY FOR ROADWAYS UNDER THE JURISDICTION OF THE CITY OF BELMONT WERE DERIVED BASED ON WRITTEN AND PAROLE EVIDENCE PROVIDED BY THE CITY OF BELMONT PUBLIC WORKS DIRECTOR. NO RECORDED DOCUMENTS FOR RIGHTS OF WAY TAKINGS OR EASEMENTS WERE IDENTIFIED FOR THESE ROADWAYS IN THE GASTON COUNTY REGISTER OF DEEDS, NORTH CAROLINA DEPARTMENT OF TRANSPORTATION, OR CITY OF BELMONT. MAINTENANCE OF THE RIGHTS OF WAY UNDER THE JURISDICTION OF THE CITY OF BELMONT SUPPORTS FIELD VERIFIED RIGHTS OF WAY WIDTHS SHOWN ON THIS SURVEY.

RECORDED BEARINGS-REFERENCES

- (R1) D.B. 4418, PG. 1295
(R2) M.B. 45, PG. 59
(R3) D.B. 5191, PG. 2030



UTILITIES:


POWER: DUKE ENERGY 800-769-3766

TELEPHONE: AT&T 877-737-2478

WATER & SEWER: CITY OF BELMONT 704-825-3586

GAS: PIEDMONT NATURAL GAS CO. 1-800-732-7504 DOMINION ENERGY 1-877-776-2427 CABLE TELEVISION SPECTRUM 800-778-9140

Know what's below. Call before you dig.



AREA TABLE

PIN #126073: 151,874 SQ. FT. OR 3.4865 ACRES
PIN #126078: 67,534 SQ. FT. OR 1.5504 ACRES
PIN #126079: 80,250 SQ. FT. OR 1.8423 ACRES
PIN #1215799: 276,623 SQ. FT. OR 6.3504 ACRES
TOTAL AREA: 576,281 SQ. FT. OR 13.2296 ACRES

FLOOD CERTIFICATION


THIS IS TO CERTIFY THAT THE SUBJECT PROPERTY IS NOT LOCATED IN A SPECIAL FLOOD HAZARD AREA AS SHOWN ON MAPS PREPARED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY, FEDERAL INSURANCE ADMINISTRATION, DATED SEPTEMBER 2, 2015.

COMMUNITY PANEL NO.: 3710359400M; ZONE X

THIS IS TO CERTIFY THAT ON THE 2ND DAY OF JUNE, 2022, AN ACTUAL SURVEY WAS MADE UNDER MY SUPERVISION OF THE PROPERTY SHOWN ON THIS PLAT, AND THAT THE BOUNDARY LINES AND THE IMPROVEMENTS, IF ANY, ARE AS SHOWN HEREON. THIS PLAT MEETS THE MINIMUM STANDARDS OF PRACTICE FOR LAND SURVEYING IN NORTH CAROLINA, BOARD RULE 10600, N.C. REG. 6 AND THE RATIO OF PRECISION DOES NOT EXCEED AN ERROR OF CLOSURE OF ONE (1) FOOT PER 10,000 FEET OF PERIMETER SURVEYED NOR 20 SECONDS TIMES THE SQUARE ROOT OF THE NUMBER OF ANGLES TURNED.

SIGNED: Keith M. McCunnies

REVISIONS				BOUNDARY, PHYSICAL, AND TOPOGRAPHICAL SURVEY PREPARED FOR:			
				LAT PURSER & ASSOCIATES			
				621 E. CATAWBA STREET			
				CITY OF BELMONT, GASTON COUNTY, N.C.			
				DEED REFERENCE: 2441-912, 2441-914, 4418-1295, 5191-2030			
				MAP REFERENCE: 45-59			
				TAX PARCEL NO.: 126073, 126078, 126079, 215799			
				R.B. PHARR & ASSOCIATES, P.A.			
				SURVEYING & MAPPING			
				LICENSE NO. CC-1471			
				869 E. 7TH ST., #100 CHARLOTTE, N.C. 28204 TEL. (704) 376-2166			
USER:	DRAWN:	REVISED:	SCALE:	DATE:	JOB NO.		
WH	BS		1" = 40'	JUNE 02, 2022	94165		





BELMONT - CRESCENT
PROJECT #CL1105
DATE: 8/29/2024
SCALE: 1" = 100'

PRE DEVELOPMENT
IMPERVIOUS AREA MAP




RZ1.3 - SCHEMATIC PLAN







RZ1.4 - TREE REMOVAL PLAN




TREE SAVE REQUIREMENTS			
		SF	AC
A.	TOTAL SITE AREA	596,046	13.683
B.	TREE SAVE REQ. (5%)	29,802	0.684
C.	UNDISTURBED TREE SAVE PROVIDED	-	0.000
D.	TOTAL MITIGATION AREA REQ. (B-C)	29,802	0.684
E.	TOTAL ON-SITE TREE MITIGATION AREA PROVIDED	5,213	0.120
F.	TOTAL TREE MITIGATION PROVIDED AT DWIGHT FRADY PARK	24,589	0.564
G.	TOTAL TREE SAVE MITIGATION AREA	29,802	0.684
*ON-SITE TREE SAVE MITIGATION REPLANTING SHALL BE 36 TREES/ACRE REPLANTED MITIGATION TREES REQ			
		24.63	



TREE SAVE MITIGATION AREA





RZ1.5 - TREE PROTECTION PLAN





RZ1.6 - GENERAL LANDSCAPE PLAN







COURTYARD



COMMERCIAL BREEZEWAY



COMMERCIAL COURTYARD



BUILDING E AT 5TH STREET



COMMERCIAL RETAIL AT 4TH STREET



BUILDING C AND D

7th St.

Brook St.



BUILDING C AND D FROM EBB GANTT PARK



TOWNHOMES