



DEPARTMENT OF POLICE
HELLAM TOWNSHIP

44 Walnut Springs Rd
York, PA 17406

Douglas Pollock
Chief of Police

2A

EMERGENCY: 911
OFFICE: (717) 434-1310
FAX: (717) 434-1320

Hellam Township Report


June 2024

	Hellam Township	Hallam Borough	Wrightsville Borough	Total
Calls	411	85	155	652
Accidents	25	3	5	33
Criminal Charges	21	6	12	42
Traffic Citations	68	11	20	99
Traffic Warnings	44	13	40	97

Pieces of Evidence Added	23 Items		
Search Warrants Executed	3 Warrants		
Patrol Mileage	10297 Miles		
	Time in:		Response Time
Hallam Borough	115 Hrs. 25 Mins.		2 Min 15 Sec
Wrightsville Borough	260 Hrs. 07 Mins.		3 Min 48 Sec

Additional Information:

- All Officers completed their mandatory monthly "Attorney Boyle" training.
- K9 Officer Carpenter and K9 Cerberus attended their monthly training at the K9 Academy.
- Officer Moyer attended a week-long firearms instructor course. He is now a certified pistol, shotgun, and rifle instructor for the department.
- Lieutenant Heistand attended an evidence room management class. He has bar coded every piece of evidence in our possession, and was able to purge over one thousand pieces of old evidence.
- Officer Crater held two training days on the range, instructing all Officers on how to shoot with our new ballistic shields. Officer Crater also re-certified all Officers in the use of pepper spray and collapsible batons.


7/8/24

FRIENDSHIP FIRE COMPANY OF HELLAM
YORK COUNTY STATION 21

281

July 2024 Report

Hellam Fire Company

For the month of June, the Hellam Fire Company responded to 41 calls with 26 (63%) in Hellam Township. Year to date for 2024, we responded to 283 calls with 152 (54%) in Hellam Township. Last June, there were 37 calls with 19 (51%) in the Township and 251 calls year to date with 124 (49%) in the Township. There was one automatic fire alarm report submitted this month.

Members attended training on Basic Rigging for Rope Rescue, Trench Rescue Operations, Firefighter 1 Certification Review, and Firefighter Survival.

The station is undergoing some minor renovations. Last year we converted a window air conditioning unit and hot water baseboard heat to a mini split HVAC unit. This year we are converting the 20+ year old rooftop heating unit in the apparatus bays to hanging heaters. We are also in the process of painting the first floor including the four apparatus bays, office spaces, and social room.

The new Brush is making progress with the cab and body now mated and final shelving layout and electrical being completed. The expected completion date has not been finalized, but is expected to be in August.

Respectfully,



Eric Strittmatter

Chief, Hellam Fire Company

Hellam Township Public Works
Monthly Report
June 2024

ZE

- First round of road side mowing has completed throughout the Township.
- Prepping roadways for double application of chip seal.
- Getting a road ready for chip seal consists of: cutting the grass off the edges to maintain full road width; repair the stone base; leveling the roadway to get some crown for water to flow off of it; sweep and blow all dirt and fine debris off the roadway.
- Cleaned up several trees that were across the roadways.
- Replaced street signs, post and break a way that were stolen or damaged.
- Trimmed trees on several roads throughout the township.
- Ran routes several times cleaning storm boxes and roadways of debris.
- Attended PA Safety Days at the York Fair Grounds hosted by PA One Call.
- Completed nine stormwater inspection.
- Responded to 38 PA One calls.

Zoning Department Summary June 2024

2F

<u>PERMIT APPLICATIONS:</u>	
<ul style="list-style-type: none"> • Received: 14 (14) • Issued: 13 (12) • In process: 1 (2) 	<ul style="list-style-type: none"> • Denied: 0 • YTD Issued: 84 (73)
<u>COMPLAINTS:</u>	
<ul style="list-style-type: none"> • Complaints/violations: 3 • Resolved: 1 	<ul style="list-style-type: none"> • Carried Over: 0 • YTD Complaints/Violations Submitted: 5
<u>OLDS PUMPING COMPLETE:</u>	
District 2: 329/343 (95%)	District 3: 123/294 (42%)
<u>ZONING CASES:</u>	
<ul style="list-style-type: none"> • Z-2024-03: Variance 880 N Front St Ext approved • Z-2024-04: Variance Lincoln Highway LL-47 	
<u>SALDO CASES:</u>	
<u>PENDING ORDINANCES/RESOLUTIONS:</u>	
<ul style="list-style-type: none"> • Private Firearm Target Practice Areas • Restaurant Drive-Through, Fast-Food 	

OLDS	1	2	3	4
REPORT YEAR	2022	2023	2024	2025
Pumped	393	320	122	38
New System	1	3	0	0
Exemption	4	2	0	0
Vacant/Fore	2	3	1	0
Total	400	329	123	38
# OLDS/District	407	343	296	578
% Complete	98%	95%	42%	7%
Issues identified				

NOTE:
District 1 --
District 2 – Reminder postcards mailed 9/7/23, Final Notice mailed 3/14/24
District 3 – Reminder postcards mailed 3/14/24
District 4 –

Septic Permits Issued –
 Druck Valley Road – Perc and Probe
 898 Overlook Lane – New system
 781 Strickler School Road – Minor Repair (tank replacement)

Exemption Requests –

<p>Notification Schedule February '24: District 3 Initial Letter February '24: District 2 Final Postcard Reminder Spring '24: District 2 Final Notice/Violation Letter Summer '24: District 3 Reminder Postcard</p>
--

Jun-24

Property Owner	Address	Parcel Id	Date	Permit Number	Improvement	Cost
Craig Stone	5840 Pheasant Run Road	31000K10064A0	3-Jun-24	2024-060	Timber Harvest	
Metro and Lisa Heller	206 Brook Lane	3100002031900	4-Jun-24	2024-061	Driveway (Repaving)	
Michele Gainer (Trinity Solar)	781 Strickler School Road	31000K10035K0	4-Jun-24	2024-062	Roof-Mounted Solar	\$67,285
Josh Resh	800 Hillview Road	31000K0065000	12-Jun-24	2024-063	Accessory Structure (Deck), Fence	\$9,700
Trinity Solar	6671 Dark Hollow Road	31000030104A0	12-Jun-24	2024-065	Roof-Mounted Solar	\$77,956
Trinity Solar	589 Hillview Road	31000K0701000	12-Jun-24	2024-066	Roof-Mounted Solar	\$64,081
Flinchbaugh's Orchard	110 Ducktown Rd	31000K0075000	17-Jun-24	2024-067	Special Event	
Kevin Moulden	4484 Cedarwood Dr	3100001010700	18-Jun-24	2024-068	Roof-Mounted Solar	\$37,800
Reuban & Ariene Martin	641 Northride Ln	31000L0008600	20-Jun-24	2024-069	Well	
Reuban & Ariene Martin	641 Northride Ln	31000L0008600	20-Jun-24	2024-070	Sign (Freestanding)	\$400
Strategic Logistics	5989 Susquehanna Plaza	31000L0058000	24-Jun-24	2024-071	Sign (Freestanding)	\$45,000
Mitchell Queitzsch	4745 Fox Ln	310000K011600	27-Jun-24	2024-072	Demolition	
Lorie Grosh, Sarah & Brenden Colla	4732 Libhart Mill Rd	310000K007900	27-Jun-24	2024-073	Well	
Ronald Bodien	5723 Lincoln Highway	31000L00128C0	27-Jun-24	2024-074	Roof-Mounted Solar	\$25,440

HELLAM TOWNSHIP ENVIRONMENTAL ADVISORY COUNCIL

July 8, 2024

6:00 PM

Hellam Township Building

Members Present: Judo Bono, Carolyn Fetrow, Phyllis Koster, Judith Mueller, Bill Zeigler, Audrey Russin (Advisor to EAC).

BOS Rep: None

Guests: Bill Sprenkle

Public Comment: Phyllis (as resident) is curious about the stormwater management design plan: Why take out the trees that are established after flooding of Kreutz Creek? Nature put that there after the flood. It will return if it's removed. It serves water-slowng function. Thinks Twp should consult with Master Watershed Stewards. Phyllis also wonders why is all planning at the bottom and nothing at the top, where the water comes from?

Old Business:

- Strategic Plan: updates ongoing.
- KC Water Quality Monitoring: Phyllis will ask BOS if they want additional info. We need to provide them with the water watchdogs bacteria monitoring info resource.
- DEP created active committee to set PFAS standards.
- Rain Garden weeding schedule: Person on pollinator garden rotation should check the rain garden as well.

New Business:

- At EAC's invitation, Bill Sprenkle joined us to discuss the Twp. open burn ordinance. He has done research on the law and ordinances concerning open burns in PA and the Twp, and EAC seeks his input. EAC discussed experiences of piles of trash burning all night, sometimes as much as two days, and smoke settling in the valley over residential and agricultural land. Such burns release dangerous compounds (dioxins, particle pollution, polycyclic aromatic hydrocarbons, volatile organic compounds, carbon monoxide, hexachlorobenzene, ash, PFAS, carbon). Observations of open burning instances indicate a need to revise the ordinance and to conduct a public awareness campaign. EAC will look at ordinance present concerns about open burns to the BOS. Concerned about asthma in Twp, which follows from air quality, which is already compromised. Ultimate goal: revising the ordinance and educating the public about terrible health effects of this practice.
(Need to know: What is the process for revising ordinance.)
- Next meeting Judy will present on Mowing and weed ordinance.
- National Night Out: Judy will paint base coat on rain barrel at Twp building before. That will be our main attraction.
- Phyllis will ask Kate when next newsletter article is due. (Judith proposes future newsletter article idea: brush piles as habitat.)

Action items before next meeting:

- Judy will paint rain barrel
- Phyllis will ask Kate when next newsletter article is due.
- Phyllis will ask BOS if they want further info on Kreutz Creek water quality
- Judith will provide Kate with a Facebook post on the rain barrel giveaway at National Night Out

EASTERN YORK COUNTY SEWER AUTHORITY

2H

4 West Market Street
Hallam, Pennsylvania 17406
Telephone (717) 252-2797 - Fax (717) 252-1145

MINUTES OF 20 MAY 2024 MEETING

ATTENDANCE:

Board Members

Consultants/Staff

Barry D. Miller, Chairman
Gary W. Dube, Vice-Chairman
Dean D. Mackley, Treasurer
Carl G. Newcomer, Jr., Secretary
Robert L. Schlosser, Assistant Secretary

Nathan J. Hardman, P.E., C.S. Davidson, Inc.
Chastity A. Polonikas, Executive Secretary
Elizabeth A. Jones, Part-time Secretary

At 6:00 p.m. Chairman Miller called the 20 May 2024 meeting of the Eastern York County Sewer Authority to order.

RECOGNITION OF PUBLIC

There was no public in attendance.

APPROVAL OF MINUTES

The Minutes of 22 April 2024 were unanimously approved.

OLD BUSINESS:

WWTP:

Operator's Report:

Discharge Monitoring Report: The monthly report was prepared and submitted electronically (eDMR) for April 2024. EYCSA was in full compliance with its NPDES Permit and there were no violations for the period of April 2024.

High Ammonia/Phosphate: Ms. Polonikas explained that Mr. Nathan Schaeffer of ARRO stopped by the EYCSA office prior to the Board Meeting, stating that the ammonia and phosphate levels at the WWTP have been high. He recommended that EYCSA purchase ammonia and phosphate test kits from USABlueBook. Mr. Hardman questioned if ARRO checked the influent samples for ammonia and phosphate. Mr. Miller commented that something has been off for some time, as EYCSA has been hauling too much effluent. He went on to say that ARRO has been unable to get the tanks down to a reasonable level. After a brief discussion, the Board voted and unanimously approved the purchase of ammonia and phosphate test kits from USABlueBook.

Perfluoroalkyl & Polyfluoroalkyl Substances (PFAS): To a question from Mr. Miller, Mr. Hardman advised that there are no new PFAS regulations in the wastewater world, mainly in drinking water. There was a brief discussion regarding PFAS drinking water regulations.

Dissolved Oxygen (DO) Probes: Ms. Polonikas mentioned that Mr. Schaeffer stated that the DO probes that were just recently replaced are still not working properly.

Pennsylvania Department of Environmental Protection (PA DEP) Notice of Violation: Mr. Miller explained that Ms. Polonikas is in the process of ordering the required tank labeling for the alum tank per PA DEP. ARRO will immediately begin using the new Monthly Maintenance Operation Checklist for Owners of Small Aboveground Storage Tanks. Ms. Polonikas advised that Mr. David Kline of ARRO has been in communication with PA DEP regarding the details. Once the tank labeling has been updated and the new monthly maintenance log has been

completed, pictures will be sent to PA DEP, which should hopefully close out the Notice of Violation.

Spiralift Brush/Shoe Kits: To a question from Mr. Miller, Mr. Mackley commented that he believes EYCSA should send the Spiralift brush/shoe kit order back to Franklin Miller, Inc. if they're not the correct replacement parts. Ms. Polonikas noted that Mr. Schaeffer spoke with an engineer from Franklin Miller, Inc. who is still saying the replacement brush/shoe kits are correct, however, Mr. Schaeffer is still saying they're not correct. Ms. Polonikas stated that from the pictures Mr. Mackley took of the Spiralift brushes, they look correct to her and Mr. Schlosser agreed. Mr. Schlosser advised that he doesn't think EYCSA was sent the correct quantity of brushes/shoes. Per the schematics, found in the Spiralift Manual, Ms. Polonikas commented that she thinks EYCSA may need three brush/shoe kits versus only the one which EYCSA was sent.

Ms. Polonikas explained that the replacement parts can only be ordered from Franklin Miller, Inc., the manufacturer of the Spiralift. There was a brief discussion, and Ms. Polonikas stated that at this point, she's not sure if Mr. Schaeffer is correct in saying that the replacement parts are wrong, and she's not sure Franklin Miller, Inc. is correct in saying that they are the correct replacement parts. Mr. Miller suggested EYCSA take the replacement parts and compare them directly against the brushes in the Spiralift, which is what the Board ended up agreeing upon.

Pre-EQ Pump #1: Mr. Miller confirmed that Envirep, Inc. repaired Pre-EQ Pump #1 and asked Mr. Mackley if he was able to find a local machine shop that could fabricate some spare wear plates for EYCSA. Mr. Mackley commented that he hasn't looked into it yet but will. There was a brief discussion regarding the design of the wear plate.

OmniSite Alarms: To a question from Mr. Mackley, Ms. Polonikas commented that Envirep, Inc. was supposed to check out the Communication Check: Timeout alarms at the Campbell Rd Pump Station when they came out to repair Pre-EQ Pump #3, however they did not. Mr. Hardman recommended that the Authority reach out to Envirep, Inc. Ms. Polonikas reported that the Timeout alarms originate from the initial alarm on February 24, 2024. Mr. Hardman stated that Envirep, Inc. may be able to reset the alarm. Ms. Polonikas will contact Envirep, Inc. regarding this.

Engineer's Report:

2024 Maintenance Program: Mr. Hardman stated that EYCSA approved Mr. Brent Zeiders of Pennsylvania Sewer Authority's proposal for EYCSA's 2024 Line Cleaning and Televising. Mr. Zeiders advised that he would start the maintenance program once it gets a bit drier and warmer outside. Mr. Hardman noted that he would follow up with Mr. Zeiders before the June Board Meeting, just to get an idea of where he's at with scheduling.

4100 Lincoln Highway East – 4100 Lincoln Highway, LLC: Mr. Hardman confirmed that there has been no sewer construction at the site in the past month. He noted that the developer ran one of the sewer laterals pretty close to the building (approximately 100' away). That will most likely remain that way until they're ready to connect. Mr. Miller commented that it looks as if the building will go up here soon, and Mr. Hardman added that they're definitely moving along. There was a brief discussion regarding who the tenant of the first building will be.

Sludge Hauling Contract: Mr. Hardman explained that he and Ms. Polonikas have been working together on the Sludge Hauling Request for Proposal (RFP) throughout the past month. To a question from Mr. Hardman, Ms. Polonikas advised that she was planning on placing the Sludge Hauling RFP on the June Board Meeting Agenda, that way the bids are received in time for the July Board Meeting. Mr. Hardman noted that it was made clear in the RFP that it's the sludge hauler's responsibility to maintain permits.

Solicitor's Report:

Ms. Polonikas advised that there are no updates from Solicitor Evan Gabel of CGA Law Firm.

Administration Report:

The Board voted and unanimously approved the May Executive Secretary's Report.

WWTP:

Annual Service Agreement – Pumping Equipment: There was a lengthy discussion regarding allowing only Aqua-Aerobics Systems, Inc. to work on the PLC. Aqua-Aerobics Systems, Inc. oversees the operations of the treatment plant. If EYCSA approves the RAM/ISS Service Agreement, they would only be servicing the pumps and/or working on the control panels, if necessary.

To a question from Mr. Miller, Ms. Polonikas stated that the last time the pumps were serviced was April 2023, so it should be done soon. Ms. Polonikas advised that in the RAM/ISS Service Agreement, the labor rates are made very clear. The labor rate statement is vague in the Envirep, Inc. Service Agreement. Overall, RAM/ISS has lower rates than Envirep, Inc. Mr. Mackley and Mr. Newcomer commented that RAM/ISS really seem knowledgeable and have a lot of experience. RAM/ISS noted that they take pictures during their visits, that way they can show the issues to the customer. Mr. Mackley stated that he likes the fact that RAM/ISS will record values during their service visits, that way EYCSA and RAM/ISS have figures to go off of from one visit to the next. RAM/ISS, overall, seem more transparent. Mr. Mackley commented that he thinks it's important to have EYCSA's pumps checked out by a reliable source.

The Board voted and unanimously approved the RAM/ISS Annual Service Agreement, which automatically renews unless EYCSA contacts them and tells them otherwise.

Electric Slow Closing Anti Water Hammer Solenoid Valve – There was a brief discussion about who will install the valve. To a question from Ms. Polonikas, Mr. Miller advised that the Authority wait to order the valve until the voltage is known.

The Board voted and unanimously approved the purchase of the 1" Electric Slow Closing Anti Water Hammer Solenoid Valve.

Penn State Facilities Engineering Institute (PSFEI): PSFEI does not do Level 1 or Level 2 Energy Audits, however they do energy bill audits as a courtesy to local governments. Ms. Polonikas stated that the Authority will participate in the energy bill audit.

To a question from Ms. Polonikas, the Board authorized further investigation into solar.

ARRO Operator Shift: The Operator's current shift is 5:00 a.m. – 9:00 a.m. Ms. Polonikas advised that other contractors (i.e. Kline's, Envirep, Inc., RAM/ISS, etc.) come during regular business hours and it would be more efficient if the Operator was there during those visits. When Mr. Schaeffer is there doing non-routine maintenance and a second person is needed, the operator could be the second person.

The Board voted and unanimously approved requesting an Operator shift change.

Collection System:

134 Emig St – Sean & Tara McCourt: To a question from Mr. Newcomer, Ms. Jones advised that the McCourt's are in the process of repairing a leak, which was located in the foundation of the home.

Non-working Water Meters/Remotes: The Board voted and unanimously approved having Ms. Polonikas apply a penalty to the following account: 70 Artman Ave. Per a letter that was sent July 15, 2022, ratepayers were to have their non-working water meters/remotes repaired or replaced by August 15, 2022. A penalty [in the amount of one EDU] will be added to this account each quarter until the water meter/remote is repaired or replaced. This will be the eighth set of penalties added to the abovementioned account (\$1,200.00 total in penalties).

Developers:

Nothing to report.

NEW BUSINESS

Engineer Meeting Attendance: To a question from Mr. Miller, the Board decided to have the Engineer at every Board Meeting.

Tree on Right-of-Way: Mr. Schlosser removed a fallen tree from the right-of-way in the woods behind the WWTP.


Payment of Operating Expenses: Payment of operating expenses for SSSA Numbers 0, 1, & 2, and payroll, in the total amount of \$34,426.17 were unanimously approved.

Next Board Meeting: Monday, June 24, 2024, at 6:00 p.m. at the EYCSA Office, located at 4 West Market Street, Hallam, PA 17406.

ADJOURNMENT:

There being no other business and upon unanimous vote, the meeting was adjourned at 7:08 p.m.

Respectfully submitted,



Carl G. Newcomer, Jr.
Secretary

1:14 PM

**Eastern York County Sewer Authority
Disbursements**

05/20/24

May 20, 2024

Cash Basis

Num	Name	Memo	Original Amo...	Paid Amo...
May 20, 24				
11497	Jones, Elizabeth A.		-1,341.30	-1,341.30
11498	Miller, Barry D.		-38.81	-38.81
11499	Polonikas, Chastity A.		-4,234.83	-4,234.83
11500	Schlosser, Robert L		-97.02	-97.02
PA With May	Pennsylvania Dept. of Revenue	9126 5315	-230.93	-230.93
Fed Dep May	United States Treasury	23-2167510	-2,074.08	-2,074.08
11501	ARRO Water Services, LLC	Inv #9002496 Operations &...	-6,696.04	-6,696.04
11502	C.S. Davidson, Inc.		-1,528.62	-1,528.62
11503	CGA Law Firm	May Customer Attorney Fe...	-500.00	-500.00
11504	Chastity Polonikas-Petty Cash	May Petty Cash	-86.28	-86.28
11505	Comcast	8993 11 575 0129205 & 899...	-317.57	-317.57
11506	Dawn Boll	June Rent	-893.26	-893.26
11507	Envirep, Inc.	EasternYorkCoSewAuth	-653.74	-653.74
11508	Environmental Concepts Landscap...	Quote #1309; Mow/Weed C...	-586.00	-586.00
11509	Fulton Bank - Cardmember Service	May Statement	-275.12	-275.12
11510	JG Specialty Chemicals, LLC	Inv #82651; Sodium Metabl...	-92.00	-92.00
11511	Kilne's Services	Customer Number: 2216398	-6,864.00	-6,864.00
11512	L.A.B.S., Inc.	Inv #119697 April Lab repo...	-1,536.00	-1,536.00
11513	Met-Ed	100020086094 & 10001964...	-5,194.09	-5,194.09
11514	PA DEP, Div. of Storage Tanks	Facility ID: 67-00407	-125.00	-125.00
11515	Republic Services #611	Account Number 3-0611-0...	-255.45	-255.45
11516	Stratix Systems, Inc.		-296.92	-296.92
11517	U.S. Bank Equipment Finance	Customer Credit Account ...	-77.83	-77.83
11518	USIC Locating Services, LLC	Inv #657775 Locate Servic...	-431.28	-431.28
May 20, 24				<u>-34,426.17</u>

CASH TRANSACTION SUMMARY REPORT

May 20, 2024

	BY CHECK
Common Expenses	\$34,264.63
SSSA 0 Expenses	
SSSA 1 Expenses	
SSSA 2 Expenses	161.54
Developer Reimbursable Expenses	
Customer Reimbursable Expenses	
Industry Reimbursable Expenses	
Return of Developer Escrows	
2016 Bank Note	
Checks Total	\$34,426.17
Gross Expenses	\$34,426.17
Unbudgeted Reimbursable Expenses	0.00
2016 Bank Note; Principle and Interest Payment	0.00
Net Budget Expenses	\$34,426.17

EYCSA 2016 ACNB Bank Note Payment Information:

Total Principal paid in FY-2024: \$152,000.00

Total Interest paid in FY-2024: \$18,210.25

Total Balance Remaining on 2016 ACNB Bank Note: \$2,271,000.00



EASTERN YORK RECREATION AUTHORITY

44 Walnut Springs Road, York, PA 17406

21

Director's Report July 2024

Administration

1. Documented board meeting notes from August 2023 – June 2024
2. RecDesk (registration software) acquired by Clubessential Holdings

Facility Management

1. Transfer of (water and electric) utilities at Hallam Men's Field/Concession stand
2. Temporary batting cage set at Rexroth Park
3. Agreement for collaboration of Blessing Fields

Recreation Programs & Services

1. Baseball/Softball: Opened fall registration; end of season coach survey; 6/8 – EYRA Night at the Revs (14)
2. Soccer: Held two sessions of camp (45); 6/12 – attended CPYSL league meeting; submitted team counts, spring scorecards, fall 2024 uniform order, invoiced accounts for fall registration
3. Field Hockey: 6/7 - held first of 3 youth clinics (15)
4. 6/11 – Tennis for Kids started at Hallam courts

Budget & Financial

1. Sponsorship Awards – Sheetz (\$500 – soccer uniforms)
2. Received updated Sales Tax-Exempt Certificate, updating status with vendors
3. Inquiry with PRPS RecTap grant options for website design

Community & Public Relations

1. Invitation to participate in Parks, Recreation and Tourism Focus Group (HHW)
2. 6/13 – Meeting with Steph and Garrett Felix; re: website design; 6/26 – met with Tandem Marketing
3. 6/19 – Meeting with Hellam Rec Commission; re: volunteer needs for carnival
4. Facebook Followers - 1151 (+11 since last month)

Training & Networking

1. 6/12 – RecDesk Webinar: Summer Success
2. 6/20 – CORE Webinar: Looking Beyond the Tax Dollar; Alternative Funding 101
3. 6/25 – York County Planning/ Open Space & Trails Committee
4. 6/26 – RecDesk Webinar: Copilot (app software)
5. 6/28 – HHW Focus Group Mtg

On the Calendar

1. 7/1 – July is Park & Rec Month
2. 7/4-7/5 – Holiday/Vacation
3. 7/15 – 7/19 – EY Performing Arts Camp
4. 7/18 – York County Grant Photo Opp
5. 7/19 – Youth Field Hockey Clinic; Softball Night at the Revs
6. 7/22 – 7/26 – Vacation
7. 7/27 – Softball Playoffs Begin

Respectfully Submitted,
Jessica Cirilo, Director, CPRP