

FRIENDSHIP FIRE COMPANY OF HELLAM
YORK COUNTY STATION 21

2B-1

June 2023 Report

Hellam Fire Company

For the month of May, the Hellam Fire Company responded to 51 calls with 26 (51%) in Hellam Township. Year to date for 2023, we responded to 214 calls with 105 (49%) in Hellam Township. Last May, there were 35 calls with 15 (43%) in the Township and 215 calls year to date with 104 (48%) in the Township. There were three automatic fire alarm reports submitted this month.

Last month members attended training on Water Rescue Awareness and Firefighter 1 test preparation. We also hosted Pump Operations 2 with members of departments from York and Lancaster Counties attending. Crews attended the Memorial Day parade in Wrightsville.

York County has enacted another countywide burn ban, effective June 5th and revised effective June 12th. The revision was enacted to provide clarity that all fire pits and fireworks, both consumer and commercial, are prohibited from use during the burn ban. Fireworks may be authorized in writing by the municipality having jurisdiction. As there is a countywide burn ban in place, a separate municipal burn ban is not needed at this time.

Respectfully,



Eric Strittmatter

Chief, Hellam Fire Company

Phone: 717-757-3333
Fax: 717-840-8956

163 East Market Street
Hellam, PA 17406

hellamfireco@comcast.net
www.hellamfire.com

Hellam Fire Company

Hellam, PA

This report was generated on 6/11/2023 10:44:05 PM



Incident Type and Street Name for Date Range

Incident Status: Reviewed | Start Date: 05/01/2023 | End Date: 05/31/2023

Incident Date	Address	Incident Type
05/01/2023	FURNACE RD, Hellam (Township of), PA 17406	Public service
05/01/2023	CIMMERON RD, Springettsbury (Township of), PA 17402	Building fire
05/02/2023	FITZPATRICK LN, Hallam (corporate name for Hellam), PA 17406	Medical assist, assist EMS crew
05/02/2023	30 W, Hellam (Township of), PA 17406	Passenger vehicle fire
05/02/2023	30 E, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/03/2023	30 E, Hellam (Township of), PA 17406	Motor vehicle accident with no injuries.
05/03/2023	W MARKET ST, Hallam (corporate name for Hellam), PA 17406	Motor vehicle/pedestrian accident (MV Ped)
05/03/2023	HELLAM ST, Wrightsville, PA 17368	Passenger vehicle fire
05/04/2023	EASTERN BLVD, Springettsbury (Township of), PA 17402	Motor vehicle accident with injuries
05/05/2023	YORKANA RD, Lower Windsor (Township of), PA 17406	Brush or brush-and-grass mixture fire
05/05/2023	BARSHINGER RD, Lower Windsor (Township of), PA 17366	Brush or brush-and-grass mixture fire
05/05/2023	30 E, Hellam (Township of), PA 17406	Steam, vapor, fog or dust thought to be smoke
05/05/2023	W MARKET ST, Hellam (Township of), PA 17406	Steam, vapor, fog or dust thought to be smoke
05/06/2023	CRALEY RD, Windsor (Township of), PA 17356	Brush or brush-and-grass mixture fire
05/06/2023	30 W, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/08/2023	FRIENDSHIP AVE, Hallam (corporate name for Hellam), PA 17406	Alarm system sounded due to malfunction
05/09/2023	HAUSER SCHOOL RD, Hellam (Township of), PA 17406	Motor vehicle accident with no injuries.
05/11/2023	E BUTTER RD, Conewago (Township of), PA 17406	Building fire
05/11/2023	FISHER DR, Conewago (Township of), PA 17406	Cover assignment, standby, moveup
05/12/2023	KELLER AVE, Hellam (Township of), PA 17406	Medical assist, assist EMS crew
05/13/2023	E MARKET ST, Hallam (corporate name for Hellam), PA 17406	Alarm system sounded due to malfunction
05/13/2023	S FRONT ST, Wrightsville, PA 17368	Motor vehicle accident with no injuries.
05/13/2023	FURNACE RD, Hellam (Township of), PA 17406	Assist police or other governmental agency
05/13/2023	W MARKET ST, Hallam (corporate name for Hellam), PA 17406	Motor vehicle accident with no injuries.
05/14/2023	WILTON CIR, Wrightsville, PA 17368	Building fire
05/14/2023	COOL CREEK RD, Hellam (Township of), PA 17406	No incident found on arrival at dispatch address
05/14/2023	LINCOLN HWY, Hellam (Township of), PA 17406	Smoke detector activation, no fire - unintentional
05/16/2023	CHESTNUT ST, Wrightsville, PA 17368	Alarm system sounded due to malfunction
05/17/2023	ARNOLD LN, Hallam (corporate name for Hellam), PA 17406	Alarm system sounded due to malfunction
05/18/2023	W MARKET ST, Hallam (corporate name for Hellam), PA 17406	Smoke detector activation, no fire - unintentional
05/18/2023	FRIENDSHIP AVE, Hallam (corporate name for Hellam), PA 17406	Alarm system sounded due to malfunction
05/19/2023	MT PISGAH RD, Lower Windsor (Township of), PA 17317	Cover assignment, standby, moveup
05/21/2023	W MARKET ST, Hellam (Township of), PA 17406	No incident found on arrival at dispatch address
05/21/2023	LINCOLN HWY, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/21/2023	LINCOLN HWY, Hellam (Township of), PA 17406	Central station, malicious false alarm
05/22/2023	S BELMONT ST, Spring Garden (Township of), PA 17402	Building fire
05/23/2023	30 E, Hellam (Township of), PA 17406	Motor vehicle accident with injuries

Lists the Incident Date, Street Name (including City, State, Zip), and Incident Type of incidents occurring within the given Date Range. Only Reviewed incidents are included.



emergencyreporting.com
Doc Id: 1513
Page # 1 of 2

05/23/2023	CLOVER DR, Hellam (Township of), PA 17406	EMS call, excluding vehicle accident with injury
05/24/2023	FORGE LN, Hellam (Township of), PA 17406	Search for person on land
05/25/2023	STONE RUN DR, Springettsbury (Township of), PA 17402	Building fire
05/25/2023	30 E, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/25/2023	30 W, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/26/2023	FRYSVILLE RD, Hellam (Township of), PA 17406	Medical assist, assist EMS crew
05/26/2023	SUSQUEHANNA PLAZA DR, Hellam (Township of), PA 17406	Alarm system sounded due to malfunction
05/26/2023	SAGE DR, Hellam (Township of), PA 17406	EMS call, excluding vehicle accident with injury
05/27/2023	N 2ND ST, Wrightsville, PA 17368	Extrication of victim(s) from vehicle
05/28/2023	30 E, Hellam (Township of), PA 17368	Motor vehicle accident with injuries
05/28/2023	DAVIES DR, Springettsbury (Township of), PA 17402	Arcing, shorted electrical equipment
05/28/2023	30 E, Hellam (Township of), PA 17406	Passenger vehicle fire
05/28/2023	MAPLE ST, Wrightsville, PA 17368	Brush or brush-and-grass mixture fire
05/29/2023	SHOE HOUSE RD, Hellam (Township of), PA 17406	Motor vehicle accident with injuries

Total Incidents: 51

Lists the Incident Date, Street Name (including City, State, Zip), and Incident Type of incidents occurring within the given Date Range. Only Reviewed incidents are included.



Hellam Fire Company



Hellam, PA

This report was generated on 6/11/2023 10:56:38 PM

Incident Type Count per Municipality per Station for Date Range

Start Date: 05/01/2023 | End Date: 05/31/2023

INCIDENT TYPE	# INCIDENTS
MUNICIPALITY: CONEWAGO (TOWNSHIP OF)	
Station 21 - Station 21:	
111 - Building fire	1
571 - Cover assignment, standby, moveup	1
# Incidents for 21 - Station 21:	2
# INCIDENTS FOR CONEWAGO (TOWNSHIP OF):	2

MUNICIPALITY: HALLAM (CORPORATE NAME FOR HELLAM)	
Station 21 - Station 21:	
311 - Medical assist, assist EMS crew	1
323 - Motor vehicle/pedestrian accident (MV Ped)	1
324 - Motor vehicle accident with no injuries.	1
735 - Alarm system sounded due to malfunction	4
743 - Smoke detector activation, no fire - unintentional	1
# Incidents for 21 - Station 21:	8
# INCIDENTS FOR HALLAM (CORPORATE NAME FOR HELLAM):	8

MUNICIPALITY: HELLAM (TOWNSHIP OF)	
Station 21 - Station 21:	
131 - Passenger vehicle fire	2
311 - Medical assist, assist EMS crew	2
321 - EMS call, excluding vehicle accident with injury	2
322 - Motor vehicle accident with injuries	8
324 - Motor vehicle accident with no injuries.	2
341 - Search for person on land	1
551 - Assist police or other governmental agency	1
553 - Public service	1
622 - No incident found on arrival at dispatch address	2
652 - Steam, vapor, fog or dust thought to be smoke	2
714 - Central station, malicious false alarm	1
735 - Alarm system sounded due to malfunction	1
743 - Smoke detector activation, no fire - unintentional	1
# Incidents for 21 - Station 21:	26
# INCIDENTS FOR HELLAM (TOWNSHIP OF):	26

Only REVIEWED incidents included.



INCIDENT TYPE	# INCIDENTS
MUNICIPALITY: LOWER WINDSOR (TOWNSHIP OF)	
Station 21 - Station 21:	
142 - Brush or brush-and-grass mixture fire	2
571 - Cover assignment, standby, moveup	1
# Incidents for 21 - Station 21:	3
# INCIDENTS FOR LOWER WINDSOR (TOWNSHIP OF):	3

MUNICIPALITY: SPRING GARDEN (TOWNSHIP OF)	
Station 21 - Station 21:	
111 - Building fire	1
# Incidents for 21 - Station 21:	1
# INCIDENTS FOR SPRING GARDEN (TOWNSHIP OF):	1

MUNICIPALITY: SPRINGGETTSBURY (TOWNSHIP OF)	
Station 21 - Station 21:	
111 - Building fire	2
322 - Motor vehicle accident with injuries	1
445 - Arcing, shorted electrical equipment	1
# Incidents for 21 - Station 21:	4
# INCIDENTS FOR SPRINGGETTSBURY (TOWNSHIP OF):	4


MUNICIPALITY: WINDSOR (TOWNSHIP OF)	
Station 21 - Station 21:	
142 - Brush or brush-and-grass mixture fire	1
# Incidents for 21 - Station 21:	1
# INCIDENTS FOR WINDSOR (TOWNSHIP OF):	1

MUNICIPALITY: WRIGHTSVILLE	
Station 21 - Station 21:	
111 - Building fire	1
131 - Passenger vehicle fire	1
142 - Brush or brush-and-grass mixture fire	1
324 - Motor vehicle accident with no injuries.	1
352 - Extrication of victim(s) from vehicle	1
735 - Alarm system sounded due to malfunction	1
# Incidents for 21 - Station 21:	6
# INCIDENTS FOR WRIGHTSVILLE:	6

Only REVIEWED incidents included.



2B-2



ORGANIZED 1887

*Wrightsville Steam Fire Engine and Hose Company #1
South Second St Wrightsville Pa 17368*

Wrightsville Fire Department handled 77 calls for service, 36 of which were in Hellam Township in the month of May.

This month has it seems that our call volume has increased, we are above average for this time of the year. Members stayed busy with training, 12 members attend Confined Space Awareness at Harrisburg Area Community College, with 7 of the 12 continuing to Confined Space Operations. The members have goal to widen our specialized training in the technical rescue aspect of our rescue work discipline. Confined Space Rescue Technician will be taken next year by those members that want to continue. Rescue 41-1 the oldest of the fleet, went to the garage for inspection and failed to do rust. I will attach a more detailed report about the status of the vehicle as there is still update to when the new vehicle will arrive.

Chief Chad Livelsberger

Wrightsville Fire & Rescue Company

Wrightsville, PA

This report was generated on 6/12/2023 11:21:47 PM



Incident Type and Street Name for Date Range

Incident Status: All | Start Date: 05/01/2023 | End Date: 05/31/2023

Incident Date	Address	Incident Type
05/02/2023	FITZPATRICK LN, HALLAM, PA	Dispatched & cancelled en route
05/02/2023	30, Hellam (Township of), PA 12345	Passenger vehicle fire
05/02/2023	30, Hellam (Township of), PA 12345	Motor vehicle accident with injuries
05/03/2023	W MARKET ST, HALLAM, PA	Motor vehicle/pedestrian accident (MV Ped)
05/03/2023	Rt 30, Hellam (Township of), PA 17406	Motor vehicle accident with injuries
05/03/2023	HELLAM ST, Wrightsville, PA 17368	Mobile property (vehicle) fire, other
05/05/2023	YORKANA RD, Wrightsville, PA	Dispatched & cancelled en route
05/05/2023	BARSHINGER RD, Wrightsville, PA	Brush or brush-and-grass mixture fire
05/05/2023	1ST AVE, Red Lion, PA 17356	Building fire
05/05/2023	Rt 30 RADL, Hellam (Township of), PA 17406	Dispatched & cancelled en route
05/05/2023	HELLAM ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/05/2023	W MARKET ST, Hallam (corporate name for Hellam), PA 17406	Dispatched & cancelled en route
05/06/2023	S 2ND ST, Wrightsville, PA	Medical assist, assist EMS crew
05/06/2023	N 7TH ST, Wrightsville, PA	Medical assist, assist EMS crew
05/07/2023	HELLAM ST, Wrightsville, PA	Good intent call, other
05/07/2023	S 4TH ST, Mount Wolf, PA 17347	Dispatched & cancelled en route
05/08/2023	ROCK POINT RD, East Donegal (Township of), PA 17547	Dispatched & cancelled en route
05/08/2023	TRAVIS CIR, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/08/2023	FRIENDSHIP AVE, Hallam (corporate name for Hellam), PA 17406	Dispatched & cancelled en route
05/09/2023	HAUSER SCHOOL RD, HALLAM, PA	Motor vehicle accident with no injuries.
05/10/2023	ORKNEY RD, Mountville, PA 17554	Dispatched & cancelled en route
05/10/2023	ORKNEY RD, West Hempfield (Township of), PA 17554	Dispatched & cancelled en route
05/11/2023	DAVIDSBURG RD, Dover, PA	Cover assignment, standby, moveup
05/13/2023	COOL CREEK RD, Wrightsville, PA	Motor vehicle accident with injuries
05/13/2023	FURNACE RD, HALLAM, PA	Service Call, other
05/13/2023	INDIAN ROCK DAM RD, Spring GROVE, PA	Dispatched & cancelled en route
05/13/2023	W MARKET ST, HALLAM, PA	Service Call, other
05/13/2023	E MARKET ST, Hallam (corporate name for Hellam), PA 17406	Alarm system sounded due to malfunction
05/13/2023	S FRONT ST, Wrightsville, PA 17368	Motor vehicle accident with no injuries.
05/14/2023	COOL CREEK RD, HALLAM, PA	Motor vehicle accident with no injuries.
05/14/2023	WALNUT ST, COLUMBIA BOROUGH, PA	Dispatched & cancelled en route
05/14/2023	LINCOLN HWY, HALLAM, PA	Alarm system activation, no fire - unintentional
05/14/2023	WILTON CIR, Wrightsville, PA	Building fire
05/14/2023	ORANGE ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/16/2023	CRALEY RD, Lower Windsor (Township of), PA 17368	Dispatched & cancelled en route
05/16/2023	CHESTNUT ST, Wrightsville, PA 17368	Alarm system activation, no fire - unintentional
05/17/2023	VINE ST, Wrightsville, PA	Medical assist, assist EMS crew
05/17/2023	ARNOLD LN, HALLAM, PA	Alarm system sounded due to malfunction
05/18/2023	FRIENDSHIP AVE, HALLAM, PA	Alarm system sounded due to malfunction


Lists the Incident Date, Street Name (including City, State, Zip), and Incident Type of incidents occurring within the given Date Range. Only Reviewed incidents are included.



05/18/2023	S FRONT ST, Wrightsville, PA	Medical assist, assist EMS crew
05/18/2023	W MARKET ST, Hallam (corporate name for Hellam), PA 17406	Alarm system activation, no fire - unintentional
05/18/2023	WALNUT ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/18/2023	S 2ND ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/18/2023	N FRONT ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/19/2023	DELTA RD, Brogue, PA	Building fire
05/19/2023	WATER ST, Lower Windsor (Township of), PA 17368	Alarm system sounded due to malfunction
05/20/2023	S FRONT ST, Wrightsville, PA	Medical assist, assist EMS crew
05/21/2023	W MARKET ST, HALLAM, PA	Dispatched & cancelled en route
05/21/2023	LINCOLN HWY, HALLAM, PA	Motor vehicle accident with injuries
05/21/2023	LINCOLN HWY, Hellam (Township of), PA 17368	Dispatched & cancelled en route
05/22/2023	BROOKWOOD DR S, York Twp, PA	Building fire
05/22/2023	N 7TH ST, Wrightsville, PA	Medical assist, assist EMS crew
05/22/2023	S QUEEN ST, York Twp, PA	Cover assignment, standby, moveup
05/22/2023	VINE ST, Wrightsville, PA 17368	Medical assist, assist EMS crew
05/23/2023	, HALLAM, PA	Motor vehicle accident with injuries
05/23/2023	CHESTNUT ST, Wrightsville, PA	Medical assist, assist EMS crew
05/24/2023	, York County, PA	Assist police or other governmental agency
05/24/2023	CHESTNUT ST, Wrightsville, PA	Medical assist, assist EMS crew
05/25/2023	COOL CREEK RD, Wrightsville, PA	Assist police or other governmental agency
05/25/2023	RIVER DR, Hellam (Township of), PA 17368	Medical assist, assist EMS crew
05/25/2023	30, Hellam (Township of), PA 12345	Motor vehicle accident with injuries
05/25/2023	30, Hellam (Township of), PA 12345	Motor vehicle accident with injuries
05/26/2023	BROOK CIR, HALLAM, PA	Medical assist, assist EMS crew
05/26/2023	LOCUST ST, Wrightsville, PA	Medical assist, assist EMS crew
05/26/2023	SUSQUEHANNA PLAZA DR, Hellam (Township of), PA 17368	Smoke detector activation due to malfunction
05/27/2023	N 2ND ST, Wrightsville, PA	Motor vehicle accident with injuries
05/28/2023	, York County, PA	Motor vehicle accident with injuries
05/28/2023	MAPLE ST, Wrightsville, PA	Grass fire
05/28/2023	30, Hellam (Township of), PA 12345	Passenger vehicle fire
05/29/2023	SHOE HOUSE RD, HALLAM, PA	Motor vehicle accident with injuries
05/29/2023	OAK LEAF DR, Wrightsville, PA	Dispatched & cancelled en route
05/29/2023	N 5TH ST, Wrightsville, PA	Public service
05/29/2023	ASHLEY DR, East Donegal (Township of), PA 17547	Gas leak (natural gas or LPG)
05/30/2023	DAVIDSBURG RD, Dover, PA	Cover assignment, standby, moveup
05/30/2023	CARLISLE RD, Dover, PA	Motor vehicle accident with injuries
05/30/2023	E HIGH ST, East Donegal (Township of), PA 17547	Cover assignment, standby, moveup
05/30/2023	CRALEY RD, Lower Windsor (Township of), PA 17368	Assist police or other governmental agency
		Total incidents: 77

Lists the Incident Date, Street Name (including City, State, Zip), and Incident Type of incidents occurring within the given Date Range. Only Reviewed incidents are included.





ORGANIZED 1887

*Wrightsville Steam Fire Engine and Hose Company #1
South Second St Wrightsville Pa 17368*

Elected Officials,

I hope everyone is doing well! As you may or may not know, about two years ago we were informed of rust issues with rescue 41-1. At that time, we were informed by the garage that we may have two years left until we needed to seriously act or replace the vehicle. Which, we have taken the steps to replace that current piece, not knowing such a delay would happen to take delivery of the brand new one. The current apparatus replacement plan that has been discussed in the emergency service committee meetings was to replace Rescue 41-1 which is a 1996 well over the front-line status recommended by NFPA. Refurbishing Engine 41 which is a 2005, when you refurb a vehicle, the vehicle is stripped down to the frame and rebuilt with all new, keeping the motor, frame/chassis and allowing for body changes, which gives you another 15 years of service or front-line eligibility from the NFPA saving major money, instead of paying \$700,000 to \$800,000, a refurb is \$400,000 to \$500,000.

Where we stand now, Rescue 41 failed inspection do to rust on the main frame, sub framing and the frame/saddle frame that holds the water tank. Multiple garages told us its fixable but it was up the department which way to go. Also, along with the rust issues, there is some front suspension work that needs done as well. I will list the options and pricing for each option.

- 1- From Cocker's towing in E-town, they could pull the body off, fabricate new metal to replace the rusted framing and to fix the front suspension for a price of \$25,000 to \$30,000 take up 3-4 months turnaround time
- 2- 10-8 Emergency Service Vehicle/ Fleet Pride, 10-8 would pull the body and pump off the frame and send it fleet pride, fleet pride recommends replacing the main frame rails, problem is they make them for a truck this old and they would have to fabricate them their self, between both 10-8 and fleet pride. Estimate cost to fix everything would be between \$50,000 to \$80,000 with a 6 month turnaround
- 3- Gordon's Body Shop/ Sunny burn welding. Mr. Gordon recommended us to sunny burn welding in Airville. Sunny burn is a subcontractor for Gordon's body shop, Gordon's could fix it pulling the body off, for around the same price cockers had quoted for repairs. After talking to sunny burn welding, they quoted to fix the framing and sub framing for \$13,000 with a 6-8 weeks turnaround. The \$13,000 does not include the front suspensions fixes needed.

At the department meeting and to stay on track with apparatus replace the department to go with option 3, after sunny burn is finish, we will take the vehicle to Cocker's for inspection and the front suspension work, the front suspension work is estimated to cost around \$5,000. Both projects totaling \$18,000.

We currently renting a vehicle from Paxtonia Fire Department in Lower Paxton Twp in Dauphin Co, just outside the Harrisburg Area. Most places were charging \$250 a day or \$1,000 a week. We are paying \$250.00 a week.

We are in talks with Seagrave as well to send the Engine out as soon as the new vehicle is in service. Rescue 1 then will become a reserve while the Engine is out for refurb to ensure that we have two engines available at all time. Estimated time for engine 41 refurb would be 1-1/2 year turnaround.

Enclosing, I hope this helps you understand, that we are holding true to our apparatus replacement plan that we had in place for some time now. I also hope that this allows you to see the transparency from myself to you as the elected officials. To help pay for these fixes I will be asking Wrightsville Borough for \$10,000 and Hellam Township for \$10,000 for the Capital fund. Please if you have any questions or concerns, please do not hesitate to reach out to me.

Thank you,

Chief Chad Livelsberger

Hallam Borough	19	14	14	15	12														
Hellam Township	37	41	46	52	39														
Hopewell Township																			
Lower Windsor Township/Craley	5	12	6	10	7														
Springettsbury Township	5	5	5	19	11														
West Hempfield Township	2	2	2		1														
Windsor Township		2																	
Wrightsville Borough	21	13	13	13	22														
Yorkana Borough		1	1																
Other	8	6	4	4	2														

Community Activities & Special Notes:

Columbia Units responded 3 times to Wrightsville transported 1 time, 2 times to Hellam Township transported 1 time and 1 time to Hallam Borough
 Participated in the Wrightsville Memorial Day Parade

Hellam Township Public Works
Monthly Report
May 2023

- Completed second full pipe replacement on Wallicks Road.
- First round of road side mowing has started throughout the Township.
- Prepped one truck for PA safety inspection.
- Started stormwater box and pipe replacement on Trout Run Road.
- Ran routes several times and cleaned storm boxes and debris off roadways.
- Filled the salt bins with road salt to meet our tonnage for the year.
- Replaced street signs and sign posts on various roadways.
- Delivered bagged mulch for EAC to put in the rain garden at Barshinger Park.
- Completed 4 stormwater inspections.
- Responded to 34 PA One calls.

Hellam Township Public Works May 2023 Monthly Report

<p>May 1-4</p>	<ul style="list-style-type: none"> • Started first round of road side mowing throughout the Township. • Cleaned up a downed tree on Trout Run Road. • Ran routes checks roads and storm boxes for debris. • Installed shoulder machine on truck 972. • Picked up K block at Kinsley Material for Wallicks Road pipe. • Start to set K block at new pipe crossing end wall on Wallicks Road. • Prep 091 for PA Safety Inspection. Repair Rear tail lights and rear brake pads and drums. • Started forming top of head wall on Wallicks Road in between K block. • Completed 4 stormwater inspections • Completed PA One calls.
<p>May 8-11</p>	<ul style="list-style-type: none"> • Completed prepping and painting hand railing on Old Church Lane. • Road side mowing continuing throughout the Township. • Continued forming for concrete on Wallicks Road for head wall around new pipe. • Start to strip concrete forms on Wallicks Road pipe head wall. • Serviced small generator. • Completed PA One calls.
<p>May 15-18</p>	<ul style="list-style-type: none"> • Road side mowing continuing throughout the Township. • Parged new end wall on Wallicks Road. Place large stone at discharge side of new pipe. • Finished Wallicks Road pipe project seeded and strawed disturbed areas, stoned road where necessary. • Went to Monarch to pick up supplies for Trout Run Road storm water project. • Completed PA One calls
<p>May 22-25,29-31</p>	<ul style="list-style-type: none"> • Road side mowing continuing throughout the Township. • Picked up bagged mulch for EAC to put in the rain garden at Barshinger Park. • Filled salt bins with road salt to meet our tonnage for the year. • Started pipe replacements on Trout Run Road. • Scheduled TC Energy to be on site to monitor our dig around there right of way for gas line. • Poured concrete collars around new pipe at storm box and at end walls on Trout Run Road. • Ran routes checks roads and storm boxes for debris. • Completed PA One calls

HELLAM TOWNSHIP ENVIRONMENTAL ADVISORY COUNCIL

May 8, 2023

6:00 PM

Hellam Township Building

Members Present: Carolyn Fetrow, Ed Hamme, Phyllis Koster, Judith Mueller.

Meeting Agendas: will go to Kate a week before the meeting. Co-chairs will send to EAC for suggestions prior to sending to Kate.

Membership update:

- Tom Knaub has stepped down now that he is Chair of the York County Conservation Society Board. Would like to work with us on shared interests, such as tree plantings.
- Bill Ziegler has ongoing health problems must take a hiatus from EAC. He's happy to serve someday as an alternate or to attend meetings as a concerned member of the public.
- EAC can have up to seven members, so we have room for one more.

National Night Out: We will participate.

- Carolyn will ask Cindy Pizzaketti if she can join us with stormwater model.
- Judith will ask Corina if Lancaster Conservancy will participate.

Pollinator Celebration: June 16, 10:00 – 3:00, Flinchbaughs.

- Need to remove some goldenrod from Pollinator Garden before event.
- Will determine when to make seed packets via email.
- Resident Pollinator Garden Certification to recommend to residents: Phyllis suggests the National Wildlife Federation; it's simple, not too expensive, and it's the same one the Lancaster Conservancy uses. Need a handout about this for Pollinator Celebration; Phyllis will check with Conservancy.
- Need to let Julie know about scavenger hunt object: flower sticker. Question for kids: which insects pollinate more, bees or butterflies? (Hint: buzzzz.)

No Mow: Curt and Phyllis identified stretch on Horn Road. Phyllis has no mow signs.

Kreutz Creek update: Now that people are returning to play in the water, Township needs to repost notice on engage and Facebook. Carolyn will send it to Candace, who oversees Engage. Phyllis recommends other avenues to inform public: postcard, Facebook.

Public Information Articles:

Phyllis will enquire about our articles on tree planting and open burn.

June meeting, main agenda items: Pollinator Celebration and Strategic Plan.

Phyllis will attend next week's BOS meeting.

EASTERN YORK COUNTY SEWER AUTHORITY

4 West Market Street
Hallam, Pennsylvania 17406
Telephone (717) 252-2797 - Fax (717) 252-1145

MINUTES OF 24 APRIL 2023 MEETING

ATTENDANCE:

Board Members

Barry D. Miller, Chairman
Gary W. Dube, Vice Chairman
Dean D. Mackley, Treasurer
Howard W. Gromling, Jr., Assistant Treasurer
Carl G. Newcomer, Jr., Secretary

Consultants/Staff

Nathan J. Hardman, E.I.T., C.S. Davidson, Inc.
Nathan Schaeffer, ARRO Wastewater Operations
Chastity A. Polonikas, Executive Secretary

At 7:00 p.m. Chairman Miller called the 24 April 2023 meeting of the Eastern York County Sewer Authority to order.

RECOGNITION OF PUBLIC

To a question from Chairman Miller, Mr. Ricky Garner and Ms. Sherry Myers stated that they had no comments.

APPROVAL OF MINUTES

The Minutes of 27 March 2023 were unanimously approved.

OLD BUSINESS:

WWTP:

Operator's Report:

Discharge Monitoring Report: The monthly report was prepared and submitted electronically (eDMR) for March 2023. EYCSA was in full compliance of its NPDES Permit and there were no violations for the period of March 2023.

New Rubber Gasket for Air Hose: Mr. Schaeffer advised that a new rubber gasket for the air hose was installed on the bottom side of SBR #2. Mr. Schaeffer partnered with the Operator for more details and is still awaiting a response back. Four new O-rings for the air hoses were purchased.

Aqua Filter #1 Deep Cleaning: Mr. Schaeffer stated that he deep cleaned Aqua Filter #1 and noted that he used the last of the AquaBac Xt that was on hand. Mr. Schaeffer suggested ordering 10 gallons [two 5-gallon jugs] of AquaBac XT from JG Specialty Chemicals, LLC, and Mr. Miller noted that'd be fine.

Mr. Schaeffer went on to explain that he feels the filters will soon need to be taken apart and cleaned [take them out, remove the covers and rinse them out], as he thinks they're probably caked full of thick material. He noted that it takes about a day to do one filter.

Pike Pole: Per the Operator's request, the Board approved the purchase of a 20' aluminum pike pole [which costs approximately \$158.00], to be used to clean rags off the mixer lines, etc. Mr. Schaeffer advised that he'd send Ms. Polonikas the link so she can order the pike pole.

Lines Hooked to Handrails: There was a brief discussion regarding why some of the lines aren't hooked to the eyes in the walkway. Mr. Miller noted that the lines shouldn't be hooked to the handrails, as they're not made for that and the lines are cutting into the handrails. Mr. Schaeffer confirmed that he'd look into the issue/hook them back into the eyes.

Air Diffusers: Mr. Schaeffer is to be taking the most recently pulled air diffuser for repairs [as soon as he gets his trailer back]. A new aluminum hose fitting was purchased for the

diffuser, as the old one was plastic and the threading pulled right out. Mr. Schaeffer advised that the repairs on this particular air diffuser will be fairly simple.

Filter Pressure Gauge Issue: Mr. Schaeffer explained that he was unable to find a 15 psi gauge (for the one Aqua Filter). To a question from Mr. Hardman, Mr. Schaeffer advised that ARRO never reads that meter, it's just that it's leaking. Mr. Hardman suggested putting a 50 psi gauge on it versus plugging it, that way it can still be read [if need be] and you can still see when it kicks on.

Omni Dialer Battery Pack: Mr. Schaeffer advised that he received a low battery alarm for the Omni Dialer [for the Influent Pump Station] which indicates a new battery pack is needed. What's strange is that that battery has already been replaced, and that Omni Dialer is only a couple years old. Mr. Schaeffer confirmed that he'd speak to Envirep, Inc. about it. Mr. Miller noted that it shouldn't have gone bad that soon.

To a question from Mr. Miller, Ms. Polonikas stated that Envirep, Inc. is coming to the WWTP to service all the pumps April 26 through April 28, 2023.

Missing Stainless Steel Cable: Mr. Schaeffer confirmed that the "missing" stainless steel cable from the one pump [a few months back] is actually on the winch, wound up.

EQ Tank Cleaning: Mr. Miller commented that the EQ tank has a good amount of grit in it and suggested Mr. Schaeffer schedule the cleaning soon. Mr. Schaeffer noted that he would call Kline's Services and schedule the cleaning right away. There was a brief discussion regarding how that process would look; how to bypass from the EQ tank to the Influent Pump Station to the SBR's. Mr. Miller added that we can finally figure out what's going on with the bypass pump, as that was never fully resolved.

Campbell Rd Pump Station: To a question from Mr. Hardman, Mr. Schaeffer confirmed that all OmniSite alarms were fully switched over to ARRO. Mr. Schaeffer advised the new Campbell Rd Pump Station is working well and noted that the Operator is pleased with it.

Engineer's Report:

MH-146 Repairs: Mr. Hardman stated that he stopped by 414 Arnold Ln to ensure the grass is coming back in, which it is. He commented that he really didn't have any concerns, but wanted to keep an eye on it, just in case.

250 Orange St – Wes Dixon: Mr. Hardman explained that there's an existing sewer main with a stub (as depicted from the as-builts), which is what the new development [duplex] will be connected to. Mr. Dixon's engineer is trying to plan on having the duplex treated as two separate units, meaning there would be two separate sewer laterals. From a billing standpoint, that would mean there should be two separate addresses. How to handle the right-of-way would also have to be decided, should this be treated as two separate units. After a brief discussion, it was decided that EYCSA will await to see what Hallam Borough decides before moving forward. Mr. Miller commented that once Mr. Brent Zeiders (of Pennsylvania Sewer Authority) does the line cleaning/televising in that area, EYCSA will have a better idea of exactly where the stub is located, as the as-built measurements are not adding up.

100 Claire Ave – Kelli Sellers: Mr. Hardman advised that the structure has already been built and noted that the property-owner has now reached out about connecting to EYCSA's sewer system. Mr. Hardman partnered with Ms. Rachel Vega, Hellam Township Zoning Officer, to ensure the property-owner obtained all necessary approvals from Hellam Township. The property is a "flag lot," which means the driveway is very long and the house is tucked in the back behind it. The private lateral will be approximately 250' long and Mr. Miller confirmed that the new home has no basement. To a question from Mr. Miller, Mr. Hardman stated that he'd prefer the connection take place in the line versus the manhole. Ms. Polonikas provided the as-built plans to the property-owner and both she and Mr. Hardman are now awaiting more information, as the plans that were received showed nothing sewer related.

4535 Lincoln Highway – Bentley Farms Wedding Event Venue (Pasch): Mr. Hardman advised that he's still awaiting confirmation from Gordon L. Brown & Associates, Inc. regarding the grinder pump lid being water tight [since it's located in a floodplain].

Campbell Rd Pump Station Replacement: Mr. Hardman stated that the startup of the new station was successful and added that Envirep, Inc. was onsite throughout the process. Included with the April payables will be Application for Payment No. 1 [Final Application for Payment] for Contract No. 2 (Electrical Construction) in the amount of \$20,450.00.

Mr. Hardman explained that there are still some outstanding items for Contract No. 1 (General Construction). He noted that he's working with the contractor to have approximately \$8,500.00 worth of pavement items removed from the Final Application for Payment, as the pavement was not disturbed throughout the project, so there was no need to re-pave. Mr. Hardman is hoping to have a Contract Change Order [to eliminate the pavement items which will create a net reduction in cost] for the next meeting as well as the Final Application for Payment for Contract No. 1.

To a question from Mr. Miller, Mr. Hardman noted that he thinks it would be worthwhile to have a cap on the bypass connection. There was a brief discussion and the Board voted and unanimously approved having Mr. Schaeffer purchase a 6" threaded PVC cap for the bypass connection.

Solicitor's Report:

65 N Prospect St Ongoing Litigation: Mr. Miller noted that all updates were covered in Ms. Polonikas' Executive Secretary's Report.

Administration Report:

Executive Secretary PTO: The Board unanimously approved Ms. Polonikas' PTO request for Friday, April 28, 2023. It was decided that coverage from Ms. Sherry Myers would not be necessary since it's only one day, and EYCSA is not in the middle of a billing cycle. Ms. Polonikas advised that she'd check the EYCSA emails from home.

Index Money Market & Checking/Deposit Accounts: Mr. Miller stated that there's still some ongoing issues with Fulton Bank, as the \$15.00 ACH charge was removed, however, now there's an AA Fee [in the amount of \$273.14] on the March 2023 statement.

The Board voted and unanimously approved the April Executive Secretary's Report.

WWTP:

Republic Services Proposal: The Board voted and unanimously approved the Republic Services Proposal [Quote A239651187] for once per month pickup service of the dumpster at the WWTP [in the amount of \$65.00 per month plus fuel recovery fees].

Alum Delivery: Mr. Miller confirmed that JG Specialty Chemicals, LLC delivered aluminum sulfate [alum] to the WWTP on April 13, 2023.

Collection System:

Non-working Water Meters/Remotes: Mr. Miller advised that Ms. Denise Gibbons of 140 Campbell Rd called the EYCSA office to inform EYCSA that they replaced their water meter/remote, however, it's still not working. Mr. Miller visited the property to see if he could assist, however, no one was home. Ms. Polonikas suggested Ms. Gibbons reach out to the manufacturer where the water meter/remote was purchased or contact a plumber. Ms. Polonikas commented that at least they'll be exempt from the next round of penalties for non-working water meters/remotes.

Flinchbaugh Engineering, Inc. Building 3, Lot 6: Mr. Miller explained that Flinchbaugh Engineering, Inc. had all their meters calibrated [by Control Systems 21] and noted that there were no calibration issues with the private meter in Building 3, Lot 6. To a question from Mr. Dube, Mr. Miller stated that he doesn't think the meters are set back to zero after calibration. Ms. Polonikas advised that Mr. Matt Ryan of Flinchbaugh Engineering, Inc. had brought up that he thought the meter in Building 3, Lot 6 was reset to zero after Mr. Miller and Mr. Dube read the meters for the 1st Quarter 2023. Mr. Miller commented that they only read the meter and didn't reset it.

Ms. Polonikas suggested that Mr. Ryan take two sets of readings every day for the next few weeks; one from the actual meter and one from the remote, then compare the usage results between the two to ensure it's not a remote issue (since we know it's not a meter issue).

Ms. Polonikas explained that for the 1st Quarter 2023, the private meter for Building 3, Lot 6 reading was 202,240 gallons, while The York Water Company reading was 265,500 gallons. While this figure still seems unusually high, the private meter reading is at least lower than the overall consumption for the entire building. After a brief discussion, the Board instructed Ms. Polonikas to bill Flinchbaugh Engineering, Inc. for what the private meter read [202,240 gallons] since it was lower than the reading [for the entire building] from The York Water Company.

Light Repair at Campbell Rd Pump Station: The light repairs still haven't been completed at Campbell Rd Pump Station and Ms. Myers noted that Mr. Milton Sultzbaugh of Milt's Repair Service is still ill and hasn't been back to work yet. Mr. Miller stated that he'd try to reach out to Mr. Sultzbaugh to get an update on the job.

Freysville Rd Manhole Complaint: Mr. Hardman and Mr. Mackley plan on stopping out to take a look at the manhole on Freysville Rd before the next Board Meeting. They will report back to the Board with their findings.

Lockbox at Campbell Rd Pump Station: To a question from Mr. Newcomer, Mr. Miller advised that the key to Campbell Rd Pump Station is still laying on the ground by the fence post. The Board voted and unanimously approved the purchase of a lockbox, which Mr. Schaeffer advised he would purchase and install. The lockbox code will be the same code as the lockbox at the WWTP.

Developers:

100 Claire Ave – Kelli Sellers: After a brief discussion the Board voted and unanimously approved Chairman Miller and Secretary Newcomer's countersignatures on the Agreement for the Payment of Legal and Engineering Services.

The Board voted and unanimously approved capacity for the project in the amount of one (1) EDU.

S.R. 30 & Kreutz Creek Rd – Love's Travel Stops: No updates.

4100 Lincoln Highway East – 4100 Lincoln Highway, LLC: The property is still up for sale with no recent movement.

NEW BUSINESS


Payment of Operating Expenses: Payment of operating expenses for SSSA Numbers 0, 1, & 2, payroll, and Application for Payment No. 1 for Campbell Rd Pump Station Replacement Contract No. 2 (Electrical Construction) in the total amount of \$59,285.04 were unanimously approved.

Next Board Meeting: Monday, May 22, 2023 at 7:00 p.m. at the EYCSA Office, located at 4 West Market Street, Hallam, PA 17406.

ADJOURNMENT:

There being no other business and upon unanimous vote, the meeting was adjourned at 7:52 p.m.

Respectfully submitted,



Carl G. Newcomer, Jr.
Secretary

1:05 PM
04/24/23
Cash Basis

**Eastern York County Sewer Authority
Disbursements
April 24, 2023**

Num	Name	Memo	Original Amo...	Paid Amo...
Apr 24, 23				
11207	Miller, Barry D.		-146.79	-146.79
11208	Myers, Sherry L.		-80.28	-80.28
11209	Polonikas, Chastly A.		-3,899.22	-3,899.22
PA With Apr	Pennsylvania Dept. of Revenue	9126 5315	-166.09	-166.09
Fed Dep Apr	United States Treasury	23-2157510	-1,473.76	-1,473.76
11210	ARRO Water Services, LLC	Inv# 9001230; WWTP Operations-Mar 2023	-6,972.74	-6,972.74
11211	C.S. Davldson, Inc.		-3,729.71	-3,729.71
11212	CGA Law Firm		-2,076.57	-2,076.57
11213	Chastly Polonikas-Petty Cash	Apr 2023 Petty Cash	-50.00	-50.00
11214	Comcast	8993 11 575 0129205 & 8993 11 575 0028654	-285.17	-285.17
11215	Dawn Boll	May 2023 Office Rent; 4 W Market St	-842.70	-842.70
11216	Fulton Bank - Elan Financial Serv...	Fulton Bsnss CCard; Apr 2023 Stmt	-21.16	-21.16
11217	Kilne's Services	Customer Number: 2216398	-9,090.00	-9,090.00
11218	L.A.B.S., Inc.	Inv# 111291; Mar 2023 LABS Tests	-1,766.00	-1,766.00
11219	LYNX Computer Technologies Inc.	Inv# 657117; Remote Services (0.25 hours)	-37.60	-37.60
11220	Met-Ed	100020086094 & 100019640075	-5,195.57	-5,195.57
11221	PA DEP, Div. of Storage Tanks	Facility ID: 67-00407	-125.00	-125.00
11222	PSI Pumping Solutions, Inc.	Application For Payment No. 1 - Contract No. 2 - Elec...	-20,450.00	-20,450.00
11223	Staples Direct	6035 5178 2006 3484	-220.91	-220.91
11224	The York Water Company	Customer No. 59362	-90.00	-90.00
11225	U.S. Bank Equipment Finance	Customer Credit Account Number 1888333	-77.83	-77.83
11226	USABlueBook	Customer No. 915750	-147.94	-147.94
11227	USIC Locating Services, LLC	Inv# 578004; 3/1/23-3/31/23	-540.10	-540.10
11228	Postmaster	Permit #754; USPS Account Deposit	-1,800.00	-1,800.00
Apr 24, 23				-59,285.04

**CASH TRANSACTION SUMMARY REPORT
April 24, 2023**


	BY CHECK
Common Expenses	
SSSA 0 Expenses	58,981.05
SSSA 1 Expenses	
SSSA 2 Expenses	303.99
Developer Reimbursable Expenses	
Customer Reimbursable Expenses	
Industry Reimbursable Expenses	
Return of Developer Escrows	
2016 Bank Note	
Checks Total	\$59,285.04
Gross Expenses	\$59,285.04
Unbudgeted Reimbursable Expenses	0.00
2016 Bank Note; Principal & Interest Payment	0.00
Net Budget Expenses	\$59,285.04

EYCSA 2016 ACNB Bank Note Payment Information:

Total Principal paid in FY-2023: \$152,000.00

Total Interest paid in FY-2023: \$20,470.16

Total Balance Remaining on 2016 ACNB Bank Note: \$2,574,000.00



EASTERN YORK RECREATION AUTHORITY

44 Walnut Springs Road, York, PA 17406

Director's Report June 2023

Administration

1. Finalizing General Liability insurance refund; addition of fire extinguishers
2. Finalizing Audit requirements - follow up details, proof of payments

Facility Management

1. Installations and inspections of Barshinger playset and surfacing
2. 5/11 – LWT BOS mtg to request addition of gym floor lines; 5/31 – mtg with vendor
3. Ballfields – Hellam #1 progress; Permission to use Wrightsville Elem fields (3); Wrightsville Borough agreement to utilize Vine Street fields (4)
4. Facility Rentals confirmed – Young Knights Football & Cheer; York Young Revolution; Lady Revs Softball

Recreation Programs & Services

1. 5/31 – Youth Basketball transition mtg #1
2. Basketball open gyms/leagues – Jan - May = \$4,838
3. New summer camps registration to date – Science (5); Legos (8); Art (5)

Budget & Financial

1. May 4-5 – Give Local York – awaiting final donation tally
2. 5/16 - WeeUsable “big check” donation photo
3. Concessions/Fundraisers (sandwich sales, helmet stickers, spirit wear) profit to date = \$5,791
4. Submitted Hellam Township Recreation Fund Request Form for playground support
5. Continued requirements for LeagueSide/UPMC sponsorship of baseball uniforms (T-ball jerseys/coach shirts); Submitted application for fall sponsorship (softball jerseys)

Community & Public Relations

1. GotSneakers Program – mailed first bag of donated shoes (11 pair) to be recycled
2. Discount Ticket Program – ordered for summer; obtained links for online discount admissions
3. Facebook Followers - 968 (+3 since last month)

Training & Networking

1. 5/4 – Webinar – ABC's of Grant Writing
2. 5/17 – Webinar – GotSport Tips & Tools for Registration

On the Calendar

1. 6/9-6/11 (Rexroth); 6/16-6/18 (Barshinger) – East Coast Volleyball events
2. 6/12-6/15 (LWT) – Science Camp
3. 6/13 – Tennis for Kids (Hallam) begins
4. 6/18-6/25 – Baseball playoffs

Respectfully Submitted,
Jessica Cirilo, Director, CPRP