BE IT REMEMBERED that a Regular Zoning Meeting of the City Council of Jackson, Mississippi was convened in the Council Chambers in City Hall at 2:30 p.m. on May 16, 2022 being the third Monday of said month when and where the following things were had and done to wit:

Present: Council Members: Virgi Lindsay, Council President, Ward 7; Angelique

Lee, Ward 2; Vernon Hartley, Ward 5 and Aaron Banks, Ward 6. Directors: Shanekia Mosley-Jordan, Clerk of Council, Constance White; Chief Deputy Clerk of Council; Ester Ainsworth, Zoning Administrator; Victoria James,

126

Deputy City Attorney and Sondra Moncure, Deputy City Attorney.

Absent: Ashby Foote, Ward 1, Brian Grizzell, Ward 4 and Kenneth I. Stokes, Ward

3.

The meeting was called to order by President Lindsay.

* * * * * * * * * * * * * *

* * * * * * * * * * * * * *

President Lindsay recognized Zoning Administrator **Ester Ainsworth** who provided the Council with a procedural history of Case No. 4166, including all applicable ordinances, statutes, and a brief review of documents included in the Council agenda packets which were the applicable zoning map, future land use map, photos of the subject area, staff report, application with exhibits and planning board meeting minutes.

President Lindsay requested that the Clerk read the Order:

ORDER GRANTING JOHN W. CRAIG & LYNN NGUYEN A CONDITIONAL USE PERMIT TO ALLOW FOR A GRAPHIC ARTS STUDIO WITH PROFESSIONAL TATTOOING WITHIN A C-3 (GENERAL) COMMERCIAL DISTRICT FOR SUITE 147 OF THE PROPERTY LOCATED AT 6351 I-55 NORTH FRONTAGE RD. (PARCEL 710-1).

WHEREAS, John W. Craig & Lynn Nguyen has filed a petition for a Use Permit to allow for a graphic arts studio with professional tattooing located within a C-3 (General) Commercial District for Suite 147 of the property located at 6351 I-55 North Frontage Rd. (Parcel 710-1) in the City of Jackson, First Judicial District of Hinds County, Mississippi; and

WHEREAS, Jackson City Planning Board, after holding the required public hearing, has recommended approval of a Conditional Use Permit to allow for a graphic arts studio with professional tattooing within a C-3 (General) Commercial District for Suite 147 of the property located at 6351 I-55 North Frontage Rd. (Parcel 710-1); and

WHEREAS, notice was duly and legally given to property owners and interested citizens that a meeting of the Council would be held at the City Hall at 2:30 p.m., Monday, May 16, 2022 to consider said change, based upon the record of the case as developed before the Jackson City Planning Board; and

WHEREAS, it appeared to the satisfaction of the Jackson City Council that notice of said petition had been published in the Mississippi Link on March 3, 2022 and March 17, 2022 that a hearing had been held by the Jackson City Planning Board on April 27, 2022, all as provided for by ordinances of the City of Jackson and the laws of the State of Mississippi, and that the Jackson City Planning Board had recommended approval of a Conditional Use Permit within the existing C-3 (General) Commercial District of the City of Jackson; and

WHEREAS, the Jackson City Council, after having considered the matter, is of the opinion that the proposed use is compatible with the character of development in the vicinity relative to density, bulk and intensity of structures parking and other uses and that a Conditional Use Permit be granted to allow for a graphic arts studio with professional tattooing within a C-3 (General) Commercial District for Suite 147 of the property located at 6351 I-55 North Frontage Rd. (Parcel 710-1).

NOW, THEREFORE, BE IT ORDERED BY THE COUNCIL OF THE CITY OF JACKSON, MISSISSIPPI:

That the property located in the City of Jackson, First Judicial District of Hinds County, Mississippi, more particular described as follows:

TRACT I

A tract of land consisting of 12.421 acres situated in the West Half (W ½) of the Northeast Quarter (NE 1/4) and the East Half (E ½) of the Northwest Quarter (NW ½) of Section 1, Township 6 North, Range I East, Hinds County, Mississippi being more particularly described as follows, to wit:

Commencing at a found iron rod marking the Northwest corner of Beverly Heights, Part I, according to the map or plat thereof, on file and of record in the office of the Chancery Clerk of Hinds County at Jackson, Mississippi in Plat Book 7 at Page 17; said point also being on the East right-of-way line of U.S. Highway Number 51; thence run North 27 degrees 27 minutes 25 seconds East, for a distance of 1238.00 feet to a point on said right-of-way line; thence run North 26 degrees 37 minutes 25 seconds East, along said rightof-way line, for a distance of 114.17 feet; thence run South 63 degrees 22 minutes 35 seconds East, along said right-of-way line for a distance of 29.89 feet; thence run North 26 degrees 37 minutes 25 seconds East, along said right-of-way line, for a distance of 338.14 feet to a point in the centerline of White Oak Creek as it existed prior to its relocation in June 1995; thence run South 50 degrees 49 minutes 23 seconds East, along said right-of-way line, for a distance of 10.24 feet; thence run North 26 degrees 37 minutes 25 seconds East along said right-of-way line, for a distance of 367.69 feet to the intersection of said right-of-way line with the South right-of-way line of County Line Road, thence run South 86 degrees 52 minutes 15 seconds East, along said South right-of-way line, for a distance of 166.83 feet to a found concrete right-of-way monument; thence run South 31 degrees 38 minutes 22 seconds East, along said right-of-way line, for a distance of 52.00 feet to a found concrete right-of-way monument on a curve to the left, said curve better described as having a Delta of 14 degrees 37 minutes 19 seconds and a Radius of 836.20 feet; thence run along said South right-of-way line and the arc of said curve to the left, for a distance of 213.34 feet (Chord South 79 degrees 50 minutes 50 seconds East for a distance of 212.76 feet) to the point of tangency of said curve; thence run South 87 degrees 11 minutes 48 seconds East, along said South right-of-way line, for a distance of 126.97 feet to a found concrete right-of-way monument; thence run North 04 degrees 35 minutes 23 seconds East, along said South right-of-way line for a distance of 68.11 feet to a found concrete right-ofway monument; thence run South 86 degrees 26 minutes 45 seconds East, along said South right-of-way line, for a distance of 37.18 feet to a found concrete right-of-way monument at the intersection of said South right-of-way line with the West right-of-way line of Interstate Highway Number 55; thence run South 35 degrees 04 minutes 32 seconds East, along said West right-of-way line, for a distance of 141.90 feet to a found concrete right-of-way monument and the point of curvature of a curve to the left, said curve being better described as having a Delta of 08 degrees 05 minutes 34 seconds and a Radius of 1232.23 feet; thence run along said West right-of-way line and said arc to the left for a distance of 174.04 feet (Chord South 14 degrees 07 minutes 32 seconds East for a distance of 173.90 feet) to a found iron rod at the point of tangency of said curve; thence run South 18 degrees 24 minutes 32 seconds East, along said West right-of-way line, for a distance of 284.20 feet to a found concrete right-of-way monument and the POINT OF BEGINNING of the property herein described; thence run South 01 degrees 54 minutes 28 seconds West, along said West right-of-way line, for a distance of 103.72 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 282.96 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 269.50 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 81.00 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 283.50 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 393.85 feet to a point on the aforementioned West right-ofway line of Interstate Highway 55; thence run South 18 degrees 09 minutes 42 seconds East, along said West right-of-way line, for a distance of 38.56 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 270.41 feet to the point of curvature of a curve to the left, said curve being better described as having a delta of 90 degrees 00 minutes 00 seconds and a radius of 10.00 feet; thence run along the arc of said curve to the left for a distance of 15.71 feet (Chord South 36 degrees 37 minutes 42 seconds West for a distance of 14.14 feet) to the point of tangency of said curve; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 204.96 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 287.00 feet; thence run North 08 degrees 22 minutes 18 seconds West for a distance of 37.96 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 9.00 feet; thence run North 08 degrees 22 minutes 18 seconds West for a distance of 133.42 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 572.69 feet; thence run North 00 degrees 41 minutes 02 seconds West for a distance of 258.28 feet to the point of curvature of a curve to the right, said curve being better described as having a Delta of 02 degrees 19 minutes 55 seconds and a Radius of 300.00 feet; thence run along the arc of said curve to the right for a distance of 12.21 feet (Chord North 00 degrees 28 minutes 56 seconds East for a distance of 12.21 feet) to the point of tangency of said curve; thence run North 01 degrees 38 minutes 53 seconds East for a distance of 1 10.66 feet to the point of curvature of a curve to the right, said curve being better described as having a Delta of 23 degrees 26 minutes 30 seconds and a Radius of 150.00 feet; thence run along the arc of said curve to the right for a distance of 60.06 feet (Chord North 13 degrees 06 minutes 57 seconds East for a distance of 59.66 feet) to the point of tangency of said curve; thence run North 24 degrees 35 minutes 20 seconds East for a distance of 76.85 feet; thence run South 70 degrees 13 minutes 59 seconds East for a distance of 379.35 feet to a point in the centerline of White Oak Creek as it existed prior to its relocation in June 1995; thence run along the meanderings of said centerline the following bearings and distances: North 07 degrees 20 minutes 52 seconds East for a distance of 151.26

feet; thence North 50 degrees 37 minutes 22 seconds East for a distance of 42.59 feet; thence North 65 degrees 41 minutes 08 seconds East for a distance of 60.45 feet; thence North 48 degrees 21 minutes 21 seconds East for a distance of 51.18 feet; thence North 13 degrees 08 minutes 05 seconds East for a distance of 35.46 feet; thence North 16 degrees 06 minutes 22 seconds West for a distance of 36.91 feet; thence North 52 degrees 48 minutes 12 seconds West for a distance of 33.35 feet; thence South 76 degrees 18 minutes 04 seconds West for a distance of 66.05 feet; thence South 47 degrees 10 minutes 27 seconds West for a distance of 69,12 feet; thence North 46 degrees 56 minutes 49 seconds West for a distance of 20.00 feet; thence North 00 degrees 29 minutes 36 seconds West for a distance of 62.46 feet; thence North 49 degrees 57 minutes 25 seconds East for a distance of 50.56 feet; thence North 37 degrees 02 minutes 04 seconds West for a distance of 35.12 feet; thence North 81 degrees 34 minutes 47 seconds West for a distance of 28.82 feet; thence South 76 degrees 18 minutes 50 seconds West for a distance of 34.84 feet; thence North 77 degrees 54 minutes 44 seconds West for a distance of 66.06 feet; thence North 70 degrees 31 minutes I l seconds West for a distance of 29.74 feet; thence North 48 degrees 59 minutes 29 seconds West for a distance of 59.00 feet; thence North 46 degrees 35 minutes 12 seconds West for a distance of 42.63 feet; thence, leaving said centerline of White Oak Creek, run North 81 degrees 37 minutes 42 seconds East for a distance of 181.17 feet; thence run North 08 degrees 22 minutes 18 seconds West for a distance of 10.00 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 242.34 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 57.10 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 136.00 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 44.00 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 229.77 feet to a point on a curve to the right, said curve being better described as having a delta of 20 degrees 44 minutes 24 seconds and a radius of 50.00 feet; thence run along the arc of said curve to the right for a distance of 5.97 feet (Chord South 10 degrees 25 minutes 42 seconds East for a distance of 5.96 feet); thence run North 81 degrees 37 minutes 42 seconds East for a distance of 40.55 feet to the Point of Beginning.

TRACT 2

A tract of land consisting of 3.444 acres situated in the West Half (W 1/2) of the Northeast Quarter (NE 1/4) and the East Half (E 1/2) of the Northwest Quarter (NW 1/4) of Section I, Township 6 North, Range I East, Hinds County, Mississippi, being more particularly described as follows, to wit:

Commencing at a found iron rod marking the Northwest corner of Beverly Heights, Part 1, according to the map or plat thereof, on file and of record in the office of the Chancery Clerk of Hinds County at Jackson, Mississippi in Plat Book 7 at Page 17; said point also being on the East right-of-way line of U.S. Highway Number 51; thence run North 27 degrees 27 minutes 25 seconds East, for a distance of 1238.00 feet to a point on said right-of-way line; thence run North 26 degrees 37 minutes 25 seconds East, along said rightof-way line, for a distance of 114.17 feet; thence run South 63 degrees 22 minutes 35 seconds East, along said right-of-way line for a distance of 29.89 feet; thence run North 26 degrees 37 minutes 25 seconds East, along said right-of-way line, for a distance of 338.14 feet to a point in the centerline of White Oak Creek as it existed prior to its relocation in June 1995; thence run South 50 degrees 49 minutes 23 seconds East, along said right-of-way line, for a distance of 10.24 feet; thence run North 26 degrees 37 minutes 25 seconds East along said right-of-way line, for a distance of 367.69 feet to the intersection of said right-of-way line with the South right-of-way line of County Line Road, thence run South 86 degrees 52 minutes 15 seconds East, along said South right-of-way line, for a distance of 166.83 feet to a found concrete right-of-way monument; thence run South 31 degrees 38 minutes 22 seconds East, along said right-of-way line, for a distance of 52.00 feet to a found concrete right-of-way monument on a curve to the left, said curve better described as having a Delta of 14 degrees 37 minutes 19 seconds and a Radius of 836.20 feet; thence run along said South right-of-way line and the arc of said curve to the left, for a distance of 213.34 feet (Chord South 79 degrees 50 minutes 50 seconds East for a distance of 212.76 feet) to the point of tangency of said curve; thence run South 87 degrees 11 minutes 48 seconds East, along said South right-of-way line, for a distance of 126.97 feet to a found concrete right-of-way monument; thence run North 04 degrees 35 minutes 23 seconds East, along said South right-of-way line for a distance of 68.11 feet to a found concrete right-ofway monument; thence run South 86 degrees 26 minutes 45 seconds East, along said South right-of-way line, for a distance of 37.18 feet to a found concrete right-of-way monument at the intersection of said South right-of-way line with the thence run South 35 degrees 04 minutes 32 seconds East, along said West rightof-way line, for a distance of 141.90 feet to a found concrete right-of-way monument and the point of curvature of a curve to the left, said curve being better described as having a Delta of 08 degrees 05 minutes 34 seconds and a Radius of 1232.23 feet; thence run along said West right-of-way line and said arc to the left for a distance of 174.04 feet (Chord South 14 degrees 07 minutes 32 seconds East for a distance of 173.90 feet) to a found iron rod at the point of tangency of said curve; thence run South 18 degrees 24 minutes 32 seconds East, along said West right-of-way line, for a distance of 284.20 feet to a found concrete right-of-way monument; thence run South 01 degrees 54 minutes 28 seconds West, along said West rightof-way line, for a distance of 103.72 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 282.96 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 269.50 feet; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 81.00 feet; thence run South 08 degrees 22 minutes 18 seconds East for a distance of 283.50 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 393.85 feet to a point on the aforementioned West right-of-way line of Interstate Highway 55; thence run South 18 degrees 09 minutes 42 seconds East, along said West right-ofway line, for a distance of 107.17 feet to the centerline of a dedicated 40.00 foot wide road right-of-way; thence run North 88 degrees 43 minutes 40 seconds West, along said centerline, for a distance of 163.48

128

feet to a point in the centerline of a 20.00 foot wide dedicated road right-of-way; thence run South 04 degrees 17 minutes 33 seconds West, along said centerline, for a distance of 1012.94 feet; thence run North 85 degrees 42 minutes 27 seconds West for a distance of 10.00 feet to a point on the North line of the aforementioned Beverly Heights, Part 1; thence run North 75 degrees 48 minutes 29 seconds west, along said North line, for a distance of 1.78 feet to the POINT OF BEGINNING of the property herein described; thence run North 75 degrees 48 minutes 29 seconds West for a distance of 701.99 feet to a found iron pipe at the Northern corner of Lot 17 of the aforementioned Beverly Heights, Part 1; thence run North 27 degrees 11 minutes 09 seconds East for a distance of 43.26 feet to a point on a curve to the left, said curve being better described as having a Delta of 33 degrees 17 minutes 04 seconds and a Radius of 300.00 feet; thence run along the arc of said curve to the right for a distance of 72.52 feet (Chord North 49 degrees 26 minutes 30 seconds West for a distance of 72.35 feet) to the point of tangency of said curve; thence run North 42 degrees 31 minutes 02 seconds West for a distance of 152.17 feet to the point of curvature of a curve to the right, said curve being better described as having a Delta of 41 degrees 50 minutes 00 seconds and a Radius of 300.00 feet; thence run along the arc of said curve to the right for a distance of 219.04 feet (Chord North 21 degrees 36 minutes 00 seconds West for a distance of 214.21 feet) to the point of tangency of said curve; thence run North 00 degrees 41 minutes 02 seconds West for a distance of 291.17 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 100.91 feet; thence run South 00 degrees 41 minutes 02 seconds East for a distance of 304.62 feet to the point of curvature of a curve to the left, said curve being better described as having a Delta of 41 degrees 50 minutes 00 seconds and a Radius of 200.00 feet; thence run along the arc of said curve to the left for a distance of 146.03 feet (Chord South 21 degrees 36 minutes 00 seconds East for a distance of 142.80 feet) to the point of tangency of said curve; thence run South 42 degrees 31 minutes 02 seconds East for a distance of 152.17 feet to the point of curvature of a curve to the left, said curve being better described as having a Delta of 33 degrees 17 minutes 04 seconds and a Radius of 200.00 feet; thence run along the arc of said curve to the left for a distance of 116.19 feet (Chord South 59 degrees 09 minutes 34 seconds East for a distance of 114.56 feet) to the point of tangency of said curve; thence run South 75 degrees 48 minutes 06 seconds East for a distance of 450.63 feet to the point of curvature of a curve to the right, said curve being better described as having a Delta of 61 degrees 47 minutes 33 seconds and a Radius of 125.00 feet; thence run along the arc of said curve to the right for a distance of 134.82 feet (Chord South 44 degrees 54 minutes 14 seconds East for a distance of 128.37 feet) to the point of tangency of said curve; thence run South 14 degrees 00 minutes 23 seconds East for a distance of 67.02 feet to the Point of Beginning.

TRACT 3

A tract of land consisting of 0.059 acres situated in the Northwest Quarter (NW 1/4) of the Northeast Quarter (NE 1/4) of Section 1, Township 6 North, Range 1 East, Hinds County, Mississippi being more particularly described as follows, to wit:

Commencing at a found iron rod marking the Northwest comer of Beverly Heights, Part 1, according to the map or plat thereof, on file and of record in the office of the Chancery Clerk of Hinds County at Jackson, Mississippi in Plat Book 7 at Page 17; said point also being on the East right-of-way line of U.S. Highway Number 51; thence run North 27 degrees 27 minutes 25 seconds East, for a distance of 1238.00 feet to a point on said right-of-way line; thence run North 26 degrees 37 minutes 25 seconds East, along said rightof-way line, for a distance of 114.17 feet; thence run South 63 degrees 22 minutes 35 seconds East, along said right-of-way line for a distance of 29.89 feet; thence run North 26 degrees 37 minutes 25 seconds East, along said rightof-way line, for a distance of 338.14 feet to a point in the centerline of White Oak Creek as it existed prior to its relocation in June 1995; thence run South 50 degrees 49 minutes 23 seconds East, along said right-of-way line, for a distance of 10.24 feet; thence run North 26 degrees 37 minutes 25 seconds East along said right-of-way line, for a distance of 367.69 feet to the intersection of said right-of-way line with the South right-of-way line of County Line Road; thence run South 86 degrees 52 minutes 15 seconds East, along said South right-of-way line, for a distance of 166.83 feet to a found concrete right-of-way monument; thence run South 31 degrees 38 minutes 22 seconds East, along said right-of-way line, for a distance of 52.00 feet to a found concrete right-of-way monument on a curve to the left, said curve better described as having a Delta of 14 degrees 37 minutes 19 seconds and a Radius of 836.20 feet; thence run along said South right-of-way line and the arc of said curve to the left, for a distance of 213.34 feet (Chord South 79 degrees 50 minutes 50 seconds East for a distance of 212.76 feet) to the point of tangency of said curve; thence run South 87 degrees 1 1 minutes 48 seconds East, along said South right-of-way line, for a distance of 126.97 feet to a found concrete right-of-way monument; thence run North 04 degrees 35 minutes 23 seconds East, along said South right-of-way line for a distance of 68.11 feet to a found concrete right-ofway monument; thence run South 86 degrees 26 minutes 45 seconds East, along said South right-of-way line, for a distance of 37.18 feet to a found concrete right-of-way monument at the intersection of said South right-of-way line with the West right-of-way line of Interstate Highway Number 55; thence run South 35 degrees 04 minutes 32 seconds East, along said West right-of-way line, for a distance of 141.90 feet to a found concrete right-of-way monument and the point of curvature of a curve to the left, said curve being better described as having a Delta of 08 degrees 05 minutes 34 seconds and a Radius of 1232.23 feet; thence run along said West right-of-way line and said arc to the left for a distance of 174.04 feet (Chord South 14 degrees 07 minutes 32 seconds East for a distance of 173.90 feet) to a found iron rod at the point of tangency of said curve; thence run South 18 degrees 24 minutes 32 seconds East, along said West right-of-way line, for a distance of 284.20 feet a found concrete right-of-way monument; thence run South 01 degrees 54

130

minutes 28 seconds West, along said West right-of-way line, for a distance of 103.72 feet to the POINT OF BEGINNING of the property herein described; thence continue along the aforementioned right-of-way line South 01 degrees 54 minutes 28 seconds West for a distance of 98.20 feet to a point; thence run South 81 degrees 37 minutes 42 seconds West for a distance of 17.77 feet to a point; thence run North 08 degrees 22 minutes 18 seconds West for a distance of 96.63 feet; thence run North 81 degrees 37 minutes 42 seconds East for a distance of 35.29 feet to the Point of Beginning.

be and is hereby modified so as to approve a Conditional Use Permit to allow for a graphic arts studio with professional tattooing within a C-3 (General) Commercial District for the property located in Suite 147 of 6351 I-55 North Frontage Rd. (Parcel 710-1). The Conditions of the Use Permit shall be that it is granted on an annual basis; that it be granted to John W. Craig & Lynn Nguyen, the owner/operators of the graphic arts studio with professional tattooing; and that subsequent owners or operators of a graphic arts studio with professional tattooing at the location must apply for and receive a new Use Permit. However, that before a Use Permit is issued for any structure to be erected or use thereof on the said property, the applicant must meet the requirements established through the Site Plan Review process.

Vice President Lee moved adoption; President Lindsay seconded.

President Lindsay recognized **John Craig, Applicant,** who spoke in support of the request to approve a Conditional Use Permit within a C-3 (General) Commercial District to allow for a graphic arts studio with professional tattooing located in Suite 147 of the property.

There was n	o opposition	from the	public.

Thereafter, President Lindsay called for a vote on said item:

Yeas - Banks, Hartley, Lee and Lindsay.

Nays - None.

Absent – Foote, Grizzell and Stokes.

* * * * * * * * * * * * * * *

ORDER GRANTING EXTENSION OF SPECIAL EXCEPTIONS AND USE PERMITS FOR ONE YEAR.

Coming for consideration are requests for the approval of the following for certification of renewal for one year and after the anniversary date of approval for Use Permit or Special Exceptions as follows:

CASE NO.	<u>NAME</u>	LOCATION	<u>USE</u>	GRANTED
SE – 3862 Ward 7	Millsaps College	1702 N. State St. Jackson, MS 39206	Office/Meeting Spaces & Administrative Units	05/19/14
C-UP-3894 Ward 1	Meena Sabharwal	1625 E. County Line Rd Suite 320	Operation of a Liquor Store	4/20/15

IT IS HEREBY ORDERED by the Council of the City of Jackson that the said Use Permits and/or Special Exceptions be and the same are hereby extended for another year from and after the anniversary date granting said permits.

President Lindsay moved adoption; Vice President Lee seconded.

MINUTE BOOK 6V

131

Thereafter, President Lindsay called for a vote on said item:

Yeas – Banks, Hartley, Lee and Lindsay.

Nays – None.

Absent - Foote, Grizzell and Stokes.

* * * * * * * * * * * * * * *

There being no further business to come before the City Council, it was unanimously voted to adjourn until the next Special Council Meeting to be held at 10:00 a.m. on Tuesday, May 24, 2022. At 2:59 p.m., the Council stood adjourned.

PREPARED BY:

APPROVE

CLERK OF COUNCIL

UNCIL PRESIDENT DATE

ATTEST:

* * * * * * * * * * * * * *