


PARKING BAY WIDTHS

ONE-WAY TRAFFIC & SINGLE LOADED AISLES	43'-4"
TWO-WAY TRAFFIC & SINGLE LOADED AISLES	43'-4"
ONE-WAY TRAFFIC & DOUBLE LOADED AISLES	61'-4"
TWO-WAY TRAFFIC & DOUBLE LOADED AISLES	61'-4"



APPROVED BY: <i>MOCK</i>		DATE: 04/04/17	CITY OF MONTCLAIR PUBLIC WORKS DEPARTMENT	
REVISION	DESCRIPTION	DATE	STANDARD HAIRPIN PARKING DETAIL	STANDARD DWG. SP-2A




PARKING BAY WIDTHS
PER TABLE HEREON

PARKING BAY WIDTHS FOR 45° STALLS	
ONE-WAY TRAFFIC & SINGLE LOADED AISLES	30'-3"
TWO-WAY TRAFFIC & SINGLE LOADED AISLES	38'-4"
ONE-WAY TRAFFIC & DOUBLE LOADED AISLES	48'-7"
TWO-WAY TRAFFIC & DOUBLE LOADED AISLES	56'-4"



APPROVED BY: <i>mch</i>		DATE: 04/04/17	CITY OF MONTCLAIR PUBLIC WORKS DEPARTMENT	
REVISION	DESCRIPTION	DATE	STANDARD 45° HAIRPIN PARKING DETAIL	STANDARD DWG. SP-2B



PARKING BAY WIDTHS FOR 60° STALLS

ONE-WAY TRAFFIC & SINGLE LOADED AISLES	35'-3"
TWO-WAY TRAFFIC & SINGLE LOADED AISLES	40'-7"
ONE-WAY TRAFFIC & DOUBLE LOADED AISLES	54'-8"
TWO-WAY TRAFFIC & DOUBLE LOADED AISLES	59'-3"



APPROVED BY: <i>[Signature]</i>		DATE: 04/04/17
REVISION	DESCRIPTION	DATE

CITY OF MONTCLAIR PUBLIC WORKS DEPARTMENT

STANDARD 60° HAIRPIN PARKING DETAIL

STANDARD DWG.
SP-2C