


Appendix 3-55

Wayne County Office of Environmental Services Jurisdiction Areas not part of an FPA

Approved by the NEFCO General Policy Board 4/17/2024. This date reflects the latest Board approval of an update or amendment to a portion or all of this FPA.

The map displays the fire protection areas (FPAs) within Wayne County, Ohio. The central area, including the city of Wooster, is highlighted in yellow and labeled 'WAYNE' and 'WOOSTER'. Surrounding areas are outlined in red and labeled with their respective FPA names: West Salem FPA, Burbank FPA, Creston FPA, Sterling FPA, Rittman FPA, Doylestown FPA, Marshallville FPA, Canal Fulton FPA, Dalton FPA, Kidron FPA, Mt. Eaton FPA, Fredericksburg FPA, Shreve FPA, Apple Creek FPA, Wayne County Lincoln Way FPA, Orrville FPA, Smithville FPA, Wayne County Airport FPA, Wayne County Gingery FPA, and Wooster FPA. The map also shows major roads (I-71, I-75, I-80, I-90, I-190, I-275, I-375, I-475, I-575, I-675, I-775, I-875, I-975, I-1075, I-1175, I-1275, I-1375, I-1475, I-1575, I-1675, I-1775, I-1875, I-1975, I-2075, I-2175, I-2275, I-2375, I-2475, I-2575, I-2675, I-2775, I-2875, I-2975, I-3075, I-3175, I-3275, I-3375, I-3475, I-3575, I-3675, I-3775, I-3875, I-3975, I-4075, I-4175, I-4275, I-4375, I-4475, I-4575, I-4675, I-4775, I-4875, I-4975, I-5075, I-5175, I-5275, I-5375, I-5475, I-5575, I-5675, I-5775, I-5875, I-5975, I-6075, I-6175, I-6275, I-6375, I-6475, I-6575, I-6675, I-6775, I-6875, I-6975, I-7075, I-7175, I-7275, I-7375, I-7475, I-7575, I-7675, I-7775, I-7875, I-7975, I-8075, I-8175, I-8275, I-8375, I-8475, I-8575, I-8675, I-8775, I-8875, I-8975, I-9075, I-9175, I-9275, I-9375, I-9475, I-9575, I-9675, I-9775, I-9875, I-9975, I-10075, I-10175, I-10275, I-10375, I-10475, I-10575, I-10675, I-10775, I-10875, I-10975, I-11075, I-11175, I-11275, I-11375, I-11475, I-11575, I-11675, I-11775, I-11875, I-11975, I-12075, I-12175, I-12275, I-12375, I-12475, I-12575, I-12675, I-12775, I-12875, I-12975, I-13075, I-13175, I-13275, I-13375, I-13475, I-13575, I-13675, I-13775, I-13875, I-13975, I-14075, I-14175, I-14275, I-14375, I-14475, I-14575, I-14675, I-14775, I-14875, I-14975, I-15075, I-15175, I-15275, I-15375, I-15475, I-15575, I-15675, I-15775, I-15875, I-15975, I-16075, I-16175, I-16275, I-16375, I-16475, I-16575, I-16675, I-16775, I-16875, I-16975, I-17075, I-17175, I-17275, I-17375, I-17475, I-17575, I-17675, I-17775, I-17875, I-17975, I-18075, I-18175, I-18275, I-18375, I-18475, I-18575, I-18675, I-18775, I-18875, I-18975, I-19075, I-19175, I-19275, I-19375, I-19475, I-19575, I-19675, I-19775, I-19875, I-19975, I-20075, I-20175, I-20275, I-20375, I-20475, I-20575, I-20675, I-20775, I-20875, I-20975, I-21075, I-21175, I-21275, I-21375, I-21475, I-21575, I-21675, I-21775, I-21875, I-21975, I-22075, I-22175, I-22275, I-22375, I-22475, I-22575, I-22675, I-22775, I-22875, I-22975, I-23075, I-23175, I-23275, I-23375, I-23475, I-23575, I-23675, I-23775, I-23875, I-23975, I-24075, I-24175, I-24275, I-24375, I-24475, I-24575, I-24675, I-24775, I-24875, I-24975, I-25075, I-25175, I-25275, I-25375, I-25475, I-25575, I-25675, I-25775, I-25875, I-25975, I-26075, I-26175, I-26275, I-26375, I-26475, I-26575, I-26675, I-26775, I-26875, I-26975, I-27075, I-27175, I-27275, I-27375, I-27475, I-27575, I-27675, I-27775, I-27875, I-27975, I-28075, I-28175, I-28275, I-28375, I-28475, I-28575, I-28675, I-28775, I-28875, I-28975, I-29075, I-29175, I-29275, I-29375, I-29475, I-29575, I-29675, I-29775, I-29875, I-29975, I-30075, I-30175, I-30275, I-30375, I-30475, I-30575, I-30675, I-30775, I-30875, I-30975, I-31075, I-31175, I-31275, I-31375, I-31475, I-31575, I-31675, I-31775, I-31875, I-31975, I-32075, I-32175, I-32275, I-32375, I-32475, I-32575, I-32675, I-32775, I-32875, I-32975, I-33075, I-33175, I-33275, I-33375, I-33475, I-33575, I-33675, I-33775, I-33875, I-33975, I-34075, I-34175, I-34275, I-34375, I-34475, I-34575, I-34675, I-34775, I-34875, I-34975, I-35075, I-35175, I-35275, I-35375, I-35475, I-35575, I-35675, I-35775, I-35875, I-35975, I-36075, I-36175, I-36275, I-36375, I-36475, I-36575, I-36675, I-36775, I-36875, I-36975, I-37075, I-37175, I-37275, I-37375, I-37475, I-37575, I-37675, I-37775, I-37875, I-37975, I-38075, I-38175, I-38275, I-38375, I-38475, I-38575, I-38675, I-38775, I-38875, I-38975, I-39075, I-39175, I-39275, I-39375, I-39475, I-39575, I-39675, I-39775, I-39875, I-39975, I-40075, I-40175, I-40275, I-40375, I-40475, I-40575, I-40675, I-40775, I-40875, I-40975, I-41075, I-41175, I-41275, I-41375, I-41475, I-41575, I-41675, I-41775, I-41875, I-41975, I-42075, I-42175, I-42275, I-42375, I-42475, I-42575, I-42675, I-42775, I-42875, I-42975, I-43075, I-43175, I-43275, I-43375, I-43475, I-43575, I-43675, I-43775, I-43875, I-43975, I-44075, I-44175, I-44275, I-44375, I-44475, I-44575, I-44675, I-44775, I-44875, I-44975, I-45075, I-45175, I-45275, I-45375, I-45475, I-45575, I-45675, I-45775, I-45875, I-45975, I-46075, I-46175



A horizontal scale bar with a black background and white markings. The numbers 0, 2, and 4 are placed above the bar. A white rectangular segment is located between the 0 and 2 marks. The word "Miles" is written in black text to the right of the bar.



Sources: WCOES; Wayne Co. SWCD; Wayne Co. GIS; Stark Co. GIS; Summit Co. GIS; Ohio EPA; National Hydrologic Database; AMATS; NEFCO; ESRI base map.

3-55-2

Wayne County Office of Environmental Services Jurisdiction

Areas Currently Served with Sanitary Sewers (yellow):

These areas are identified in the Wayne County Comprehensive Plan as Growth Areas. A common policy of these areas is that public water and sanitary sewer service shall be required and sewage treatment systems (STS) and/or semi-public systems should be prohibited. These areas are currently served with sanitary sewers. Development within these areas shall be subject to the following:

1. **New Development:**

- a. New development in this area shall be required to connect and/or provide necessary sanitary sewer infrastructure to connect to the existing sanitary sewer system to ensure that wastewater will be treated at a County or Municipality-owned Wastewater Treatment Plant. The cost to connect and/or furnish and install the necessary sanitary sewer infrastructure to connect to the existing sanitary sewer shall be borne by the developer.

2. **Existing (developed) Properties:**

- a. Existing sewage treatment systems shall be abandoned and required to connect to the existing sanitary sewer system to ensure that wastewater will be treated at a County or Municipality-owned Wastewater Treatment Plant when sanitary sewer becomes available and accessible, as determined by the Ohio EPA and/or the Wayne County Board of Health. The cost to connect to the existing sanitary sewer shall be borne by the property owner.

3. **Existing (developed) Properties (not required to tie into the sanitary sewer when the system was initially constructed):**

- a. Failing or illegal sewage treatment systems shall be abandoned and required to connect to the existing sanitary sewer system when sanitary sewer becomes available and accessible as determined by the Ohio EPA and/or the Wayne County Board of Health. The cost to connect to the existing sanitary sewer shall be borne by the property owner.

Areas Expected to be Served with Sanitary Sewers within the next 20 Years (orange):

These areas are identified in the Wayne County Comprehensive Plan as the Future Expansion and Transitional Areas. The infrastructure policy in these areas is that public water and sanitary sewer service is preferred where logical extensions are recommended by the appropriate utility facilities plan, however, private water and sewage treatment systems are expected (with County Health Department and Ohio EPA approvals). Centralized Spray Irrigation is prohibited as a wastewater treatment option in these areas. Development within these areas shall be subject to the following:

1. **New Development:**

- a. Major Subdivisions, as defined by the Wayne County Planning Subdivision Regulations, shall be required to connect to the existing sanitary sewer system, fully observing all regulations of governing agencies. The cost to connect and/or furnish

Approved by the NEFCO General Policy Board 4/17/2024. This date reflects the latest Board approval of an update or amendment to a portion or all of this FPA.

and install the necessary sanitary sewer infrastructure to connect to the existing sanitary sewer shall be borne by the developer.

- b. Minor Subdivisions and metes and bounds lots for single-family and multi-family (three units or less) development, where existing sanitary sewer is not available and accessible, may be developed, as determined on a case-by-case basis by the Board of County Commissioners for using Sewage Treatment Systems (STS's), in accordance with Ohio Administrative Code (OAC) 3701-29.
 - c. Multi-Family (four units or more), Commercial, and Industrial Development shall be classified as either low density/low flow or high density/high flow, as determined by the Ohio EPA. High density/high flow development shall be required to connect to the existing sanitary sewer system, fully observing all regulations of governing agencies. The cost to connect and/or provide the necessary sanitary sewer infrastructure to connect to the existing sanitary sewer shall be borne by the developer. Low density/low flow development may occur using non-discharging Semi-Public Sewage Disposal Systems (SPSDS), in accordance with Ohio EPA requirements.
2. **Existing (developed) Properties:**
- a. Existing sewage treatment systems shall be abandoned and required to connect to the existing sanitary sewer system as sanitary sewer becomes available and accessible, as determined by the Ohio EPA and the Wayne County Board of Health. The cost to connect to the existing sanitary sewer shall be borne by the property owner.
3. **Existing (developed) Properties (not required to tie into the sanitary sewer when the system was initially constructed):**
- a. Failing or illegal sewage treatment systems may be replaced and/or upgraded as necessary until such time as the sanitary sewer is available and accessible, as determined by the Ohio EPA and/or the Wayne County Board of Health, at which time the existing system shall be abandoned.

Areas expected to remain on be served by private household sewage treatment systems or semi-public systems, and where local officials are oriented to maintaining an unsewered status for the foreseeable future (cream):

These areas are identified in the Wayne County Comprehensive Plan as the Conservation Areas. The infrastructure policy in the Conservation Areas is that private water and sewage treatment systems are expected (with County Health Department and Ohio EPA approvals) with alternative wastewater technologies supported where meeting current health standards and practices. The extension of central sewers to these areas is prohibited. Centralized Spray Irrigation is prohibited as a wastewater treatment option in these areas. Development within these areas shall be subject to the following:

Approved by the NEFCO General Policy Board 4/17/2024. This date reflects the latest Board approval of an update or amendment to a portion or all of this FPA.

1. **New Development:**

- a. These are rural areas with large undeveloped tracts of land. These are areas in which new development is expected to be large-lot, low density with STS's per OAC 3701-29 and SPSDS's as approved by the Ohio EPA. The primary method of treatment of wastewater is an on-site system.

2. **Existing (developed) Properties:**

- a. Existing STS's and SPSDS's which fail to operate or are illegal may be replace and/or upgraded, as necessary.
- b. A proposed expansion of an existing Multi-family (four units or more), Commercial, and Industrial development that will result in an increase in discharge loadings of the facility's NPDES Permit may be considered provided the receiving stream has adequate assimilative capacity, as determined by the Ohio EPA.

If the receiving stream of the discharge does not have adequate assimilative capacity for the resulting increase in discharge loadings from the proposed expansion, utilization of alternative wastewater technologies resulting in a "no net gain" of discharge loadings may be considered, as determined by the Ohio EPA.