

### **BUILDING PERMIT INSTRUCTIONS & PROCEDURES**

### BUILDING DEPARTMENT VILLAGE OF RYE BROOK

938 King Street, Rye Brook, NY 10573 (914) 939-0668

www.ryebrookny.gov

Applicants seeking an exterior building permit must first obtain approval from the Village of Rye Brook Architectural Review Board (ARB). A representative of the applicant must be present at the ARB meeting which is held on the 3<sup>rd</sup> Wednesday of every month, 7:30 p.m. at Village Hall in the main meeting room. Applications must be submitted to the Building Department by no later than the 1<sup>st</sup> Wednesday of the month in order to be considered for that month's agenda. Please note that the agendas are limited to ten (10) applications per month. Once your application receives ARB approval, it must then be reviewed by the Building Inspector for compliance with all applicable state and local building codes, and for issuance of the permit.

DO NOT START CONSTRUCTION UNTIL A PERMIT HAS BEEN ISSUED BY THE BUILDING INSPECTOR.

THE ADMINISTRATIVE FEE FOR WORK PROGRESSED OR COMPLETED WITHOUT A PERMIT IS

12% OF THE TOTAL COST OF CONSTRUCTION WITH A MINIMUM FEE OF \$750.00

### APPLICANT'S INITIAL SUBMISSION TO THE BUILDING DEPARTMENT MUST INCLUDE:

- 1. A properly completed application with notarized signatures where indicated.
- 2. Application filing fee: Residential = \$100.00 / Commercial = \$250.00 (Application fees are non-refundable)
- 3. Completed & Signed Application Check List
- 4. Two (2) sets of dimensioned plans, (one full size {maximum allowable plan size = 36" x 42"} and one 11"x17"), depicting the location of all existing and proposed buildings and/or addition, alteration, repair, including proposed elevations & floor plans and all existing and proposed property setbacks. Plans must be signed & sealed by a NY State Registered Architect or NY State Licensed Professional Engineer.
- 5. Two (2) copies of a recent survey of the subject property. (one full size {maximum allowable plan size = 36" x 42"} and one 11"x17") [A topographic survey is required for any proposed re-grading or work in a steep slope as defined by Village Code]
- **6.** Photographs showing front & side views of the existing property as well as photographs of properties on either sides and across the street.
- 7. Samples of Materials and Finishes. (Sample boards may be presented at the meeting)
- 8. One electronic (thumb drive/disc) copy of all materials submitted.

#### FOLLOWING APPROVAL BY THE ARB, THE APPLICANT MUST SUBMIT THE FOLLOWING:

- 1. Full payment of the building permit fee. (see permit fee schedule on the following page)
- 2. Your contractor's valid Westchester County Home Improvement License.
- 3. Your contractor's valid proof of liability insurance. (Village of Rye Brook must be listed as certificate holder)
- **4.** Your contractor's valid proof of workers compensation insurance. (Form # C105.2 or Form # U26.3 / or NY State Workers Compensation Waiver)
- 5. The "Call Before You Dig" (code 53) Number.
- 6. Two (2) sets of sealed construction drawings; (one full size {max. allowable plan size = 36" x 42"} and one 11"x17"),
- 7. Fire sprinkler systems are required for all new buildings, for additions & alterations to commercial buildings and when finishing a third (3<sup>rd</sup>) floor in a 1 or 2 family dwelling. Any installations of a new, or modification to an existing fire suppression system, (fire sprinkler system, ANSL system, FM-200 system, Type I Hood, etc...) require a separate Automatic Fire Suppression System Permit application & two (2) sets of engineered plans. Fire sprinkler plans must be approved by the Building Inspector prior to the issuance of any permit, and Westchester County Department of Health approval is required for the fire sprinkler system's backflow prevention device.

#### **BUILDING PERMIT FEE SCHEDULE:**

Commercial: \$25.00 / \$1000.00 of construction cost with a minimum fee of \$275.00.

Residential: Fee A For new construction/additions less that 800 sq. ft. in size and alterations,

decks, patios or other work: \$18.00 / \$1000.00 of construction cost with a minimum

fee of \$150.00.

**Fee B** For new construction/additions 800 sq. ft. in size or greater;

Total Gross Floor Area x \$300.00 x \$18.00 / \$1000.00 plus any alteration fees from

Fee A above.

### **EXPIRATIONS, CODES & REGULATIONS:**

"A building permit application that is dormant or otherwise inactive shall be deemed abandoned twelve months after the date of its submission to the building department."
(§91-2.1. Code of the Village of Rye Brook)

"A building permit shall expire six months after its date of issuance if construction has not commenced. If construction has commenced within the six month period as set forth in this subsection, the building permit shall expire 12 months after its date of issuance if all of the proposed work has not been completed or a temporary certificate of occupancy has not been issued. Construction shall be deemed to have commenced when significant construction work on the project, as described on the building permit, has been performed. The Building Inspector shall have the authority to determine whether construction has commenced, and his or her decision shall be final." (§91-2.b. Code of the Village of Rye Brook)

Please note that should you fail to properly close out your permit prior to the expiration date in accordance with the law, you will be liable for the \$500.00 Administrative Fee in connection with all expired Building Permits issued after January 1, 2003. Please note that this Administrative Fee applies to each individual permit and must be remitted in addition to any other required fees associated with closing the permit, as well as any court imposed fines should a summons be issued.

### HOURS FOR OPERATION OF CONSTRUCTION EQUIPMENT

Weekdays: 8:00am to 6:00pm or dusk, whichever is earlier

Saturdays: 9:00am to 4:00pm.

Sunday & Holidays: No CONSTRUCTION ACTIVITY ALLOWED (Holidays Include: News Year Day, January 1st; President's Day, 3rd Monday in February; Memorial Day, last Monday in May; Independence Day, July 4th; Labor Day, 1st Monday in September; Thanksgiving Day, 4th Thursday in November; Christmas Day, December 25th; when the holidays set forth fall on a Sunday, the holiday is observed the next day). (§158-4. Code of the Village of Rye Brook)

It shall be the responsibility of the applicant, owner, or person in responsible charge to notify the Building Department at least 48 hours in advance to schedule all required inspections for site work, footings, foundation, drainage, framing, plumbing, electrical, fire blocking, fire suppression, insulation, final or any other required inspection.

Please note that electrical inspections are performed by the Village's third-party electrical inspection agency and must be scheduled by your licensed electrician. Electrical certificates, C/O application & fees and the final survey must be submitted prior to scheduling the final inspection.

"It shall be unlawful for an owner to use or permit the use of any building or premises or part thereof hereafter created, erected, changed, converted or enlarged, wholly or partly, in its use or structure until a Certificate of Occupancy shall have been issued by the Building Inspector" (§250-10.A. Code of the Village of Rye Brook)

Please keep these instruction sheets throughout the duration of the job for reference.

### VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

www.ryebrookny.gov

\*

### ARCHITECTURAL REVIEW BOARD CHECK LIST FOR APPLICANTS

This form must be completed and signed by the applicant of record and a copy shall be submitted to the Building Department prior to attending the ARB meeting. Applicants failing to submit a copy of this check list will be removed from the ARB agenda.

Job Address:		Date of Submission:			
Parcel ID #:	Zone:				
Proposed Improvement (Des		APPLICANT CHECK LIS  MUST BE COMPLETED  The following items must be	BY THE APPLICANT submitted to the Building		
Property Owner:Address:		Department by the applicant  1. ( ) Completed Application 2. ( ) Two (2) sets of sealed allowable plans	n		
Phone #		3. ( ) Two (2) copies of the	property survey.		
Applicant appearing before t		4. ( ) Two (2) copies of the 5. ( ) One electronic/disc complication materials.			
Address:		6. ( ) Filing Fee. 7. ( ) Any supporting docur	nentation.		
Phone #		8. ( ) HOA approval letter. 9. ( ) Photographs.	(if applicable)		
Architect/Engineer:		10.( ) Samples of finishes /c	10.( ) Samples of finishes /color chart. (a sample board of		
Phone #		model may be presented th	e night of the meeting)		
Instructions & Procedures	s, and that their application any application not mee	edges that he/she has read the continuity is complete in all respects. The ting the requirements contained is	Board of Review reserves		
day of	_, 20	day of	, 20		
Signature of Property Owner		Signature of Appl	cant		
Print Name of Property Owner		Print Name of Ap	plicant		
Notary Public		Notary Public			

# BUILDING DEPARTMENT VILLAGE OF RYE BROOK

### 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

www.ryebrookny.gov

	**************************************		*****************
Appro	val Date:	Permit #	Application #
			:
			•
		Case #	•
		Case #	
ZBA A	Approval Date:	Case #	<b>.</b>
Other:			
		Permit Fees:	•
constru	ction of buildings, struc	tures, additions, alterations or for a change in	spector of the Village of Rye Brook, NY, for the issuance of a Permit for the use, as per detailed statement described below.
1.			
2. 3.			Zone:
4.			
			e-mail
	Applicant:	perties Owned in Rye Brook:	
			e-mail
		Cell#	
			e-mail
	General Contractor	r:	
	Phone #	Cell #	e-mail

5.	Occupancy; (1-Fam., 2-Fam., Commercial., etc)Pre- construct	tion:	Post-constru	iction:
6.	Area of lot: Square feet:	·····	Acres:	
7.	Dimensions from proposed building or structure to lot lines:	front yard:	rea	r yard:
	right side yard: left side yard:	0	ther:	
8.	If building is located on a corner lot, which street does it from	nt on:		
	Area of proposed building in square feet: Basement:			
	Total Square Footage of the proposed new construction:			
	For additions, total square footage added: Basement:			
	Total Square Footage of the proposed renovation to the exist			
	N.Y. State Construction Classification:			
	Number of stories: Overall Height:_	<del></del>		
	Basement to be full, or partial:			
	What material is the exterior finish:			
	Roof style; peaked, hip, mansard, shed, etc:		Roofing material:	
	What system of heating:			
19.	If private sewage disposal is necessary, approval by the Wes application.	tchester County	Health Department r	nust be submitted with thi
20.	Will the proposed project require the installation of a new, of suppression system? (Fire Sprinkler, ANSL System, FM-200 (if yes, applicant must submit a separate Automatic Fire Suppression)	System, Type	I Hood, etc) Yes:	No:
21.	Will the proposed project disturb 400 sq. ft. or more of land, Stormwater Management Control Permit as per §217 of Villa	or create 400 so age Code?	q. ft. or more of imper	rvious coverage requiringArea:
22.	Will the proposed project require a Site Plan Review by the Yes: No: (if yes, applicant must submit a Site			
23.	Will the proposed project require a Steep Slopes Permit as po (if yes, you must submit a Site Plan Application, & provide a detail.			No:
24.	Is the lot located within 100 ft. of a Wetland as per §245 of V (if yes, the area of wetland and the wetland buffer zone must			
25.	Is the lot or any portion thereof located in a Flood Plane as p (if yes, the area and elevations of the flood plane must be prop	er the FIRM Ma perly depicted on	ap dated 9/28/07? the survey & site plan)	Yes : No:
26.	Will the proposed project require a Tree Removal Permit as (if yes, applicant must submit a Tree Removal Permit Applicant		lage Code? Yes:	No:
27.	Does the proposed project involve a Home-Occupation as pe Indicate: TIER II: TIER III: TIER III:			
28.	List all zoning variances granted or denied for the subject pro	operty:		
29.	What is the total estimated cost of construction: \$ shall include all site improvements, labor, material, scaffolding, fix may be donated gratis. If the final cost exceeds the estimated cost, of	ed equipment, pro an additional fee	ofessional fees, includin	Note: The estimated cost g any material and labor who issuance of the C/O.
30	Estimated date of completion:			

VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

# **RESIDENTIAL LOT AREA COVERAGE**

Address:	Section:	Block:	Lot:	
----------	----------	--------	------	--

### PERMITTED COVERAGE RATIOS IN RESIDENTIAL DISTRICTS

YOUR	ZONE	AREA IN	MAIN	ACCESS.	DECK
ZONE	DISTRICT	SQ. FEET	BLDG.	BLDG.	MAX.
(CHECK)			MAX.		
	R-35	35,000	14%	4%	5%
	R-25	25,000	14%	3.5%	4%
	R-20	20,000	14%	3.5%	4%
	R-15	15,000	16%	3.5%	4%
	R-15A	15,000	12%	3.5%	4%
	R-12	12,500	17%	4%	4%
	R-10	10,000	20%	4.5%	3.5%
	R-7	7,500	23%	4.5%	3.5%
	R-5	5,000	30%	5%	3.5%
	R-2F	5,000	30%	5%	3.5%

	Existing:	Proposed:
1. AREA OF LOT	Sq. Ft.	Sq. Ft.
2. AREA OF HOUSE  a. Coverage of Main Building (Including Attached Garage or Accessory Building)	Sq. Ft.	Sq. Ft.
b. Area of 1 <sup>st</sup> Floor Divided By Area of Lot x 100	%	%
3. AREA OF ACCESSORY BUILDING  (Includes Detached Garages, Tool Shed, Playhouses) a. Coverage of Accessory Building  Area of Accessory Building Divided By Area of Lot x 100	Sq. Ft.	Sq. Ft.
4. AREA OF DECK  a. Coverage of Deck  Area of Deck Divided By Area of Lot x 100	Sq. Ft.	Sq. Ft.
I attest to the best of my knowledge and belief, the above in	nformation is correct.	
Architect's Signature		

VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

## IMPERVIOUS COVERAGE RATIOS RESIDENTIAL DISTRICTS

Address:	Section:	Block:	Lot:	Zone:	

**IMPERVIOUS SURFACES** (Definition): All buildings, as defined herein, and all areas on the ground or elevated above the ground which are comprised of materials through which water cannot readily flow, including, but not limited to asphalt, concrete, masonry, wood, gravel and clay, and which consist of elements including, but not limited to, court yards, sports courts, swimming pools, patios, sidewalks, ramps, terraces and driveways.

	TOTAL MAXIMUM	PERMITTED		
	COVERAGE			
LOT AREA	BY IMPERVIOUS	SURFACES		
(sq.ft.)	For Base Lot	For Lot Area		
	Area (sq.ft.)*	Over Base		
		Lot Area (%)		
0 to 4,000	0	55		
4,001 to 6,000	2,200	35		
6,001 to 12,000	2,900	27		
12,001 to 16,000	4,520	26		
16,001 to 20,000	5,560	25		
20,001 to 30,000	6,560	24		
30,001 to 40,000	8,960	23		
40,001 & larger	11,260	22		

Zoning District	MAX. PERMITTED IMPERVIOUS COVERAGE IN FRONT YARD (%)
R-35	15
R-25	20
R-20	30
R-15	35
R-15A	35
R-12	40
R-10	45
R-7	40
R-5	30
R2-F	30

<sup>\*&</sup>quot;Base Lot Area" is the minimum end of the lot size range in the "Lot Area" column

Area of lot:sq.ft.	Existing	Allowed	Proposed
Total impervious coverage =	Sq.ft.	Sq. ft.	Sq.ft.
Front impervious coverage =	%	%	%

I attest to the best of my knowledge and belief, the above information is correct.
Architect's Signature

VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

### **BULK REGULATIONS IN RESIDENTIAL DISTRICTS**

Address:		Section:	Block:	Lot:	
MAXIMUM GROS	SS FLOOR AREA				
USE FORMULA:	Maximum Gross	Floor Area = 4,000 + [ (Lo	ot Area – 21,780) x 0.	.11478421 ]:	
a. Allowed	=	Sq. Feet			
b. Existing	=	Sq. Feet			
c. Proposed	=	Sq. Feet			

### HEIGHT/SETBACK RATIOS FOR RESIDENTIAL DISTRICTS


DEFINITION: A standard designed to regulate the height of a building in relation to the average grade of the corresponding portion of the lot line from which it is set back. The ratio modifies the maximum permitted Height of Building by forming an inclined plane beginning at the average grade along the portion of the lot line from which the setback is measured and rising toward the building at the specified ratio above which no part of any building, other than minor architectural features such as chimneys, skylights and dormer windows not covering more than 10% of the entire roof area, shall be permitted to extend. Height and Setback shall be calculated using the formula; Height / Setback = X, where X is the required side or front yard ratio for the zoning district in which a property is located as specified in Article VIII of Chapter 250. A complete elevation view for the proposed improvement must be included on the drawings.

### FILL IN YOUR RATIOS:

ZONE	EXISTING	PROPOSED	REQUIRED
R-35	FRONT:	FRONT:	FRONT: .44
	SIDE:	SIDE:	SIDE: 1.20
R-25	FRONT:	FRONT:	FRONT: .48
	SIDE:	SIDE:	SIDE: 1.30
R-20	FRONT:	FRONT:	FRONT: .60
	SIDE:	SIDE:	SIDE: 1.60
R-15	FRONT:	FRONT:	FRONT: .60
	SIDE:	SIDE:	SIDE: 1.60
R-15A	FRONT:	FRONT:	FRONT: .80
	SIDE:	SIDE:	SIDE: 2.40
R-12	FRONT:	FRONT:	FRONT: .69
	SIDE:	SIDE:	SIDE: 1.60
R-10	FRONT:	FRONT:	FRONT: .80
	SIDE:	SIDE:	SIDE: 2.40
R-7	FRONT:	FRONT:	FRONT: .96
	SIDE:	SIDE:	SIDE: 3.00
R-5	FRONT:	FRONT:	FRONT: 1.20
	SIDE:	SIDE:	SIDE: 4.00
R-2F	FRONT:	FRONT:	FRONT: 1.20
	SIDE:	SIDE:	SIDE: 4.00

l at	test	: tc	) t	he	best	of	my	know	led	lge	and	beli	ef,	the	abc	ve	info	orm	atio	n is	C	orre	ct.

### **ILLUSTRATION OF HEIGHT / SETBACK RATIO**



### Table R301.2.(1) 2020 IRC

# CLIMATIC & GEOGRAPHIC DESIGN CRITERIA FOR RESIDENTIAL DISTRICTS IN RYE BROOK

20 osf	115/120	NO	REGION No	DEBRIS ZONE No		SEVERE
GROUND-	WIND SPEED	TOPOGRAPHIC	SPECIAL	WIND-	SEISMIC DESIGN	WEATHERING
Snow Load	(mph)	WIND EFFECTS	WIND	Bourne	CATAGORY	

FROST LINE Depth	TERMITE PROTECTION REQUIRED	WINTER DESIGN TEMP.	ICE BARRIER Underlayment Required	FLOOD Hazards	AIR FREEZING Index	MEAN ANNUAL Temp.
42"	YES	15	YES	FIRM MAP 36119C0279F <b>9/28/07</b>	1000	52.2

### VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

www.ryebrookny.gov

\*

# AFFIDAVIT OF COMPLIANCE

### VILLAGE CODE §216 • STORM SEWERS AND SANITARY SEWERS

This affidavit must bear the notarized signature of the legal property owner and be submitted along with any building or plumbing permit application. Any building or plumbing permit application submitted without this completed and notarized form will be returned to the applicant.

<b>,</b>	, residing at,(Address v	
(Print name)	(Address vand states that (s)he is the applicant above named,	where you live)
egal owner of the property	to which this Affidavit of Compliance pertains at	t;
		, Rye Brook, NY.
	(T.1. A.11)	
	(Job Address)  contained herein are true, and that to the best of h	
nere are no known illegal care are no roof drains, sur follow or infiltration of any	contained herein are true, and that to the best of heross-connections concerning either the storm sew mp pumps, or other prohibited stormwater or grow kind into the sanitary sewer from the subject pro	ver or sanitary sewer, and further thundwater connections or sources of
nere are no known illegal c nere are no roof drains, sur	contained herein are true, and that to the best of heross-connections concerning either the storm sew mp pumps, or other prohibited stormwater or grow kind into the sanitary sewer from the subject pro	ver or sanitary sewer, and further thundwater connections or sources of
nere are no known illegal capere are no roof drains, sur aflow or infiltration of any county and Village Codes.	contained herein are true, and that to the best of heross-connections concerning either the storm sew mp pumps, or other prohibited stormwater or grow kind into the sanitary sewer from the subject pro	ver or sanitary sewer, and further thundwater connections or sources of
nere are no known illegal chere are no roof drains, sur aflow or infiltration of any county and Village Codes.  (Signature of Property Owner(s))	contained herein are true, and that to the best of heross-connections concerning either the storm sew mp pumps, or other prohibited stormwater or grow kind into the sanitary sewer from the subject pro	ver or sanitary sewer, and further thundwater connections or sources of

This form must be properly completed & notarized by the Design Professional of record and the Property Owner. Failure to provide this completed form with your permit application will delay the permitting process.


\*\*\*\*\*\*\*\*\*\*\*

# Notice of Utilization of Truss Type, Pre-Engineered Wood, or Timber Frame Construction. (Title 19 Part 1264 & 1265 NYCRR)

Subject Property:	SBL:	Zone:
Please take notice that the subject; □ One of	r Two Family;   Commercia	al,
<ul> <li>□ New Structure</li> <li>□ Addition to an Existing Structure</li> <li>□ Rehabilitation to an Existing Structure</li> </ul>		
to be constructed or performed at the subje	ect property will utilize;	
<ul> <li>□ Truss Type Construction (TT)</li> <li>□ Pre-Engineered Wood Construction (PW)</li> <li>□ Timber Construction (TC)</li> </ul>		
in the following location(s);		
<ul> <li>□ Floor Framing, including Girders &amp; Beams</li> <li>□ Roof Framing (R)</li> <li>□ Floor Framing and Roof Framing (FR)</li> </ul>	(F)	
Please note that prior to the issuance of building utilizing truss type, pre-engineers Truss Identification Sign, installed in confand NYCRR §1265 for One & Two Family D	ed wood, or timber constru formance with NYCRR §126	iction must be posted with a
rn to before me this of, 20	Sworn to day of_	o before me this, 20
ature of Property Owner	Signatur	re of Design Professional
Name of Property Owner	Print Na	ame of Design Professional
ry Public	Notary	Public

This application must be properly completed in its entirety by a N.Y. State Registered Architect or N.Y. State Licensed Professional Engineer & signed by those professionals where indicated. It must also include the notarized signature(s) of the legal owner(s) of the subject property, and the applicant of record in the spaces provided. Any application not properly completed in its entirety and/or not properly signed shall be deemed null and void, and will be returned to the applicant. Please note that application fees are non-refundable.

******	*****	******	*******	*******
STATE OF NEW YORK, COU	NTY OF WESTCHEST	TER ) as:		
(print name of individual signing as the	, being di	ıly sworn, depose	s and states that he/she is the	applicant above named,
(print name of individual signing as the	e applicant)	_		
and further states that (s)he	is the legal owner of	of the property to for the legal o	which this application per wner and is duly authorize	tains, or that (s)he is the ed to make and file this
application.  (indicate architect, contractor, a That all statements contained use conducted at the above of	agent, attorney, etc.) I herein are true to the	e best of his/her k	nowledge and belief, and that	at any work performed, or
application and in any accom Uniform Fire Prevention & B and regulations. By signing property, and that to the best groundwater connections or s	panying approved pla Building Code, the Co this application, the of his/her knowledge	ns and specification of the Village of the Village of property owner there are no roof	ons, as well as in accordance of Rye Brook and all other a further declares that he/she drains, sump pumps or other	e with the New York State pplicable laws, ordinances has inspected the subject r prohibited stormwater or
Sworn to before me this			Sworn to before	me this
day of	, 20		day of	, 20
Signature of Property Owner			Signature of Applie	cant
Print Name of Property Owner			Print Name of App	plicant
Notary Public			Notary Public	





# TRUSS TYPE CONSTRUCTION

"F"	FLOOR FRAMING, INCLUDING GIRDERS AND BEAMS
"R"	ROOF FRAMING
"FR"	FLOOR AND ROOF FRAMING

### One & Two Family Dwellings:

### Section 1265.5. Sign or symbol.

- (a) When truss type construction, pre-engineered wood construction, and/or timber construction is utilized in the construction of a new residential structure or in an addition to or rehabilitation of an existing residential structure, such residential structure shall be identified by a sign or symbol in accordance with the provisions of this Part.
- (b) The sign or symbol required by this Part shall by affixed to the electric box attached to the exterior of the residential structure; provided, however, that:
- (1) if affixing the sign or symbol to the electric box would obscure any meter on the electric box, or if the utility providing electric service to the residential structure does not allow the sign or symbol to be affixed to the electric box, the sign or symbol shall be affixed to the exterior wall of the residential structure at a point immediately adjacent to the electric box; and
- (2) if no electric box is attached to the exterior of the residential structure or if, in the opinion of the authority having jurisdiction, the electric box attached to the exterior of the building is not located in a place likely to be seen by firefighters or other first responders responding to a fire or other emergency at the residential structure, the sign or symbol required by this Part shall be affixed to the exterior of the residential structure in a location approved by the authority having jurisdiction as a location likely to be seen by firefighters or other first responders responding to a fire or other emergency at the residential structure.
- (c) The sign or symbol required by this Part shall be affixed prior to the issuance of a certificate of occupancy or a certificate of compliance. The authority having jurisdiction shall not issue a certificate of occupancy or certificate of compliance until the sign or symbol required by this Part shall have been affixed.
- (d) The property owner shall be responsible for maintaining the sign or symbol required by this Part and shall promptly replace any such sign or symbol that is affixed to an electric box when any change or modification is made to such electric box. The property owner shall promptly replace the sign or symbol required by this Part if such sign or symbol is removed or becomes damaged, faded, worn or otherwise less conspicuous to firefighters or other first responders responding to a fire or other emergency at the residential structure. The property owner shall keep the area in the vicinity of the sign or symbol required by this Part clear of all plants, vegetation, and other obstructions that may hide or obscure such sign or symbol or otherwise cause such sign or symbol to be less conspicuous to firefighters or other first responders responding to a fire or other emergency at the residential structure.
- (e) The sign or symbol indicating the utilization of truss type construction, pre-engineered wood construction and/or timber construction shall comply with the requirements of this subdivision.

- (1) The sign or symbol shall consist of a circle six inches (152.4 mm) in diameter, with a stroke width of 1/2 inch (12.7 mm). The background of the sign or symbol shall be reflective white in color. The circle and contents shall be reflective red in color, conforming to Pantone matching system (PMS) #187.
- (2) The sign or symbol shall be of sturdy, non-fading, weather-resistant material; provided, however, that a sign or symbol applied directly to a door or sidelight may be a permanent non-fading sticker or decal.
- (3) The sign or symbol shall contain an alphabetic construction type designation to indicate the construction type of the residential structure, as follows:
- (i) if the residential structure is subject to the provisions of the RCNYS, the construction type designation shall be "V" and
- (ii) if the residential structure is subject to the provisions of the BCNYS, the construction type designation shall be "I", "II", "IV" or "V" to indicate the construction classification of the structure under section 602 of the BCNYS.
- (4) The sign or symbol shall contain an alphabetic location designation to indicate the locations(s) containing truss type construction, pre-engineered wood construction and/or timber construction structural components, as follows:
  - (i) "F" shall mean floor framing, including girders and beams;
  - (ii) "R" shall mean roof framing; and
  - (iii) "FR" shall mean floor framing and roof framing.
- (5) The construction type designation shall be placed at the 12 o'clock position of the sign or symbol, over the location designation, which shall be placed at the six o'clock position of the sign or symbol.

### Commercial Buildings

### §1264.4 Identification of truss type construction.

- (a) Truss type construction shall be identified by a sign or signs in accordance with the provisions of this Part.
- (b) Signs shall be affixed where a building or a portion thereof is classified as Group A, B, E, F, H, I, M, or S occupancy, and in hotels and motels classified as Group R-1 or R-2 occupancy, in accordance with the provisions for the classification of buildings set forth in chapter 3 of the Building Code of New York State (see 19 NYCRR Part 1221).
- (c) Signs shall be provided in newly constructed buildings that utilize truss type construction and in existing buildings where an addition that extends or increases the floor area of the building utilizes truss type construction. Signs shall be affixed prior to the issuance of a certificate of occupancy or a certificate of compliance.
- (d) Signs identifying the existence of truss construction shall consist of a circle 6 inches (152.4 mm) in diameter, with a stroke width of ½ inch (12.7 mm). The sign background shall be reflective white in color. The circle and contents shall be reflective red in color, conforming to Pantone matching system (PMS) #187. Where a sign is directly applied to a door or sidelight, it may be a permanent non-fading sticker or decal. Signs not directly applied to doors or sidelights shall be of sturdy, non-fading, weather resistant material.
- (e) Signs identifying the existence of truss construction shall contain the roman alphanumeric designation of the construction type of the building, in accordance with the provisions for the classification of types of construction set forth in section 602 of the Building Code of New York State (see 19 NYCRR Part 1221), and an alphabetic designation for the structural components that are of truss construction, as follows: "F" shall mean floor framing, including girders and beams "R" shall mean roof framing "FR" shall mean floor and roof framing The construction type designation shall be placed at the twelve o'clock position over the structural component designation, which shall be placed at the six o'clock position.
  - (f) Signs identifying the existence of truss construction shall be affixed in the locations specified in Table I-1264.

TABLE I-1264 TRUSS IDENTIFICATION SIGN LOCATIONS

Sign location	Sign placement
Exterior building entrance doors, exterior exit discharge doors, and exterior roof access doors to a stairway	Attached to the door, or attached to a sidelight or the face of the building, not more than 12 inches (305 mm) horizontally from the latch side of the door jamb, and not less than 42 inches (1067 mm) nor more than 60 inches (1524 mm) above the adjoining walking surface.
Exterior building entrance doors, exterior exit discharge doors, and exterior roof access doors to a stairway	Attached at each end of the row of doors and at a maximum horizontal distance of 12 feet (3.65M) between signs, and not less than 42 inches (1067 mm) nor more than 60 inches (1524 mm) above the adjoining walking surface.
Fire department hose connections	Attached to the face of the building, not more than 12 inches (305 mm) horizontally from the center line of the fire department hose connection, and not less than 42 inches (1067 mm) nor more than 60 inches (1524 mm) above the adjoining walking surface.



**GET LEAD-SAFE CERTIFIED BY APRIL 22, 2010.** 





# If you're working on homes, schools or day care centers built pre-1978, you now must be EPA Lead-Safe Certified.

### WHAT

The Lead-Based Paint Renovation, Repair and Painting (RRP) rule is a federal regulatory program affecting anyone who disturbs painted surfaces where lead may be present.

- Submit an application to certify your firm for five years.
- A one-day class will certify your renovators for five years.
- Learn the required steps to contain the work area, minimize dust and thoroughly clean up every day.

### **WHO**

 Any contractor, including renovators, electricians, HVAC specialists, plumbers, painters and maintenance staff, who disrupts more than six square feet of lead paint in pre-1978 homes, schools, day care centers and other places where children spend time.

### WHY

- 1. Avoid risk of government fines and civil liability:
  - Without certification and by not following approved practices, you and your company can face tens of thousands of dollars in fines and put yourself and your company at risk of potential lawsuits.
- 2. Protect your workers, yourself and your customers from a health risk:
  - Dust from renovation, repairs and painting can contaminate an entire home and, if inhaled or ingested, can cause irreversible damage to children and adults.
- 3. Gain competitive advantage:
  - Certification makes you stand out from others and positions you as a professional contractor consumers can trust. Using your company's certification in your marketing materials may help attract business.
  - Consumers will look for the certification before hiring contractors and may be more accepting of additional costs and time associated with doing the job safely.
  - Upon certification of your firm, your company will be listed as a Lead-Safe Certified Contractor on the EPA website, giving your firm the potential for new customers.

### **WHERE**

To find an accredited trainer in your local area or get additional info, go to epa.gov/getleadsafe or call 800-424-LEAD.

### WHEN

**Now** – Certification requirements begin April 22, 2010.

# BUILDING DEPARTMENT VILLAGE OF RYE BROOK NG STREET, RYE BROOK, NEW YORK 1

938 King Street, Rye Brook, New York 10573 (914) 939-0668

www.ryebrookby.gov

only:
PAID

# APPLICATION FOR CERTIFICATE OF OCCUPANCY, CERTIFICATE OF COMPLIANCE, AND CERTIFICATION OF FINAL COSTS

************	************	***********
Address:		
Occupancy / Use: Parce	1 ID #:	Zone:
Owner:	Address:	
P.E./R.A. or Contractor:	Address:	
Person in responsible charge:	Address:	
Application is hereby made and submitted Certificate of Occupancy / Certificate of Cowith law:	ed to the Building Inspector of the ompliance for the structure/constr	Village of Rye Brook for the issuance of a tion/alteration herein mentioned in accordance
STATE OF NEW YORK, COUNTY OF	WESTCHESTER as:	
being dul	y sworn, deposes and says that he/she res	ides at
(Print Name of Applicant)		(No. and Street)
in, ir	the County of	in the State of, that
have been donated gratis was: \$  for the construction or alteration of:		
Occupancy / Compliance is sought, and that to accordance with the approved plans and any an as erected/completed complies with the laws go owner to use or permit the use of any building o or partly, in its use or structure until a Certifica Inspector as per §250-10.A. of the Code of the	the best of his/her knowledge and belief nendments thereto except in so far as var overning building construction. Depone or premises or part thereof hereafter crea te of Occupancy or Certificate of Comp	/work herein referred to for which a Certificate of f, the structure/work has been erected/completed in riations therefore have been legally authorized, and nt further understands that it shall be unlawful for arted, erected, changed, converted or enlarged, wholly bliance shall have been duly issued by the Building
Sworn to before me this		Sworn to before me this
day of, 20		day of
Signature of Property Owner		Signature of Applicant
Print Name of Property Owner		Print Name of Applicant

Notary Public

Notary Public