BUILDING DEPARTMENT

VILLAGE OF RYE BROOK 938 KING STREET RYE BROOK, NY 10573 (914) 939-0668

IMPERVIOUS COVERAGE RATIOS RESIDENTIAL DISTRICTS

Address:	Section:	Block:	Lot:	Zone:
<u> </u>	•		·-	

IMPERVIOUS SURFACES (Definition): All buildings, as defined herein, and all areas on the ground or elevated above the ground which are comprised of materials through which water cannot readily flow, including, but not limited to asphalt, concrete, masonry, wood, gravel and clay, and which consist of elements including, but not limited to, court yards, sports courts, swimming pools, patios, sidewalks, ramps, terraces and driveways.

	TOTAL MAXIMUM PERMITTED		
	COVERAGE BY IMPERVIOUS SURFACES		
LOT AREA			
(sq.ft.)	For Base Lot	For Lot Area	
	Area (sq.ft.)*	Over Base	
		Lot Area (%)	
0 to 4,000	0	55	
4,001 to 6,000	2,200	35	
6,001 to 12,000	2,900	27	
12,001 to 16,000	4,520	26	
16,001 to 20,000	5,560	25	
20,001 to 30,000	6,560	24	
30,001 to 40,000	8,960	23	
40,001 & larger	11,260	22	

Zoning District	MAX. PERMITTED IMPERVIOUS COVERAGE IN FRONT YARD (%)
R-35	15
R-25	20
R-20	30
R-15	35
R-15A	35
R-12	40
R-10	45
R-7	40
R-5	30
R2-F	30

^{*&}quot;Base Lot Area" is the minimum end of the lot size range in the "Lot Area" column

Area of lot:sq	.ft. Existing	Allowed	Proposed
Total impervious coverage =	Sq.ft.	Sq. ft.	Sq.ft.
Front impervious coverage =	%	%	%

I attest to the best of my knowledge and belief, the above information is correct.	
Architect's Signature	