

Table 12.360A
Target Scores, San Rafael Flex Path for Single Family Renovations

Building Vintage	Pre-1978	1978-1991	1992-2010
Target Score	12	8	4

Table 12.360B
Measure Menu, Climate Zone 2

ID	Measure	Circle Correct Building Vintage			
		Pre-1978	1978-1991	1992-2010	Points Calculation
E1	Lighting Measures	Mandatory			
E2	Water Heating Package	1	1	1	
E3	Air Sealing	2	2	1	
E4	Attic Insulation (R-38)	6	2	1	
E5	Duct Sealing	6	4	1	
E6	New Ducts + Duct Sealing	9	6	2	
E7	Windows	5	3	3	
E8	Wall Insulation (R-13)	7	--	--	
E10	Raised floor insulation (R-19)/(R-30)	8/10	8/9	--	
FS1	Heat Pump Water Heater Replacing Gas	12	12	12	
FS2	High Eff. Heat Pump Water Heater Replacing Gas	14	14	14	
FS3	Heat Pump Water Heater Replacing Electric	4	4	4	
FS4	High Eff. Heat Pump Water Heater Replacing Electric	6	6	6	
FS5	Heat Pump Space Heater	23	18	15	
FS6	High Eff. Heat Pump Space Heater	25	19	17	
FS7	Dual Fuel Heat Pump Space Heater	20	15	14	
FS8	Heat Pump Clothes Dryer	2	2	2	
FS9	Induction Cooktop	1	1	1	
PV	Solar PV	16	15	13	
TOTAL REQUIRED:		12	8	4	
TOTAL SCORE ⇨⇨⇨					

The measures in the Measure Menu shall conform to the specifications in Table 12.360C.

Find the full ordinance with exceptions on the [City Website](#).

