BSC CG-201 (Rev. 12/17-2016 Intervening Code Supplement effective July 1, 2018)

CALGreen VERIFICATION GUIDELINES TIER 1 CHECKLIST

Application: This checklist shall be used for nonresidential projects that meet the following: new construction, or building additions of 1,000 sq. ft. or greater, or building alterations with a permit valuation of \$200,000 or more pursuant to *CALGreen* Section 5.301.3, AND are adopting Tier 1 voluntary measures.

Note: All applicable mandatory requirements in chapter 5 shall be met prior to applying Tier 1 voluntary measures.

Instructions:

Comply with all Tier 1 (prerequisite) measures from the various categories shown on the table below.

Add a "Y" to all Mandatory and Tier 1 mandatory provisions in the appropriate columns.

Select the required number of additional electives from those categories shown on the table below and add a "Y" on the selected elective and add an "N" on the rest.

Count the total number of Tier 1 (prerequisite) measures plus the additional electives and write down the total number at the end of the checklist. Determine if the required number of Tier 1 measures have been selected to achieve Tier 1 compliance.

- Y = Yes (section has been selected and/or included)
- **N** = No (section has not been selected and/or included)
- **O** = Other (provide explanation)
- [N] = New construction pursuant to Section 301.3
- [A] = Additions and/or alterations pursuant to Section 301.3

CHAPTER 5 DIVISIONS		SECTION TITLE	CODE SECTION	Υ	N	0	Plan sheet, Spec or Attach Reference
DIVISION 5.1 Planning and Design	Mandatory	Storm Water Pollution Prevention for projects that disturb less than 1 acre of land	5.106.1 Through 5.106.1.2				
	Mandatory	Short Term Bicycle Parking (with exceptions)	5.106.4.1.1				
	Mandatory	Long Term Bicycle Parking	5.106.4.1.2 Through 5.106.4.1.5				
	Mandatory	Designated Parking for clean air vehicles	5.106.5.2				
	Tier 1 Prerequisite	Designated Parking - 10% of Parking Capacity w/ parking stall markings and stall identification	A5.106.5.1 A5.106.5.1.1 A5.106.5.1.3 A5.106.5.1.4				
	Mandatory	Parking stall marking	5.106.5.2.1				
	Mandatory	Single (EV) Charging space requirements	5.106.5.3.1				
	Mandatory	Multiple (EV) Charging space requirements[N]	5.106.5.3.2				
	Tier 1 Prerequisite	Electric Vehicle (EV) Charging [N] w/ associated electrical panel Identification and designated parking allowance	A5.106.5.3 A5.106.5.3.1 A5.106.5.3.3 A5.106.5.3.4				
	Mandatory	EV charging space calculation [N] (with exceptions)	5.106.5.3.3				
	Mandatory	[N] Identification	5.106.5.3.4				
	Mandatory	[N] Future charging spaces (with notes 1-3)	5.106.5.3.5				
	Mandatory	Light Pollution Reduction [N] (exceptions and note)	5.106.8				
	Mandatory	Grading and Paving, w/exception for Additions and Alterations not altering the drainage path	5.106.10				
	Tier 1 Prerequisite	Cool Roof (Table A5.106.11.2.2): SRI 75 when < or = 2:12, SRI 16 when >2:12	A5.106.11.2				

Elective Community Connectivity Elective Brownfield or Greyfield site redevelopment or infill area development. Elective Reduce development footprint and optimize open Space. Elective Disassemble and Reuse Existing Building Structure (70%) with exceptions Elective Disassemble and Reuse Existing Non-Structure elements (50%) with exceptions Elective Salvage Elective Storm Water Design A5.106.2 A5.106.2.1 A5.106.2.2 Elective Low Impact Development (LID) A5.106.3 A5.106.3.1 A5.106.3.2 Elective Changing rooms w/ note Elective Parking capacity w/ reduced parking capacity option Elective Exterior wall shading w/ fenestration and/or opaque Elective Heat island Effect DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
A5.103.2.1 Elective Reduce development footprint and optimize open A5.104.1.1 A5.104.1.1 A5.104.1.2 A5.104.1.3 Elective Disassemble and Reuse Existing Building A5.105.1.1 Structure (70%) with exceptions Elective Disassemble and Reuse Existing Non-Structure elements (50%) with exceptions Elective Salvage A5.105.1.3 Elective Salvage A5.106.2.1 A5.106.2.2 Elective Low Impact Development (LID) A5.106.3.1 A5.106.3.2 Elective Parking capacity w/ reduced parking capacity A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 A5.106.7.2 Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Space. A5.104.1.1 A5.104.1.2 A5.104.1.3	
Blective Disassemble and Reuse Existing Building A5.104.1.3	
Blective Disassemble and Reuse Existing Building A5.104.1.3	
Elective Disassemble and Reuse Existing Building Structure (70%) with exceptions Elective Disassemble and Reuse Existing Non-Structure elements (50%) with exceptions Elective Salvage A5.105.1.3 Elective Storm Water Design A5.106.2 A5.106.2.1 A5.106.2.2 Elective Low Impact Development (LID) A5.106.3 A5.106.3.1 A5.106.3.2 Elective Changing rooms w/ note A5.106.4.3 Elective Parking capacity w/ reduced parking capacity A5.106.6 A5.106.7 A5.106.7 A5.106.7 A5.106.7.1 A5.106.7.2 Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Structure (70%) with exceptions Elective Disassemble and Reuse Existing Non-Structure A5.105.1.2	
Elective Changing rooms w/ note A5.106.3.2 Elective Parking capacity w/ reduced parking capacity A5.106.6 option A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 Elective Heat island Effect A5.106.7.1 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Changing rooms w/ note A5.106.3.2 Elective Parking capacity w/ reduced parking capacity A5.106.6 option A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 Elective Heat island Effect A5.106.7.1 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Changing rooms w/ note A5.106.3.2 Elective Parking capacity w/ reduced parking capacity A5.106.6 option A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 Elective Heat island Effect A5.106.7.1 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
A5.106.3.2 Elective Changing rooms w/ note A5.106.4.3 Elective Parking capacity w/ reduced parking capacity A5.106.6 A5.106.6.1	
A5.106.3.2 Elective Changing rooms w/ note A5.106.4.3 Elective Parking capacity w/ reduced parking capacity A5.106.6 A5.106.6.1	
Elective Changing rooms w/ note A5.106.3.2 Elective Parking capacity w/ reduced parking capacity A5.106.6 option A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 Elective Heat island Effect A5.106.7.1 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	i i
Elective Changing rooms w/ note A5.106.4.3 Elective Parking capacity w/ reduced parking capacity A5.106.6 option A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Parking capacity w/ reduced parking capacity option Elective Exterior wall shading w/ fenestration and/or opaque wall areas option Elective Heat island Effect DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard A5.106.6 A5.106.6 A5.106.7 A5.106.7 A5.106.7.1 A5.106.7.2	
option Elective Exterior wall shading w/ fenestration and/or opaque A5.106.6.1 Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7.1 A5.106.7.1 A5.106.7.1 A5.106.7.1 A5.106.7.1 A5.106.7.1 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Exterior wall shading w/ fenestration and/or opaque A5.106.7 wall areas option A5.106.7.1 A5.106.7.2 Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
wall areas option A5.106.7.1 A5.106.7.2 Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Heat island Effect A5.106.7.2 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
Elective Heat island Effect A5.106.11 DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
DIVISION 5.2 Mandatory Meet the minimum Energy Efficiency Standard 5.201.1	
1	
Energy Tier 1 Energy Performance Outdoor lighting power 90% A5.203.1.1.1 Efficiency Performance Outdoor lighting power 90% A5.203.1.1.1	
Tier 1 If applicable, Service for water heating in A5.203.1.1.2 Prerequisite restaurants 8,000 sf or greater	
Tier 1 Energy Budget 95% or 90% of Part 6 calculated A5.203.1.2.1 Prerequisite value of allowance	
Elective On-site renewable energy w/ documentation A5.211.1 A5.211.1.1	
Elective Green power A5.211.3	
Elective Elevators w/ car lights and fan A5.212.1.1	
Z <u> </u>	
Elective Elevators w/ car lights and fan A5.212.1.1 A5.212.1.1 Elective Escalators w/ controls A5.212.1.2 Elective Controls that reduce energy A5.212.1.4	
Elective Controls that reduce energy A5.212.1.4	
Elective Steel framing A5.213.1	
DIVISION Mandatory Separate Meters (new Buildings or additions > 5.303.1.1 50,000 SF that consume more than 100 gal/day)	
Efficiency and Conservation Mandatory Separate Meters (for tenants in new buildings or additions that consume more than 1,000 gal/day) 5.303.1.2	
Tier 1 Water Reduction Tier 1. 12% savings over the Prerequisite "water use baseline" Table A5.303.2.2 or Meet table A5.303.2.3.1	
Mandatory Water closets shall not exceed 1.28 gallons per 5.303.3.1 flush	
Mandatory Wall-mounted urinals shall not exceed 0.125 gpf 5.303.3.2.1	
Mandatory Floor-mounted urinals shall not exceed 0.5 gpf 5.303.3.2.2	
Mandatory Single showerhead shall have maximum flow rate 5.303.3.3.1 of 2.0 gpm (gallons per minute) at 80 psi	

	Mandatory	Multiple showerheads serving one shower shall	5.303.3.3.2			
	Mandatory	have a combined flow rate of 2.0 gpm at 80 psi Nonresidential lavatory faucets	5.303.3.4.1			
	Mandatory	Kitchen faucets	5.303.3.4.2			
	Mandatory	Wash basins	5.303.3.4.3	1	1	
	Mandatory	Metering faucets	5.303.3.4.4			
	Mandatory	Metering faucets for wash fountains	5.303.3.4.5			
	Mandatory	Food waste disposers w/note	5.303.4.1			
	Mandatory	Areas of additions and alterations	5.303.5			
	Mandatory	Standards for plumbing fixtures and fittings	5.303.6			
	Mandatory	Outdoor water use in landscape areas equal to or greater than 500 square feet	5.304.2			
	Mandatory	Outdoor water use in rehabilitated landscape projects with areas equal to or greater than 2,500 square feet	5.304.3			
	Mandatory	Outdoor water use in landscape areas of 2,500 square feet or less	5.304.4			
	Mandatory	Graywater or rainwater use in landscaped areas	5.304.5			
	Mandatory	Outdoor water supply systems (with exceptions 1-4)	5.305.1.1			
	Mandatory	Technical requirements for outdoor recycled water supply systems	5.305.1.2			
ош ¬ по⊢ С (Elective	Nonpotable water systems for indoor use	A5.303.2.3.4			
	Elective	Appliances and fixtures for commercial application	A5.303.3			
		Nonwater supplied urinals	A5.303.4.1			
	Elective	Dual plumbing	A5.303.5			
	Elective	Outdoor potable water use	A5.304.2			
	Elective	Restoration of areas disturbed by construction	A5.304.6			
	Elective	Previously developed sites w/ exception	A5.304.7			
	Elective	Graywater irrigation system	A5.304.8			
	Elective	Nonpotable water systems	A5.305.1			
	Elective	Irrigation systems	A5.305.2			
DIVISION 5.4 Material Conservation	Tier 1 Prerequisite	Recycled content for10% of total material cost	A5.405.4A 5.405.4.1 Through A5.405.4.5			
and Resource	Mandatory	Weather Protection	5.407.1			
Efficiency	Mandatory	Moisture Control: sprinklers	5.407.2.1			
	Mandatory	Moisture Control: Exterior door protection	5.407.2.2.1			
	Mandatory	Moisture Control: Flashing	5.407.2.2.2			
	Mandatory	Construction waste management-comply with either: sections 5.408.1.1, 5.408.1.2, 5.408.1.3 or more stringent local ordinance	5.408.1.1, 5.408.1.2, 5.408.1.3			
	Mandatory	Construction waste management: Documentation w/notes	5.408.1.4			

	Mandatory	Universal waste [A]	5.408.2		
	Mandatory	Excavated soil and land clearing debris w/ exceptions and notes	5.408.3		
	Tier 1 Prerequisite	Enhanced construction waste reduction 65% – Tier 1 w/ verification	A5.408.3.1 A5.408.3.1.2		
	Mandatory	Recycling by Occupants (with exception)	5.410.1		
	Mandatory	Recycling by Occupants: Additions(with exception)	5.410.1.1		
	Mandatory	Recycling by Occupants: Sample ordinance	5.410.1.2		
	Mandatory	Commissioning new buildings (≥ 10,000 SF) [N] w/exceptions and notes	5.410.2		
	Mandatory	Owner's or Owner representative's Project Requirements (OPR) [N]	5.410.2.1		
	Mandatory	Basis of Design (BOD) [N]	5.410.2.2		
	Mandatory	Commissioning Plan [N]	5.410.2.3		
	Mandatory	Functional Performance Testing [N]	5.410.2.4		
	Mandatory	Documentation and Training [N]	5.410.2.5		
	Mandatory	Systems Manual [N]	5.410.2.5.1		
	Mandatory	Systems Operation Training) [N]	5.410.2.5.2		
	Mandatory	Commissioning Report [N]	5.410.2.6		
	Mandatory	Testing and adjusting for new buildings < 10,000 SF or new systems that serve additions or alterations.	5.410.4		
	Mandatory	System Testing Plan for HVAC, Lighting, water heating, renewable energy, landscape irrigation and water reuse.	5.410.4.2		
	Mandatory	Procedures for testing and adjusting	5.410.4.3		
	Mandatory	HVAC balancing	5.410.4.3.1		
	Mandatory	Reporting for testing and adjusting	5.410.4.4		
	Mandatory	Operation and Maintenance (O&M) Manual	5.410.4.5		
_	Mandatory	Inspection and reports	5.410.4.5.1		
	Elective	Wood framing or OVE w/ note	A5.404.1 A5.404.1.1 A5.404.1.2		
	Elective	Regional materials	A5.405.1		
(2)	Elective	Bio-based materials	A5.405.2		
ELECTIVE	Elective	Rapidly renewable materials	A5.405.2.2		
ECT	Elective	Reused materials w/ note	A5.405.3		
		Cement and concrete: Cement	A5.405.5.1		
CT ONE	Elective	Cement and concrete: Concrete /w SCM & Mix design equation	A5.405.5.2 A5.405.5.2.1 A5.405.5.2.1.1		
SELECT ONE	Elective	Cement and concrete: Additional means of compliance	A5.405.5.3 A5.405.5.3.1.1 A5.405.5.3.1.2 A5.405.5.3.2 A5.405.5.3.2.1 A5.405.5.3.2.2 A5.405.5.3.2.3 A5.405.5.3.2.3		

CTIVE	Elective	Choice of materials	A5.406.1 A5.406.1.1 A5.406.1.2 A5.406.1.3				
	Elective	Life cycle assessment: General	A5.409.1				
SELECT ONE ELECTIVE	Elective	Whole building life cycle assessment	A5.409.2 A5.409.2.1 A5.409.2.2				
l E	Elective	Materials and system assemblies	A5.409.3				
S	Elective	Substitution for prescriptive standards	A5.409.4				
	Elective	Verification of compliance	A5.409.5				
DIVISION 5.5 Environmental	Mandatory	Fireplaces	5.503.1				
Quality	Mandatory	Woodstoves	5.503.1.1				
	Mandatory	Temporary ventilation	5.504.1				
	Mandatory	Covering of ducts openings and protection of mechanical equipment during construction	5.504.3				
	Mandatory	Adhesives, sealants and caulks	5.504.4.1				
	Mandatory	Paints and coatings	5.504.4.3			Ш	
	Mandatory	Aerosol paints and coatings	5.504.4.3.1				
	Mandatory	Aerosol paints and coatings: Verification	5.504.4.3.2				
	Mandatory	Carpet systems	5.504.4.4				
	Mandatory	Carpet cushion	5.504.4.4.1				
	Mandatory	Carpet adhesives	5.504.4.4.2				
	Mandatory	Composite wood products	5.504.4.5				
	Mandatory	Composite wood products: Documentation	5.504.4.5.3				
	Mandatory	Resilient flooring systems	5.504.4.6				
	Mandatory	Resilient flooring: Verification of compliance	5.504.4.6.1				
	Tier 1 Prerequisite	Resilient flooring systems, Tier 1w/ verification	A5.504.4.7 A5.504.4.7.2				
	Tier 1 Prerequisite	Thermal insulation, Tier 1 w/ verification of compliance	A5.504.4.8 A5.504.4.8.2				
	Mandatory	Filters w/ exceptions	5.504.5.3				
	Mandatory	Filters: Labeling	5.504.5.3.1				
	Mandatory	Environmental tobacco smoke (ETS) control	5.504.7				
	Mandatory	Indoor moisture control	5.505.1				
	Mandatory	Outside air delivery	5.506.1			Щ	
	Mandatory	Carbon dioxide (CO2) monitoring	5.506.2			Ш	
	Mandatory	Acoustical control w/ exception	5.507.4	_		Ш	
	Mandatory	Exterior noise transmission, prescriptive method w/ exceptions	5.507.4.1				
	Mandatory	Noise exposure where noise contours are not readily available	5.507.4.1.1				
	Mandatory	Performance method	5.507.4.2			Ш	
	Mandatory	Site features	5.507.4.2.1				
	Mandatory	Documentation of compliance	5.507.4.2.2				
	Mandatory	Interior sound transmission w/ note	5.507.4.3	\dagger	1		
	Mandatory	Ozone depletion and greenhouse gas reductions	5.508.1	\dagger			
	Mandatory	Chlorofluorocarbons (CFCs)	5.508.1.1			1	
	Mandatory	Halons	5.508.1.2	Ţ			

		Mandatory	Supermarket refrigerant leak reduction for retail food stores 8,000 square feet or more sections 5.508.2 through 5.508.2.6.3	5.508.2 through 5.508.2.6.3			
		Elective	Indoor air quality (IAQ) during construction	A5.504.1 A5.504.1.1 A5.504.1.2			
			IAQ postconstruction	A5.504.2			
		Elective	IAQ testing	A5.504.2.1 A5.504.2.1.1 A5.504.2.1.2 A5.504.2.1.3			
		Elective	No added formaldehyde Tier 1 w/ notes	A5.504.4.5.1			
		Elective	Acoustical ceilings and wall panels w/ verification of compliance	A5.504.4.9 A5.504.4.9.1			
SELECT ONE ELECTIVE	Elective	Hazardous particulates and chemical pollutants	A5.504.5				
	řÉ	Elective	Entryway systems	A5.504.5.1			
	LEC	Elective	Isolation of pollutant sources	A5.504.5.2			
	Elective	Filters, Tier 1	A5.504.5.3.1				
	Elective	Lighting and thermal comfort controls	A5.507.1 A5.507.1.1 through A5.507.1.2				
		Elective	Daylight w/ exception	A5.507.2			
		Elective	Views w/ exception	A5.507.3			
		Elective	Interior office spaces	A5.507.3.1			
		Elective	Multi-occupant spaces	A5.507.3.2			
		Elective	Hydrochlorofluorocarbons (HCFCs)	A5.508.1.3			
		Elective	Hydrofluorocarbons (HFCs)	A5.508.1.4			
Additional S Measures			Select 1 additional measure (from any division)	Add section #			
Total nun for Tier 1	Total number of Measures require for Tier 1			15		•	
Total number of Measures selected							

Documentation Author's /Responsible Designer's Declaration Statement

Check the appropriate box(s) for the list below

- Mandatory: I attest that the mandatory provisions checklist is accurate and complete.
- **Tier 1compliant:** I attest that the total number of voluntary measures selected meet or exceed the total number required to achieve Tier1compliance.
- Partial Tier 1 compliant: I attest that the total number of voluntary measures selected do not meet the total number required to achieve Tier 1 compliance however partial Tier 1 compliance has been achieved.

Signature:	
Company:	Date:
Address:	License:
City/State/Zip:	Phone: