

Planning & Building Agency Building Safety Division 20 Civic Center Plaza M-19 P.O. Box 1988 Santa Ana, CA 92702 (714) 647-5800

SPRAY BOOTHS www.santa-ana.org

MEC-09

Spray booths shall be issued as a separate building permit (not to be combined with a building permit for a new building or as a tenant improvement).

Plan Check: 3 sets of plans required

Information on plans: Site Plan

Floor Plan (Showing location of spray booth and spray booth specifications)

Electrical, Plumbing and Mechanical Plans (As required)

Permits Required: **Building**

> **Electrical Plumbing** Mechanical

Fire Suppression Permit: Fire suppression permits are administered by the **Orange County Fire Authority**

Plan Check & Inspections Requirements: Fire

> **Building** Electrical Mechanical

Plumbing (If adding or altering gas system)

Police (Required if exterior vent opening is larger than 10"x10")

Electrical Permit Information: (See Permit Worksheets/Applications)

- 1. How many light fixtures, switches, receptacles or dedicated circuits?
- 2. Motor size for exhaust fan(s)?
- 3. Is there a halon or alarm system?
 - No electrical plan check required if the unit is a tabletop or a pre-fab unit.
 - Obtain electrical spray booth handout to plans (copy attached for reference).

Plumbing and Mechanical Permit Information:

- 1. Provide location and sizes of air intake and exhaust.
- Is there a heater installed? If so, provide manufacturer's specifications. 2.
- 3. Provide roof plan or show exhaust termination location on site plan.

To help you determine if your project can be submitted directly to OCFA or if it requires submittal at the Santa Ana Permit and Plan Check Counter please see the OCFA permit routing matrix or contact a Permit Technician.

rev:08/29/19 page 1 of 1

^{**} If the spray booth is constructed on site ("custom built") a structural plan review as well as complete plan check for electrical, plumbing, and mechanical plan check will be required. In many cases, calculations may be required for structural review.