Foundation for Cross-Connection Control and Hydraulic Research

2016

List of Approved Backflow Prevention Assemblies

The List is dated June 10, 2016.

Additions to the List after June 10, 2016 may be found on the USC Foundation's website fccchr.usc.edu






The List of Approved Backflow Preventions Assemblies is published by the Foundation for Cross-Connection Control and Hydraulic Research a Division of the University of Southern California

> 2016 © University of Southern California All Rights Reserved

Table of Contents

Legend	4
Notices	5
Orientation of Assemblies	6
Shutoff Valve Designation	7
Detector Assembly Meters	11
Special Notices	12
AVB	13
DC	14
DCDA	213
DCDA-II	347
PVB	351
RP	366
RPDA	563
RPDA-II	610
SVB	612
Manufacturers of Approved Backflow Prevention Assemblies	615

Legend



Notices

NOTICE REGARDING RENEWALS:

The original Certificate of Approval-identified by the Edition of the Manual and the Approved date shown in this list-is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The USC Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current *List of Approved Backflow Prevention Assemblies*.

NOTICE REGARDING INSTALLATION:

Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 110°F. Also all of the assemblies listed are Approved for the **INDICATED ORIENTATION(S) ONLY** (Please see the legend page 6). Rotation of assemblies on either axis will invalidate the USC Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shutoff valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.


NOTICE REGARDING LEAD CONTENT:

In order to determine if backflow preventers comply with lead-free requirements of several states and the Safe Drinking Water Act, USC Foundation Approved assemblies which comply with the \leq 0.25% lead requirement are indicated by a Y in the column \leq 0.25% Pb.

NOTICE REGARDING LIST UPDATES

The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to USC Foundation Members quarterly. The most recent changes to the List may be found on the USC Foundation's website. The web version of the List is updated each time a change is made.

Orientation of Assemblies



(aa)	American Figure 1-QT
(bb)	American Figure 17-NRS RW
(00) (cc)	American Figure 3700SY RW
(dd)	Apollo Series 7B-QT
(ee)	AVK Series 25-NRS
(ff)	AVK Series 25-OSY (Nibco F607RW OSY)
	Clow R/W Model 2640 (FxF) - NRS
(gg)	(formerly Clow R/W F6102-NRS)
(hh)	Clow R/W Model 2640 (FXF) - OSY
(111)	(formerly Clow R/W F6136-OSY)
(;;;)	Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)
(ii)	
(;;)	Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins
(jj)	Kennedy Ken Seal I-NRS
(kk)	Kennedy Ken Seal-OSY
(ll)	Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")
	Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")
((formerly Kennedy Ken Seal II-NRS)
(mm)	Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")
	Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")
	(formerly Kennedy Ken Seal II-OSY)
(nn)	Lee Brass-QT
(00)	Watts 405-RW
(pp)	Watts 408-OSY
(qq)	Mueller R/W HP NRS
(rr)	Mueller R/W HP OSY
(ss)	Toro.Orion Integral Ball Valve-QT
(tt)	American Flow Control (Waterous) Series 500-NRS
(uu)	American Flow Control (Waterous Series 500-OSY)
(vv)	Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT]
(ww)	Watts G4000FDA-QT
(xx)	Watts Series 6080 (& 6080-E)-QT
(yy)	Matco-Norca 10RW (NRS)
(zz)	Matco-Norca 105U (OSY)
(aaa)	American Flow Control Series 2500-NRS
(bbb)	American Flow Control Series 2500-OSY
(ccc)	M&H Model 4067-02 (NRS)
(ddd)	M&H Model 4068-02(OSY)
(eee)	Stockham Model G-610 (OSY)

(fff)	Febco Series 620 QT
(ggg)	Fortune Figure 620U-QT
(hhh)	Watts Model 5-FBV & 5-FBV-E (1/4" - 1" Ball Valve QT)
(iii)	Mueller Model A2360-NRS
(int)	Shutoff Valve is integral part of assembly
(jjj)	Febco Series 621-QT
(kkk)	Febco Series 620U-QT
(III)	Mueller Model R2360-OSY
(mmm)	Conbraco Series IBVE-125-QT
(nnn)	Kennedy Model KS-FW Figure 8701 (FxF) - NRS (3" - 10") Post Indicator/Tapping
	Kennedy Model KS-RW Figure 7701 (FxF) - NRS (4" - 10") Post Indicator/Tapping
	(formerly Kennedy Ken Seal II Post Indicator/Tapping)
(000)	Ningbo Ball Valves (Febco 622F & 622FT, Watts Series 855-QT & Wilkins Series 850-QT)(1/4" - 2" Ball Valve QT)
(ppp)	Clow R/W Model 2639 (GxF) - NRS (2 1/2" - 3")
	Clow R/W Model 2638 (GxF) - NRS (4" - 10")
(qqq)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3")
	Clow R/W Model 2638 (GxF) - OSY (4" - 10")
	(formerly Clow Series F6138-OSY)
(rrr)	Apollo Series 7B-308-01 (& 7B-308-31)
(sss)	Clow R/W Model 2639 (GxG) - NRS (2 1/2" - 3")
	Clow R/W Model 2638 (GxFG) - NRS (4" - 10")
	(formerly Clow Series F6104-NRS)
(ttt)	Clow R/W Model 2639 (GxG) - OSY (2 1/2" - 3")
	Clow R/W Model 2638 (GxFG) - OSY (4" - 10")
	(formerly Clow Series F6137-OSY)
(uuu)	Apollo Series 7H-QT
(vvv)	Clow R/W Model 2640 (FxF) - OSY Post Indicator/Tapping Valve
	(formerly Clow R/W F6136-OSY Post Indicator/Tapping Valve)
(www)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3") Post Indicator/Tapping Valve
	Clow R/W Model 2640 (GxF) - OSY (4" - 10") Post Indicator/Tapping Valve
	(formerly Clow R/W F6138-OSY Post Indicator/Tapping Valve)
(xxx)	Ningbo Union Ball Valves (Febco 622UF & 622UFT & Wilkins 850U-QT)(1/2" - 2" Ball Valve QT)
(ууу)	Victaulic Series 702 (Butterfly valves)
(zzz)	Kennedy Model KS-RW Figure 7092ABF (FxG) - OSY
	(formerly Kennedy Series 7092ABF-OSY)
(aaaa)	Union Model GV12 (flange by groove)-OSY
(bbbb)	Enbee Model GV12 (flange by groove)-OSY
(cccc)	Kennedy Model KS-RW Figure 7092 (FxG) - OSY
	(formerly Kennedy Series 7092 (GxF) - OSY)

(dddd)	Kennedy Model KS-RW Figure 7592 (FxG) - NRS
	(formerly Kennedy Series 7592ABF - NRS)
(eeee)	Kennedy Model KS-RW Figure 7592PABF (FxG) - NRS Post Indicator/Tapping Valve
	(formerly Kennedy Series 7592PABF-Post Indicator/Tapping Valve)
(ffff)	Watts 409RW (FxF)- OSY
(gggg)	Watts 409RW (FxG)- OSY
(hhhh)	Watts Figure LF-FBV-QT (1/2"-2")
(iiii)	Wilkins Series 850XL (850TXL) - QT
(jjjj)	Watts 409 RW 2" - OSY
(kkkk)	Kennedy Model KS-RW Figure 7093 (GxG) - OSY
(IIII)	Kennedy Model KS-RW Figure 7593 (GxG) - NRS
(mmmm)	Kennedy Model KS-RW Figure 7093ABF (GxG) - OSY
(nnnn)	Kennedy Model KS-RW Figure 7593ABF (GxG) - NRS
(0000)	Kennedy Model KS-RW Figure 7593PABF (GxG) - NRS Post Indicator
(рррр)	Watts Figure L-FBV-QT, Ames Figure L-FBV-QT, FEBCO Figure L-FBV-QT
(qqqq)	Kennedy Figure G300E - Butterfly Valve (4",6")
(rrrr)	Kennedy Figure 02G - Butterfly Valve (8")
(ssss)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12")
(tttt)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12")
(uuuu)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(vvvv)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(wwww)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(xxxx)	Wilkins Model 48 (GXG) - OSY (2-1/2" - 12")
(уууу)	Wilkins Model 48 (GXF) - OSY (2-1/2" - 12")
(zzzz)	Wilkins Model 48 (FXF) - OSY (2-1/2" - 12")
(aaaaa)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 12")
(bbbbb)	Milwaukee BB-SC100 - Butterfly Valve
(ccccc)	Milwaukee BB-SCS02 - Butterfly Valve (with gearbox)
(ddddd)	Flomatic Model NRS
(eeeee)	Watts Model FBV-FP (FBV-E-FP)-QT
(fffff)	Watts L-FBV-QT (2 1/2" - 4")
(ggggg)	Wilkins Model 850MSS
(hhhhh)	Fortune Series 620/623 (c89520 unleaded bronze)
(iiiii)	Apollo Series 77B-100 and 77C-100 - QT
(jjjjj)	Apollo Series 77BLF-100 and 77CLF-100 - QT
(kkkkk)	Wilkins Model 49 (GXF) - (2 1/2" - 10")
(1111)	Wilkins Model 49 (GXG) - (2 1/2" - 10")
(mmmmm)	Wilkins 850UXL (850TUXL) -QT
(nnnnn)	Watts Model 405 (2 1/2" - 10" NRS-RW FxG)

(00000)	ARI HC260 and HC262 Ball Valves - QT		
(ррррр)	Febco Model LF622UF & LF622UFT (1/2" - 2" Ball Valve QT)		
(qqqqq)	Febco Model LF622F & LF622FT (1/2" - 2" Ball Valve QT)		
(rrrrr)	Watts Model LFFBV-FRG & LFFBV-E-FRG (1/2" - 2" Ball Valve QT)		
(sssss)	Apollo Series 91B and 91C-QT (1/2"-2")		
(ttttt)	Apollo Series 91BLF and 91CLF-QT (1/2"-2")		
(uuuuu)	Apollo Model 77B-LFU and 77C-LFU Union Ball Valves - QT (1/2")		
(vvvv)	Apollo Series 91BLF-U and 91CLF-U-QT (3/4"-2")		
(wwww)	Apollo Series 91B-U and 91C-U-QT (3/4"-2")		
(xxxxx)	Apollo Model GV (FXG) - NRS (2-1/2" - 10")		
(ууууу)	Apollo Model GV (GXG) - NRS (2-1/2" - 10")		
(zzzz)	Apollo Model GV (FXG) - OSY (2-1/2" - 10")		
(aaaaaa)	Apollo Model GV (GXG) - OSY (2-1/2" - 10")		
(bbbbbb)	Apollo Model GV (FXF) - NRS (2-1/2" - 10")		
(cccccc)	Apollo Model GV (FXF) - OSY (2-1/2" - 10")		

Detector Assembly Meters

The Detector Assemblies contained herein have been evaluated with a specific meter as the detector element of the assembly. That specific meter is coded by a parenthetic letter shown in the "meters" column. The coding of meters is shown in this Section. Other meters having similar performance characteristics to permit the assembly to meet the Standard are shown immediately after the original evaluation meter. The use of any other meter or modified bypass piping invalidates the Approval.

Some of the detector assemblies use a line-size assembly, which is not a standard stock Approved assembly. Increased load are required in these line-size units to allow the assembly to accurately record low flow rates in the bypass meter. Therefore, various 'off the shelf' components can not be assembled and expected to perform satisfactorily. The bypass backflow preventer Approved with the detector assembly is listed under the 'bypass' column. This is only for verification purposes. Should replacement parts or complete bypass be needed, the model number of the complete detector assembly should be used in ordering these components.

А	Hersey Model F-F 5/8" x 3/4"
В	Carlon 5/8" x 3/4"
С	Dandé Model D-3 5/8" x 3/4"
D	Gamon-Calmet 5/8"
E	Hays Acumeter 5/8" x 3/4"
F	Arad 5/8" x 3/4" (Master Meter)
G	Schlumberger 5/8" x 3/4" Model MBRF
Н	Rockwell (Sensus) SR-II 5/8" x 3/4"
I	Hersey Model 430 - 5/8"
J	Elster AMCO Model C700 5/8"x3/4" (Formerly Kent, ABB)
К	Precision 5/8"
L	Neptune Trident 8 5/8"
М	Neptune T-10 5/8" (Lead free compliant version identified with NSF61 mark on meter)
N	Badger Model 25 3/4"
0	Badger 5/8" x 3/4" Model 25 (Lead free compliant version identified with NSF61 mark on meter)
Р	Hersey Model 430 Series II 5/8"
Q	Hersey Model MVR-30 3/4"
R	Neptune T-10 1"
S	Neptune T-10 1 1/2"

Type: AVB	Manufacturer: Ames	Model: A100
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Aug-1991	Renewed: 12-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1991	Renewed: 27-Sep-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-1991	Renewed: 21-Aug-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1991	Renewed: 10-Sep-2015	Bypass:

Type: AVB Size: 3 Manual: 8 Approved: 16-Sep-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 16-Sep-2015	Model: 288AM3 Meters: Spare Parts Only: No Bypass:
	·	
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Nov-1991	Renewed: 01-Nov-2015	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000-DC
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 02-Aug-2014	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DC	pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo, Notes: formerly Model DCA	pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	pp,uu,ccc,ddd,ffff,gggg	
Notes: formerly Model DCA		

Type: DC Manufacturer: Ames Orientation: H 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 10 **Orientation:** H Manual: 7 0.25% Pb: No Approved: 04-Aug-1987 Renewed: 04-Aug-2014 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DC

Size: 8

Type: DC Manufacturer: Ames Size: 4 Orientation: H Manual: 7 0.25% Pb: No Renewed: 11-Jan-2015 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 6 Orientation: H 0.25% Pb: No Manual: 7 Renewed: 11-Jan-2015 Approved: 11-Jan-1988 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Manufacturer: Ames Size: 8 Orientation: H 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA

Type: DC Size: 1/2 Manual: 8 Approved: 06-Dec-1983 **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed.

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Dec-2013 Model: 2000-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000-G-DC Meters: Spare Parts Only: Yes **Bypass:**

Model: 2000-G-DCA Meters: Spare Parts Only: Yes **Bypass:**

Model: 2000-G-DCA Meters: Spare Parts Only: Yes Bypass:

Model: 2000-G-DCA Meters: Spare Parts Only: Yes **Bypass:**

Model: 2000B Meters: Spare Parts Only: No **Bypass:**

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 05-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 27-Aug-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval

Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed. Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 16-Jun-2015

Manufacturer: Ames

Renewed: 16-Jun-2015

Manufacturer: Ames

Renewed: 05-Apr-2014

Manufacturer: Ames

Renewed: 27-Aug-2014

Manufacturer: Ames

Renewed: 18-May-2013

Manufacturer: Ames

Renewed: 26-Feb-2015

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Model: 2000B Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr Type: DC	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 18-May-2013	Model: 2000B Meters: Spare Parts Only: No Bypass: Model: 2000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	Renewed: 11-Mar-2014 r	Bypass:
T	M	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2 Manual: 8	Orientation: H 0.25% Pb: No	Meters:
	Renewed: 30-Jun-2013	Spare Parts Only: No
Approved: 30-Jun-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr		Bypass:
	Monufacturer	Madal: 2000P
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No Renewed: 08-Mar-2014	Spare Parts Only: No Bypass:
Approved: 08-Mar-1996	Relieweu. 00-Wai-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: DC Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 27-Mar-2015 Model: 2000B-FP Meters: Spare Parts Only: No Bypass:

Model: 2000BM3 Meters: Spare Parts Only: No Bypass:

Model: 2000BM3 Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: 2000BM3-FP Meters: Spare Parts Only: No
Approved: 01-Sep-2009 Shutoffs: (eeeee)	Renewed: 01-Sep-2015	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1982	Renewed: 18-May-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee

Turner DC		
Type: DC Size: 10	Manufacturer: Ames	Model: 2000CIV
	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-1983	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 10	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu	,eee	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,mm,o	o,pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp	o,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp		Dypass.
	,,,,,	
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: ii	tenenem oo may 2010	-)

Type: DC
Size: 1 1/4
Manual: 8
Approved: 14-Jul-1995
Shutoffs: ii

- Type: DC Size: 1 1/2 Manual: 8 Approved: 13-Oct-1995 Shutoffs: ii
- Type: DC Size: 2 Manual: 8 Approved: 13-Oct-1995 Shutoffs: ii
- Type: DC Size: 2 1/2 Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: DC Size: 2 1/2 Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg

Type: DC Size: 3 Manual: 8 Approved: 11-Jul-1991 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: DC Size: 3 Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jul-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 13-Oct-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 13-Oct-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 11-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 11-Jul-2015 Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: Yes Bypass:

Model: 2000SS Meters: Spare Parts Only: No Bypass: Type: DC Manufacturer: Ames Model: 2000SS Size: 4 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 09-Sep-1992 Renewed: 09-Sep-2013 **Bypass:** Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Sep-1992 Renewed: 09-Sep-2013 **Bypass:** Shutoffs: II,mm,oo,ffff,gggg Model: 2000SS Type: DC Manufacturer: Ames Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Sep-1996 Renewed: 16-Sep-2014 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Model: 2000SS Size: 8 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 16-Sep-1996 Renewed: 16-Sep-2014 **Bypass:** Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 10 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Feb-2001 Renewed: 16-Feb-2016 Bypass: Shutoffs: pp,

Type: DC Size: 10 Manual: 8 Approved: 16-Feb-2001 Shutoffs: (II),mm,oo

Type: DC Size: 12 Manual: 9 Approved: 22-Jul-2009 Shutoffs: pp,

Type: DC Size: 12 Manual: 9 Approved: 22-Jul-2009 Shutoffs: (II),mm,oo

Type: DC Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: pp,

Type: DC Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (II),mm,oo

Type: DC Size: 4 Orientation: H 0.25% Pb: No Manual: 8 Approved: 05-May-1995 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DC Size: 6 Manual: 8 Approved: 05-May-1995 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Manufacturer: Ames **Orientation:** H 0.25% Pb: Yes Renewed: 16-Feb-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 22-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 22-Jul-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Ames Renewed: 05-May-2013

> Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 05-May-2013

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Model: 2000SS Meters: Spare Parts Only: No **Bypass:**

Model: 2000SS Meters: Spare Parts Only: No **Bypass:**

Model: 2000SS Meters: Spare Parts Only: No Bypass:

Model: 2000SS-M Meters: Spare Parts Only: No **Bypass:**

Model: 2000SS-M Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Chutoffer (W) Wy and babb papa more		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B R10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrr	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Manuali O		

Manual: 9 Approved: 20-Jul-2004 Shutoffs: (ppp),qqq,nnnnn 0.25% Pb: No Renewed: 20-Jul-2013 Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	Innnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	Innnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,n	nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Dec-2014	Renewed:	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:

Shutoffs: (ppp),fff,qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnnn

Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
	aa,5555,aaaa,6666,iin,99999,iiiiii,iinii	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
	aa,bbbb,dddd,eeee,ffff,ggggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
	aa,bbbb,dddd,eeee,ffff,ggggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mm	

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn,nnnn

-		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:

Shutoffs: yyy, zzz, dddd, eeee, dddd, gggg, kkkk, llll, mmmm, nnnn

Type: DC Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 200N Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,gg	lgg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmn	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:

Shutoffs: (ppp), qqq, yyy, zzz, aaaa, bbbb, dddd, eeee, ffff, gggg, kkkk, llll, mmmm, nnnn, nnnnn, nnnn, nnnnn, nnnn, nnnnn, nnnn, nnnn, nnnn, nnnn, nnnn, nnnnn, nnnn, nnn, nnn, nnn, nnn, nnn, nnn, nnn, nnn, nnnn, nnn,

Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: DC
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-1985	Renewed: 14-Jun-2015	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-1985	Renewed: 14-Jun-2015	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 2000-DC	
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 2000-G-DC

Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size : 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: DC	Manufacturer: Ames	Model: LF2000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
		- , ,

Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: Model: LF2000B Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 2 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2015 Manufacturer: Ames	Model: LF200B Meters: Spare Parts Only: No Bypass: Model: LF200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2015	Model: LF200B-A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4	Manufacturer: Ames Orientation: VUVD	Model: LF200B-A Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: LFU200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 14-Jun-2015 Approved: 14-Jun-2006 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Model: LFU200B Type: DC Manufacturer: Ames Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Ames	Model: LFU200B	
Size: 2	Orientation: VD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 14-Jun-2015	Bypass:	
)		
Type: DC	Manufacturer: Ames	Model: LFU200B	
Size: 2	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp)		
Type: DC	Manufacturer: Ames	Model: Maxim 200	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:	
Shutoffs: (ppp),qqq,nnnnn			
Type: DC	Manufacturer: Ames	Model: Maxim 200	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:	
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200	
Size: 2 1/2	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:	
Shutoffs: (ppp),qqq,nnnnn			
Type: DC	Manufacturer: Ames	Model: Maxim 200	
Size: 2 1/2	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:	
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200	
Size: 3	Orientation: H	Meters:	

Size: 3 Manual: 9 Approved: 20-Jul-2004 Shutoffs: (ppp),qqq,nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jul-2013 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass:
Shutoffs: yyy,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,ı	nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC
Size: 6
Manual: 9
Approved: 11-Aug-2004
Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames **Orientation:** H 0.25% Pb: No Renewed: 11-Aug-2013

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	

Type: DC Manufacturer: Ames Size: 6 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 10-Feb-2006 Renewed: 10-Feb-2015 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: DC Manufacturer: Ames Size: 6 Orientation: VU Manual: 9 0.25% Pb: Yes Approved: 10-Feb-2006 Shutoffs: (yyy),zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy),zzz,dddd,eeee,gggg

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn Renewed: 10-Feb-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-May-2014

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 02-May-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-May-2014 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC Size: 8 Manual: 9 Approved: 02-May-2008 Shutoffs: (yyy),zzz,dddd,eeee,gggg Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 02-May-2014 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200

Meters:

Bypass:

Type: DC Manufacturer: Ames Size: 10 Orientation: H 0.25% Pb: No Manual: 9 Renewed: 20-Oct-2014 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg

Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 9 0.25% Pb: No Approved: 07-Oct-2002 Renewed: 07-Oct-2014 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 07-Oct-2002 Renewed: 07-Oct-2014 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 20-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 20-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 20-Oct-2014

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters:

Spare Parts Only: No

Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No **Bypass:**

Type: DC	Manufacturer: Ames	
Size: 3	Orientation: H	
Manual: 9	0.25% Pb: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn		

 Type: DC
 Manufacturer: Ames

 Size: 3
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 07-Oct-2002
 Renewed: 07-Oct-2014

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DCManufacturer: AmesSize: 4Orientation: HManual: 90.25% Pb: NoApproved: 03-Jul-2003Renewed: 03-Jul-2015Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 03-Jul-2003
 Renewed: 03-Jul-2015

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnn

Type: DC Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 07-Apr-2015

Orientation: VUVD

0.25% Pb: No

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200a Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Maxim 200N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:

Manufacturer: Ames

Orientation: VUVD

Model: Maxim 200N Meters: **y:** No

Type: DC

Size: 3

3 1		
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,nnnnn	
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Manufacturer: Ames

Model: Maxim 200Na

Type: DC

Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200B Meters: Spare Parts Only: No Bypass: Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2015	Model: U200BR10 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Shutoffs: (II),mm Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC
	Manufacturer: Apollo/Conbraco Orientation: VU	Model: 2 1/2DC Meters:
Type: DC	•	
Type: DC Size: 2 1/2	Orientation: VU	Meters:
Type: DC Size: 2 1/2 Manual: 9	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: Yes
Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: Yes
Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm Type: DC	Orientation: VU 0.25% Pb: No Renewed: 16-Oct-2015 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: 2 1/2DC-7

Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Oct-2001	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 23-Oct-2013	Model: 2 1/2DC-7 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
Type: DC Size: 2 1/2 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 2 1/2DC8 Meters: Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC Size: 2 1/2 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 29-Sep-2013	Model: 2 1/2DC8 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCU
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001 Shutoffs: (II),mm	Renewed: 10-Apr-2016	Bypass:
Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VUVD	Model: 2 1/2DCU Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001 Shutoffs: (II),mm	Renewed: 10-Apr-2016	Bypass:
Type: DC Size: 3	Manufacturer: Apollo/Conbraco Orientation: H	Model: 3DC Meters:
Size: 3 Manual: 9	0.25% Pb: No	Meters: Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC8
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC8
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DCU
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DCU
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-02
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC Size: 3 Manual: 8 Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 08-Apr-2015	Model: 40-100-03 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-05
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-103-02
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-May-1995 Shutoffs: dd	Renewed: 01-May-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-02
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989 Shutoffs: dd	Renewed: 17-Mar-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-99T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation change	Renewed: jed to DC40	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2
Size: 3/4	Orientation: H	Model: 40-104-A2
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2T
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2016	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-02
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-99T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Outrant Death Outland Man
Manual: 0		Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Spare Parts Only: Yes Bypass:
Approved: 21-Jun-1993 Shutoffs: dd		
Approved: 21-Jun-1993 Shutoffs: dd Type: DC	Renewed: 21-Jun-2014	Bypass:
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco	Bypass: Model: 40-105-A2T
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H	Bypass: Model: 40-105-A2T Meters:
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992 Shutoffs: dd	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992 Shutoffs: dd	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 25-Mar-2016	Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes Bypass:
Approved: 21-Jun-1993 Shutoffs: dd Type: DC Size: 1 Manual: 8 Approved: 25-Mar-1992 Shutoffs: dd Type: DC Size: 1 Manual:	Renewed: 21-Jun-2014 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 25-Mar-2016 Manufacturer: Apollo/Conbraco	Bypass: Model: 40-105-A2T Meters: Spare Parts Only: Yes Bypass: Model: 40-105-T2

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-02
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2016	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-99T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2T
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-02
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-99T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd	,	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2T
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-02
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989 Shutoffs: dd	Renewed: 17-Mar-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-99T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2T
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2014	Bypass:
Shutoffs: dd	· · · · · · · · · · · · · · · · · · ·	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-02
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-03
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-05
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998	Renewed: 08-Dec-2013	Bypass:
Shutoffs: mmm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-02
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-03
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: uu,cc,mm		

Type: DC Size: 4 Manual: 8 Approved: 08-Dec-1998 Shutoffs: mmm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 08-Dec-2013	Model: 40-10A-05 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-06
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-02
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: tt,bb,ee,ll	Renewed: 08-Apr-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-03
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-05
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-06
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass:
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-02
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2015	Model: 40-10E-03 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-06
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-02
Size : 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993 Shutoffs: tt,bb,ee,ll	Renewed: 13-Apr-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-03
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993 Shutoffs: uu,cc,mm	Renewed: 13-Apr-2014	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-06
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2012	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		

Type: DC Size: 3 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-100 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No Renewed: 11-Mar-2015	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Relieweu. 11-Mai-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No Renewed: 16-Oct-2015	Spare Parts Only: Yes
Approved: 16-Oct-2000	Reflewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DCU
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
Size: 2 1/2		
Manual:	0.25% Pb: No	Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100
Manual: Approved: Notes: model designation Type: DC Size: 3	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC Size: 3 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
	Orientation:	Meters:
Size: 8	Unentation.	Weters.
Size: 8 Manual:	0.25% Pb: No	Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC Size: 8	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters:
Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Size: 2 1/2 Manual: Approved: Notes: model designation	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual: Approved: Notes: model designation Type: DC	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation Type: DC Size: 8 Manual: Approved: Notes: model designation Type: DC Size: 2 1/2 Manual: Approved:	0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN	Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2013	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes

Type: DC Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Model: 6DC8 Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC8
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004 Shutoffs: (ppp),qqq	Renewed: 29-Sep-2013	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DCU
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001 Shutoffs: (II),mm	Renewed: 10-Apr-2016	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003 Shutoffs: (mm),ll	Renewed: 16-Jan-2015	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-104-99T, 40-	104-T2, 40-104-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-105-99T, 40-	105-T2, 40-105-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-106-99T, 40-	106-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-107-99T, 40-	107-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-108-99T, 40-	108-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:

Shutoffs: (iiiiii),sssss

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: DC Size: 1 1/2 Manual: 9 Approved: 07-Feb-2012 Shutoffs: (iiiii),sssss,wwww Type: DC Size: 1 1/2 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 07-Feb-2015 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters:
Approved: 07-Feb-2012 Shutoffs: (iiiii),sssss,wwww	Renewed: 07-Feb-2015	Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 07-Feb-2012 Shutoffs: (iiiii),sssss,wwww	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 07-Feb-2015	Model: DC4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 9 Approved: 27-Mar-2012 Shutoffs: (iiiiii),sssss,wwww	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 27-Mar-2015	Model: DC4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 18-Sep-2000 Shutoffs: (dd) Notes: formerly 1/2DC	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 18-Sep-2015	Model: DC4S Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 18-Sep-2000 Shutoffs: (dd) Notes: formerly 1/2DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 18-Sep-2015	Model: DC4S Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),II, xxxxx, zzzzz, I	bbbbbb, cccccc	
Notes: formerly 10DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (mm),II, xxxxx, zzzzz, I	bbbbbb, cccccc	
Notes: formerly 10DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		

Notes: formerly 4SG-100

T		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 4 Manual: 9	Orientation: H 0.25% Pb: No	Meters: Spore Porto Ophy No
		Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100		
Notes. Ionneny 436-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt, xxxxx,	yyyyy, zzzz, aaaaaa	
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Notes: formerly 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: H	Meters:
Manual : 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2014	Bypass:

Shutoffs: (jjjjj),ttttt, uuuuu

Type: DC Size: 1/2 Manual: 10 Approved: 27-Apr-2011 Shutoffs: (jjjjj),ttttt, uuuuu	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 27-Apr-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (jjjjj),ttttt	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 27-Apr-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 06-Apr-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 27-Sep-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 27-Sep-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 06-Apr-2014	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 07-Feb-2015	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 07-Feb-2015	Model: DCLF4A Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2 Manual: 9	Orientation: H 0.25% Pb: Yes	Meters:
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Spare Parts Only: No Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv	Kenewed. 07-Feb-2015	bypass.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: H	Meters:
Manual : 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	- J have.

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	Renewed:	Bypass:
Approved: 15-May-2014		
	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4A
Shutoffs: (yyy), cccc, dddd, mmr Type: DC		Model: DCLF4A Meters:
Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 8 Manual: 10	Manufacturer: Apollo/Conbraco	

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass:
	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Dypuss.
	,, ,, ,,	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Apr-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-2014	Renewed:	Bypass:
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	, F
	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 34" and max. 47
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 37 3/8" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 37 3/8" and max.

62 1/4"

	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SOV	Model: DCLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2 SOV	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Demouradu	_
Approved: 23-Jan-2015	Renewed:	Bypass:
••	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr		Bypass: Model: DCLF4SG
Shutoffs: (yyy), cccc, dddd, mmr Type: DC	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 9	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4SG Meters:
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed:	Model: DCLF4SG Meters: Spare Parts Only: No
Shutoffs: (yyy), cccc, dddd, mmr Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa Manufacturer: Apollo/Conbraco	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: Model: DCLF4SG

Type: DC Size: 1/2	Manufacturer: Apollo/Conbraco Orientation: H	Model: W432100 Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (dd)	Nellewed. 10-000-2013	Dypass.
Notes: formerly 4S103		
Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ii),000, 00000		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass:
Shutoffs: (00000)		

Type: DC Manufacturer: ARI Model: DC 500 **Size:** 1 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 02-Mar-2007 Renewed: 02-Mar-2016 Bypass: Shutoffs: (ii),000, 00000 Type: DC Manufacturer: ARI Model: DC 500 **Size:** 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2014 **Renewed:** Bypass: Shutoffs: (00000) Type: DC Manufacturer: ARI Model: DC 500 Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 08-Jan-2014 **Renewed:** Bypass: Shutoffs: (00000) Type: DC Manufacturer: ARI Model: DC 500 Size: 1 1/2 Orientation: H Meters: **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 **Renewed:** Bypass: Shutoffs: (00000) Type: DC Manufacturer: ARI Model: DC 500 Size: 2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 08-Jan-2014 **Renewed:** Bypass: Shutoffs: (00000) Manufacturer: Backflow Direct Type: DC Model: Deringer 20 Size: 2 1/2 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 21-Dec-2015 **Renewed:** Bypass: Shutoffs: (int) Type: DC Manufacturer: Backflow Direct Model: Deringer 20 Size: 2 1/2 Orientation: VU Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 21-Dec-2015 **Renewed:** Bypass: Shutoffs: (int)

Type: DC Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 3 Manual: 10	Orientation : VU 0.25% Pb : Yes	Meters: Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (int)	Renewed.	Bypass.
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Sep-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Sep-2015 Shutoffs: (int)	Renewed:	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Apr-2012 Shutoffs: (ii),ooo	Renewed: 19-Apr-2015	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC 500
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 19-Apr-2012 Shutoffs: (ii),ooo	Renewed: 19-Apr-2015	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ii)		

Type: DC Size: 1 Manual: 8 Approved: 20-Oct-2008 Shutoffs: (ii)	Manufacturer: Cash Acme Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014	Model: DC100 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008 Shutoffs: (ii)	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Cash Acme	Model: DC100
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008 Shutoffs: (ii)	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989 Shutoffs: (gg),hh,qq,rr	Renewed: 22-Jun-2013	Bypass:
Type: DC	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		

Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	d,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	d,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,ffff,gggg	ı,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Febco	Model: 750
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,ffff,ggg	g,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,aaaa,bb	bb	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),ppp,qqq,aaaa,bb	bb	
Type: DC	Manufacturer: Febco	Model: 750
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Febco	Model: 750
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,g	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,gg	ıgg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,gg	lgg,kkkk,llll,mmmm,nnnn	
Type: DC		Model: 750N
	Manufacturer: Febco	WOUEL 750N
Size: 4	Manufacturer: Febco Orientation: VUVD	Meters:
Size: 4 Manual: 9		

Shutoffs: (ppp),qqq

Type: DC	Manufacturer: Febco	Model: 750N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Febco	Model: 750N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,dddd,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 805YD

Turner DO		
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 8 Manual:	Orientation: 0.25% Pb: No	Meters:
		Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-May-1982	Renewed: 13-May-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo	·	
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb : No	Spare Parts Only: Yes
Approved: 13-May-1982	Renewed: 13-May-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 1 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb : No	Spare Parts Only: Yes
Approved: 05-Jan-1983	Renewed: 05-Jan-2016	Bypass:
Shutoffs: ii,fff,jjj,ooo		Dypace.
Type: DC	Manufacturer: Febco	Model: 805Y
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jan-1983	Renewed: 05-Jan-2016	Bypass:
Shutoffs: ii,fff,ooo		

Size: 3/4	Orientation: H	Mataura
SIZE. 5/4		Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable seats beginr	ning with Serial No. A105801	
Type: DC	Manufacturer: Febco	Model: 805YB
Size: 3/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Apr-1996	Renewed: 16-Apr-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable seats beginr	ning with Serial No. A105801	
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	1,222,ffff,gggg	
Notes: formerly 805 Type YD		
	Manufacturer: Febco	Model: 805YD
Type: DC	Orientation: H	Model: 805YD Meters:
Type: DC Size: 3 Manual: 7	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987	Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters:
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,II,mm,oo,pp,tt,uu Notes: formerly 805 Type YD	Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD	Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 u,zzz,ffff,gggg	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 4	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 J,zzz,ffff,gggg Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 805YD
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,II,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 4 Manual: 7	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 u,zzz,ffff,gggg Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters:
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 4 Manual: 7 Approved: 31-May-1987	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 4 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD Type: DC Size: 4 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut Notes: formerly 805 Type YD	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD Type: DC Size: 4 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu Notes: formerly 805 Type YD	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2014	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3 Manual: 7 Approved: 31-May-1987 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2014 0,zzz,ffff,gggg Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 805YD Meters: Spare Parts Only: Yes Bypass: Model: 805YD

Manufacturer: Febco

Model: 805YB

Type: DC

Type: DC	Manufacturer: Febco	Model: 805YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1987	Renewed: 31-May-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		
Notes: formerly 805 Type YD		
Type: DC	Manufacturer: Febco	Model: 805YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 805YR
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:

Shutoffs: (fff),000

Type: DC Size: 1/2 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (fff),000	Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Nov-1997 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Nov-2015	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 10-Apr-2000 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: VD 0.25% Pb: No Renewed: 10-Apr-2015	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 21-Nov-1997 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Nov-2015	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 14-Jan-2000 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: VD 0.25% Pb: No Renewed: 14-Jan-2015	Model: 850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (fff),jjj,ooo	Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 07-Sep-2015	Model: 850 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2015	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2016	Bypass:
Shutoffs: (fff),000		

Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000	Renewed: 10-Apr-2015	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2014	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
	Manufacturer: Febco	Model: 850
Type: DC	Manufacturer: Febco Orientation: VU	Model: 850 Meters:
Type: DC Size: 3		
Type: DC Size: 3 Manual: 8	Orientation: VU	Meters:
Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015	Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997	Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015	Meters: Spare Parts Only: Yes
Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015 u,zzz,cccc,ffff,gggg	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3 Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Orientation: VU 0.25% Pb: No Renewed: 19-Mar-2015 u,zzz,cccc,ffff,gggg Manufacturer: Febco	Meters: Spare Parts Only: Yes Bypass: Model: 850

Type: DC	Manufacturer: Febco	Model: 850
Size: 4	Orientation: VU	Model: 850
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Feb-1995	Renewed: 07-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		bypass .
	u,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Oct-1996	Renewed: 14-Oct-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:
Shutoffs: fff,jjj		
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2013	Bypass:
		Dypuss.

Type: DC Size: 3/4 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (fff),jjj	Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 28-Sep-2013	Model: 850F Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2 Manual: 9	Orientation: H 0.25% Pb: No	Meters:
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Spare Parts Only: No Bypass:
Shutoffs: (kkk)	Nenewed. 12-001-2013	bypass .
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000 Shutoffs: (kkk)	Renewed: 16-Oct-2015	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999 Shutoffs: (kkk)	Renewed: 17-Dec-2014	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999 Shutoffs: (kkk)	Renewed: 08-Mar-2014	Bypass:
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2014	Bypass:
Shutoffs: (kkk)		

Type: DC Manufacturer: Febco Model: 850U **Size:** 1 **Orientation:** H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Aug-1999 Renewed: 04-Aug-2014 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U **Size:** 1 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2015 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 12-Oct-1998 Renewed: 12-Oct-2013 **Bypass:** Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Aug-1999 Renewed: 04-Aug-2014 **Bypass:** Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 12-Oct-1998 Renewed: 12-Oct-2013 **Bypass:** Shutoffs: (kkk)

Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2014	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:

Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 870
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	•	
Type: DC	Manufacturer: Febco	Model: 870
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	•	
Type: DC	Manufacturer: Febco	Model: 870
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
		epare : ante empriro
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:

Type: DC	Manufacturer: Febco	Model: 870
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2014	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
		Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u		Bypass: Model: 870V
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4	u,zzz,cccc,ffff,gggg Manufacturer: Febco	Model: 870∨
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8	u,zzz,cccc,ffff,gggg Manufacturer: Febco Orientation: VUVD	Model: 870∨ Meters:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8 Approved: 08-Mar-1996	A,ZZZ,CCCC,ffff,ggggg Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-Mar-2014	Model: 870∨ Meters: Spare Parts Only: Yes
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	A,ZZZ,CCCC,ffff,ggggg Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-Mar-2014	Model: 870∨ Meters: Spare Parts Only: Yes
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-Mar-2014	Model: 870∨ Meters: Spare Parts Only: Yes Bypass:
Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u Type: DC Size: 4 Manual: 8	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-Mar-2014 J,zzz,cccc,ffff,gggg	Model: 870∨ Meters: Spare Parts Only: Yes Bypass: Model: 870∨

Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870∨
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870∨
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870∨
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1997	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		

Type: DC	Manufacturer: Febco	Model: LF850
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:

Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

2016 © University of Southern California

Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
	Manufacturer: Febco Orientation: VU	Model: LF850 Meters:
Size: 6		
Size: 6 Manual: 9	Orientation: VU	Meters:
Size: 6 Manual: 9 Approved: 22-May-2012	Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2015	Meters: Spare Parts Only: No
Size: 6 Manual: 9 Approved: 22-May-2012 Shutoffs: (mm),II,oo,pp,zzz,cccc	Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2015	Meters: Spare Parts Only: No
Type: DC Size: 6 Manual: 9 Approved: 22-May-2012 Shutoffs: (mm),II,oo,pp,zzz,cccc Type: DC Size: 8	Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2015 ,dddd,eeee,ffff,gggg,nnnnn	Meters: Spare Parts Only: No Bypass:
Size: 6 Manual: 9 Approved: 22-May-2012 Shutoffs: (mm),II,oo,pp,zzz,cccc Type: DC	Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2015 ,dddd,eeee,ffff,gggg,nnnnn Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: LF850

Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		

Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	

Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2015	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass:
Shutoffs: ii		

Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii	,	Dypuss.
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii	· · · · · · · · · · · · · · · · · · ·	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2014	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd,ddddd	
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 01-Jul-1999	Renewed: 01-Jul-2014	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd,ddddd	

Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: ddddd		
Type: DC	Manufacturer: Flomatic	Model: DCV
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Nov-2004	Renewed: 09-Nov-2013	Bypass:
Shutoffs: (mm), hh, jj, kk, ll, gg,	yy, zz, ccc, ddd	
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Flomatic	Model: DCVE
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,lll		

Type: DC	Manufacturer: Hersey	Model: 2
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Dec-1978	Renewed: 27-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 6	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Dec-1978	Renewed: 22-Dec-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Hersey	Model: 2
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Feb-1982	Renewed: 19-Feb-2015	Bypass:
Shutoffs: tt,bb,qq,iii,III		
Type: DC	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:

Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Sep-1990	Renewed: 30-Sep-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC

Size: 3/4

Manual: 8

Type: DC

Manual: 9

Size: 1

Approved: 26-Feb-1991

Approved: 18-May-1998

Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-May-2013

Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Upgraded to 9th Ed.

Shutoffs: (vv),xx,ooo,hhhh,pppp **Notes:** Previous 8th Ed. Approval

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 30-Jun-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 30-Jun-2013 Model: 007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: Yes Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: No Bypass:

Model: 007M1QT Meters: Spare Parts Only: Yes Bypass: Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 08-Mar-1996 Renewed: 08-Mar-2014 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/4 **Orientation: H** Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 **Bypass:** Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Renewed: 09-Dec-2014 Approved: 09-Dec-1996 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 09-Dec-1996 Renewed: 09-Dec-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 12-Sep-1994 Renewed: 12-Sep-2015 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Apr-1993	Renewed: 05-Apr-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009		_
	Renewed: 01-Sep-2015	Bypass:

Type: DC Manufacturer: Watts Model: 007M3QT Size: 3/4 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 18-Oct-1999 Renewed: 18-Oct-2014 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M3QT Size: 3/4 **Orientation: VU** Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 18-Oct-1999 Renewed: 18-Oct-2014 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 17-Feb-2016 Approved: 17-Feb-1995 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 27-Sep-2015 Approved: 27-Sep-1994 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT **Size:** 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007QT Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 06-Dec-1993 Renewed: 08-Dec-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Upgraded to 9th Ed.

Size. 1/2	Onemation. IT	Weters.
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: pppp,rrrrr		
Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass:
Shutoffs: (vv),xx,pppp,rrrrr		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2015	Bypass:
Shutoffs: pppp,rrrrr		

Manufacturer: Watts

Orientation: H

Model: 007QT

Meters:

Notes: Upgraded to 9th Ed.

Type: DC

Size: 1/2

Manufacturer: Watts

Renewed: 26-Feb-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No

Orientation: H 0.25% Pb: No Renewed: 26-Feb-2015

Manufacturer: Watts

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts **Orientation:** H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts

Renewed: 21-Jul-2015

Orientation: H

0.25% Pb: No

Meters: Spare Parts Only: Yes Bypass:

Model: 007QT

Model: 007SSM1PCQT Meters: Spare Parts Only: Yes **Bypass:**

Model: 007SSM1PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSM1QT Meters: Spare Parts Only: Yes **Bypass:**

Model: 007SSM1QT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 26-Feb-1991 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC **Size:** 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp **Orientation:** H 0.25% Pb: No Renewed: 27-Sep-2015 Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 1/2 Manual: 5 Approved: 10-Jan-1981

Type: DC Size: 3 Manual: 5 Approved: 10-Jan-1981 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Jan-2014 Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Watts	Model: 709
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1986	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2014	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1982	Renewed: 18-May-2015	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
	Orientation: VU	Meters:
Size: 6		
	0.25% Pb: No	Spare Parts Only: No
Manual: 8		Spare Parts Only: No Bypass:
Size: 6 Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	0.25% Pb: No Renewed: 05-Dec-2014	
Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	0.25% Pb: No Renewed: 05-Dec-2014	
Manual: 8 Approved: 05-Dec-1996	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg	Bypass:
Manual: 8 Approved: 05-Dec-1996 Shutoffs: (oo),gg,hh,ll,mm,pp,tt, Type: DC	0.25% Pb: No Renewed: 05-Dec-2014 uu,ww,yy,eee,ffff,gggg Manufacturer: Watts	Bypass: Model: 709

Type: DC manufacturer: Natis Model: 709 Size: 6 Orientation: YU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,wv,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: YU Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 16-Mar-1983 Renewed: 16-Mar-2016 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,wv,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: YU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 16-Dec-1996 Renewed: 16-Mar-2016 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,wv,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: YU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,wv,yy,eee,ffff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 11 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,lt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709CI Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,tt.uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709CI Size: 34 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (co),gg,hh,ll,mm,pp,tt.uu,yfff,gggg Type: DC Manufacturer: Watt	Type: DC	Manufacturer: Watts	Model: 709
Manual: 3 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Model: 709 Size: 10 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 16-Mar-1983 Renewed: 16-Mar-2016 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709BS Size: 2 1/2 Orientation: H Meters: Manual: 6 Maproved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BS Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015<			
Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Model: 709 Size: 10 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 16-Mar-1983 Renewed: 16-Mar-2016 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 06-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 2 1/2 Orientation: H Meters: Manual: 6 0.25% Pb: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709OT			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 16-Mar-1983 Renewed: 16-Mar-2016 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709BS Size: 2 1/2 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709QT Size: 3/4 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: v,v,x,ooo,hhhh,ppp Type: DC Manufacturer: Watts Model: 709QT Size: 1 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: v,v,x,ooo,hhhh,ppp			
Size: 10Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 16-Mar-1983Renewed: 16-Mar-2016Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,ggggType: DCManufacturer: WattsModel: 709Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 04-Aug-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare P	••		
Size: 10Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 16-Mar-1983Renewed: 16-Mar-2016Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,ggggType: DCManufacturer: WattsModel: 709Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 04-Aug-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare P			
Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 16-Mar-1983Renewed: 16-Mar-2016Bypass:Shutoffs: (oo),gj.hh,ll,mm,pp,tt.uu,wv,yy,eee,fff,gggType: DCManufacturer: WattsModel: 709Size: 10Orientation: VUMetors:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gj.hh,ll,mm,pp,tt.uu,wv,yy,eee,fff,gggBypass:Type: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gj.hh,ll,mm,pp,tt.uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gj.hh,ll,mm,pp,tt.uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,coo,hhhh,pppType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renew	Type: DC	Manufacturer: Watts	Model: 709
Approved:16-Mar-1983Renewed:16-Mar-2016Bypass:Shutoffs:(oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,ffff,ggggType:DCManufacturer:WattsModel:709Size:10Orientation:VUMeters:Manual:Manual:80.25% Pb: NoSpare Parts Only: NoApproved:05-Dec-1996Approved:05-Dec-1996Renewed:05-Dec-2014Bypass:Shutoffs:Shutoffs:(oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,ffff,ggggModel:709BBSize:Type:DCManufacturer:WattsModel:709BBSize:2 1/2Orientation:HMeters:Manual:60.25% Pb: NoSpare Parts Only: NoApproved:20-Jul-1982Renewed:20-Jul-2015Bypass:Shutoffs:(oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType:DCManufacturer:WattsModel:709BBSize:3Orientation:HMeters:Manual:60.25% Pb: NoSpare Parts Only: NoApproved:20-Jul-1982Renewed:20-Jul-2015Bypass:Shutoffs:(oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType:DCManufacturer:WattsModel:709QTSize:3/4Orientation:HMeters:Manual:60.25% Pb: NoSpare Parts Only: YesShutoffs:v.xx.coo,hhhh,pppType: DCManufacturer:WattsModel:709QTSize:1Orientation: <t< td=""><td>Size: 10</td><td>Orientation: H</td><td>Meters:</td></t<>	Size: 10	Orientation: H	Meters:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww.yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709 Size: 10 Orientation: VU Meters: Manual: 8 0.25%, Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 2 1/2 Orientation: H Meters: Manual: 6 0.25%, Pb: No Spare Parts Only: No Approved: 20-Jul-1962 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg Type: DC Manufacturer: Watts Model: 709DT Size: 3/4 Orientation: H Meters: Model: 709QT Size: 3/4 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: vv,xxx.ooo,hhhh,ppp Type: DC Manufacturer: Watts <t< td=""><td>Manual: 6</td><td>0.25% Pb: No</td><td>Spare Parts Only: No</td></t<>	Manual: 6	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: 709Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,ffff,ggggBypass:Type: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApp	Approved: 16-Mar-1983	Renewed: 16-Mar-2016	Bypass:
Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo).gg.hh,ll,mm,pp.tt,uu,ww.yy,eee,ffff.ggggBypass:Type: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh,ll,mm,pp.tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh,ll,mm,pp.tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh,ll,mm,pp.tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv.xx.ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:	Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Size: 10Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo).gg.hh.jl.mm.pp.tt.uu,ww.yy.eee.ffff.ggggBypass:Type: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh.jl.mm.pp.tt.uu,yy.ffff.ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh.jl.mm.pp.tt.uu,yy.ffff.ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo).gg.hh.jl.mm.pp.tt.uu,yy.ffff.ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv.xx.ooo.hhhh.ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:<	Type: DC	Manufacturer: Watts	Model: 709
Approved: 05-Dec-1996Renewed: 05-Dec-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp.tt,uu,ww.yy,eee,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 2 1/2Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Spare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Spare Parts Only:		Orientation: VU	Meters:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,ffff,gggg Model: 709BB Type: DC Manufacturer: Watts Model: 709BB Size: 2 1/2 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg Model: 709BB Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg Type: DC Manufacturer: Watts Model: 709QT Size: 3/4 Orientation: H Meters: Model: 709QT Size: 3/4 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 709QT Type: DC Manufacturer: Watts Model: 709QT Size: 1 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Manual: 6 0.25% Pb: No Spare Parts On	Manual: 8	0.25% Pb : No	Spare Parts Only: No
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 2 1/2 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709QT Size: 3/4 Orientation: H Meters: Model: 709QT Size: 3/4 Orientation: H Meters: Manual: 6 Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 709QT Size: 1 Orientation: H Meters: Model: 709QT Size: 1 Orientation: H Meters: Model: 709QT Size: 1 Orientation: H Meters: Model:	Approved: 05-Dec-1996	Renewed: 05-Dec-2014	
JackOrientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: 709QTType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppSpare Parts Only: YesManual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:	Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
JackOrientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggSpare Parts Only: NoType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: 709QTType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppSpare Parts Only: YesManual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:	Type: DC	Manufacturer: Watts	Model: 709BB
Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 314Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppTrue: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Approved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709BBSize: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Type: DC Manufacturer: Watts Model: 709BB Size: 3 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-1982 Renewed: 20-Jul-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg Type: DC Manufacturer: Watts Model: 709QT Size: 3/4 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 709QT Size: 1 Orientation: H Meters: Model: 709QT Size: 1 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass:			
Size: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Approved: 04-Aug-1982Renewed: 04-Aug-2015Spare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Size: 3Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,ppppSpare Parts Only: YesSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Approved: 04-Aug-1982Renewed: 04-Aug-2015Spare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:	Type: DC	Manufacturer: Watts	Model: 709BB
Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Type: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Approved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Approved: 20-Jul-1982Renewed: 20-Jul-2015Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 709QTType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,ggggType: DCManufacturer: WattsModel: 709QTSize: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Size: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			-)paco.
Size: 3/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:	Type: DC	Manufacturer: Watts	Model: 709QT
Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppppManufacturer: WattsModel: 709QTType: DCManufacturer: WattsModel: 709QTSize: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Approved: 04-Aug-1982 Shutoffs: vv,xx,ooo,hhhh,ppppRenewed: 04-Aug-2015Bypass:Type: DC Size: 1 Manufacturer: WattsModel: 709QTSize: 1 Manual: 6 Approved: 04-Aug-1982Orientation: H 0.25% Pb: NoMeters: Spare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 709QT Size: 1 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass:			
Size: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
Size: 1Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:		Manufacturer: Watte	
Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1982 Renewed: 04-Aug-2015 Bypass:			
Approved: 04-Aug-1982Renewed: 04-Aug-2015Bypass:			
		Nelleweu. 04-Aug-2013	bypass.

Type: DC Size: 1 1/2 Manual: 6 Approved: 27-Apr-1982 Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Apr-2015 Manufacturer: Watts	Model: 709QT Meters: Spare Parts Only: Yes Bypass: Model: 709QT
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp	·	
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Chutoffer (W) Wy and babb many more		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:	Model: 719AQTR10 Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg,kkk	k,IIII,mmmm,nnnn,nnnnn	

Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	J,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	J,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	J,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	,kkkk,IIII,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gggg	,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
	-	

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp) and vvv zzz aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
	Manufacturer: Watts	Model: 757a
Type: DC	Manufacturer: Watts Orientation: VU	Model: 757a Meters:
Type: DC Size: 3		
Type: DC Size: 3 Manual: 9	Orientation: VU	Meters:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a Meters:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 07-Oct-2002	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,ggggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 07-Oct-2002	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a Meters: Spare Parts Only: No Bypass: nnnn,nnnnn
Type: DC Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC	Orientation: VU 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm, Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 757a Meters: Spare Parts Only: No Bypass: nnnn,nnnnn

Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,ggggg,kkkk,llll,mmmm	nnnn,nnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		

Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy, zzz,dddd,eeee,gg	lgg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 757Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	
		·····,····
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
	Renewed: 04-Dec-2015	
Shutoffs: fffff	Renewed: 04-Dec-2015 Manufacturer: Watts	
Shutoffs: fffff Type: DC		Bypass:
Shutoffs: fffff Type: DC Size: 3	Manufacturer: Watts	Bypass: Model: 757NQT
Shutoffs: fffff Type: DC Size: 3 Manual: 9	Manufacturer: Watts Orientation: VUVD	Bypass: Model: 757NQT Meters:
Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Bypass: Model: 757NQT Meters: Spare Parts Only: No
Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Bypass: Model: 757NQT Meters: Spare Parts Only: No
Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015	Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass:
Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 4	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts	Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT
Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 3 Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff Type: DC Size: 4 Manual: 9 Approved: 04-Dec-2009	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 04-Dec-2015 Manufacturer: Watts Orientation: VUVD	Bypass: Model: 757NQT Meters: Spare Parts Only: No Bypass: Model: 757NQT Meters:

Type: DC	Manufacturer: Watts	Model: 757QT
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (yyy),ppp,qqq,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
		Model: 767
Type: DC	Manufacturer: Watts	
Type: DC Size: 6	Manufacturer: Watts Orientation: VU	Meters:

Type: DC	Manufacturer: Watts	Model: 767
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (yyy), ppp, qqq,zzz, a	aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: 767
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2014	Bypass:
Shutoffs: (yyy), ppp, qqq,zzz, a	aaa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: 767
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg	
Type: DC	Manufacturer: Watts	Model: 767
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg	
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,ggggg,kkkk,llll,mmmm,nnnr	i,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,ggggg,kkkk,llll,mmmm,nnnr	i,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnr	i,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		

- 50		
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,iiii,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 767N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn,	nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2003	Renewed: 20-Mar-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	
Type: DC	Manufacturer: Watts	Model: 770
		Meters:
Size: 4	Orientation: H	Weters.
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8		
Manual: 8 Approved: 20-May-1992	0.25% Pb: No Renewed: 20-May-2013	Spare Parts Only: Yes
Size: 4 Manual: 8 Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Type: DC	0.25% Pb: No Renewed: 20-May-2013	Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Type: DC	0.25% Pb: No Renewed: 20-May-2013 J,yy	Spare Parts Only: Yes
Manual: 8 Approved: 20-May-1992 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Type: DC Size: 8	0.25% Pb: No Renewed: 20-May-2013 J,yy Manufacturer: Watts Orientation: H	Spare Parts Only: Yes Bypass: Model: 770 Meters:
Manual: 8 Approved: 20-May-1992	0.25% Pb: No Renewed: 20-May-2013 J,yy Manufacturer: Watts	Spare Parts Only: Yes Bypass: Model: 770

Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 772
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1992	Renewed: 01-Jul-2013	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 772
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc	p,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:

Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: DC Size: 10 Manual: 8 Approved: 16-Feb-2001 Shutoffs: (II),mm,ffff,gggg	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 16-Feb-2016	Model: 774 Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010 Shutoffs: hh,gg	Renewed: 12-Jan-2016	Bypass:
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010 Shutoffs: (II),mm	Renewed: 12-Jan-2016	Bypass:
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: pp,		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011 Shutoffs: (II),mm,oo	Renewed: 21-Mar-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: 774X
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2014	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2014	Bypass:

Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DC Size: 8 Manual: 8 Approved: 09-Sep-1992 Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Sep-2013 ,pp,uu,ccc,ddd,ffff,gggg	Model: 774X Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: int	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: int	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: int	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: int	Renewed: 01-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999 Shutoffs: int	Renewed: 12-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1999 Shutoffs: int	Renewed: 12-Aug-2014	Bypass:

Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/4 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 07-Sep-2000 Renewed: 07-Sep-2015 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 07-Sep-2015 Approved: 07-Sep-2000 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 07-Sep-2000 Renewed: 07-Sep-2015 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 07-Sep-2000 Renewed: 07-Sep-2015 **Bypass:** Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Renewed: 28-Mar-2014 Approved: 28-Mar-2002 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2014 **Bypass:** Shutoffs: int Type: DC Manufacturer: Watts Model: LF007 Size: 2 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 **Bypass:** Shutoffs: (00)

Type: DC Size: 3 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (oo)

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrr

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass: Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Approved: 11-Jan-2008

Shutoffs: (hhhh),rrrrr

Type: DC

Size: 3/4

Manual: 9

Type: DC

Manufacturer: Watts **Orientation: VU** 0.25% Pb: Yes **Renewed:**

Manufacturer: Watts **Orientation:** H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes **Renewed:**

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes **Renewed:**

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007QT Meters: Spare Parts Only: No **Bypass:**

Model: LF007QT Meters: Spare Parts Only: No **Bypass:**

Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Type: DC

Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC	Manufacturer: Watts	Model: LF709
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Type: DC Size: 8	Manufacturer: Watts Orientation: H	Model: LF709 Meters:

Type: DC	Manufacturer: Watts	Model: LF709
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF709
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: DC Size: 1 1/2	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2014 Manufacturer: Watts Orientation: VUVD	Model: LF719AQT Meters: Spare Parts Only: No Bypass: Model: LF719AQT Meters:
Manual: 9 Approved: 22-Aug-2005	0.25% Pb: Yes Renewed: 22-Aug-2014	Spare Parts Only: No Bypass:
Shutoffs: hhhh,rrrr		
Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2014	Model: LF719AQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: LF719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)	Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed:	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)	Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed:	Model: LF719QT Meters: Spare Parts Only: No Bypass:

Page 148 of 616

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:	Model: LF719QT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013 Shutoffs: (hhhh)	Renewed:	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013 Shutoffs: (hhhh)	Renewed:	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Renewed: 22-Aug-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr	Renewed: 22-Aug-2014	Bypass:

Type: DC Manufacturer: Watts Model: LF719QT **Size:** 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QT **Size:** 1 Orientation: VU Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 Bypass: Shutoffs: hhhh,rrrrr Type: DC Manufacturer: Watts Model: LF719QT Size: 1 1/4 **Orientation: H** Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 22-Aug-2005 Renewed: 22-Aug-2014 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QT Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 22-Aug-2005 Renewed: 22-Aug-2014 **Bypass:** Shutoffs: hhhh,rrrrr Type: DC Manufacturer: Watts Model: LF719QT Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 22-Aug-2005 Renewed: 22-Aug-2014 Bypass: **Shutoffs:** (vv),xx,ooo,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QT Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 **Bypass:** Shutoffs: hhhh,rrrrr Type: DC Manufacturer: Watts Model: LF719QT Size: 1 1/4 Orientation: VU Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 22-Aug-2005 Renewed: 22-Aug-2014 Bypass: Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Size: 1 1/2

Manual: 9

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh.rrrr

Approved: 22-Aug-2005

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LF719QT Meters: Spare Parts Only: No Bypass:

	.	
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	

Type: DC Size: 1/2	Manufacturer: Watts Orientation: VD	Model: LF719QTR10 Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LF719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,pppp		
Type: DC	Manufacturer: Watts	Model: LFU719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Aug-2005	Renewed: 22-Aug-2014	Bypass:
Shutoffs: hhhh		

Type: DC Manufacturer: Watts Model: LFU719QT **Size:** 1 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: DC Manufacturer: Watts Model: LFU719QT **Size:** 1 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 Bypass: Shutoffs: hhhh Type: DC Manufacturer: Watts Model: LFU719QT Size: 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 22-Aug-2005 Renewed: 22-Aug-2014 **Bypass:** Shutoffs: (vv),xx,ooo,pppp Type: DC Manufacturer: Watts Model: LFU719QT Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 22-Aug-2005 Renewed: 22-Aug-2014 **Bypass:** Shutoffs: hhhh Type: DC Manufacturer: Watts Model: LFU719QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Renewed: 22-Aug-2014 Approved: 22-Aug-2005 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: DC Manufacturer: Watts Model: LFU719QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Aug-2014 Approved: 22-Aug-2005 **Bypass:** Shutoffs: hhhh Type: DC Manufacturer: Watts Model: LFU719QT Size: 1 1/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 22-Aug-2005 Renewed: 22-Aug-2014 Bypass:

Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: LFU719QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2014 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: LFU719QT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

- Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)
- Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)
- Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-May-2013

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 18-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Sep-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 07-Sep-2015 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M3QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Size: 3/4 Manual: 8	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2015 Manufacturer: Watts Orientation: VDVU 0.25% Pb: No	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass: Model: U007M1APCQT Meters: Spare Parts Only: No
Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 10-Dec-2015	Bypass:
Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 10-Dec-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 10-Dec-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 24-Feb-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 24-Feb-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 24-Feb-2015 Manufacturer: Watts	Model: U007M1AQT Meters: Spare Parts Only: No Bypass: Model: U007M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 1 Manual: 8 Approved: 30-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 30-Aug-2014	Model: U007M1QT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 20-Oct-2014	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 06-Sep-2015	Bypass:
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 1 1/4 Manual: 8	Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: U007M2QT Meters:
		Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-1994	Renewed: 06-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-1999	Renewed: 08-Mar-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 1/2 Manual: 9 Approved: 08-Mar-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: vv,xx,pppp

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 08-Mar-2014 Model: U007QT Meters: Spare Parts Only: No Bypass:

Type: DC Manufacturer: Watts Model: U007QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 1/2 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Renewed: 21-Jul-2015 Approved: 21-Jul-1988 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 21-Jul-2015 Approved: 21-Jul-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Type: DC Model: U007SSPCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 **Bypass:** Shutoffs: vv,xx,pppp Model: U007SSPCQT Type: DC Manufacturer: Watts Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass:

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DCManufacturer: WattsSize: 1/2Orientation:Manual:0.25% Pb: NoApproved:Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2015 Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U719QT Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to U719QTR10

Size: 1/2Orientation:Metors:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1/2Orientation:Metors:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Meters:Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DC<	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTManual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTManual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Notes: model designation changed to U719QTR10Spare Parts Only: NoSpare Parts Only: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTNotes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Tipe: DCType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:	Size: 1/2	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 1/2 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Size: 3/4 Type: DC Manufacturer: Watts Model: U719QT	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DC Manufacturer: Watts Model: U719QT Size: 1/2 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Size: 3/4 Orientation: Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Spare Parts Only: No Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10	Approved:	Renewed:	Bypass:
Note:Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Notes:model designation changed to U719QTR10Spare Parts Only: NoSpareved:Renewed:Bypass:Notes:model to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes:model to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes:model to U719QTR10Spare Parts Only: NoSpare Size: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved:Renewed: 04-Oct-2014Bypass:Shutoff: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QT <th>Notes: model designation chang</th> <th>ged to U719QTR10</th> <th></th>	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model:U719QTR10Type: DCManufacturer: WattsModel:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel:Notes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel:Votes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel:Votes:model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved:0.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes:model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize:3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model: designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize:3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize:3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize:1Orientation: HMeters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes:model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize:1Orientation: HMeters:Manual:90.25% Pb: NoSpare Parts Only: NoApproved:04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (w),xx,coo,hhhh,ppppType: DCManufacturer: Watts	Size: 1/2	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Size: 3/4 Orientation: Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No A	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Bypass: Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model: U719QT Size: 3/4 Orientation: Meters: Model: U719QT Size: 3/4 Orientation: Meters: Notes: model designation changed to U719QTR10 Spare Parts Only: No Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2014 <td< td=""><td>Approved:</td><td>Renewed:</td><td>Bypass:</td></td<>	Approved:	Renewed:	Bypass:
Size: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual: Manual: Approved: Notes: model designation changed to U719QTR10Spare Parts Only: No Bypass: Model: U719QTType: DC Size: 3/4Manufacturer: Watts Orientation: Manual: 0.25% Pb: No Maproved: Notes: model designation changed to U719QTR10Model: U719QT Meters: Manual: 0.25% Pb: No Maproved: Notes: model designation changed to U719QTR10Type: DC Size: 3/4Manufacturer: Watts Orientation: Meters: Manual: 0.25% Pb: No Manufacturer: WattsModel: U719QT Meters: Model: U719QT Size: 3/4Type: DC Manufacture: Manual: Manual: 0.25% Pb: No Maproved: Notes: model designation changed to U719QTR10Meters: Manual: Model: U719QT Meters: Manual: 0.25% Pb: No Maproved: Notes: model designation changed to U719QTR10Type: DC Size: 1 Manufacturer: Watts Manual: 9 Manual: 9 Manual: 9 Manual: 9 Manual: 9 Model: U719QT Meters:Model: U719QT Meters: Manual: 9 Model: U719QT Meters: Manual: 9 Model: U4-Oct-2014 Maproved: U4-Oct-2005 Menewed: 04-Oct-2014 Manual: 9 Model: U719QT Meters: Manual: 9 Model: U719QT <td>Type: DC</td> <td>Manufacturer: Watts</td> <td>Model: U719QT</td>	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (wv),xx,ooo,hhhh,ppppFile orientation: VDMeters:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Model: U719QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Type: DC Manufacturer: Watts Model: U719QT Spare Parts Only: No Shutoffs: (vv),xx,ooo,hhhh,pppp <t< td=""><td>Manual:</td><td>0.25% Pb: No</td><td>Spare Parts Only: No</td></t<>	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Size: 1Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppJ.25% Pb: NoSpare Parts Only: NoType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Shutoffs: (vv),xx,ooo,hhhh,pppVDMeters:Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
Size: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Kodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Spare Parts Only: NoType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppKenewed: 04-Oct-2014Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to UTIQTR10Wodel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to UT19QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Type: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 3/4 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: Renewed: Bypass: Notes: model designation changed to U719QTR10 Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: H Meters: Shutoffs: (vv),xx,ooo,hhhh,ppp	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppType: DCManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Shutoffs: (vv),xx,ooo,hhhh,ppp0.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
Size: 3/4Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to U719QTR10Model: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Shutoffs: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to UT19QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved:Renewed:Bypass:Notes: model designation changed to U719QTR10Bypass:Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 3/4	Orientation:	Meters:
Notes: model designation changed to U719QTR10Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Manual:	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved:	Renewed:	Bypass:
Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Notes: model designation chang	ged to U719QTR10	
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
Approved: 04-Oct-2005Renewed: 04-Oct-2014Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppppManufacturer: WattsModel: U719QTType: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Size: 1	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: WattsModel: U719QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: No	Shutoffs: (vv),xx,ooo,hhhh,pppp)	
Manual: 9 0.25% Pb: No Spare Parts Only: No	Type: DC	Manufacturer: Watts	Model: U719QT
	Size: 1	Orientation: VD	Meters:
Approved: 04-Oct-2005 Renewed: 04-Oct-2014 Bypass:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Size: 1 1/4 Manual: 9 Approved: 04-Oct-2005	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass: Model: U719QT Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC Size: 1 1/4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014	Model: U719QT Meters: Spare Parts Only: No Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Renewed: 04-Oct-2014

Manufacturer: Watts

Renewed: 04-Oct-2014

Manufacturer: Watts

Renewed: 04-Oct-2014

Orientation: VD

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Model: U719QT Meters: Spare Parts Only: No Bypass:

Type: DCManufacturer: WattsSize: 2Orientation: VDManual: 90.25% Pb: NoApproved: 04-Oct-2005Renewed: 04-Oct-2014Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT

Type: DC Size: 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Meters: Spare Parts Only: No Bypass:

Model: U719QT

Model: U719QT Meters: Spare Parts Only: No Bypass:

Model: U719QTR10 Meters: Spare Parts Only: No Bypass:

Model: U719QTR10 Meters: Spare Parts Only: No Bypass:

Model: U719QTR10 Meters: Spare Parts Only: No Bypass:

Size. 3/4		wielers.
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:

Manufacturer: Watts

Orientation: H

Model: U719QTR10

Meters:

Page 168 of 616

Shutoffs: (ii),000

Type: DC

Size: 3/4

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2015	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,tt	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 and	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		Burnanau
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	ı,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and	ı,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher	vwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU	www,yyyy,zzz,kkkkk Model: 350 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014	www,yyyy,zzz,kkkkk Model: 350 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkkk 14 Manufacturer: Wilkins	www,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,wwww,yyyy,zzzz,kkkk 14 Manufacturer: Wilkins Orientation: H	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001	a,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt,vvvv,www,yyyy,zzzz,kkkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001	a, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt, vvvv, wwww, yyyy, zzzz, kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 a, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352	a, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt, vvvv, wwww, yyyy, zzzz, kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 a, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC	A, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt, vvvv, www, yyyy, zzzz, kkkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 A, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v 14	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	A, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt, vvvv, wwww, yyyy, zzzz, kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 A, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v 14 Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www.yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Serial number J35214 and Type: DC Size: 2 1/2 Manual: 9 Approved: 03-Apr-2002 Shutoffs: (gg),hh,ppp,qqq,ssss,tt Notes: Up to serial number J352 Type: DC Size: 3 Manual: 9 Approved: 05-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 3	A, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v d higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 03-Apr-2014 ttt, vvvv, www, yyyy, zzzz, kkkk 14 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Sep-2013 J, yy, zz, ppp, qqq, zzz, dddd, ssss, tttt, vvvv, v 14 Manufacturer: Wilkins Orientation: H	www,yyyy,zzzz,kkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: www,yyyy,zzzz,kkkkk

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 and	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	C C C C C C C C C C C C C C C C C C C
Notes: Serial number J35214 an	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Size: 4 Manual: 9	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Manual: 9 Approved: 15-Sep-1999	0.25% Pb: No	Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,wy	0.25% Pb: No Renewed: 15-Sep-2014 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number J35214 and	0.25% Pb: No Renewed: 15-Sep-2014 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 15-Sep-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number J352 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,ww Notes: Serial number J35214 and	0.25% Pb: No Renewed: 15-Sep-2014 1,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 14 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins	Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,	www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	< C
Notes: Serial number J35214 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,	uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J35	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffe: (ag) bb ppp agg www	www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	< c
Sincons. (gg), iiii, ppp, qqq, vvv,	, , , , , , , , , , , , , , , , , , ,	
Notes: Serial number J35214 a		
		Model: 350
Notes: Serial number J35214 a	nd higher	
Notes: Serial number J35214 a Type: DC Size: 6	nd higher Manufacturer: Wilkins	Model: 350
Notes: Serial number J35214 a	nd higher Manufacturer: Wilkins Orientation: VU	Model: 350 Meters:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8	nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Notes: Serial number J35214 a Type: DC Size: 6 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number J35 Type: DC Size: 8 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv, Notes: Serial number J35214 a Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass: Model: 350

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,v	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	ζ.
Notes: Serial number J35214 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	ıu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number J35	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
		Spare Parts Only: No
Manual: 9	0.25% Pb: Yes	
Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes Renewed: 09-Sep-2013	Bypass:
Approved: 09-Sep-2010		Bypass:
Approved: 09-Sep-2010	Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a	Renewed: 09-Sep-2013 vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Bypass: Model: 350
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H	Bypass: Model: 350 Meters:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,v	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35.	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,v Notes: Up to serial number J35 Type: DC Size: 10	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J353 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35. Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk hd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,v Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk hd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 Ju,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J352 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC Size: 10 Manual: 9 Approved: 28-Aug-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number J35 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Serial number J35214 a Type: DC	Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Aug-2014 uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 214 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Bypass: Model: 350 Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 350 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,ww	ww,yyyy,zzzz,kkkkk	
Notes: Serial number J35214 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2009	Renewed: 10-Feb-2015	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,ww	ww,yyyy,zzzz,kkkkk	
Notes: Up to serial number J35	214	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Approved. 03-06p-2010	Nonewed: 00 00p 2010	
	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	
	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher	
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher Manufacturer: Wilkins	Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher Manufacturer: Wilkins Orientation: H	Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 2222,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,lill
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 0997 Manufacturer: Wilkins Orientation: VU	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 a	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 a Type: DC Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Up to serial number U26 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 a Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Jun-2014 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 097 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk ind higher Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: Model: 350A

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number U26097 an	id higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 197	a,kkkk,IIIII
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 09-Sep-2013	Bypass:
Approved: 09-Sep-2010		
	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll Id higher	
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins	Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU	Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 2z,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 197 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII Model: 350A Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 197 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 997 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 997 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 197 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII d higher	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 4	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 197 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,III d higher Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 an Type: DC Size: 3 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (ppp),sss,ttt,qqq,yyy,zz Notes: Up to serial number U260 Type: DC Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2014 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa 997 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII d higher Manufacturer: Wilkins Orientation: H	Model: 350A Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters:

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number U260	997	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number U26097 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:
	Renewed: 25-Nov-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	•••
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx)97	,yyyy,aaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx)97 Manufacturer: Wilkins	,yyyy,aaaaa,kkkkk,IIIII Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx)97 Manufacturer: Wilkins Orientation: VU	,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 997 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	,yyyy,aaaaa,kkkkk,lilli Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx)97 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	,yyyy,aaaaa,kkkkk,llll Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx)97 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 ar	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 997 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII nd higher	,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 ar	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 997 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins	,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number U260 Type: DC Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Serial number U26097 ar Type: DC Size: 6	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 997 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: VU	,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters:

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,IIIII
lotes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097	,yyyy,aaaaa,kkkkk,lllll
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
		1.1.1.1000
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	KKK,IIIII
		KKK,IIIII
Notes: Serial number U26097 a		Model: 350A
Notes: Serial number U26097 a	nd higher	
Notes: Serial number U26097 a Type: DC Size: 8	Manufacturer: Wilkins	Model: 350A
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9	Manufacturer: Wilkins Orientation: VU	Model: 350A Meters:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,lllll
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 350A
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 .yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lll	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 a	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lll	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 a Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass:
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number U26097 a Type: DC Size: 10	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkkk,llll nd higher Manufacturer: Wilkins	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A
Notes: Serial number U26097 a Type: DC Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number U26 Type: DC Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2016 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 097 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll nd higher Manufacturer: Wilkins Orientation: H	Model: 350A Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 350A Meters: Spare Parts Only: No Bypass: I Model: 350A Meters:

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: H	Meters:
	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Manual: 9		
Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	0.25% Pb: No	Spare Parts Only: No Bypass:
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Spare Parts Only: No Bypass:
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Spare Parts Only: No Bypass: a,kkkkk,lllll
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly	Spare Parts Only: No Bypass: a,kkkkk,IIIII v length: min. 34 1/4" and max. 47 1/8" Up to
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Spare Parts Only: No Bypass: a,kkkkk,IIIII v length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters:
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inter	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inter	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: a,kkkkkk,IIIII
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool be serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an International Markov and Markov American	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII egral grooved spool between the #2 ck and #2
Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Integral grooved spool bo serial number U26097 Type: DC Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	0.25% Pb: No Renewed: 16-Jun-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an International Manufacturer: Wilkins	Spare Parts Only: No Bypass: a,kkkkk,IIIII a length: min. 34 1/4" and max. 47 1/8" Up to Model: 350AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII egral grooved spool between the #2 ck and #2 Model: 350AR

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC Size: 2 1/2	Manufacturer: Wilkins Orientation: VU	Model: 350AR Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa		
	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2	
Type: DC	Manufacturer: Wilkins	Model: 350AR	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll	
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" an	o 11	egral grooved spool between the #2 ck and #2	
Type: DC	Manufacturer: Wilkins	Model: 350AR	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll	
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" an		egral grooved spool between the #2 ck and #2	
Type: DC	Manufacturer: Wilkins	Model: 350AR	
Size: 3	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll	
Notes: Only Serial No. C00102 a SOV with length: min. 35 3/4" an		egral grooved spool between the #2 ck and #2	
Type: DC	Manufacturer: Wilkins	Model: 350AR	
Size: 3	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:	
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII	

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" an	d max. 62 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 42 1/2" an		egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 35 3/4" an		egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 57 7/8" an		egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aa	aaaa,kkkkk,IIIII
, ,	her approved. These have an Integral gro	boved spool between the #2 ck and #2
SOV with length: min. 61 3/8" and max.	100 5/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aa	aaaa,kkkkk,IIIII
, , ,	her approved. These have an Integral gro	boved spool between the #2 ck and #2
SOV with length: min. 42 1/2" and max.	71 1/4"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aa	aaaa,kkkkk,IIIII
	her approved. These have an Integral gro	boved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and max.	47 1/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aa	aaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 and high	her approved. These have an Integral gro	poved spool between the #2 ck and #2
SOV with length: min. 57 7/8" and max.	86"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
••	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aa	

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
SOV with length: min. 57 7/8" an	d max. 86"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
-		egral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" an	d max. 47 1/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" an	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" an	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www.	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

	• • • •	Model: 350AR Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Only Serial No. C00102 a SOV with length: min. 34 1/4" and	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" and	• • • •	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 34 3/4" and	0 11	egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

	Manufacturer Willing	Model: 250ADVI
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,v	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
SOV with length: min. 42 1/2" ar Type: DC Size: 6	Manufacturer: Wilkins Orientation: VU	egral grooved spool between the #2 ck and #2 Model: 350ARXL Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,v	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Manual: 9 Approved: 05-Jun-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,v Notes: Only Serial No. C00102 SOV with length: min. 57 7/8" ar	0.25% Pb: Yes Renewed: 05-Jun-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz and higher approved. These have an Inte nd max. 86"	Spare Parts Only: No Bypass: egral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 8	Orientation: H	Meters:

 Approved:
 05-Jun-2010
 Renewed:
 05-Jun-2013
 Shutoffs:
 (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,www,yyy,zzzz

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Spare Parts Only: No

Bypass:

0.25% Pb: Yes

Manual: 9

Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" an	0 11	gral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Notes: Only Serial No. C00102 a SOV with length: min. 61 3/8" an		gral grooved spool between the #2 ck and #2
Type: DC	Manufacturer: Wilkins	Model: 350ARXL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jun-2010	Renewed: 05-Jun-2013	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyyy Notes: Integral grooved spool be	/,zzz,aaaaa etween the #2 ck and #2 SOV - assembly	e length: min. 61 3/8" and max. 100 5/8"
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011		
	Renewed: 29-Oct-2014	Bypass:

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2012	Renewed: 24-Oct-2015	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv	r, xxxx, yyyy, aaaaa,kkkkk, IIIII	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:

Shutoffs: (yyy), ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 2 1/2	Orientation: H	Meters:
SIZE. 2 1/2		
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC	Renewed: uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2	Bypass: SOV - assembly length: min. 34 1/4" and max
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2	Renewed: iu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2 Manufacturer: Wilkins	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10	Renewed: iu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015	Renewed: IU,VVVV,XXXX,YYYY,aaaaa,kkkkk,IIIII ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu	Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr	Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8"	Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: nu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll ooved spool between the #2 ck and #2	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC Size: 2 1/2 Manual: 10 Approved: 12-Jun-2015 Shutoffs: (ppp),qqq,yyy,ssss,uuu Notes: Integral Stainless Steel gr 47 1/8" Type: DC	Renewed: IU,VVVV,XXXX,YYYY,aaaaaa,kkkkk,IIIII ooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: IU,VVVV,XXXX,YYYY,aaaaaa,kkkkk,IIIII ooved spool between the #2 ck and #2 Manufacturer: Wilkins	Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR Meters: Spare Parts Only: No Bypass: SOV - assembly length: min. 34 1/4" and max Model: 350ASTR

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"

Type: DC Size: 3	Manufacturer: Wilkins Orientation: VU	Model: 350ASTR Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII rooved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv	r, xxxx, yyyy, aaaaa,kkkkk, IIIII	
Notes: Integral Stainless Steel g	rooved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy), ssss, uuuu,vvvv	, xxxx, yyyy, aaaaa,kkkkk, lllll	
Notes: Integral Stainless Steel g 71 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.

Type: DC Size: 8	Manufacturer: Wilkins Orientation: H	Model: 350ASTR Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:

Shutoffs: (ppp), qqq, sss, ttt, yyy, ssss, uuuu, vvvv, xxxx, yyyy, aaaaaa

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	U.ZJ /0 FD. 165	Spare Faits Only. NO

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
	Manufacturer: Wilkins	Model: 350AXL
Type: DC		Mataura
Type: DC Size: 6	Orientation: VU	Meters:
	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No

Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 350AXL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
ivialiual. 9		
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Approved: 25-Mar-2010		
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	,yyyy,aaaaa Model: 350AXL
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU	,yyyy,aaaaa Model: 350AXL Meters:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 10	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa Model: 350AXL
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL Meters:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016	Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass:
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa
Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 8 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 10 Manual: 9 Approved: 25-Mar-2010 Shutoffs: (ppp),qqq,sss,ttt,www	Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa Model: 350AXL

Type: DC	Manufacturer: Wilkins	Model: 350D
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-May-2009	Renewed: 19-May-2015	Bypass:
Shutoffs: (ii), ooo		
Type: DC	Manufacturer: Wilkins	Model: 350D
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2009	Renewed: 22-Jun-2015	Bypass:
Shutoffs: (ii), ooo		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Oct-2006	Renewed: 27-Oct-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Oct-2006	Renewed: 27-Oct-2015	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2015	Bypass:
Shutoffs: (int)		

Type: DC Size: 1 1/4 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

Type: DC Size: 1 1/2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

Type: DC Size: 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

Type: DC Size: 2 Manual: 9 Approved: 08-Jan-2009 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd

Type: DC Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 **Orientation: VU** 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Apr-2013

Orientation: H

0.25% Pb: Yes

Manufacturer: Wilkins

Renewed: 14-Apr-2013

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No **Bypass:**

Model: 350XL Meters: Spare Parts Only: No **Bypass:**

Model: 350XL Meters: Spare Parts Only: No Bypass:

Model: 350XL Meters: Spare Parts Only: No **Bypass:**

Model: 350XL Meters: Spare Parts Only: No Bypass:

Shutoffs: (gg),hh,ppp,qqq,ssss,tttt,vvvv,wwww,yyyy,zzzz

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	•	
	· · · · · · · · · · · · · · · · · · ·	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	·	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,		Dypass.
(99),,ppp,qqq,3333,	((((, v v v , w vv vv , y y y), <i>LLLL</i>	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvv,www,yyy,zzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · ·	V 1

Shutoffs: ee, ff, II, mm, tt, uu, yy, zz, zzz, dddd, eeee

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		. ,
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
	Renewed: 14-Apr-2013 www,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Shutoffs: (gg),hh,ppp,qqq,vvv,w	•	
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins	Bypass: Model: 350XL
Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9	www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VU	Bypass: Model: 350XL Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: Model: 350XL Meters: Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: Model: 350XL Meters: Spare Parts Only: No
Approved: 14-Apr-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: DC Size: 6	www,ssss,tttt,vvvv,wwww,yyyy,zzzz Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 14-Apr-2013 zzz,dddd,eeee	Bypass: Model: 350XL Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Type: DC Size: 6 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: DC	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 14-Apr-2013 zzz,dddd,eeee Manufacturer: Wilkins	Bypass: Model: 350XL Meters: Spare Parts Only: No Bypass: Model: 350XL

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,uuuu,vv	vv,wwww,xxxx,yyyy,zzzz,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk
Notes: Serial number K01185 a	and higher	
Notes: Serial number K01185 a	and higher Manufacturer: Wilkins	Model: 450
Notes: Serial number K01185 a Type: DC Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVD	Model: 450 Meters:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 450 Meters: Spare Parts Only: No
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014	Model: 450 Meters: Spare Parts Only: No Bypass:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 450 Meters: Spare Parts Only: No Bypass:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number K01185 a	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll and higher	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number K01185 a Type: DC	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll and higher Manufacturer: Wilkins	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: Model: 450
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number K01185 a Type: DC Size: 3	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll and higher Manufacturer: Wilkins Orientation: VUVD	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: Model: 450 Model: 450 Meters:
Notes: Serial number K01185 a Type: DC Size: 2 1/2 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt, Notes: Up to serial number K01 Type: DC Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss Notes: Serial number K01185 a Type: DC	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2014 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv 185 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 ,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll and higher Manufacturer: Wilkins	Model: 450 Meters: Spare Parts Only: No Bypass: v,xxxx,yyyy,aaaaa Model: 450 Meters: Spare Parts Only: No Bypass: Model: 450

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	
Notes: Serial number K01185 and		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number K0118	5	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	
Notes: Serial number K01185 and		~~~,
	light	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number K0118	5	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	
Notes: Serial number K01185 and		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.23/01 0. 110	- ,
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
		Bypass:

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	<kk, < th=""></kk, <>
Notes: Serial number K01185 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Sep-2003	Renewed: 11-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number K01	185	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: DC	Manufacturer: Wilkins	Model: 450XL
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (hh),ssss,tttt,xxxx,yyyy	z,zzz,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,se	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
	Orientation: H	Meters:
Size: 2		
Size: 2 Manual: 5	0.25% Pb: No	Spare Parts Only: Yes

Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-1980	Renewed: 20-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: (ppp) aga sss ttt www	yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Manufacturer: Wilkins	Model: 550A
Type: DC		Model: 550A Meters:
Type: DC Size: 3/4	Manufacturer: Wilkins	
Type: DC Size: 3/4 Manual: 7 Approved: 17-Apr-1987	Manufacturer: Wilkins Orientation: H	Meters:
Type: DC Size: 3/4 Manual: 7	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014	Meters: Spare Parts Only: Yes
Type: DC Size: 3/4 Manual: 7 Approved: 17-Apr-1987	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014	Meters: Spare Parts Only: Yes
Type: DC Size: 3/4 Manual: 7 Approved: 17-Apr-1987 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 7 Approved: 17-Apr-1987 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 17-Apr-2014 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Meters: Spare Parts Only: Yes Bypass: Model: 550A

Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Mar-1989	Renewed: 15-Mar-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Notes: 4"x4"x8" Manifold Forme	erly MBD	
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2016	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 6"x6"x10" Manifold Form	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa eerly MBD	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/2	Orientation: H	Meters:
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8		

	Manufacturer: Wilkins	Model: 950
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Aug-1995	Renewed: 29-Aug-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
	Manufacturer: Wilkins Orientation: H	Model: 950 Meters:
Size: 6		
Size: 6 Manual: 8	Orientation: H	Meters:
Type: DC Size: 6 Manual: 8 Approved: 18-Mar-1992 Shutoffs: (ppp),qqq,sss,ttt,www,y	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass:
Size: 6 Manual: 8 Approved: 18-Mar-1992	Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016	Meters: Spare Parts Only: Yes Bypass:
Size: 6 Manual: 8 Approved: 18-Mar-1992 Shutoffs: (ppp),qqq,sss,ttt,www,y	Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	Meters: Spare Parts Only: Yes Bypass: .yyyy,aaaaa
Size: 6 Manual: 8 Approved: 18-Mar-1992 Shutoffs: (ppp),qqq,sss,ttt,www, Type: DC	Orientation: H 0.25% Pb: No Renewed: 18-Mar-2016 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins	Meters: Spare Parts Only: Yes Bypass: .yyyyy,aaaaa Model: 950

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Mar-1989	Renewed: 18-Mar-2016	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Aug-1995	Renewed: 29-Aug-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-1994	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		

Type: DC Manufacturer: Wilkins Model: 950A Size: 2 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 18-Jul-1991 Renewed: 18-Jul-2015 Bypass: Shutoffs: ii Type: DC Manufacturer: Wilkins Model: 950XL Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 **Bypass:** Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 **Bypass:** Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Renewed: 02-Nov-2013 Approved: 02-Nov-1992 Bypass: Shutoffs: (ii),000,ggg Manufacturer: Wilkins Model: 950XL Type: DC Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 **Bypass:** Shutoffs: (ii),000 Type: DC Manufacturer: Wilkins Model: 950XL Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),bbb,ooo

Type: DC Size: 3/4 Manual: 9 Approved: 15-Sep-1999 Shutoffs: (ii),000 Notes: Up to Serial # 3863324

Type: DC Size: 3/4 Manual: 9 Approved: 15-Sep-1999 Shutoffs: (ii),000 Notes: Starting at Serial # 3863325

Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Up to Serial # 3863324

Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Starting at Serial # 3863325

Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Up to Serial # 3863324 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 05-Jan-2014

Manufacturer: Wilkins

Renewed: 15-Sep-2014

Manufacturer: Wilkins

Renewed: 15-Sep-2014

Manufacturer: Wilkins

Manufacturer: Wilkins

Orientation: H

0.25% Pb: Yes

Renewed:

Orientation: H

0.25% Pb: No

Renewed:

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: No

Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),000 Notes: Starting at Serial # 3863325

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 05-Jan-2014 Model: 950XLD Meters: Spare Parts Only: No Bypass:

Type: DC
Size: 3/4
Manual: 10
Approved: 03-Jul-2013
Shutoffs: (iiii)
Notes: Up to Serial # 3863324

Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii) Notes: Starting at Serial # 3863325 Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed:

Manufacturer: Wilkins

Orientation: VU

0.25% Pb: Yes

Renewed:

Model: 950XLD Meters: Spare Parts Only: No Bypass:

Model: 950XLD Meters: Spare Parts Only: No Bypass:

Model: 950XLT

Meters:

Bypass:

Type: DC Size: 3/4 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000

Type: DC Size: 1 Manual: 9 Approved: 09-May-1997 Shutoffs: (ii),000

Type: DC Size: 1 1/4 Manual: 9 Approved: 19-Jun-1998 Shutoffs: (ii),000

Type: DC Size: 1 1/2 Manual: 9 Approved: 09-Apr-1998 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 19-Jun-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Apr-2016 Model: 950XLT Meters: Spare Parts Only: No Bypass:

Spare Parts Only: No

Model: 950XLT Meters: Spare Parts Only: No Bypass:

Model: 950XLT Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 09-Apr-1998 Shutoffs: (ii),000,bbbbb,ccccc

Type: DC

Size: 3/4

Manual: 9

Type: DC

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/2

Manual: 9

Type: DC

Manual: 9

Type: DC

Size: 3/4

Manual: 9

Shutoffs: (iiii)

Size: 2

Shutoffs: (iiii)

Shutoffs: (iiii)

Shutoffs: (iiii)

Size: 1

Shutoffs: (iiii)

Approved: 21-Aug-2009

Approved: 21-Aug-2009

Approved: 21-Aug-2009

Approved: 21-Aug-2009

Approved: 21-Aug-2009

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Apr-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 950XLT Meters: Spare Parts Only: No Bypass:

Model: 950XLT2 Meters: Spare Parts Only: No Bypass:

Model: 950XLT2U Meters: Spare Parts Only: No Bypass:

Page 210 of 616

Approved: 22-Feb-2011

Shutoffs: (mmmmm)

Type: DC Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (bbbbb)

Approved: 22-Feb-2011

Shutoffs: (ccccc)

Type: DC

Manual: 9

Type: DC

Size: 3/4

Manual: 9

Size: 2

Manufacturer: Wilkins **Orientation:** H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins **Orientation: H** 0.25% Pb: No Renewed: 14-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2015 Model: 950XLTBF Meters: Spare Parts Only: No Bypass:

Model: 950XLTBFSS Meters: Spare Parts Only: No Bypass:

Model: 950XLTU Meters: Spare Parts Only: No **Bypass:**

Model: 950XLTU Meters: Spare Parts Only: No **Bypass:**

Model: 950XLU Meters: Spare Parts Only: No Bypass:

Model: 950XLU Meters: Spare Parts Only: No **Bypass:**

Model: 950XLU Meters: Spare Parts Only: No Bypass:

Approved: 14-Aug-2006 Shutoffs: (ggg),xxx Type: DC Size: 1 Manual: 9

Shutoffs: (ggg),xxx Type: DC Size: 3/4

Approved: 14-Aug-2006

Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx

Type: DC **Size:** 1 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx

Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx

••		
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Feb-1994	Renewed: 15-Feb-2015	Bypass:
Shutoffs: (ggg),xxx		
Type: DC	Manufacturer: Wilkins	Model: MBD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 4"x4"x8" Manifold, Model		
Type: DC	Manufacturer: Wilkins	Model: MBD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" Manifold, Mode	el designation changed to 550M	
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2015	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2014	Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Ames	Model: 3000B
Size: 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Manufacturer: Wilkins

Model: 950XLU

Shutoffs: (bbb),jjjj,rrrrr

Type: DC

Size: 2 Orientation: VU Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Bypass: Ames 2000B 1/2" (VU), Watts 007OT 1/2" (VU) Shutoffs: (bbb),jjj,mmr Type: DCDA Manufacturer: Ames Model: 3000B-FP Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watts 007OT 1/2" (VU) Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007OT 1/2" (H) Shutoffs: (eecee) Type: DCDA Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: H Mitors: (H),AB,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (H), Watts 007OT 1/2" (H) Shutoffs: (eecee), bbb, jjj,mmr Type: DCDA Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: H Mitors: (H),AB,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Maters: 007OT 1/2" (H), Watts 007OT 1/2" (H) Size: 2 Orientation: VU Mitors: (H),AB,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb	Type: DCDA	Manufacturer: Ames	Model: 3000B
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU) Shutoffs: (bbb),jjj,mmr Type: DCDA Manufacturer: Ames Model: 3000B-FP Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Stutoffs: (eeee) Type: DCDA Manufacturer: Ames Model: 3000BM1 Manual: 9 0.25% Pb: No Spare Parts Only: No Sproved: 19-Jun-2015 Renewed: Model: 3000BM1 Size: 2 Orientation: H Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeee), bbb, jjjj,mmr Type: DCDA Manufacturer: Ames Model: 3000BM1 Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeeee), bbb, jjjj,mmr Type: DCDA Manufacturer: Ames Model: 3000BM1 Matual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU) Shutoffs: (eeeee), bbb, jjjj,mmr <td>Size: 2</td> <td>Orientation: VU</td> <td></td>	Size: 2	Orientation: VU	
Approved: 16-Jun-1997Renewed: 16-Jun-2015Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (bbb),jjjj,rmrType: DCDAManufacturer: AmesModel: 3000B-FPSize: 2Orientation: H(H)A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Sep-2009Renewed: 01-Sep-2015Bypass: Ames 2000B 1/2" (H), WattsSize: 2Orientation: H(H)A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoSproved: 19-Jun-2015Renewed:Model: 3000BM1Size: 2Orientation: H(H)A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), WattsSize: 2Orientation: HMeters: (H)A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Size: 2Orientation: VU(H)A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eecee), bbb, jjjj,rmrType: DCDAManufacturer: AmesModel: 3000CIVManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eecee), bbb, jjjj,rmrType: DCDAManufacturer: AmesModel: 3	Manual: 9	0.25% Pb : No	
OVACT 1/2" (VU) Shutoffs: (bbb),jjj,rmr Type: DCDA Manufacturer: Ames Manual: 9 0.25% Pb: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Shutoffs: (eeee) Orientation: H Type: DCDA Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: H Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007GT 1/2" (H) Size: 2 Orientation: H Manual: 9 0.25% Pb: No Approved: 19-Jun-2015 Renewed: Size: 2 Orientation: H Manual: 9 0.25% Pb: No Size: 2 Orientation: H Manual: 9 0.25% Pb: No Spare Parts Onjy: No Bypass: Ames 2000B 1/2" (H), Watts 007GT 1/2" (H) Size: 2 Orientation: VU (H),A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.Q Manual: 9 0.25% Pb: No Spare Parts Onjy: No Byproved: 19-Jun-2015 Renewed: Size: 2 Orientation: VU (H),A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.Q Manual: 9 0.25% Pb: No Spare Parts Onjy: No Bypass: Ames 2000B 1/2" (VU), Watts 007GT 1/2" (VU) Shutoffs: (eeeee), bbb, jjj,rmr	Approved: 16-Jun-1997	Renewed: 16-Jun-2015	Bypass: Ames 2000B 1/2" (VU), Watts
Type: DCDAManufacturer: AmesModel: 3000B-FPSize: 2Orientation: H(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Sep-2009Renewed: 01-Sep-2015Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee)Type: DCDAManufacturer: AmesModel: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeee), bbb, jijj,rmrManufacturer: AmesType: DCDAManufacturer: AmesModel: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QShutoffs: (eeee), bbb, jijj,rmrType: DCDAManufacturer: AmesModel: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jijj,rmrSpare Parts Only: NoType: DCDAManufacturer: AmesModel: 3000CIV Meters: (N),A,B,C,D,E,F,G,H,J,J,K,L,M,O,P,QShutoffs: (eeee), bbb, jijj,rmrType: DCDAManufacturer: AmesModel: 3000CIV Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QShutoffs: (eeee), bbb, jijj,rmrType: DCDAManufacturer: AmesModel: 3000CIV Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QShutoffs: (eeee), bbb, jijj,rmr <td></td> <td></td> <td>007QT 1/2" (VU)</td>			007QT 1/2" (VU)
Size: 2Orientation: HMeters: (H).A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Sep-2009Renewed: 01-Sep-2015Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee)Type: DCDAManufacturer: AmesModel: 3000BM1Size: 2Orientation: HMeters: (H).A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Size: 2Orientation: VUModel: 3000BM1Manual: 90.25% Pb: NoSpare Parts Only: NoSize: 2Orientation: VUMeters: (H).A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoSize: 2Orientation: VUMeters: (H).A.B.C.D.E.F.G.I.J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeee), bbb, jjj.rmrSpare Parts Only: NoType: DCDAManufacturer: AmesModel: 3000CIVApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeee), bbb, jjj.rmrSpare Parts Only: NoType: DCDAManufacturer: AmesModel: 3000CIVApproved: 19-Jun-2015Renewed:Spare Parts Only: NoApproved: 19-Jun-2015Renewed:Spare Parts Only: NoApproved: 19-Jun-2015Renewed:Spare Par	,		
Size: 2 Orientation: H (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 O.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeee) Type: DCDA Manufacturer: Ames Model: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 O.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeee), bbb, jjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 O.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeee), bbb, jjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 O.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (H) Shutoffs: (eeee), bbb, jjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000CIV Matus 007QT 1/2" (VU) Shutoffs: (eeee), bbb, jjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000CIV Matus 007QT 1/2" (VU) Shutoffs: (eeee), bbb, jjj,rrrrr Renewed: 27-Jul-2014 Bypass: Ames 2000B 1/2"(H), Watts 007QT 1/2"(H)	Type: DCDA	Manufacturer: Ames	Model: 3000B-FP
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Sep-2009Renewed: 01-Sep-2015Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee)Type: DCDAManufacturer: AmesModel: 3000BM1 Meters: (H) A.B.C.D.E.F.G.I,J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeee), bbb, jjj,rmrBypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeee), bbb, jjj,rmrModel: 3000BM1 Meters: (H) A.B.C.D.E.F.G.I, J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoShutoffs: (eeee), bbb, jjj,rmrModel: 3000BM1 Meters: (H) A.B.C.D.E.F.G.I, J.K.L.M.N.O.P.QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Spare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjj,rmrSpare Parts Only: NoType: DCDAManufacturer: AmesModel: 3000CIV Meters: (N) A.B.C.D.E.F.G.H.I, J.K.L.M.N.O.P.QShutoffs: (eeeee), bbb, jjj,rmrSpare Parts Only: NoSpare 20DAManufacturer: AmesModel: 3000CIVState: 4Orientation: H(N) A.B.C.D.E.F.G.H.I, J.K.L.M.O.P.QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Size: 2	Orientation: H	
Approved: 01-Sep-2009Renewed: 01-Sep-2015D07QT 1/2" (H)Shutoffs: (eeeee)Type: DCDAManufacturer: AmesModel: 3000BM1Size: 2Orientation: H(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:007QT 1/2" (H)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000BM1Size: 2Orientation: VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: H(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoSize: 4Orientation: H(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Manual: 9	0.25% Pb: No	
Shutoffs: (eeeee) Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: H Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeeee), bbb, jjjj,rrrrr Manufacturer: Ames Model: 3000BM1 Type: DCDA Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: VU Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU) Shutoffs: (eeeee), bbb, jjjj,rrrrr Manufacturer: Ames Model: 3000CIV Type: DCDA Manufacturer: Ames Model: 3000CIV Shutoffs: (eeeee), bbb, jjjj,rrrrr Trype: DCDA Manufacturer: Ames Model: 3000CIV Size: 4 Orientation: H Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Manufacture: Ames Model: 3000CIV Size: 4 Orientation: H Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (H) Matters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Approved: 27-Jul-1987 Renewed: 27-Jul-2014 Spare Parts Only: N	Approved: 01-Sep-2009	Renewed: 01-Sep-2015	
Size: 2Orientation: HMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000BM1Size: 2Orientation: VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjj,rrrrrSpare Parts Only: NoType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QShutoffs: (eeeee), bbb, jjj,rrrrrManufacturer: AmesType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: H(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2" (H),Watts 007QT 1/2" (H)	Shutoffs: (eeeee)		
Size: 2 Orientation: H (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H) Shutoffs: (eeeee), bbb, jjjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000BM1 Size: 2 Orientation: VU (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2015 Renewed: Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU) Shutoffs: (eeeee), bbb, jjjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000CIV Size: 4 Orientation: H Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 27-Jul-1987 Renewed: 27-Jul-2014 Bypass: Ames 2000B 1/2" (H),Watts 007QT 1/2"(H)	Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee), bbb, jjjj,rrrrrManufacturer: AmesModel: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q)Size: 2Orientation: VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q)Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrManufacturer: AmesModel: 3000CIVType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q)Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2" (H),Watts 007QT 1/2" (H)	Size: 2	Orientation: H	
Approved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000BM1 Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q)Size: 2Orientation: VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q)Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q)Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Manual: 9	0.25% Pb: No	
Shutoffs: (eeeee), bbb, jjjj,rrrrrOU/QI 1/2" (H)Type: DCDAManufacturer: AmesModel: 3000BM1Size: 2Orientation: VU(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Approved: 19-Jun-2015	Renewed:	Bypass: Ames 2000B 1/2" (H), Watts
Size: 2Orientation: VUMeters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed: Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrModel: 3000CIVType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Shutoffs: (eeeee), bbb, jjjj,rrrrr		007QT 1/2" (H)
Size: 2Orientation: VU(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrManufacturer: AmesModel: 3000CIVType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Approved: 19-Jun-2015Renewed:Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrManufacturer: AmesModel: 3000CIVType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q)Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Size: 2	Orientation: VU	
Approved: 19-Jun-2015Renewed:007QT 1/2" (VU)Shutoffs: (eeeee), bbb, jjjj,rrrrrType: DCDAManufacturer: AmesModel: 3000CIVSize: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q)Manual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Shutoffs: (eeeee), bbb, jjjj,rrrrr Type: DCDA Manufacturer: Ames Model: 3000CIV Size: 4 Orientation: H Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 27-Jul-1987 Renewed: 27-Jul-2014 Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Approved: 19-Jun-2015	Renewed:	
Size: 4Orientation: HMeters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Size: 4Orientation: H(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,QManual: 60.25% Pb: NoSpare Parts Only: NoApproved: 27-Jul-1987Renewed: 27-Jul-2014Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Manual: 6 0.25% Pb: No Spare Parts Only: No Approved: 27-Jul-1987 Renewed: 27-Jul-2014 Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)	Size: 4	Orientation: H	
Approved: 27-Jul-1987 Renewed: 27-Jul-2014 007QT 1/2"(H)	Manual: 6	0.25% Pb: No	
	Approved: 27-Jul-1987	Renewed: 27-Jul-2014	
	Shutoffs: (pp),hh,uu,eee		

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: VU	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2014	Bypass: Ames 2000B 1/2"(VU),Watts 007QT 1/2"(VU)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size : 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,mm,uu,eee		ζ, /
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		

	Manufacturer: Ames	Model: 3000CIV
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size : 10	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp, Notes: formerly DCDA	ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp, Notes: formerly DCDA-I	ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Size: 8		
Size: 8 Manual: 7	0.25% Pb: No	Spare Parts Only: Yes

Type: DCDA	Manufacturer: Ames	Model: 3000DCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts007M2QT 3/4" (H),Watts 709QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,oo,pp, Notes: formerly DCDA	,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA-I	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2015	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo, Notes: formerly DCDA	pp,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts 709QT 3/4" (H)

Notes: formerly DCDC

Shutoffs: uu,ee,ff,gg,hh,oo,pp,ccc,ddd,ffff,gggg

Type: DCDA Size: 2 1/2

Manual: 8

Approved: 10-Sep-1996

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 24-May-1995Renewed: 24-May-2013

Manufacturer: Ames

Renewed: 10-Sep-2014

Orientation: H

0.25% Pb: No

Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 09-Sep-1992Renewed: 09-Sep-2013Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 05-May-1995Renewed: 05-May-2013Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDAManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 22-Nov-1993Renewed: 22-Nov-2014Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,ggggNotes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA Size: 2 1/2 Manual: Approved: Manufacturer: Ames Orientation: 0.25% Pb: No Renewed:

Notes: to S/N 2EK0320 model designation changed to 3000SEWM1

Model: 3000SE Meters: (M),N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SE Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SE Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SEA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Ames 2000SS 3/4" (H)

Model: 3000SEWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SS Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: 3000SS
Circo 0.4/0	Orientations	Meters:
Size: 2 1/2	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c	po,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model de	esignation changed to 3000SEWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Approved: 24-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c		
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c	oo,pp,tt,ccc,ddd,ffff,gggg	2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c	oo,pp,tt,ccc,ddd,ffff,gggg Manufacturer: Ames	2000B 3/4" (H) Model: 3000SS
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4	oo,pp,tt,ccc,ddd,ffff,gggg Manufacturer: Ames Orientation:	2000B 3/4" (H) Model: 3000SS Meters:
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4 Manual: Approved:	Manufacturer: Ames Orientation: 0.25% Pb: No	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4 Manual: Approved:	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed:	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass:
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters:
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA Size: 4	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA Size: 4 Manual: 8	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2013	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2013	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2013	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d Type: DCDA Size: 4 Manual: Approved: Notes: to S/N 2EK0320 model de Type: DCDA Size: 4 Manual: 8 Approved: 24-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d Type: DCDA	Manufacturer: Ames Orientation: 0.25% Pb: No Renewed: esignation changed to 3000SEWM1 Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-May-2013 bo,pp,tt,ccc,ddd,ffff,gggg	2000B 3/4" (H) Model: 3000SS Meters: Spare Parts Only: No Bypass: Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H) Model: 3000SS

Type: DCDA

 Size: 6
 Orientation: H

 Manual: 8
 0.25% Pb: No

 Approved: 09-Sep-1992
 Renewed: 09-Sep-2013

 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Size: 8

Manual: 8

Approved: 16-Sep-1996

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,tt,ccc,ddd,ffff,gggg

Type: DCDA Size: 10 Manual: 8 Approved: 16-Feb-2001 Shutoffs: (II),mm,oo,pp,ffff,gggg

Type: DCDA Size: 12 Manual: 9 Approved: 04-Dec-2009 Shutoffs: (mm), II

Type: DCDA Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mm), II

Type: DCDA

Size: 6

Manual: 8

Approved: 05-May-1995

Manufacturer: Ames Orientation: H

Renewed: 16-Feb-2016

Manufacturer: Ames

Manufacturer: Ames

Renewed: 16-Sep-2014

Manufacturer: Ames

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

0.25% Pb: No Renewed: 04-Dec-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Ames

Renewed: 05-May-2013

Orientation: H

0.25% Pb: No

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SS Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Model: 3000SS Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: 3000SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: 3000SSA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Ames 2000SS 3/4" (H)

Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 4 **Orientation:** H 0.25% Pb: No Manual: 8 Approved: 05-May-1995 Renewed: 05-May-2013 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames **Size:** 6 **Orientation:** H 0.25% Pb: No Manual: 8 Renewed: 05-May-2013 Approved: 05-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2015 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA

Size: 3

Orientation: H

0.25% Pb: No **Renewed:** 11-Jul-2015 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Model: 3000SSM Meters: (R) Spare Parts Only: Yes Bypass: Ames 2000SS 1" (H)

Model: 3000SSM Meters: (S) Spare Parts Only: No Bypass: Watts 007M2QT 1 1/2" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

2016 © University of Southern California

Manual: 8 Approved: 11-Jul-1991

Type: DCDA

Size: 4

Manual: 8 Approved: 11-Jul-1991

Orientation: H 0.25% Pb: No

Renewed: 11-Jul-2015

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Manufacturer: Ames

Manufacturer: Ames

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames
Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Colt 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Colt 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
		Meters: (N), G, H, I J, K L, M, N, O, P,
Size: 8	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 3	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 8

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300GV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Page 226 of 616

Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300GV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (ууу)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300NBF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (ууу)		
Type: DCDA	Manufacturer: Ames	Model: Colt 300NBF
Size: 4	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)

Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames

Renewed: 07-Apr-2015

Manufacturer: Ames

Renewed: 03-Jan-2016

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: No

Renewed:

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000GDCDA

Type: DCDAManufacturer: AmesSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Model: DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000GDCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDC	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000DCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 3000GDCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDC
Type: DCDA	Manufacturer: Ames Orientation: H	Meters:
Type: DCDA Size: 4		Meters:
Type: DCDA Size: 4 Manual: 6	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,C
	Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes
Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985	Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes
Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc,	Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,G Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters:
Type: DCDA Size: 4 Manual: 6 Approved: 14-Jun-1985 Shutoffs: ee,ff,gg,hh,oo,pp,ccc, Type: DCDA	Orientation: H 0.25% Pb: No Renewed: 14-Jun-2015 ddd,ffff,gggg Manufacturer: Ames	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC

Page 230 of 616

Type: DCDA	Manufacturer: Ames	Model: DCDC
Size: 8	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2014	Bypass: Watts 709QT 3/4" (H)
Shutoffs: ee,ff,gg,hh,oo,pp,ccc,	ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: DCDC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 3000GDCDC	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Type: DCDA Size: 2 1/2	Manufacturer: Ames Orientation: VU	Model: LFColt 300BF Meters: (O)
Size: 2 1/2	Orientation: VU	Meters: (O)
Size: 2 1/2 Manual: 9	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Orientation: VU 0.25% Pb: Yes Renewed: sion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Orientation: VU 0.25% Pb: Yes Renewed: sion identified with NSF61 mark on mete Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFColt 300BF
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 3	Orientation: VU 0.25% Pb: Yes Renewed: tion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFColt 300BF Meters: (O)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 3 Manual: 9	Orientation: VU 0.25% Pb: Yes Renewed: tion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) r Model: LFColt 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),

Size: 3 Orientation: VU Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Motes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: H Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU), Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU), Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (H), Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4	· / · · · · · · · · · · · · · · · · · · ·		
Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 300BF Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: H Meters: (O) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Ames LF2000BM3 3/4" (VU) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Spypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ame	Size: 3	Orientation: VU	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFCoit 300BF Size: 4 Orientation: H Meters: (O) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFCoit 300BF Size: 4 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU) Approved: 08-Jan-2014 Renewed: Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFCoit 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version id	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: H Meters: (0) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: VU Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 4 Orientation: VU Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 4 Orientation: VU Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: H Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: H Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: H Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFColt 300BFSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesSize: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed:Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (VU)Manual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Approved: 08-Jan-2014<	Shutoffs: (yyy)		
Size: 4Orientation: HMeters: (0)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterBypass: Watts LF001 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: Yes<	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesSize: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesApproved: 08-Jan-2014Renewed:Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMotes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMotes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesApproved: 08-Jan-2014Renewed:Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesMotel: LFColt 300BFSize: 6Orientation: HMotes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUManufacturer: AmesSize: 6Orientation: VUMeters: (O)Manual: 9<	Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spares: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 9 </td <td>Size: 4</td> <td>Orientation: H</td> <td>Meters: (O)</td>	Size: 4	Orientation: H	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFCoit 300BF Size: 4 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFCoit 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25%	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 4 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Spares: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: VU Meters: (O) Nanual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: VU Meters: (O) Manual:	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFColt 300BFSize: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Armes LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Shutoffs: (yyy)		
Size: 4Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUAmes LF2000BM3 3/4" (H)Shutoffs: (yyy)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Size: (D)Approved: 08-Jan-2014Renewed:Spare Parts Only: No	Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Ames LF2000BM3 3/4" (VU) Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 300BF Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Size: 4	Orientation: VU	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Ames LF2000BM3 3/4" (VU) Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFColt 300BF Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer:AmesModel:LFColt 300BFSize:6Orientation:HMeters:(O)Manual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:Bypass:Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs:(yyy)Notes:Lead free compliant version identified with NSF61 mark on meterType:DCDAManufacturer:AmesModel:LFColt 300BFSize:6Orientation:VUManual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:Spare Parts Only: NoApproved:08-Jan-2014Renewed:Model:Approved:08-Jan-2014Renewed:Bypass:Manual:90.25% Pb: YesSpare Parts Only: NoApproved:08-Jan-2014Renewed:Bypass:Approved:08-Jan-2014Renewed:Bypass:	Approved: 08-Jan-2014	Renewed:	
Size: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 300BFType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)		ion identified with NSF61 mark on mete	er
Size: 6Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFColt 300BFType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)		Manufacturer: Amoo	Madal: LECalt 200RE
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterHodel: LF2000BM3 3/4" (H)Type: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)			
Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meterHType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)			
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Ames LF2000BM3 3/4" (H) Type: DCDA Manufacturer: Ames Model: LFColt 300BF Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Manual: 9	0.25% PD: Yes	
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFColt 300BFSize: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Shutoffs: (yyy)		
Size: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Size: 6Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Size: 6	Orientation: VU	Meters: (O)
Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU),
	Shutoffs: (yyy)		

Model: LFColt 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass : Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	n identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant version	n identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass : Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant version	n identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass : Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant version	n identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		

Model: LFColt 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant versio	n identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versio	n identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant versio	n identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versio	n identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		

Model: LFColt 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 6		
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
		AITIES LEZUUUDIVIJ J/4 (II)
Shutoffs: (zzz)	ion identified with NSE61 mark on mete	
	ion identified with NSF61 mark on mete	
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Ames	
Notes: Lead free compliant vers		r
Notes: Lead free compliant vers Type: DCDA Size: 8	Manufacturer: Ames	mr Model: LFColt 300GV
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9	Manufacturer: Ames Orientation: VU	Model: LFColt 300GV Meters: (O) Spare Parts Only: No
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU),
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed:	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Ames LF2000BM3 3/4" (VU)
Notes: Lead free compliant vers Type: DCDA Size: 8 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 10	Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFColt 300GV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Model: LFColt 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Manual: 9	Orientation: VU 0.25% Pb: Yes	Meters: (O)
Approved: 08-Jan-2014	Renewed:	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		Ames $LF2000 BW3 3/4 (VO)$
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H),
		Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)	ion identified with NSF61 mark on mete	
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Ames	
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA		Model: LFColt 300NBF
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4	Manufacturer: Ames	Model: LFColt 300NBF Meters: (O)
Shutoffs: (yyy)	Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NBF
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant versi Type: DCDA Size: 6	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) er Model: LFColt 300NBF Meters: (O)

Model: LFColt 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA

e .		
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSE61 mark on mete	r
	ion identified with NSF61 mark on mete	r
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Ames	r Model: LFColt 300NGV
Notes: Lead free compliant vers		
Notes: Lead free compliant vers Type: DCDA Size: 3	Manufacturer: Ames	Model: LFColt 300NGV
	Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NGV Meters: (O)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H),
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant version Type: DCDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version Type: DCDA Size: 4	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	Model: LFColt 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) r Model: LFColt 300NGV Meters: (O)

Model: LFColt 300NBF

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)	ion identified with NSE61 mark on moto	r.
	ion identified with NSF61 mark on mete	21
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		

Model: LFColt 300NGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		

Model: LFMaxim 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No
Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU) Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Ames LF2000BM3 3/4" (VU) Model: LFMaxim 300BF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Meters: (O) Spare Parts Only: No Sypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Meters: (O) Spare Parts Only: No Sypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Meters: (O) Spare Parts Only: No Sypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
Ames LF2000BM3 3/4" (H) Model: LFMaxim 300BF Meters: (O)
leters: (O)
leters: (O)
leters: (O)
Spare Parts Only: No
Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Iodel: LFMaxim 300BF
Meters: (O)
Spare Parts Only: No
Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Iodel: LFMaxim 300BF
Meters: (O)
Spare Parts Only: No
pare raite Only. NO
Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Model: LFMaxim 300BF

Notes: Lead free compliant version identified with NSF61 mark on meter

Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: YU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Syze: 3 Orientation: YU Meters: (O) Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: YU Meters: (O) Manufactu	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 2 1/2 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Nutoffs: (zzz) Notes: Lead fr	Size: 2 1/2	Orientation: H	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 2 1/2 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU). Ames LF2000BM3 3/4" (VU) Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Sypare: 22 Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 1/2 Orientation: VU Meters: (0) Approved: 08-Jan-2014 Renewed: Bypass: Approved: 08-Jan-2014 Renewed: Arnes LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (0) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: N	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 2 1/2Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: HMeters: (O)Approved: 08-Jan-2014Renewed:Spare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUBypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientat	Shutoffs: (zzz)		
NotestOrientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Meters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoBypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Meters: (O)Shutoffs: (zzz)Note: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014R	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300GV Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (O) Approved: 08-Jan-2014 Renewed: Spares Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Nanual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Marufacture: Ames Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manuai: 9 0.25	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300GVType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: HMeters: (O)Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare	Size: 2 1/2	Orientation: VU	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300GV Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU) Meters: (O) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Size: 4 Orientation: H Meters: (O)	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Spare Parts Only: No Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Ames LF2000BM3 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300GV Size: 4 Orientation: H Meters: (O) Manual: 9 Nanual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSpares: Lead free compliant version identified with NSF61 mark on meterType: DCDAType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSpares: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (zzz)		
Size: 3Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Spare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Spare Parts Only: No	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er en
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 2Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300GVType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Parts Only: NoManual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Size: 3	Orientation: H	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 3 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LFMaxim 300GV Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypas: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H) Spare Parts Only: No	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300GVType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Spare Parts Only: No	Approved: 08-Jan-2014	Renewed:	
Size: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meterModel: LFMaxim 300GVType: DCDA Size: 4Manufacturer: Ames Orientation: HModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Size: 3Orientation: VUMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz)Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Approved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meterAmes LF2000BM3 3/4" (VU)Type: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Size: 3	Orientation: VU	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Ames LF2000BM3 3/4" (VU) Type: DCDA Manufacturer: Ames Model: LFMaxim 300GV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Notes: Lead free compliant version identified with NSF61 mark on meterType: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Approved: 08-Jan-2014	Renewed:	
Type: DCDAManufacturer: AmesModel: LFMaxim 300GVSize: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Shutoffs: (zzz)		
Size: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	Pr
Size: 4Orientation: HMeters: (O)Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 08-Jan-2014Renewed:Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)	Size: 4	Orientation: H	Meters: (O)
Approved: 08-Jan-2014 Renewed: Ames LF2000BM3 3/4" (H)	Manual: 9	0.25% Pb: Yes	
	Approved: 08-Jan-2014	Renewed:	
	Shutoffs: (zzz)		

Model: LFMaxim 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		

Model: LFMaxim 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

IJPC. DODA	manalation / anos	
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
	Manufacturer: Ames	Model: LEMovim 200NPE
Type: DCDA		Model: LFMaxim 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		

Model: LFMaxim 300GV

Notes: Lead free compliant version identified with NSF61 mark on meter

e .		
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass : Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass : Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
	ion identified with NSE61 mark on mete	r
Shutoffs: (yyy) Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete Manufacturer: Ames	r Model: LFMaxim 300NGV
Notes: Lead free compliant versi		
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2	Manufacturer: Ames	Model: LFMaxim 300NGV
	Manufacturer: Ames Orientation: VUVD	Model: LFMaxim 300NGV Meters: (O)
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H)
Notes: Lead free compliant versi Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: DCDA Size: 3	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) r Model: LFMaxim 300NGV
Notes: Lead free compliant version Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version	Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Ames LF2000BM3 3/4" (H) r Model: LFMaxim 300NGV Meters: (O)

Model: LFMaxim 300NBF

Notes: Lead free compliant version identified with NSF61 mark on meter

Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: Maxim 300aBF
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Nov-2003	Renewed: 06-Nov-2015	Bypass: Ames 2000BM3 3/4" (H)

Type: DCDA

Shutoffs: (yyy)

2016 $\ensuremath{\mathbb{C}}$ University of Southern California

Model: LFMaxim 300NGV

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015 Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aBF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Ames

Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014 Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Page 248 of 616

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: Vu 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames

Renewed: 09-Mar-2016

Orientation: H

0.25% Pb: No

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Orientation: VU 0.25% Pb: No

Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
		Meters: (N), G, H, I J, K L, M, N, O, P,
Size : 6	Orientation: VU	Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Ames 2000BM3 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300BF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (zzz)		

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2016

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Maxim 300GV Meters: (N),G,H,IJ,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Manufacturer: Apollo/Conbraco Size: 10 **Orientation:** 0.25% Pb: No Manual: **Renewed: Approved:** Notes: model designation changed to DCDA4S

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H),

Watts 007M3QT 3/4" (H)

Model: 10DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDA Manufacturer: Apollo/Conbraco Model: 10DCDA Size: 10 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No **Renewed: Approved: Bypass:** Notes: model designation changed to DCDA4S

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No

Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Manufacturer: Ames **Orientation: VUVD** 0.25% Pb: No

Renewed: 07-Apr-2015

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: No

Manufacturer: Ames Orientation: VUVD

0.25% Pb: No

Renewed:

Manufacturer: Ames **Orientation: VUVD**

0.25% Pb: No **Renewed:**

Renewed: 03-Jan-2016

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 2 1/2DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2SO\	/]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		(00)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDAU
Size: 2 1/2	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		

Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco 1/2DC 1/2" Shutoffs: (III),mm (VU) Spare Parts Only: Yes Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Approved: 10-Apr-2001 Renewed: 10-Apr-2016 Bypass: Apollo/Conbraco 1/2DC 1/2" Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Renewed: 10-Apr-2016 Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco V432100 1/2" (H) Spare Parts Only: Yes Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Approved: 10-Apr-2001 Renewed: 10-Apr-2016 (VU), Apollo/Conbraco 1/2DC 1/2" Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Spare Parts Only: Yes	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco 1/2DC 1/2" (VU) Shutoffs: (II),mm	Size: 3	·	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 16-Oct-2000Renewed: 16-Oct-2015Sypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (III),mmManufacturer: Apollo/ConbracoModel: 3DCDA6Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016Model: 3DCDA6Size: 3Orientation: HSpare Parts Only: YesSypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" 	Manual: 9	0.25% Pb: No	
Approved: 16-Oct-2000 Renewed: 16-Oct-2015 (VU), Apollo/Conbraco W432100 1/2" (VU) Shutoffs: (III),mm (VU) Apollo/Conbraco W432100 1/2" (VU) Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco V432100 1/2" (H) Shutoffs: (mm)[#1SOV].(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (U) Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (VU) Shutoffs: (mm)[#1SOV].(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (VU) Shutoffs: (mm)[#1SOV].(nnn)[#2SOV] Manufacturer: Apollo/Conbraco M			
Shutoffs: (ii),mm Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2016 Bypass: Apollo/Conbraco 1/2DC 1/2" (H) Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Ype: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Maproved: 10-Apr-2001 Renewed: 10-Apr-2016 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Approved: 10-Apr-2001 Renewed: 10-Apr-2016 Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" H), Apollo/Conbraco 1/2DC 1/2" Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: Yes	Approved: 16-Oct-2000	Renewed: 16-Oct-2015	(VU), Apollo/Conbraco W432100 1/2"
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016Model: 3DCDA7Approved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qq)]#2SOV]Type: DCDAManufacturer: Apollo/ConbracoManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2" (H)Model: 3DCDA7Manual: 90.25% Pb: NoSpare Parts Only: YesBypass: 3Orientation: YUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"	Shutoffs: (II),mm		ζ-)
Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016Bypass: Apollo/Conbraco U432100 1/2" (H)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco 1/2DC 1/2"Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesManual: 90.25% Pb: NoSpare Parts Only: YesManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesType: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesManual: 90.25% Pb: No </td <td>Type: DCDA</td> <td>Manufacturer: Apollo/Conbraco</td> <td>Model: 3DCDA6</td>	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Approved: 10-Apr-2001Renewed: 10-Apr-2016Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 10-Apr-2001Renewed: 10-Apr-2016(H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Renewed: 10-Apr-2016Model: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoType: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesSize: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"Kuters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"Kuters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"(VU), Apollo/Conbraco W432100 1/2"	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2016 (VU), Apollo/Conbraco 1/2DC 1/2" Manual: 9 0.25% Pb: No Spare Parts Only: Yes Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Model: 3DCDA7 Shutoffs: (mm)[#1SOV], (qqq)[#2SOV] Spare Parts Only: Yes Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H) Shutoffs: (mm)[#1SOV], (qqq)[#2SOV] Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" Wodel: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" Bypass: Apollo/Conbraco 1/2DC 1/	Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesSypass: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Model: 3DCDA7Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Woters: (M),E,F,G,H,I,J,K,L,N,O,P,QApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		
Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2016Spare Parts Only: YesShutoffs: (mm)[#1SOV],(nnn)[#2SOV](VU), Apollo/Conbraco W432100 1/2" (VU)Type: DCDAManufacturer: Apollo/ConbracoSize: 3Orientation: HManual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Type: DCDAManufacturer: Apollo/ConbracoShutoffs: (mm)[#1SOV], (qqq)[#2SOV]Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoType: DCDAManufacturer: Apollo/ConbracoSize: 3Orientation: VUManual: 90.25% Pb: NoSize: 3Orientation: VUManual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Manual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Manual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"Approved: 29-Sep-2004Renewed: 29-Sep-2013	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Approved: 10-Apr-2001Renewed: 10-Apr-2016Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 10-Apr-2001Renewed: 10-Apr-2016(VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoSize: 3Orientation: HManual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Spare Parts Only: YesType: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Approved: 29-Sep-2004Renewed: 29-Sep-2013Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Model: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoManual: 90.25% Pb: NoSize: 3Orientation: VUManual: 90.25% Pb: NoApproved: 29-Sep-2004Renewed: 29-Sep-2013Manual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"(VU), Apollo/Conbraco 1/2DC 1/2"(VU)Approved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2"(VU)	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Wodel: 3DCDA7(VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"Model: 3DCDA7	Approved: 10-Apr-2001	Renewed: 10-Apr-2016	(VU), Apollo/Conbraco W432100 1/2"
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]		()
Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Approved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco W432100 1/2" (VU)	Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 29-Sep-2004Renewed: 29-Sep-2013(H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013WUU), Apollo/Conbraco W432100 1/2"	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013(VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2013Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Shutoffs: (mm)[#1SOV], (qqq)[#2SOV	l	
Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Approved: 29-Sep-2004 Renewed: 29-Sep-2013 Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 29-Sep-2004 Renewed: 29-Sep-2013 (VU), Apollo/Conbraco W432100 1/2" (VU) (VU) (VU)	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
	Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(VU), Apollo/Conbraco W432100 1/2"
	Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
		-	

Type: DCDA Size: 3 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 3DCDA8 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA8
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDAU
Size: 3	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600000
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 40600000	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600C3
Size: 3	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	o 4060AC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	o 4060AE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC3
	·	Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC6
Size: 4	Orientation: H	Meters:
Size: 4	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE3
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2S	OV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation chang	Renewed: jed to 4060CC3	Bypass:
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 4060CE3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060C03		

	Manufacturer Apollo/Cophrace	Model: 1060CC6
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC6 Meters:
Size: 6	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060C03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE6
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to 4060EC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to 4060EE3	

Type: DCDA Size: 8 Manual: 8 Approved: 13-Apr-1993 Shutoffs: uu,cc,mm Notes: formerly 4060E03	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2014	Model: 4060EC3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC6 Meters:
Size: 8	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE3
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: DCDA Size: 10 Manual: Approved: Notes: model designation changed to 4 Type: DCDA Size: 10	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 060GE3 Manufacturer: Apollo/Conbraco Orientation: H	Model: 4060G03 Meters: Spare Parts Only: No Bypass: Model: 4060GC3 Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060G03		
Type: DCDA Size: 10	Manufacturer: Apollo/Conbraco Orientation: H	Model: 4060GC6 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2015	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Type: DCDA Size: 10 Manual: 8 Approved: 12-Apr-1993 Shutoffs: uu,cc,mm Notes: formerly 4060G03	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Mar-2014	Model: 4060GE3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Type: DCDA Size: 10 Manual: 8 Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 01-Feb-2015	Model: 4060GE6 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)

Type: DCDA Size: 4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 4DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
	Personada 20 Cara 2012	Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(H), Apollo/Conbraco W432100 1/2" (H)

T		M. J.L. (DODAZ
Type: DCDA	Manufacturer: Apollo/Conbraco	
Size: 4 Manual: 9	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDAU
Size: 4	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to [DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to [DCDA4SGN	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation of	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 2 1/2	Orientation:	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual:		1
Manual: Approved:	Renewed:	Bypass:
	Renewed:	
Approved: Notes: model designation of	Renewed:	
Approved: Notes: model designation of Type: DCDA	Renewed: changed to DCDA4SG	Bypass:
Approved: Notes: model designation of Type: DCDA Size: 2 1/2	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Bypass: Model: 4SG-600
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual:	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4SG-600 Meters:
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved:	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual:	Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: of the transformed to DCDA4SG	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual:	Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: No Renewed:	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved:	Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: No Renewed:	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Size: 3 Manual: Approved: Notes: model designation of	Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: shanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: shanged to DCDA4SG	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation of Type: DCDA Size: 2 1/2 Manual: Approved: Notes: model designation of Type: DCDA Size: 3 Manual: Approved: Notes: model designation of Type: DCDA	Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DCDA4SG	Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600

2016 © University of Southern California

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	

Type: DCDA Size: 6 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (II),mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Oct-2015	Model: 6DCDA Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA7
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#	#2SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	
Size: 6	Orientation: VU 0.25% Pb: No	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.23% PD: NO	Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2"
Shutoffs: (ppp),qqq		(VU)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDAU
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2016	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm),ll		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm),ll		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2013	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 **Orientation:** H Meters: (M),F,G,H,I,J,K,L,N,O,P,Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1/2" Approved: 16-Jan-2003 Renewed: 16-Jan-2015 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm),II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: VU Meters: (M),F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Manual: 9 0.25% Pb: No Bypass: Apollo/Conbraco 1/2DC 1/2" Renewed: 16-Jan-2015 (VU), Apollo/Conbraco W432100 1/2" Approved: 16-Jan-2003 (VU)Shutoffs: (mm),II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 **Orientation: H** Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 **Orientation: VU** Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 3 Orientation: H Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" **Approved:** 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H)

Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa Notes: formerly 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	WWW 77777 aaaaa	(*)
Notes: formerly 4SG-600	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Bypass: Apollo/Conbraco 4S103 1/2"
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	(VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxxx	,yyyyy,zzzz,aaaaaa	

Notes: formerly 4SG-600

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 **Orientation:** H Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Manual: 9 0.25% Pb: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (VU), Apollo/Conbraco W432100 1/2" (V) Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco

Model: DCDA4SGN Size: 2 1/2 **Orientation: VUVD** Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN **Size:** 3 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 4 **Orientation: VUVD** Meters: (M), E, F, G, H, I, J, K, L, M, N, O, P, Q 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2013 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt

Notes: formerly 4SG 600U

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 8	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2013	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 2 1/2	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 3	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 3	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 4	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 4	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual : 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 8	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmi	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 8	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 2 1/2	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Renewed:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Approved: 10-Jun-2014

Bypass: Apollo DCLF4A 1/2" (H)

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 3	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Apr-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 6	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2 ^v (H)
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual : 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2' (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual : 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Nov-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR	
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 21-Sep-2015	Renewed:	Bypass : Apollo/Conbraco DCLF4A 1/2" (VU)	
Shutoffs: (cccc) dddd mmmm nnnn yyyyy ywyw 77777 aaaaaa			

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Sep-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass : Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		

Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Sep-1988	Renewed: 26-Sep-2015	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,z Notes: formerly 806 Type Yl		

Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 4	Orientation: H	Meters:
		(F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,g Notes: formerly 806 Type YD	<u>aaa</u>	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 6	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,g Notes: formerly 806 Type YD	3 33	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size : 8	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,g Notes: formerly 806 Type YD	999	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size : 10	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2014	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,g Notes: formerly 806 Type YD	<u>888</u>	
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 2 1/2	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Approved: 19-Mar-1997 Rene Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Renewed: 19-Mar-2015

Size: 2 1/2

0.25% Pb: No Manual: 8 Approved: 05-Jan-2000 Renewed: 05-Jan-2014 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA

Size: 3

Size: 3

Manual: 8

Manual: 8 Approved: 19-Mar-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Manufacturer: Febco

Manufacturer: Febco

Orientation: VU

Orientation: H

0.25% Pb: No Renewed: 19-Mar-2015 Model: 856 Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Manufacturer: Febco Model: 856 Meters: **Orientation: VU** (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-2000 Renewed: 05-Jan-2014 Bypass: Febco 805YB 3/4" (VU) Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Model: 856 Meters: **Orientation:** H Size: 4 (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 04-May-1994 Renewed: 04-May-2015 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Size: 4 **Orientation: VU** 0.25% Pb: No Manual: 8 Approved: 16-Apr-1996 Renewed: 16-Apr-2014 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Type: DCDA Manufacturer: Febco **Size:** 6 **Orientation: H** Manual: 8 0.25% Pb: No Approved: 04-May-1994 Renewed: 04-May-2015

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Orientation: VU Size: 6 Manual: 8 0.25% Pb: No Approved: 16-Apr-1996 Renewed: 16-Apr-2014 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA

Size: 8

Manual: 8 Approved: 04-Oct-1995 **Shutoffs:** (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Manufacturer: Febco **Orientation:** H 0.25% Pb: No

Manufacturer: Febco

Renewed: 04-Oct-2013

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Manufacturer: Febco Model: 856 Meters: Size: 8 Orientation: VU Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 05-Jan-2000 Renewed: 05-Jan-2014 Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDA Manufacturer: Febco Size: 2 1/2 **Orientation:** H Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 2 1/2 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 3 Orientation: H Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

(M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Bypass: Febco 805YB 3/4" (VU)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST

Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDAManufacturer: FebcoSize: 3Orientation: VUManual: 90.25% Pb: NoApproved: 22-May-2012Renewed: 22-May-2015Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 6
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 6
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 09-Aug-2012
 Renewed: 09-Aug-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 8
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Size: 8 Manual: 9 Approved: 09-Aug-2012 Shutoffe: (II) mm oo pp 777 cocc ddd Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 09-Aug-2015

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDAManufacturer: FebcoSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 03-Sep-2013Renewed:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 10
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 03-Sep-2013
 Renewed:

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Renewed: 01-Aug-2015

Manufacturer: Febco

Renewed: 01-Aug-2015

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: DCDA Size: 2 Manual: 9 Approved: 01-Aug-2006 Shutoffs: bbb,jjjj

Type: DCDA

Size: 2

Manual: 9 Approved: 01-Aug-2006 Shutoffs: bbb,jjjj

Type: DCDAManufacturer: FebcoSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 01-Aug-2006Renewed: 01-Aug-2015

Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Model: 858

Meters: (O),H,I,J,K,L,M,N,P,Q

Model: 858 Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Model: 858 Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Model: 858 Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Shutoffs: (pp), gg, hh,ll, mm, oo, tt, uu, zz, fff

Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2 1/2	Orientation: VU	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass: Watts 007M2QT 3/4" (VU)
Shutoffs: (pp), gg, hh,ll, mm, oo, tt, uu, zz, fff		

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST

Type: DCDA	Manufacturer: Febco	Model: 858
Size: 3	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)
Shutoffs: (pp), gg, hh,ll, mm, oo	, tt, uu, zz, fff	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 2 1/2	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 3	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 4	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 6	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2015	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 8	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,z	zz,ffff,gggg	

Size: 10

Manual: 8

Approved: 04-Oct-1996

Shutoffs: ff,mm,oo,pp,uu,cccc,zzz,ffff,gggg

Type: DCDA

Size: 2 1/2

Type: DCDA

Size: 2 1/2

Manual: 8

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Orientation: VUVD

Manufacturer: Febco

Renewed: 04-Oct-2014

Orientation: VUVD

0.25% Pb: No

0.25% Pb: No Renewed: 08-Mar-2014 Model: 876 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No Approved: 08-Mar-1996 Renewed: 08-Mar-2014

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 3 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD** 0.25% Pb: No Renewed: 08-Mar-2014

Type: DCDA

Size: 3 Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Orientation: VUVU

0.25% Pb: No Renewed: 08-Mar-2014 Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Size: 4 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD**

0.25% Pb: No Renewed: 08-Mar-2014 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 4 Manual: 8 Approved: 08-Mar-1996

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No Renewed: 08-Mar-2014

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA

Type: DCDA

Size: 6

Manual: 8

Approved: 08-Mar-1996

Size: 6

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD**

0.25% Pb: No Renewed: 08-Mar-2014

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco Model: 876V Meters: **Orientation: VUVU** (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q 0.25% Pb: No Spare Parts Only: Yes Renewed: 08-Mar-2014 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 8 Manual: 8 Approved: 06-Jan-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVD** 0.25% Pb: No Renewed: 06-Jan-2014

Type: DCDA

Size: 8 Manual: 8 Approved: 06-Jan-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

0.25% Pb: No

Renewed: 06-Jan-2014

Manufacturer: Febco

Renewed: 11-Jul-2015

Orientation: VUVD

0.25% Pb: No

Manufacturer: Febco

Orientation: VUVU

Type: DCDA

Size: 10

Manual: 8

Approved: 11-Jul-1997

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 10

 Manual: 8
 0.25% Pb: No

 Approved: 11-Jul-1997
 Renewed: 11-Jul-2015

 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Orientation: VUVU

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2015

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H) Type: DCDA Manufacturer: Febco Size: 4 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: VUVD** 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: VUVU** Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco **Orientation: VUVU** Size: 8 0.25% Pb: No Manual: 9 Renewed: 22-May-2015 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Approved: 22-May-2012

Type: DCDA

Size: 2

Manual: 9 0.25% Pb: No Approved: 16-Jun-1997 Renewed: 16-Jun-2015 Shutoffs: (bbb),jjjj,rrrrr Notes: Previously Approved 8th Ed. (19 Apr 1996)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Manufacturer: Watts

Orientation: H

Type: DCDA

Size: 2Orientation: VUManual: 90.25% Pb: NoApproved: 16-Jun-1997Renewed: 16-Jun-2015Shutoffs: (bbb),jjjj,rrrrrNotes: Previously Approved 8th Ed. (10 Sept 1996)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Type: DCDA Size: 2 1/2 Manual: 8

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Oct-2014

Manufacturer: Watts

Approved: 11-Oct-1993

Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,ffff,gggg

Type: DCDAManufacturer: WattsSize: 2 1/2Orientation: VUManual: 80.25% Pb: NoApproved: 27-Aug-1996Renewed: 27-Aug-20Shutoffs: (pp),gg,hh,ll,mm,oo,tt,uu,zz,fff,gggg

Type: DCDAManuSize: 3OrierManual: 80.25%Approved: 19-Sep-1992Rene

Shutoffs: (pp),hh,mm,uu,zz,ffff,gggg

Type: DCDA

Size: 2

Manual: 9

Approved: 01-Sep-2009

Shutoffs: (eeeee)

Type: DCDA Size: 2 Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr Renewed: 27-Aug-2014 f,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 19-Sep-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Renewed:

Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Meters: (H), D, E, F, G, I, J, K, L, M, N, O, P, Q

Model: 007DCDA

Model: 007DCDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (VU)

Model: 007DCDA Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Model: 007DCDA-FP Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (H)

Type: DCDA Size: 2 Manual: 9 Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed:	Model: 007M1DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC		()
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 4	Orientation: VU	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Manual: 8 Approved: 27-Aug-1996	0.25% Pb: No Renewed: 27-Aug-2014	Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU), Watts 007M2QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: H	Meters:
Manuali C		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass : Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,g Notes: formerly 709DDC	<u>a</u> aa	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee,	ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 9	Orientation: H	Meters:
Size: 8	Orientation: ¬	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee,	ffff,gggg	
Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee,	ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2014	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee,	ffff,gggg	('')

Notes: formerly 709DDC

Approved: 05-Dec-1996 Renewed: 05-Dec-2014 Bypass: Watts 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg Type: DCDA Manufacturer: Watts Model: 709DDC Size: 3 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: **Renewed:** Bypass: Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 4 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: **Renewed:** Bypass: Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 4 **Orientation:** Meters: Manual: 0.25% Pb: No Spare Parts Only: No **Approved: Renewed:** Bypass: Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 6 **Orientation:** Meters: Manual: 0.25% Pb: No Spare Parts Only: No **Renewed:** Bypass: **Approved:** Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 8 **Orientation:** Meters: Manual: 0.25% Pb: No Spare Parts Only: No **Approved: Renewed:** Bypass: Notes: model designation changed to 709DCDA

Manufacturer: Watts

Orientation: VU

0.25% Pb: No

Model: 709DCDA

Spare Parts Only: No

(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q

Meters:

Type: DCDA

Size: 10

Manual: 8

Type: DCDAManufacturer: WattsSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) 99DCDA Manufacturer: Watts Orientation: H

0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA

Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Nov-2013

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4 (H)

Model: 757aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H **0.25% Pb:** No **Renewed:** 18-Jan-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H **0.25% Pb:** No **Renewed:** 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (yyy)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (V)

Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H **0.25% Pb:** No **Renewed:** 23-Mar-2016

Manufacturer: Watts

Orientation: VU

0.25% Pb: No Renewed: 23-Mar-2016 Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007 Shutoffs: (zzz)	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 8	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2016	Bypass: Watts 007M3QT 3/4" (H & VU
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009 Shutoffs: (yyy)	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA	Manufacturer: Watts	Model: 757NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
A	B	

2016 © University of Southern California

Renewed: 07-Apr-2015

Approved: 07-Apr-2009

Shutoffs: (yyy)

Bypass: Watts 007M3QT 3/4" (H)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)
- Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 30-Aug-2006 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015 Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

- Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)
- Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2015

Manufacturer: Watts Orientation: VU

0.25% Pb: No Renewed: 18-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014 Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H **0.25% Pb:** No **Renewed:** 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H) Ames 2000 BM3 (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2014	Bypass: Watts 007M3QT 3/4" (V)
Shutoffs: (zzz)		

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA

Size: 6

Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2014

Manufacturer: Watts

Orientation: H 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2016

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 09-Mar-2016

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2016 Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767NDCDABF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 8 Approved: 20-May-1992 Shutoffs: pp,hh,mm,uu,zz

Type: DCDA Size: 8 Manual: 8 Approved: 13-Jan-1993 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2016

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed:

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 20-May-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Jan-2014 Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 770DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 770DCDA Meters: (N),D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 4	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Aug-1992	Renewed: 01-Aug-2013	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: oo		
Type: DCDA	Manufacturer: Watts	Model: 772DCDA
Size: 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: oo		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts 007M2QT 3/4: (H),
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	Ames 2000B 3/4" (H)
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 3	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H),
Approved: 24-May-1995	Renewed: 24-May-2013	Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
	0.25% Db. No	Spare Parts Only: No
Manual: 8	0.25% Pb: No	
Manual: 8 Approved: 24-May-1995	Renewed: 24-May-2013	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 6	Orientation: H	Meters:
Manage 6		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2013	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,aaa,mt,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2014	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	Ames 2000D 3/4 (H)
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 10	Orientation: H	Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2016	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (II),mm,ffff,gggg		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: VU	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA-1
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)

Type: DCDA

Size: 12

Manual: 9

Approved: 21-Mar-2011

Shutoffs: (mm), II

Type: DCDA Size: 2 1/2 Manual: 8

Type: DCDA

Size: 6

Manual: 8

Type: DCDA

Size: 8

Manual: 8

Approved: 10-Sep-1996

Approved: 24-May-1995

Approved: 09-Sep-1992

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Manufacturer: Watts Orientation: VU 0.25% Pb: No

Renewed: 21-Mar-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 10-Sep-2014

Manufacturer: Watts

Renewed: 24-May-2013

Manufacturer: Watts

Renewed: 09-Sep-2013

Manufacturer: Watts

Orientation: VU

0.25% Pb: Yes

Renewed:

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 774DCDA-1 Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)

Model: 774XDCDA Meters: (M),N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA Manufacturer: Watts Size: 2 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 **Renewed:** Shutoffs: (yyy)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter

Page 312 of 616

Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
	Manufacturer: Watts Orientation: VU	Model: LF757DCDABF Meters: (O)
Size: 4		
Size: 4 Manual: 9	Orientation: VU	Meters: (O) Spare Parts Only: No
Size: 4 Manual: 9 Approved: 08-Jan-2014	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Orientation: VU 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) er Model: LF757DCDABF
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDABF Meters: (O)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) er Model: LF757DCDABF Meters: (O) Spare Parts Only: No
Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) er Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU ar Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) ar Model: LF757DCDABF
Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA Size: 6	Orientation: VU 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VU	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Model: LF757DCDABF Meters: (O)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	
••	Reliewed.	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDABF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (yyy)	Ronowal	
	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
		WOUGI. LETSIDODAGV
	Orientation: H	
Size: 2 1/2 Manual: 9		Meters: (O)
Size: 2 1/2	Orientation: H	
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: sion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	Orientation: H 0.25% Pb: Yes Renewed: sion identified with NSF61 mark on mete Manufacturer: Watts	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) r Model: LF757DCDAGV
Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: H 0.25% Pb: Yes Renewed: sion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Shutoffs: (zzz)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
	Orientation: VU	Meters: (O)
Size: 4		
Size: 4 Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Watts	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: H	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDAGV Meters: (O)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDAGV Meters: (O) Spare Parts Only: No
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) or Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 6 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts	Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Model: LF757DCDAGV

Shutoffs: (zzz)

Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757DCDAGV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed:	Bypass: Watts LF007M3QT 3/4" (VU)
Shutoffs: (zzz)	Renewed: ion identified with NSF61 mark on mete	
Shutoffs: (zzz)		
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	۲
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on mete Manufacturer: Watts	Model: LF757NDCDABF
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD	Model: LF757NDCDABF Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF757NDCDABF Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: DCDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Notes: Lead free compliant vers Type: DCDA	ion identified with NSF61 mark on mete Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Watts	Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Shutoffs: (yyy)

Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDABF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)

Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 08-Jan-2014	Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF757NDCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Watts	Model: LF757NDCDAGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF007M3QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
	e e a a a cheledede IIII	

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	vvvv,xxxx,yyyy,kkkkk,lllll	
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # V39030; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # V39030; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,e	eee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003 Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,u	Renewed: 25-Nov-2015 uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	Bypass: Wilkins 950XLD 3/4" (VU)

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA	
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII			

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identifie
		Madali 250ADA
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identifie
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Approved: 18-Feb-2014

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Bypass: Wilkins 950XLD 3/4" (H)

Renewed:

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,uuuu,vvvv	/,xxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx	c,yyyy,kkkkk,lllll	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll	
		y length: min. 34 1/4" and max. 47 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"			

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII			

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 35 3/4" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Approved: 18-Feb-2014

Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll			

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4"

Renewed:

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
	n n n i lelelelele IIII	

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size : 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"			

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size: 8	Orientation: H	Meters:	
Size. 0		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll			
Notes, interval areas and another two are	the $\#2$ of and $\#2$ COV (concernship) longeth	the second se	

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 57 7/8" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Approved: 18-Feb-2014

Renewed:

Spare Parts Only: NO Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR	
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (aga) ttt www.yvy.zzz eeee uuuu yvyy yvyy kkkkk IIII			

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual : 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv	,xxxx,yyyy,kkkkk,lllll	

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual : 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

cturer: Wilkins Model: 350ASTDA
ion: VU Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
b: No Spare Parts Only: No
d: 18-Apr-2016 Bypass: Wilkins 950XLD 3/4" (VU)
kkkk,IIII
t

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins
Size: 3	Orientation: H
Manual: 10	0.25% Pb: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016
Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	

Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)

Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
with NSF61 mark on meter	Manufacturer: Wilkins	
Type: DCDA Size: 4	Orientation: H	Model: 350ASTDA Meters: (N),F, G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2016	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	ıu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA

Manufacturer: Wilkins

Type: DCDA **Size:** 4 Manual: 10 Approved: 18-Apr-2013 Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Type: DCDA

Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 18-Apr-2016 Model: 350ASTDA Meters: (N),F, G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)

Model: 350ASTDA

Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuuu	ı,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant version	on: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: H	Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuuu	ı,vvv,xxxx,yyyy,kkkkk,llll	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuut	Renewed:	
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu	Renewed: ı,vvvv,xxxx,yyyy,kkkkk,llill	
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter	Renewed: ı,vvvv,xxxx,yyyy,kkkkk,llill	Bypass: Wilkins 950XLD 3/4" (H)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA	Renewed: u,vvvv,xxxx,yyyy,kkkkk,lllll on: Starting Serial # 1458B; By-pass As	Bypass: Wilkins 950XLD 3/4" (H) sembly Starting Serial # 3863325 and identified
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant versi- with NSF61 mark on meter Type: DCDA Size: 6	Renewed: J,vvvv,xxxx,yyyy,kkkkk,lllll on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins	Bypass: Wilkins 950XLD 3/4" (H) essembly Starting Serial # 3863325 and identified Model: 350ASTDA
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10	Renewed: u,vvvv,xxxx,yyyy,kkkkk,lllll on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU	Bypass: Wilkins 950XLD 3/4" (H) ssembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA Size: 6	Renewed: J,VVVV,XXXX,YYYY,KKKKK,IIIII on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed:	Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant versit with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 03-Jul-2013	Renewed: J,VVVV,XXXX,YYYY,KKKKK,IIIII on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed:	Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (qqq),ttt,www,yyy,uuuu Type: DCDA	Renewed: a,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: a,vvvv,xxxx,yyyy,kkkkk,IIIII	Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (qqq),ttt,www,yyy,uuuu	Renewed: I,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: I,vvvv,xxxx,yyyy,kkkkk,IIIII Manufacturer: Wilkins	Bypass: Wilkins 950XLD 3/4" (H) seembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) Model: 350ASTDA
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuuu Notes: Lead free compliant version with NSF61 mark on meter Type: DCDA Size: 6 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (qqq),ttt,www,yyy,uuuu Type: DCDA Size: 6	Renewed: I, VVVV, XXXX, YYYY, KKKKK, IIIII on: Starting Serial # 1458B; By-pass As Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: I, VVVV, XXXX, YYYY, KKKKK, IIIII Manufacturer: Wilkins Orientation: VU	Bypass: Wilkins 950XLD 3/4" (H) essembly Starting Serial # 3863325 and identified Model: 350ASTDA Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) Model: 350ASTDA Meters: (O), M

Manufacturer: Wilkins

Orientation: VU

Model: 350ASTDA

Meters: (O), M

Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA

Size: 4

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31" and max. 47 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemb	ly length: min. 31" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemb	ly length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uu Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemb	ly length: min. 31 1/2" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemb	ly length: min. 32 5/8" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Oct-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uu	uu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool b	etween the #2 ck and #2 SOV - assemb	ly length: min. 32 5/8" and max. 62 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (VVVV) ttt www.vVV/ UU		

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4"

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 39" and max. 71 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 48 3/4" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvv,xxxx,kkkk,llll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 48 3/4" and max. 86"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 52 5/8" and max. 100 5/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemb	ly length: min. 52 5/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkk	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv, Notes: Up to Serial # N4230	wwww,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkk	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	,wwww,yyyy,zzzz,kkkkk	
Notes: Starting Serial # N4231	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA	
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz,kkkkk			
Notes: Up to Serial # N4230			

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters:
	Chematon. Vo	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz,kkkkk

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 4	Manufacturer: Wilkins Orientation: VU	Model: 350DA Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
		sembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant verse with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2014	Bypass: Wilkins 950XLD 3/4" (VU)
	/vv,www,zzz,eeee,vvvv,wwww,yyyy,zzz By-pass Assembly Starting Serial # 386	z,kkkkk 3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy.zzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	/vv,www,zzz,eeee,vvvv,wwww,yyyy.zzz	z,kkkk
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 386	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkkk
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyyy	/,ZZZZ	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2014	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	/vv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2015	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy.zzzz	z,kkkk
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,	zzzz,kkkk	
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ssss,tttt,uuuu,vvvv	v,wwww,xxxx,yyyy,zzzz,aaaaa	
Notes: Starting Serial # N4231; E with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,	zzz,kkkk	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,e	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyyy	ý,ZZZZ	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size : 6	Orientation: VUVD	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,e	eee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	

Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identif
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2013	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identif
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2013	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identif

Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 2 1/2 Orientation: H Meters: (M)A.B.C.D.E.F.G.H.I.J.K.L.N.O.P.Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Jan-1994 Renewed: 02-Jan-2014 95034** (H) Shutoffs: (hh).ff.mm.uu.zz.vvvv.wwww.yyyy.zzzz Model: 950DA Bypass: Wilkins 950XL 3/4* (H). Wilkins 950XL 3/4* (H). Wilkins 950XE Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 2 1/2 Manual: 8 0.25% Pb: No Spare Parts Only: No Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Wilkins 950XL 3/4* (VU) Shutoffs: (h).ff.mm.uu.zz.vvv.www.yyy.zzzz Type: DCDA Manufacturer: Wilkins Model: 950DA Marufacture: Wilkins Model: 950DA Size: 3 Orientation: H (M).A.B.C.D.E.F.G.H.I.J.K.L.N.O.P.Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Jan-1994 Renewed: 02-Jan-2014 9503/4* (H) Stations 950XL 3/4* (H). Wilkins 950XL 3/4* (H). Wilkins 950XL 3/4* (H) Shutoffs: (hh).ff.mm.uu.zz.vvvv.wwww.yyy.zzzz Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 3			
Size: 2 1/2 Orientation: H (M),AB,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Jan-1994 Renewed: 02-Jan-2014 Bypass: Wilkins 950XL 3/4" (H), Wilkins 950XL 3/4" (H), Wilkins 950XL 3/4" (H) Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz Model: 950DA Spare Parts Only: No Size: 2 1/2 Orientation: VU Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Wilkins 950XL 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,vvvv,www,yyyy,zzzz Model: 950DA Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (H), Wilkins 950XL 3/4" (H) Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz Type: DCDA Manufacturer: Wilkins Model: 950DA Ype: DCDA Manufacturer: Wilkins Model: 950DA Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Spor	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 2 1/2Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASpare Parts Only: NoSize: 3Orientation: HModel: 950DAManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASpare Parts Only: NoBypareved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyy,zzzzModel: 950DASize: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzSpare Par	Size: 2 1/2	Orientation: H	
Approved: 02-Jan-1994 Renewed: 02-Jan-2014 950.3/4" (H) Shutoffs: (h),ff,imn,uu,zz,vvvv,wwww,yyy,zzzz Model: 950.3/4" (H) Type: DCDA Manufacturer: Wilkins Model: 950.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.	Manual: 8	0.25% Pb : No	
Shutoffs: (hh),ff,mm,uu,zz,vvvv,www,yyy,zzzz Model: 950DA Type: DCDA Manufacturer: Wilkins Model: 950DA Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Wilkins 950XL 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyy,zzzz Model: 950DA Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Jan-1994 Renewed: 02-Jan-2014 Bypass: Wilkins 950XL 3/4" (H), Wilkins 950XL 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzz Model: 950DA Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 3 Orientation: HU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manufacturer: Wilkins Model: 950DA Size: 4 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 950XL 3/4" (H), Wilkins 950XL	Approved: 02-Jan-1994	Renewed: 02-Jan-2014	
Size: 2 1/2Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www,yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: HMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsManual: 80.25% Pb: NoSpare Parts Only: NoSpize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsManual: 80.25% Pb: NoSpare Parts Only: YesSize: 4Orientation: HMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 8 </td <td>Shutoffs: (hh),ff,mm,uu,zz,vvvv,</td> <td>wwww,yyyy,zzzz</td> <td></td>	Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz	
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: H(M),A.B.C.D.E.F.G.H.J.J.K.L.N.O.P.QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), WilkinsShutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzState: 3Orientation: VUType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D.E.F.G.H.I,J.K.L.N,O.P.QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E.F.G.H.I,J.K.L.N,O.P.QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), WilkinsApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), WilkinsSize: 4Orientation: HMeters: (M),E.F.G.H.I,J.K.L.N,O.P.QManual: 80.25% Pb: NoSpare Parts Only: YesType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters:Manual: 80.25% Pb: NoSpare Parts Only	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Approved:12-Dec-2014Bypass:Wilkins950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzModel:950DAType:DCDAManufacturer:WilkinsModel:950DASize:3Orientation:H(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual:80.25% Pb: NoSpare Parts Only: NoApproved:02-Jan-1994Renewed:02-Jan-2014Bypass:WilkinsShutoffs:(hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzSpare Parts Only: NoSpare Parts Only: NoSize:3Orientation: VUMeters:(M),D,E,F,G,H,I,J,K,L,N,O,P,QManual:80.25% Pb: NoSpare Parts Only: NoSpare Parts Only:NoSpare Parts Only: NoApproved:12-Dec-1996Renewed:12-Dec-2014Shutoffs:(hh),ff,mm,uu,zz,vvvv,wwww.yyyy,zzzzSpare Parts Only: NoSpare PartsOnly: NoSpare Parts Only: NoApproved:12-Dec-1996Renewed:12-Dec-2014Shutoffs:(hh),ff,mm,uu,zz,vvvv,wwww.yyyy,zzzzSpare Parts Only: NoType:DCDAManufacturer:WilkinsManual:80.25% Pb: NoSpare Parts Only: YesApproved:09-Jun-1993Renewed:09-Jun-2014Spass:WilkinsSpotXL 3/4" (H), WilkinsSize:4Orientation: VUModel:Manufacturer:WilkinsModel:950DASize:4Orientation: VUModel:Model:950DAMaters: <td>Size: 2 1/2</td> <td>Orientation: VU</td> <td>Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q</td>	Size: 2 1/2	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Shutoffs: (h), ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 3 Orientation: H Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: No Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H) Shutoffs: (h), ff,mm,uu,zz,vvvv,www.yyyy,zzzz Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 3 Orientation: VU Meters: (M), D, E, F, G, H, I, J, K, L, N, O, P, Q Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Wilkins 950XL 3/4" (VU) Shutoffs: (hh), ff,mm,uu,zz,vvvv,www.yyyy,zzzz Model: 950DA Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 4 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Jun-1993 Renewed: 09-Jun-2014 Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 XL 3/4" (H), Wilkins 950 3/4" (H) Shutoffs: hh, ff,mm,uu,zz, vvvv,www.yyyy,zzzz Model: 950DA Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H) Shutoffs: hh, ff,mm,uu,zz, vvvv,www.yyyy,zzzz Model: 950DA Bypass: Wilkins 950XL 3/4" (H), Wilkins	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: HMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DABize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Size: 3Orientation: HMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www.yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASpare Parts Only: YesSize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QShutoffs: hh,ff,mm,uu,zz,vvvv,wwww.yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASpare Parts Only: YesSize: 4Orientation: VU(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz	
Size: 3Orientation: H(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HModel: 950DASize: 4Orientation: VUModel: 950DASize: 4Orientation: VUManufacturer: WilkinsModel: 950DASize: 4Orientation: VU(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Approved: 02-Jan-1994Renewed: 02-Jan-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwwv,yyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwwv,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwwv,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QShutoffs: hh,ff,mm,uu,zz,vvvv,wwwv,yyyy,zzzz(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QShutoffs: hh,ff,mm,uu,zz,vvvv,wwwv,yyyy,zzzz(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QSize: 4Orientation: VU(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Size: 3	Orientation: H	
Approved: 02-Jan-1994Renewed: 02-Jan-2014950 3/4" (H)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QShutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzSpare Parts Only: YesSpo 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzState Size: 4Orientation: VU(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCDAManufacturer: WilkinsModel: 950DASize: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASpare Parts Only: NoSize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Approved: 02-Jan-1994	Renewed: 02-Jan-2014	
Size: 3Orientation: VUMeters: (M),D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz	
Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Approved: 12-Dec-1996Renewed: 12-Dec-2014Bypass: Wilkins 950XL 3/4" (VU)Shutoffs: (hh),ff,mm,uu,zz,vvvv,www.yyyy,zzzzModel: 950DAType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Size: 3	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Shutoffs: (hh),ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz Model: 950DA Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 4 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Jun-1993 Renewed: 09-Jun-2014 Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H) Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz Type: DCDA Manufacturer: Wilkins Size: 4 Orientation: VU Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes	Manual: 8	0.25% Pb: No	Spare Parts Only: No
Type: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Size: 4Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyzzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Shutoffs: (hh),ff,mm,uu,zz,vvvv,	www,yyyy,zzzz	
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyyy,zzzzType: DCDAManufacturer: WilkinsType: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Approved: 09-Jun-1993Renewed: 09-Jun-2014Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)Shutoffs: hh,ff,mm,uu,zz,vvvv,www,yyy,zzzz950 3/4" (H)Type: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q)Manual: 80.25% Pb: NoSpare Parts Only: Yes	Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 09-Jun-1993 Renewed: 09-Jun-2014 950 3/4" (H) Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz 950 3/4" (H) Type: DCDA Manufacturer: Wilkins Model: 950DA Size: 4 Orientation: VU Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDAManufacturer: WilkinsModel: 950DASize: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Approved: 09-Jun-1993	Renewed: 09-Jun-2014	
Size: 4Orientation: VUMeters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,QManual: 80.25% Pb: NoSpare Parts Only: Yes	Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	
Size: 4 Orientation: VU (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes	Type: DCDA	Manufacturer: Wilkins	Model: 950DA
	Size: 4	Orientation: VU	
Approved: 12-Dec-1996 Renewed: 12-Dec-2014 Bypass: Wilkins 950XL 3/4" (VU)	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
	Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)

		WOUEL 950DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jun-1993	Renewed: 09-Jun-2014	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,ww	/ww,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 6	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: hh,ff,mm,uu,zz,vvvv,ww	ww,yyyy,zzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Jun-1993	Renewed: 09-Jun-2014	Bypass: Wilkins 950XL 3/4" (H), Wilkin 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	www,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Dec-1996	Renewed: 12-Dec-2014	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	www,yyyy.zzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 23-Jun-1994	Renewed: 23-Jun-2015	Bypass: Wilkins 950XL 3/4" (H), Wilkin 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	www,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDA
Size: 2	Orientation: H	Meters: (N), F, G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Manufacturer: Wilkins

Model: 950DA

Type: DCDA

Type: DCDA

Size: 2

Manual: 9 Approved: 22-Jun-2009 Shutoffs: (bbb)

Type: DCDA

Size: 2

Manual: 9 Approved: 19-May-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2

Manual: 9 Approved: 22-Jun-2009 Shutoffs: (bbbbb), ccccc

Type: DCDA

Size: 2 1/2

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 3

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh.ff.mm.uu.zz

Type: DCDA

Size: 4

Manual: 7 Approved: 18-May-1988 Shutoffs: hh,ff,mm,uu,zz Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2015

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 19-May-2015

Manufacturer: Wilkins Orientation: VU 0.25% Pb: No

Renewed: 22-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 05-Mar-2014

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 18-May-2015 Model: 950XLTDA Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (H)

Model: 950XLTDABF Meters: (N), F, G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Wilkins 350D 3/4" (VU)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H) Type: DCDA

Size: 6 Manual: 7 Approved: 02-Jun-1988 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int) Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,O,Q Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: DCDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II 	Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Manufacturer: Febco	Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Model: LF876V
Size: 8	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Jul-2015 Shutoffs: (mm), II	Renewed:	Bypass: Watts 3/4" LF619 (HVD)
Type: PVB	Manufacturer: Ames	Model: A200
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 06-Apr-2014	Bypass:
Type: PVB	Manufacturer: Ames	Model: A200
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 25-May-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 25-May-2014	Bypass:
Type: PVB	Manufacturer: Ames	Model: A200
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 21-Jun-2014	Bypass:
Type: PVB	Manufacturer: Ames	Model: A200
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 21-Jun-2014	Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050302
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991 Shutoffs: dd	Renewed: 06-Sep-2015	Bypass:

Type: PVB Size: 3/4 Manual: 8 Approved: 06-Sep-1991 Shutoffs: (dd)	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 06-Sep-2015	Model: 4050402 Meters: Spare Parts Only: Yes Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050502
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991 Shutoffs: (dd)	Renewed: 06-Sep-2015	Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050602
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993 Shutoffs: (dd)	Renewed: 01-Dec-2014	Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050702
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993 Shutoffs: (dd)	Renewed: 01-Dec-2014	Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050802
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993 Shutoffs: (dd)	Renewed: 01-Dec-2014	Bypass:
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation chance	Renewed:	Bypass:

Notes: model designation changed to PVB4V

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 18-Nov-2010	0.25% Pb: No Renewed: 18-Nov-2013	
Approved: 18-Nov-2010		Spare Parts Only: No
Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss		Spare Parts Only: No
Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB	Renewed: 18-Nov-2013	Spare Parts Only: No Bypass:
Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB Size: 3/4	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: PVB4A
Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 3/4 Manual: 9	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH	Spare Parts Only: No Bypass: Model: PVB4A Meters:
Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No	Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No
Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No	Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No
Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013	Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No Bypass:
Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 1	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No Bypass: Model: PVB4A
Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiiii),sssss Type: PVB Size: 1 Manual: 9 Approved: 18-Nov-2010	Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2013 Manufacturer: Apollo/Conbraco Orientation: VUH	Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No Bypass: Model: PVB4A Meters:

Type: PVB Size: 1 1/4 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2014	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2014	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 9 Approved: 30-Jan-2012 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 30-Jan-2015	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:
Type: PVB Size: 3/4 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:
Type: PVB Size: 1 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2014	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jun-2003	Renewed: 18-Jun-2015	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
		Dumana
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:

Type: PVB Size: 1 Manual: 5	Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Model: 765 Meters: Spare Parts Only: No
Approved: 26-Mar-1974 Shutoffs: (ii),fff,jjj,ooo,xxx	Renewed: 01-Jul-2013	Bypass:
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974 Shutoffs: (ii),fff,jjj,ooo	Renewed: 01-Jul-2013	Bypass:
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (ii),fff,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (vv), xx,pppp,rrrrr		

Type: PVB Manufacturer: Febco Model: 767-FR Size: 1 1/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Aug-2006 Renewed: 01-Aug-2015 Bypass: Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: 767-FR Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 01-Aug-2015 Approved: 01-Aug-2006 Bypass: Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: 767-FR Size: 2 Orientation: VUH Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Aug-2006 Renewed: 01-Aug-2015 **Bypass:** Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1/2 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2013 **Bypass:** Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 3/4 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2013 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR **Size:** 1 Orientation: VUH Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 04-May-2010 Renewed: 04-May-2013 **Bypass:** Shutoffs: (hhhh),rrrrr Manufacturer: Febco Model: LF767FR Type: PVB Size: 1 1/4 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2013 Bypass: Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2	Manufacturer: Febco Orientation: VUH	Model: LF767FR Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010 Shutoffs: (hhhh),rrrrr	Renewed: 04-May-2013	Bypass:
Type: PVB	Manufacturer: Febco	Model: LF767FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-May-2010 Shutoffs: (hhhh),rrrrr	Renewed: 04-May-2013	Bypass:
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997 Shutoffs: (ii)	Renewed: 21-Nov-2015	Bypass:
Type: PVB	Manufacturer: Flomatic	Model: PVB
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Nov-1997 Shutoffs: (ii)	Renewed: 21-Nov-2015	Bypass:
Type: PVB	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: See Wilkins	Renewed:	Bypass:
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800CMQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB	
Size: 1/2	
Manual: 8	
Approved: 09-Jul-1991	
Shutoffs: vv,xx,ooo,hhhh,pppp	

Type: PVB

Size: 3/4

Manual: 8

Type: PVB

Manual: 8

Type: PVB

Size: 1 1/4

Manual: 8

Type: PVB

Size: 1 1/2

Manual: 8

Type: PVB

Manual: 8

Size: 2

Size: 1

Approved: 09-Jul-1991

Approved: 09-Jul-1991

Approved: 25-Mar-1993

Approved: 25-Mar-1993

Approved: 25-Mar-1993

Shutoffs: vv,xx,ooo,hhhh,pppp

Shutoffs: vv,xx,ooo,hhhh,pppp

Shutoffs: vv,xx,ooo,hhhh,pppp

Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 09-Jul-2015

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 09-Jul-2015

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 09-Jul-2015

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 25-Mar-2014

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 25-Mar-2014

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 25-Mar-2014

Type: PVB Size: 1/2 Manual: 8 Approved: 24-Feb-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 24-Feb-2016 Model: 800M2QT Meters: Spare Parts Only: Yes Bypass:

Model: 800M3QT Meters: Spare Parts Only: Yes Bypass:

Type: PVB Size: 3/4 Manual: 8 Approved: 24-Feb-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 24-Feb-2016 Manufacturer: Watts	Model: 800M3QT Meters: Spare Parts Only: Yes Bypass: Model: 800M4FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rr	•	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-May-1998	Renewed: 12-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rm	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-1995	Renewed: 01-Sep-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rm	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rm	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rm	rrr	
Type: PVB	Manufacturer: Watts	Model: 800M4FR
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-May-1997	Renewed: 13-May-2015	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: PVB Size: 1/2 Manual: 8 Approved: 06-Sep-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 06-Sep-2014	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 3/4 Manual: 8 Approved: 06-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 06-Apr-2014	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 Manual: 8 Approved: 25-May-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 25-May-2014	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/4 Manual: 8 Approved: 24-May-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 24-May-2015	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/2 Manual: 8 Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 21-Jun-2014	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 8 Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,r	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 21-Jun-2014	Model: 800M4QT Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 8 Approved: 18-Jul-1989	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 18-Jul-2013	Model: 800MQT Meters: Spare Parts Only: Yes Bypass:

Page 360 of 616

Shutoffs: vv,xx,ooo,hhhh,pppp

Type: PVB Size: 3/4 Manual: 8 Approved: 18-Jul-1989 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 18-Jul-2013	Model: 800MQT Meters: Spare Parts Only: Yes Bypass:
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: LF800M4FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (hhhh),rrrrr		

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016 Model: LF800M4FR Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass: Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 3/4 Manual: 9 Approved: 17-Jul-1999 Shutoffs: (ii),000

Type: PVB Size: 1 Manual: 9 Approved: 29-Sep-2000 Shutoffs: (ii),000 Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2016

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 17-Jul-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 17-Jul-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 29-Sep-2015 Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Model: 420 Meters: Spare Parts Only: No Bypass:

Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 03-Aug-2011	Renewed: 03-Aug-2014	Bypass:
Shutoffs: (iiii)		
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	. T00001 the test cocks were moved fron	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	. T00001 the test cocks were moved fron	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:

Notes: Beginning with Serial No. T00001 the test cocks were moved from the body to the shutoff valves.

Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2014	Bypass:
Shutoffs: (ii),000		
	T00001 the test cocks were moved from	n the body to the shutoff valves.
	T00001 the test cocks were moved from Manufacturer: Ames	n the body to the shutoff valves. Model: 4000B
Notes: Beginning with Serial No.		·
Notes: Beginning with Serial No.	Manufacturer: Ames	Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2	Manufacturer: Ames Orientation: H	Model: 4000B Meters:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993)	Model: 4000B Meters: Spare Parts Only: No Bypass:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 o,rrrrr Ed. (26 May 1993) Manufacturer: Ames	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 A,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 A,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 o,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass:
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 orrrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014 A,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2013 A,rrrrr Manufacturer: Ames Orientation: H	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Model: 4000B

Type: RP Size: 1 1/4 Manual: 8 Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Size: 1 1/2	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 24-Aug-2014 Manufacturer: Ames Orientation: H	Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters:
Manual: 8 Approved: 24-Aug-1993	0.25% Pb: No Renewed: 24-Aug-2014	Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	, i i i i i i i i i i i i i i i i i i i	
Type: RP Size: 2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014	Model: 4000B Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015	Model: 4000B-FP Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015	Model: 4000B-FP Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015	Model: 4000B-FP Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2015	Model: 4000B-FP Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Ames Model: 4000B-FP Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Ames Model: 4000BM2 **Size:** 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 18-May-2013 Approved: 18-May-1998 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Ames Model: 4000BM2-FP Size: 1 **Orientation: H** Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 **Bypass:** Shutoffs: (eeeee) Type: RP Manufacturer: Ames Model: 4000BM3 Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 27-Mar-2000 Renewed: 27-Mar-2015 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Ames Model: 4000BM3-FP Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2015 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Ames Model: 4000CIV Size: 2 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: No Approved: 07-Jul-2000 Renewed: 07-Jul-2015 **Bypass:** Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu Type: RP Manufacturer: Ames Model: 4000CIV Size: 3 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 7 Approved: 07-Jul-2000 Renewed: 07-Jul-2015 Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu

Type: RP Manufacturer: Ames Model: 4000CIV Size: 4 **Orientation:** H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 19-Jun-2000 Renewed: 19-Jun-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: RP Manufacturer: Ames Model: 4000CIV Size: 6 **Orientation:** H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 19-Jun-2000 Renewed: 19-Jun-2015 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: RP Manufacturer: Ames Model: 4000CIV Size: 8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2000 Renewed: 19-Jun-2015 **Bypass: Shutoffs:** (oo),gg,hh,ll,mm,pp,tt,uu Type: RP Manufacturer: Ames Model: 4000CIV Size: 10 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 19-Jun-2000 Renewed: 19-Jun-2015 **Bypass: Shutoffs:** (oo),gg,hh,ll,mm,pp,tt,uu Type: RP Manufacturer: Ames Model: 4000RP Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: No Renewed: 13-Oct-2014 Approved: 13-Oct-1987 Bypass: Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model RP Type: RP Manufacturer: Ames Model: 4000RP Size: 6 **Orientation:** H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: No Approved: 13-Oct-1987 Renewed: 13-Oct-2014 Bypass: Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Notes: formerly Model RP

Type: RPManufacturer: AmesSize: 8Orientation: HManual: 70.25% Pb: NoApproved: 13-Oct-1987Renewed: 13-Oct-2014Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uuccc,ddd,ffff,ggggNotes: formerly Model RP

 Type: RP
 Manufacturer: Ames

 Size: 10
 Orientation: H

 Manual: 7
 0.25% Pb: No

 Approved: 13-Oct-1987
 Renewed: 13-Oct-2014

 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

 Notes: formerly Model RP

Type: RPManufacturer: AmesSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 15-Apr-1994Renewed: 15-Apr-2015Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg

Type: RPManufacturer: AmesSize: 3Orientation: HManual: 80.25% Pb: NoApproved: 15-Apr-1994Renewed: 15-Apr-2015Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015

Manufacturer: Ames

Renewed: 15-Apr-2015

Orientation: H

0.25% Pb: Yes

Meters: Spare Parts Only: No Bypass:

Model: 4000RP

Model: 4000RP Meters: Spare Parts Only: No Bypass:

Model: 4000SS Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Ames Model: 4000SS Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 15-Apr-1994 Renewed: 15-Apr-2015 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: RP Manufacturer: Ames Model: 4000SS Size: 4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Renewed: 15-Apr-2015 Approved: 15-Apr-1994 Bypass: Shutoffs: II,mm,oo,ffff,gggg Type: RP Manufacturer: Ames Model: 4000SS Size: 6 **Orientation: H** Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 22-Sep-1997 Renewed: 22-Sep-2015 **Bypass:** Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: RP Manufacturer: Ames Model: 4000SS Size: 6 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: No Approved: 22-Sep-1997 Renewed: 22-Sep-2015 **Bypass:** Shutoffs: II,mm,oo,ffff,gggg Model: 400B Type: RP Manufacturer: Ames Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 20-Jun-2015 Approved: 20-Jun-2006 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Ames Model: 400B Size: 3/4 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 30-Aug-2006 Renewed: 30-Aug-2015 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Ames Model: 400B **Size:** 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 20-Jun-2006 Renewed: 20-Jun-2015 Bypass:

Page 370 of 616

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015 Manufacturer: Ames	Model: 400B Meters: Spare Parts Only: No Bypass: Model: 400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 20-Jun-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP Size: 3/4 Manual: 9 Approved: 20-Jun-2006	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 20-Jun-2015	Model: 400B-A Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 3	Orientation: H	Meters:
JIZE. J		meters.
Manual: 9	0.25% Pb: No	Spare Parts Only: No

 $\ensuremath{\textbf{Notes:}}$ Check value discs may be black EPDM or orange Silicone

Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Notes: Check valve discs may b Type: RP	Manufacturer: Ames	Model: Colt 400
		Model: Colt 400 Meters:
Type: RP	Manufacturer: Ames	
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Meters:
Type: RP Size: 6 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb,	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn	Meters: Spare Parts Only: No Bypass: Model: Colt 400
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,k	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013 Kkkk,IIII,mmmm,nnnn	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400
Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (ppp),qqq,aaaa,bbbb, Type: RP Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: zzz,dddd,eeee,gggg,k Type: RP Size: 8	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2013 nnnnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 29-Sep-2013 Kkkk,IIII,mmmm,nnnn Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters: Spare Parts Only: No Bypass: Model: Colt 400 Meters:

i ypoi ru		
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
	Manufacturan Amaz	Madely Celt 400
Type: RP Size: 10	Manufacturer: Ames	Model: Colt 400
Manual: 9	Orientation: H 0.25% Pb: No	Meters:
	Renewed: 22-Jul-2015	Spare Parts Only: No
Approved: 22-Jul-2009 Shutoffs: (ppp),qqq,sss,ttt,aaaa		Bypass:
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2007	Renewed: 17-Sep-2013	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2007	Renewed: 17-Sep-2013	Bypass:
Shutoffs: (yyy)		
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	•	
	e black EPDM or orange Silicone	

Manufacturer: Ames

Model: Colt 400

Type: RP

Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Model: Colt 400N

Spare Parts Only: No

Meters:

Type: RP

Size: 2 1/2

Manual: 9

Type: RPManufacturer: AmesSize: 6Orientation: VUVDManual: 90.25% Pb: YesApproved: 15-Nov-2010Renewed: 15-Nov-2013Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnn

Type: RPManufacturer: AmesSize: 8Orientation: VUVDManual: 90.25% Pb: YesApproved: 14-Jun-2013Renewed:Shutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnn

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmm,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2015Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	lgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb	,	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: LF4000B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		
Type: RP	Manufacturer: Ames	Model: LF4000BM2
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Sep-2013	Renewed:	Bypass:
Shutoffs: (hhhh)		

Type: RP Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Manufacturer: Ames Size: 2 1/2 Orientation: H 0.25% Pb: No Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaa,bbbb,nnnnn Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP Manufacturer: Ames Size: 2 1/2 **Orientation:** H Manual: 9 0.25% Pb: Yes Approved: 07-Oct-2002 Renewed: 07-Oct-2014 Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Manufacturer: Ames **Orientation:** H 0.25% Pb: Yes **Renewed:**

Manufacturer: Ames **Orientation:** H 0.25% Pb: Yes **Renewed:**

Manufacturer: Ames Orientation: H 0.25% Pb: Yes **Renewed:**

Manufacturer: Ames Orientation: H 0.25% Pb: Yes **Renewed:**

Renewed: 07-Oct-2014

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF4000BM3 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaa,bbbb,nr	nnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jan-2005	Renewed: 18-Jan-2014	Bypass:
Shutoffs: (ppp),qqq,aaa,bbbb,nr	nnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Jan-2005	Renewed: 18-Jan-2014	Bypass:
Shutoffs: kkkk,llll,mmmm,nnnn		
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa	,bbbb,nnnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 13-Aug-2013	

Shutoffs: cccc,dddd,kkkk,llll,mmmm,nnnn

Page 380 of 616

Type: RPManufacturer: AmesSize: 8Orientation: HManual: 90.25% Pb: NoApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb,nnnn

Type: RPManufacturer: AmesSize: 8Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnn

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2015Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnn

 Type: RP
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: Yes

 Approved: 14-Apr-2003
 Renewed: 14-Apr-2015

 Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	nnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	าทททท	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 14-Apr-2015	Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıgg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,	,	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, llll, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: RP
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 4000RP

Type: RP	Manufacturer: Ames	Model: RP
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Manufacturer: Ames	Model: U400B Meters: Spare Parts Only: No Bypass: Model: U400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Apollo/Conbraco	Model: 2020499T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		_,,,
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020002
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020005
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020102
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991 Shutoffs: dd	Renewed: 03-May-2015	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020199T
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: dd		

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020202
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020299T
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020302
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020399T
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2S
	Manufacturer: Apollo/Conbraco Orientation:	Model: 40203A2S Meters:
Type: RP Size: 1/2 Manual:	•	
Size: 1/2	Orientation:	Meters:
Size: 1/2 Manual:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 1/2 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 1/2 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: ged to RPS40	Meters: Spare Parts Only: No Bypass:
Size: 1/2 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: ged to RPS40 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 40203T2

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020402
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2015	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2S
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
	Manufacturer: Apollo/Conbraco	Model: 40204A2U
Type: RP	manulacturer. Apolio/ Combraco	
	Orientation:	Meters:
Size: 3/4	·	Meters: Spare Parts Only: No
Size: 3/4 Manual:	Orientation:	
Size: 3/4 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 3/4 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 3/4 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: red to RP40N	Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4 Manual:	Orientation: 0.25% Pb: No Renewed: Jed to RP40N Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40204A2Z
Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4 Manual:	Orientation: 0.25% Pb: No Renewed: Jed to RP40N Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 40204A2Z Meters:
Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: Jed to RP40N Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40204A2Z Meters: Spare Parts Only: No
Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: Jed to RP40N Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40204A2Z Meters: Spare Parts Only: No
Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4 Manual: Approved: Notes: model designation chang	Orientation: 0.25% Pb: No Renewed: Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Menewed: Manufacture: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40204A2Z Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: Approved: Notes: model designation chang Type: RP Size: 3/4	Orientation: 0.25% Pb: No Renewed: led to RP40N Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: led to RP40Z Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40204A2Z Meters: Spare Parts Only: No Bypass: Model: 40204T2

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TCU
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 22-Nov-2013	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020502
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020599T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	led to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved 27 Nev 1001	Renewed: 27-Nov-2015	Bypass:
Approved: 27-Nov-1991		
Shutoffs: dd	Manufacturer: Apollo/Conbraco	Model: 40205A2S
Shutoffs: dd Type: RP		
Shutoffs: dd Type: RP Size: 1	Manufacturer: Apollo/Conbraco	Model: 40205A2S
Shutoffs: dd Type: RP Size: 1 Manual:	Manufacturer: Apollo/Conbraco Orientation:	Model: 40205A2S Meters:
Shutoffs: dd Type: RP Size: 1 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 40205A2S Meters: Spare Parts Only: No
Shutoffs: dd Type: RP Size: 1 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 40205A2S Meters: Spare Parts Only: No
Shutoffs: dd Type: RP Size: 1 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: Jed to 40205T2S	Model: 40205A2S Meters: Spare Parts Only: No Bypass:
Shutoffs: dd Type: RP Size: 1 Manual: Approved:	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: jed to 40205T2S Manufacturer: Apollo/Conbraco	Model: 40205A2S Meters: Spare Parts Only: No Bypass: Model: 40205A2U

Notes: model designation changed to 40205T2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2Z
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 40205T2Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2S
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40205A2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2U
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2Z
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1993	Renewed: 15-Sep-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40205A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TC2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TCU
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 22-Nov-2013	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020602
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020699T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2014	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020702
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020799T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chance	red to RP407	

Notes: model designation changed to RP40Z

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020802
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2016	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020899T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2013	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A4
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-2000	Renewed: 24-May-2015	Bypass:
Shutoffs: rrr		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208AZ2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2U
Size: 2	Orientation:	Meters:
Size: 2 Manual:	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Manual:		
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: RP	0.25% Pb: No Renewed: ed to RP40U	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: RP Size: 2	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40208T2Z
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual:	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters:
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved:	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2 Manual:	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters:
	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2 Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2 Manual: Approved: Notes: model designation chang Type: RP	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: RP Size: 2 Manual: Approved: Notes: model designation chang Type: RP Size: 2 1/2 Manual: Approved:	0.25% Pb: No Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No Bypass: Model: 4020903

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020905
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A02
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A05
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No Bypass:
	Renewed:	· ·
Approved:	Renewed:	· ·
Approved: Notes: model designation	Renewed: changed to RP40	Bypass:
Approved: Notes: model designation of Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020C02
Approved: Notes: model designation of Type: RP Size: 6	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4020C02 Meters:
Approved: Notes: model designation Type: RP Size: 6 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Approved: Notes: model designation Type: RP Size: 6 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No
Approved: Notes: model designation Type: RP Size: 6 Manual: Approved: Notes: model designation Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of Type: RP Size: 6	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: O.25% Pb: No Renewed: Changed to RP40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters:
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of Type: RP Size: 6 Manual:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved:	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed:	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of Size: 6 Manual: Approved: Notes: model designation of	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: changed to RP40	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation of Type: RP Size: 6 Manual: Approved: Notes: model designation of Size: 6 Manual: Approved: Notes: model designation of Type: RP	Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass: Model: 4020C05

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E02
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G02
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass:
••		

Type: RP Size: 2 1/2 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 3 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 4 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2015	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1/4 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020199T, 40201T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013	Model: RP40 Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 3/8 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020299T, 40202T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2013	Model: RP40 Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1/2 Manual: 8 Approved: 15-Sep-1994 Shutoffs: (dd) Notes: formerly 4020399T, 40203T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 15-Sep-2013	Model: RP40 Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 2020499T, 40204T2,	40204TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020599T, 40205T2,	40205TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020699T, 40206T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020799T, 40207T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020899T, 40208T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:

Turner DD		Madah DD40
Type: RP Size: 3	Manufacturer: Apollo/Conbraco Orientation: H	Model: RP40 Meters:
Manual: 8	0.25% Pb: No	
		Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu,mm		
Notes: formerly 4020002, 4020003,	4020005	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,cc,ee.ll,mm,uu,mm	m	
Notes: formerly 4020A02, 4020A03,	4020A05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2015	Bypass:
Shutoffs: (tt),bb,ee,ll		
Notes: formerly 4020C02, 4020C03	, 4020C05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2015	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu		
Notes: formerly 4020E02, 4020E03		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu	·	
Notes: formerly 4020G02, 4020G03		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Nov-1992	Renewed: 06-Nov-2013	Bypass:
Shutoffs: (dd)	Nenewed. 00-100v-2010	Dypass.

Notes: formerly 40204A2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2U, 40206T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40207A2U, 40207T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208A2U, 40208T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Nov-1992	Renewed: 06-Nov-2013	Bypass:
Shutoffs: (dd)		
Notes: formerly 40204A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2Z, 40206T2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
••		<i></i>

Shutoffs: (dd)

Notes: formerly 40207A2Z, 40207T2Z

Type: RP Size: 2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (dd) Notes: formerly 40208AZ2, 40208T2Z	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No Renewed: 02-Feb-2016	Model: RP40Z Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (iiiii),sssss		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (iiiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: RP Size: 2 Manual: 9 Approved: 29-Nov-2011 Shutoffs: (iiiii),sssss,wwww	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 29-Oct-2014	Model: RP4A Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Renewed: 18-Nov-2013	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Renewed: 18-Nov-2013	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Renewed: 18-Nov-2013	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Renewed: 18-Nov-2013	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (jjjjj),ttttt,uuuuu		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2014	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2014	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed:	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Oct-2014	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Shutoffs: (yyy), cccc, dddd, mmr Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Type: RP		Model: RPLF4AN Meters:
Type: RP Size: 3	Manufacturer: Apollo/Conbraco	
Type: RP Size: 3 Manual: 10	Manufacturer: Apollo/Conbraco Orientation: VUVU	Meters:
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed:	Meters: Spare Parts Only: No
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters:
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10 Approved: 15-May-2014	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10 Approved: 15-May-2014	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed:	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3 Manual: 10 Approved: 27-Apr-2015 Shutoffs: (yyy), cccc, dddd, mmr Type: RP Size: 4 Manual: 10 Approved: 15-May-2014 Shutoffs: (yyy), cccc, dddd, mmr	Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: Yes Renewed: mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: RPLF4AN Meters: Spare Parts Only: No Bypass: Model: RPLF4AN

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed:	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual : 10	0.25% Pb: No	Spare Parts Only: No
		_
	Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	Bypass: / - assembly length: min. 34" and max. 47
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8"	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP	nnnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco Orientation: H	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10	nnnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\ Manufacturer: Apollo/Conbraco Orientation: H	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed:	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8"	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SO Manufacturer: Apollo/Conbraco	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4 Manual: 10	Annn, xxxx, yyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: Annnn, xxxxx, yyyyy, zzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR Meters:
Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (cccc), dddd, mmmm, r Notes: Integral Stainless Steel gr 1/8" Type: RP Size: 4 Manual: 10 Approved: 21-Dec-2015	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SON Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	 / - assembly length: min. 34" and max. 47 Model: RPLF4AR Meters: Spare Parts Only: No Bypass: / - assembly length: min. 35" and max. 48 Model: RPLF4AR Meters: Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass:
Shutoffs: (cccc), dddd, mmmm, nr	nnn, xxxxx, yyyyy, zzzzz, aaaaaa	
• •	oved spool between the #2 ck and #2 SOV	/ - assembly length: min. 46" and max. 71
1/4"		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40201A2S, 40201	T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40202A2S, 40202	T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (dd)		
Notes: formerly 40203A2S, 40203	T2S	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Aug-1994	Renewed: 16-Aug-2015	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40204A2S		
Type: RP	Manufacturer: ARI	Model: RP 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2016	Bypass:
Shutoffs: (00000), ii, 000		

Type: RP Manufacturer: ARI Model: RP 500	
Type: RPManufacturer: ARIModel: RP 500Size: 1/2Orientation: HMeters:	
Approved: 18-Feb-2014Renewed:Bypass:Shutoffs: (00000)	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 3/4 Orientation: H Meters:	
Manual: 9 0.25% Pb: No Spare Parts Only: No	
Approved: 02-Mar-2007Renewed: 02-Mar-2016Bypass:	
Shutoffs: (ii),000, 00000	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 3/4 Orientation: H Meters:	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	
Approved: 18-Feb-2014 Renewed: Bypass:	
Shutoffs: (00000)	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 1 Orientation: H Meters:	
Manual: 9 0.25% Pb: No Spare Parts Only: No	
Approved: 02-Mar-2007Renewed: 02-Mar-2016Bypass:	
Shutoffs: (ii),000, 00000	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 1 Orientation: H Meters:	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No	
Approved:18-Feb-2014Renewed:Bypass:	
Shutoffs: (00000)	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 1 1/4 Orientation: H Meters:	
Manual: 10 0.25% Pb: Yes Spare Parts Only: No	
Approved: 18-Feb-2014Renewed:Bypass:	
Shutoffs: (00000)	
Type: RP Manufacturer: ARI Model: RP 500	
Size: 1 1/2 Orientation: H Meters:	
Manual: 10 0.25% Pb: Yes Spare Parts Only: No	
Approved: 18-Feb-2014Renewed:Bypass:	
Shutoffs: (00000)	

Type: RP Size: 2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (00000) Type: RP Size: 3/4 Manual: 9 Approved: 19-Apr-2012 Shutoffs: (ii),000	Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Cash Acme Orientation: H 0.25% Pb: Yes Renewed: 19-Apr-2015	Model: RP 500 Meters: Spare Parts Only: No Bypass: Model: RP 500 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 19-Apr-2012 Shutoffs: (ii),000	Manufacturer: Cash Acme Orientation: H 0.25% Pb: Yes Renewed: 19-Apr-2015	Model: RP 500 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 8 Approved: 07-Apr-2009 Shutoffs: (ii)	Manufacturer: Cash Acme Orientation: H 0.25% Pb: No Renewed: 07-Apr-2015	Model: RP100 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 8 Approved: 07-Apr-2009 Shutoffs: (ii)	Manufacturer: Cash Acme Orientation: H 0.25% Pb: No Renewed: 07-Apr-2015	Model: RP100 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 07-Apr-2009 Shutoffs: (ii)	Manufacturer: Cash Acme Orientation: H 0.25% Pb: No Renewed: 07-Apr-2015	Model: RP100 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 8 Approved: 07-Apr-2009 Shutoffs: (ii)	Manufacturer: Cash Acme Orientation: H 0.25% Pb: No Renewed: 07-Apr-2015	Model: RP100 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cash Acme	Model: RP200
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2013	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RP	Manufacturer: Febco	Model: 760
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,aaaa	bbbb	
Type: RP	Manufacturer: Febco	Model: 760
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Type: RP Size: 4 Manual: 9 Approved: 17-Sep-2009	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 17-Sep-2015	Model: 760N Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: RP	Manufacturer: Febco	Model: 760Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2015	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,000		
Notes: Replaceable check valve	e seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1 1/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jun-1982	Renewed: 01-Jun-2015	Bypass:
Shutoffs: ii,fff,jjj,ooo	Nenewed. 01-5011-2015	Dypass.
	Manufacturer Echas	Madal: 025V
Type: RP Size: 1 1/2	Manufacturer: Febco Orientation: H	Model: 825Y Meters:
Manual: 6	0.25% Pb: No	
		Spare Parts Only: No Bypass:
Approved: 06-Aug-1982	Renewed: 06-Aug-2015	Bypass:
Shutoffs: (ii),fff,jjj,ooo	soats starting with sorial No. 1000001	
	e seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Aug-1982	Renewed: 06-Aug-2015	Bypass:
Shutoffs: (ii),fff,ooo		

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
e , <i>e</i> , <i>i</i>		Meters:
Size: 3/4	Orientation: VUVD	INICICI S.
Size: 3/4 Manual: 8	0.25% Pb: No	Spare Parts Only: No
Manual: 8		
	0.25% Pb: No	Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No	Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014	Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001	Spare Parts Only: No Bypass:
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco	Spare Parts Only: No Bypass: Model: 825YA
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Spare Parts Only: No Bypass: Model: 825YA Meters:
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Model: 825YA
Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2014 seats starting with serial No. J000001 Manufacturer: Febco	Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2014	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
	Demouse de 00 Mary 0040	Byracci
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Renewed: 08-May-2013	bypass.
Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001	bypass.
Shutoffs: (ii),fff,jjj,ooo		Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001	
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Model: 825YA Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Model: 825YA Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Model: 825YA

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2013	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Notes: Replaceable check valve Type: RP Size: 2		Model: 825YA Meters:
Type: RP Size: 2	Manufacturer: Febco	
Type: RP	Manufacturer: Febco Orientation: VUVD	Meters:
Type: RP Size: 2 Manual: 8	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013	Meters: Spare Parts Only: No
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YAR
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Model: 825YAR
Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo Type: RP Size: 3/4	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2013 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 22-Jan-2014 Manufacturer: Febco Orientation: HVD	Meters: Spare Parts Only: No Bypass: Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Model: 825YAR Meters: Model: 825YAR

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 22-Jan-2014

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 22-Jan-2014

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Jan-2014

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 21-Jan-2014

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 21-Jan-2014

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 21-Jan-2014

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 19-Aug-2014 Model: 825YAR Meters: Spare Parts Only: Yes Bypass:

Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Size: 1 1/2 Orientation: HVD Meters: 0.25% Pb: No Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,jjj,ooo Type: RP Manufacturer: Febco Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Renewed: 19-Aug-2014 Approved: 19-Aug-1993 Bypass: Shutoffs: ii,fff,jjj,ooo Type: RP Manufacturer: Febco Size: 1 1/2 Orientation: VUVD Meters: Manual: 8 0.25% Pb: No Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,jjj,ooo Type: RP Manufacturer: Febco Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 19-Aug-1993 Renewed: 19-Aug-2014 **Bypass:** Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Orientation: HVD Size: 2 Meters: 0.25% Pb: No Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Size: 2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 **Bypass:** Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Size: 2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2014 Bypass: Shutoffs: ii,fff,ooo

Manufacturer: Febco

Type: RP

Model: 825YAR Spare Parts Only: Yes

Type: RP	Manufacturer: Febco	Model: 825YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb : No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2016	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2014	Bypass:

Shutoffs: ii,fff,jjj

Type: RP Manufacturer: Febco Model: 825YR **Size:** 1 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 22-Jan-1993 Renewed: 22-Jan-2014 Bypass: Shutoffs: ii,fff,jjj Type: RP Manufacturer: Febco Model: 825YR Size: 1 1/2 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 23-Jul-1993 Renewed: 23-Jul-2014 Bypass: Shutoffs: ii,fff,jjj Type: RP Manufacturer: Febco Model: 825YR Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 23-Jul-1993 Renewed: 23-Jul-2014 Bypass: Shutoffs: ii,fff Type: RP Manufacturer: Febco Model: 860 Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 09-Apr-1998 Renewed: 09-Apr-2016 **Bypass:** Shutoffs: (fff),000 Type: RP Manufacturer: Febco Model: 860 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Renewed: 21-Nov-2015 Approved: 21-Nov-1997 Bypass: Shutoffs: (fff),jjj,000 Manufacturer: Febco Type: RP Model: 860 **Size:** 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2015 **Bypass:** Shutoffs: (fff),jjj,000 Type: RP Manufacturer: Febco Model: 860 Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Jun-1998 Renewed: 04-Jun-2013 **Bypass:** Shutoffs: (fff),jjj,000

Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2016	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Apr-1998	Renewed: 09-Apr-2016	Bypass:
Shutoffs: (fff),000		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u.zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Aug-1995	Renewed: 07-Aug-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Type: RP	Manufacturer: Febco	Model: 860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2013	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 867
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:

Type: RP	Manufacturer: Febco	Model: 867
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Aug-2006	Renewed: 01-Aug-2015	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, eee, fff	
Type: RP	Manufacturer: Febco	Model: 880
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2016	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2013	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: ee, ff, II, mm, oo, pp, tt, uu, zzz, ffff, gggg

Type: RP	Manufacturer: Febco	Model: 880V			
Size: 2 1/2	Orientation: VUVD	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,nnn,zzz,cccc,ffff,gggg					
Type: RP	Manufacturer: Febco	Model: 880V			
Size: 2 1/2	Orientation: VUVU	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg				
Type: RP	Manufacturer: Febco	Model: 880V			
Size: 3	Orientation: VUVD	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg				
Type: RP	Manufacturer: Febco	Model: 880V			
Size: 3	Orientation: VUVU	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 30-Jun-1995	Renewed: 30-Jun-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg				
Type: RP	Manufacturer: Febco	Model: 880V			
Size: 4	Orientation: VUVD	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 08-Aug-1995	Renewed: 08-Aug-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg				
Type: RP	Manufacturer: Febco	Model: 880V			
Size: 4	Orientation: VUVU	Meters:			
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes			
Approved: 08-Aug-1995	Renewed: 08-Aug-2013	Bypass:			
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg				
	Manufacturer: Febco	Model: 880V			
Type: RP					
Type: RP Size: 6	Orientation: VUVD	Meters:			
		Meters: Spare Parts Only: Yes			

Type: RP	Manufacturer: Febco	Model: 880∨
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2013	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2014	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
	Manufacturer: Febco	Model: LF825Y
Type: RP		
	Orientation: H	Meters:
Size: 3/4	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 3/4 Manual: 8		
Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)	0.25% Pb: Yes	Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)	0.25% Pb: Yes	Spare Parts Only: No
Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Type: RP	0.25% Pb: Yes Renewed: 18-Feb-2016	Spare Parts Only: No Bypass:
Size: 3/4 Manual: 8 Approved: 18-Feb-2010	0.25% Pb: Yes Renewed: 18-Feb-2016 Manufacturer: Febco	Spare Parts Only: No Bypass: Model: LF825Y
Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Type: RP Size: 1	0.25% Pb: Yes Renewed: 18-Feb-2016 Manufacturer: Febco Orientation: H	Spare Parts Only: No Bypass: Model: LF825Y Meters:

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh) Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Model: LF825Y Meters: Spare Parts Only: No Bypass:

Model: LF825Y Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh) Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)

- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (hhhh)
- Type: RP Size: 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 3/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Model: LF860 Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/4 Manual: 9 Approved: 18-Feb-2010	Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016	Model: LF860 Meters: Spare Parts Only: No Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 6		
	Orientation: H	Meters:
Manual: 9	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Page 430 of 616

. Jpor ru					
Size: 8	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn					
Type: RP	Manufacturer: Febco	Model: LF860			
Size: 10	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 25-Sep-2013	Renewed:	Bypass:			
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,ggggg,nnnnn				
Type: RP	Manufacturer: Febco	Model: LF860U			
Size: 1/2	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (ppppp), hhhh					
Type: RP	Manufacturer: Febco	Model: LF860U			
Size: 3/4	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (ppppp), hhhh					
Type: RP	Manufacturer: Febco	Model: LF860U			
Size: 1	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (ppppp), hhhh					
Type: RP	Manufacturer: Febco	Model: LF860U			
Size: 1 1/4	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (ppppp), hhhh					
Type: RP	Manufacturer: Febco	Model: LF860U			
Size: 1 1/2	Orientation: H	Meters:			
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No			
Approved: 03-Sep-2013	Renewed:	Bypass:			
Shutoffs: (ppppp), hhhh					

Manufacturer: Febco

Model: LF860

Type: RP

Type: RP Size: 2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Manufacturer: Febco Orientation: H 0.25% Pb: Yes **Renewed:**

Type: RP Manufacturer: Febco Size: 2 1/2 Orientation: VUVD 0.25% Pb: Yes Manual: 9 **Renewed:** Approved: 28-May-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Manufacturer: Febco Size: 2 1/2 Orientation: VUVU 0.25% Pb: Yes Manual: 9 Approved: 28-May-2013 **Renewed:** Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Manufacturer: Febco Size: 3 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 28-May-2013 **Renewed: Shutoffs:** (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Manufacturer: Febco Orientation: VUVU Size: 3 0.25% Pb: Yes Manual: 9 Approved: 28-May-2013 **Renewed:** Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Manufacturer: Febco Size: 4 Orientation: VUVD 0.25% Pb: Yes Manual: 9 Approved: 28-May-2013 **Renewed:** Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RP Manufacturer: Febco Size: 4 Manual: 9 Approved: 28-May-2013

Orientation: VUVU 0.25% Pb: Yes **Renewed:**

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: LF860U Meters: Spare Parts Only: No Bypass:

Model: LF880V Meters: Spare Parts Only: No Bypass:

iype. IXI		
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Jun-1994	Renewed: 17-Jun-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		

Manufacturer: Febco

Model: LF880V

Type: RP

Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-May-1995	Renewed: 10-May-2013	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	zz,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1997	Renewed: 14-Feb-2015	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Jan-1999	Renewed: 28-Jan-2016	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 28-Jan-1999	Renewed: 28-Jan-2016	Bypass:
Shutoffs: ddddd		
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: (gg),hh,jj,kk,ll,mm,yy,z	z,ccc,ddd	
Type: RP	Manufacturer: Flomatic	Model: RPZ
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 31-Jan-2002	Renewed: 31-Jan-2014	Bypass:
Shutoffs: ddddd		

Type: RP Manufacturer: Flomatic Model: RPZ Size: 8 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 05-Feb-2005 Renewed: 05-Feb-2014 Bypass: Shutoffs: (gg), hh, jj, kk, ll, mm, yy, zz, ccc, ddd Type: RP Manufacturer: Flomatic Model: RPZE Size: 3/4 **Orientation:** H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Renewed: 07-Jun-2013 Approved: 07-Jun-2001 **Bypass:** Shutoffs: (hhhhh) Type: RP Manufacturer: Flomatic Model: RPZE Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: Yes Spare Parts Only: Yes Renewed: 07-Jun-2013 Approved: 07-Jun-2001 **Bypass:** Shutoffs: (hhhhh) Model: RPZE Type: RP Manufacturer: Flomatic **Size:** 2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: Yes Manual: 8 Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh) Manufacturer: Flomatic Type: RP Model: RPZE II Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: Yes Approved: 07-Jun-2001 Renewed: 07-Jun-2013 Bypass: Shutoffs: (hhhhh)

Notes: formerly RPZIIE

Type: RP	Manufacturer: Flomatic	Model: RPZE II
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 07-Jun-2001	Renewed: 07-Jun-2013	Bypass:
Shutoffs: (hhhhh)		
Notes: formerly RPZIIE		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZII
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Aug-1997	Renewed: 15-Aug-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPZE II	
Type: RP	Manufacturer: Flomatic	Model: RPZIIE
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPZE II	
Type: RP	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: See Wilkins

Type: 10 maturation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 31-Aug-1990 Renewed: 31-Aug-2014 Bypass: Shutoffs: (co),gj,hh,ll,mn,pp,lt,uu,y,fff,gggg Model: 009 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 31-Aug-1990 Renewed: 31-Aug-2014 Bypass: Shutoffs: (co),gg,hh,ll,mn,pp,lt,uu,y,eee,fff,ggg Bypass: Shutoffs: (co),gg,hh,ll,mn,pp,lt,uu,y,eee,fff,ggg Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 11/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrr Spare Parts Only: Yes Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 11/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrr Spare Parts Only: Yes Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25	Type: RP	Manufacturer: Watts	Model: 009
Manual: 3 0.25% Pb: No Spare Parts Only: No Approved: 31-Aug-1990 Renewed: 31-Aug-2014 Bypass: Shutoffs: (oo),gg,hh,ll.mm,pp.tt,uu,yy,fff,gggg Model: 009 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 31-Aug-1990 Renewed: 31-Aug-2014 Bypass: Shutoffs: (oo),gg,hh,ll.mm,pp.tt,uu,yy,eer.fff,gggg Bypass: Shutoffs: (oo),gg,hh,ll.mm,pp.tt,uu,yy,eer.fff,gggg Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx.ooo,hhth,pppp,mrr Model: 009M1PCQT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx.ooo,hhth,pppp,mrr Model: 009M1PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx.ooo,hhth,pppp,mrr Model: 009M1PCQT Size: 2			
Approved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gj,hh,ll,mm,pp,tLuu,yy,fff,ggggType: RPManufacturer: WattsModel: 009Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gj,hh,ll,mm,pp,tLuu,yy,eee,fff,ggggType: RPManufacturer: WattsModel: 009M1PCQTSize: 11/4Orientation: HMeters:Manual: 60.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx.ooo,hhhh,pppp,rmrType: RPManufacturer: WattsModel: 009M1PCQTSize: 11/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx.ooo,hhhh,ppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 11/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,rmrSpare Parts Only: Yes			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,fff,gggg Model: 009 Type: RP Manufacturer: Watts Model: 009 Size: 3 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 31-Aug-1990 Renewed: 31-Aug-2014 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,eee,fff,gggg Model: 009M1PCQT Size: 11/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1894 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,mrr Model: 009M1PCQT Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 11/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,mrr Model: 009M1PCQT Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,mrr Model: 009M1PCQT Type: RP Manufacturer: Watts Model: 009M1QT <tr< th=""><th></th><th></th><th></th></tr<>			
Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,eee,fff,ggggType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrTrType: RPManufacturer: WattsModel: 009M1QTSize: 11/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrr		0	
Size: 3Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,eee,fff,ggggType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrTrType: RPManufacturer: WattsModel: 009M1QTSize: 11/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrr			
Manual: 80.25%, Pb: NoSpare Parts Only: NoApproved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gj,hh,ll,mm,pp,tt.uu,yy,eee,ffff,ggggType: RPManufacturer: WattsModel: 009M1PCQTSize: 1.1/4Orientation: HMeters:Manual: 80.25%, Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xxi, oo,hhhh,ppp,mrrTType: RPManufacturer: WattsModel: 009M1PCQTSize: 1.1/2Orientation: HMeters:Manual: 80.25%, Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xxi, oo,hhhh,ppp,mrrTMeters:Manual: 80.25%, Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xxi, oo,hhhh,ppp,mrrTMeters:Type: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25%, Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xxi, oo,hhhh,ppp,mrrTTType: RPManufacturer: WattsModel: 009M1QTSize: 1.1/4Orientation: HMeters:Manual: 80.25%, Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xxi,ooo,hhhh,ppp,mrrTType: RPManufacturer: WattsModel: 00			
Approved: 31-Aug-1990Renewed: 31-Aug-2014Bypass:Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,eee,ffff,ggggType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,mrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,mrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters: </td <td></td> <td></td> <td></td>			
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,eee,fff,gggg Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,mrr			
Type: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: w.xxt.ooo.hhhh.pppp.mmrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: w.xxt.ooo.hhhh.pppp.mmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: w.xxt.ooo.hhhh.pppp.mmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: w.xxt.ooo.hhhh.pppp.mmrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: w.xxt.ooo.hhhh.pppp.mmrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: Yes </td <td></td> <td>-</td> <td>Bypass:</td>		-	Bypass:
NameOrientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 11/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,pppp,rmrSpareType: RPManufacturer: WattsModel: 009M1QTSize: 11/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1QTSize: 11/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: Y	Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rmrrSpare Parts Only: YesType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:<	Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rmrRenewed: 27-Sep-2015Bypass:Type: RP Manufacturer: WattsModel: 009M1PCQTSize: 1 1/2 Manual: 80.25% Pb: No Renewed: 27-Sep-2015Spare Parts Only: Yes Bypass:Approved: 27-Sep-1994 State: 7Renewed: 27-Sep-2015Bypass:Type: RP Size: 2 Manufacturer: WattsModel: 009M1PCQTSize: 1 Manufacturer: WattsModel: 009M1QTSize: 1 Manufacturer: WattsModel: 009M1QTSize: 1 Manufacture: WattsModel: 009M1QTSize: 1 Manufacture: 30-Jun-1992Spare Parts Only: Yes Renewed: 30-Jun-2013Shutoffs: vv,xx,ooo,hhhh,pppp,rmrRenewed: 30-Jun-2013Type: RP Manufacturer: WattsModel: 009M1QTSize: 1 1/4 Manufacturer: WattsModel: 009M1QTSize: 1 Type: RP Manufacturer: WattsModel: 009M1QTSize: 1 Type: RP Manufacture: WattsModel: 009M1QTS	Size: 1 1/4	Orientation: H	Meters:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 009M1PCQTType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrFenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,ppp,rrrrrViers:Model: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Type: RPManufacturer: WattsModel: 009M1PCQTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrFenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
No.Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrBypass:Model: 009M1PCQTType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrFenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrVieters:Model: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
No.Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrBypass:Model: 009M1PCQTType: RPManufacturer: WattsModel: 009M1PCQTSize: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrFenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrVieters:Model: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 27-Sep-2015Bypass:Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: Watts Meters: Manual: 8 Model: 009M1PCQT Spare Parts Only: Yes Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RP Size: 1 1/4 Manual: 8 Approved: 30-Jun-1992 Type: RP Manufacturer: Watts Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Manual: 30-Jun-2013 Manual: 8 Model: 30-Jun-2013 Meters:Manual: 8 Manual: 8 Manual: 8 Manual: 30-Jun-2013Meters: Manual: 30-Jun-3013 Meters:Manual: 8 Manual: 8 Manual: 30-Jun-2013Meters: Manual: 30-Jun-3013Manual: 8 Manual: 30-Jun-3013Meters: Manual: 30-Jun-3013		Orientation: H	
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 27-Sep-2015Bypass:Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: Watts Meters: Manual: 8 Model: 009M1PCQT Spare Parts Only: Yes Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RP Size: 1 1/4 Manual: 8 Approved: 30-Jun-1992 Type: RP Manufacturer: Watts Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Manufacturer: Watts Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Model: 30-Jun-2013 Meters: Manual: 8 Model: 009M1QT Meters: Manual: 8 Manual: 30-Jun-2013 Manual: 8 Model: 30-Jun-2013 Meters:Manual: 8 Manual: 8 Manual: 8 Manual: 30-Jun-2013Meters: Manual: 30-Jun-3013 Meters:Manual: 8 Manual: 8 Manual: 30-Jun-2013Meters: Manual: 30-Jun-3013Manual: 8 Manual: 30-Jun-3013Meters: Manual: 30-Jun-3013	Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M1PCQT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrr Model: 009M1QT Type: RP Manufacturer: Watts Model: 009M1QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M1QT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Manual: 8 0.25% Pb: No Spare Parts Only: Yes Spare Parts Only: Yes			
Size: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1 1/2Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Approved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Size: 2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 27-Sep-1994Renewed: 27-Sep-2015Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1 1/2Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesShutoffs: vv,xx,ooo,hhhh,pppp,rrrrrSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Approved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Type: RP	Manufacturer: Watts	Model: 009M1PCOT
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 009M1QTType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 27-Sep-2015Bypass:Type: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 009M1QTType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Manual: 8		Spare Parts Only: Yes
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Approved: 27-Sep-1994	Renewed: 27-Sep-2015	
Size: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Size: 1 1/4Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Type: RP	Manufacturer: Watts	
Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 009M1QTType: RPManufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Approved: 30-Jun-1992 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrrRenewed: 30-Jun-2013Bypass:Type: RP Size: 1 1/2Manufacturer: WattsModel: 009M1QTSize: 1 1/2Orientation: HMeters:Manual: 8 Approved: 30-Jun-19920.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrr Type: RP Manufacturer: Watts Model: 009M1QT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass:			
Size: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
Size: 1 1/2Orientation: HMeters:Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:	Type: RP	Manufacturer: Watte	
Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass:			
Approved: 30-Jun-1992Renewed: 30-Jun-2013Bypass:			
			-)

Type: RP Size: 2 Manual: 8 Approved: 19-Dec-1991 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr

Type: RP Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Size: 1

Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 3/4 Manual: 8 Approved: 07-Oct-2002 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP **Size:** 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 19-Dec-2015

Manufacturer: Watts

Renewed: 01-Sep-2015

Manufacturer: Watts

Renewed: 01-Sep-2015

Manufacturer: Watts

Renewed: 01-Sep-2015

Manufacturer: Watts

Renewed: 01-Sep-2015

Manufacturer: Watts

Renewed: 07-Oct-2014

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 009M1QT Meters: Spare Parts Only: Yes Bypass:

Model: 009M2-FP Meters: Spare Parts Only: No Bypass:

Model: 009M2-FP Meters: Spare Parts Only: No **Bypass:**

Model: 009M2-FP Meters: Spare Parts Only: No **Bypass:**

Model: 009M2-FP Meters: Spare Parts Only: No Bypass:

Model: 009M2PCQT Meters: Spare Parts Only: No **Bypass:**

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2014 Model: 009M2PCQT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 009M2PCQT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-1992	Renewed: 31-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrrr	
Type: RP	Manufacturer: Watts	Model: 009M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2014	Bypass:
Chutoffer (W) Wy and babb papa		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 2 Manual: 9 Approved: 10-Sep-1996 **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr

Orientation: H 0.25% Pb: No Renewed: 10-Sep-2014

Manufacturer: Watts

Model: 009M2QT Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Watts Model: 009M3-FP Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 01-Sep-2015 Approved: 01-Sep-2009 Bypass: Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M3QT Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 18-Oct-1999 Renewed: 18-Oct-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 17-Feb-1995 Renewed: 17-Feb-2016 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 10-Dec-2014 Approved: 10-Dec-1993 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT **Size:** 1 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 10-Dec-1993 Renewed: 10-Dec-2014 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8

Renewed: 27-Sep-2015

Spare Parts Only: Yes Bypass:

Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr

Approved: 27-Sep-1994

Type: RP Manufacturer: Watts Model: 009PCQT Size: 1 1/2 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 27-Sep-1994 Renewed: 27-Sep-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 2 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 27-Sep-2015 Approved: 27-Sep-1994 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009QT Size: 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 3/8 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 07-Aug-1995 Renewed: 07-Aug-2013 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: 009QT Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 10-Sep-2014 Approved: 10-Sep-1996 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previously approved 8th Ed. 26 May 1993 Type: RP Manufacturer: Watts Model: 009QT Size: 3/4 **Orientation:** H Meters:

Manual: 7 Approved: 11-Jan-1988

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

0.25% Pb: No

Renewed: 11-Jan-2015

Spare Parts Only: No

Bypass:

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015 Manufacturer: Watts	Model: 009QT Meters: Spare Parts Only: Yes Bypass: Model: 009QT
Size: 1 1/4 Manual: 7	Orientation: H 0.25% Pb: No	Meters:
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Spare Parts Only: Yes Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/2 Manual: 7	Orientation: H 0.25% Pb: No	Meters:
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Spare Parts Only: Yes Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr	Kenewed. 05-Aug-2015	Dypass.
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009SSM1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp	Renewed: 27-Sep-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 009SSM1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Dec-1991	Renewed: 19-Dec-2015	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSPCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,pppp		

Page 442 of 616

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

- Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Model: 009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Manufacturer: Watts	Model: 009SSQT
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 09-Aug-2015	Bypass:
Manufacturer: Watts	Model: 009SSQT
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 09-Aug-2015	Bypass:
Manufacturer: Watts	Model: 909
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 12-Jun-2013	Bypass:
uu,ww,yy,ffff,gggg	
Manufacturer: Watts	Model: 909
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 12-Jun-2013	Bypass:
	Model: 909
	Meters:
	Spare Parts Only: No
	Bypass:
Manufacturer: Watts	Model: 909
	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 06-Jul-2014 uu,ww,yy,eee,ffff,gggg	Bypass:
	Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Jun-2013 uu,ww,yy,ffff,gggg Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Jun-2013 uu,ww,yy,eee,ffff,gggg SY/909NRSRW/909OSYRW/909RW Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2015 uu,ww,yy,eee,ffff,gggg SY/909NRSRW/909OSYRW/909RW

Type: RP	Manufacturer: Watts	Model: 909
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Feb-1983	Renewed: 04-Feb-2016	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909HWQT
	Manufacturer: Watts Orientation: H	Model: 909HWQT Meters:
Size: 3/4		
Size: 3/4 Manual: 5	Orientation: H	Meters:
Size: 3/4 Manual: 5 Approved: 29-Sep-1979	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrr Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 909HWQT
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrrr Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 909HWQT Meters:
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No Bypass: Model: 909HWQT Meters: Spare Parts Only: No
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No Bypass: Model: 909HWQT Meters: Spare Parts Only: No
Type: RP Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 1/4	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015	Meters: Spare Parts Only: No Bypass: Model: 909HWQT Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015 ,rrrrrr Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 909HWQT Meters: Spare Parts Only: No Bypass: Model: 909HWQT

Type: RP	Manufacturer: Watts
Size: 1 1/2	Orientation:
Manual:	0.25% Pb: No
Approved:	Renewed:
Notes: model designation changed to 909M1HWQT	

Type: RP	Manufacturer: Watts
Size: 2	Orientation:
Manual:	0.25% Pb: No
Approved:	Renewed:
Notes: model designation changed to 909M1HWQT	

Type: RPManufacturer: WattsSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 01-May-1989Renewed: 01-May-2013Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,wv,ffff,gggg

 Type: RP
 Manufacturer: Watts

 Size: 10
 Orientation: H

 Manual: 8
 0.25% Pb: No

 Approved: 01-May-1989
 Renewed: 01-May-2013

 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,ffff,gggg

Type: RP Size: 1 1/4 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1 Meters: Spare Parts Only: No Bypass:

Model: 909M1 Meters: Spare Parts Only: No Bypass:

Model: 909M1HWQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909M1HWQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2016 Model: 909M1HWQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/4 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT

Type: RP Size: 1 1/2 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2015

Manufacturer: Watts

Renewed: 15-Jan-2015

Orientation: H

0.25% Pb: No

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Model: 909M1QT Meters: Spare Parts Only: No Bypass:

Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1982	Renewed: 15-Jan-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,ppp	pp,rrrrr	
Notes: formerly 909QT		
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chan	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRS
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Manufacturer: Watts

Model: 909M1QT

Notes: model designation changed to 909

Type: RP

Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size : 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
	Manufacturer: Watts Orientation:	Model: 909OSYRW Meters:
Type: RP Size: 8 Manual:		

Notes: model designation changed to 909

Type: RP Manufacturer: Watts Model: 909OSYRW Size: 10 **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Renewed: Approved:** Bypass: Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909PCHWQT Size: 3/4 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Feb-1995 Renewed: 02-Feb-2016 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCHWQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 02-Feb-2016 Approved: 02-Feb-1995 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Renewed: 02-Feb-2016 Approved: 02-Feb-1995 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Renewed: 02-Feb-2016 Approved: 02-Feb-1995 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No

Renewed: 02-Feb-2016

Approved: 02-Feb-1995

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

2016 © University of Southern California

Bypass:

SIZE: 3/4	Orientation: H	weters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 04-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Notes: Serial number 464100 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909PCQT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:

Manufacturer: Watts

Orientation: H

Model: 909PCQT

Meters:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Serial number 461650 and higher

2016 © University of Southern California

Type: RP

Size: 3/4

Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jun-1998	Renewed: 18-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Serial number 461650 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
manaam		

Type: RP	Manufacturer: Watts	Model: 909RW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to 909	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	

Shutoffs: (w),xx, coo,hhhh,ppp,rrrr Type: RP Manufacturer: Watts Model: 919AQT Size: 2 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (w),xx, coo,hhhh,ppp,rrrr Type: RP Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: H Meters: Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: H Meters: Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: VD Meters: Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: VD Meters: Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: VD Meters: Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: H Meters: Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Model: 919QT Size: 1 Orientation: H Meters: Model: 919QT Size: 1 Orientation: H Meters: Model: 919QT Size: 1 Orien	Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Jun-2006	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 01-Jun-2015	Model: 919AQT Meters: Spare Parts Only: No Bypass:
Size: 2Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrManufacturer: WattsModel: 919QTSize: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrBypass:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Stutoffs: (w),xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,ppp,mrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:S	Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Size: 2Orientation: VUVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrManufacturer: WattsModel: 919QTSize: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrBypass:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Stutoffs: (w),xx,ooo,hhhh,pppp,mrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,mrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,ppp,mrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:S			Madali 0404 OT
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrBypass:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrBypass:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rmrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMete			
Approved: 01-Jun-2006 Shutoffs: (vV),xx,ooo,hhhh,pppp,rrrrrRenewed: 01-Jun-2015Bypass:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrBypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrSize: 1Orientation: HType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrFileSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rr			
Shutoffs: (vv),xx,ooo,hhhh,pppp,mrr Type: RP Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,mrr Manufacturer: Watts Model: 919QT Type: RP Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,mrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,ppp,mrr Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,mrr Manufacturer: Watts Model: 919QT Size: 1 Orientation: VD Meters: Manual: 9			
Size: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 3/4Orientation: VDMeters:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 1Orientation: VDManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 1Model: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rr			bypass.
Size: 3/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 3/4Orientation: VDMeters:Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 1Orientation: VDManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrSize: 1Model: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rr			
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jun-2006Renewed: 14-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,ppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:			
Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrRenewed: 14-Jun-2015Bypass:Type: RP Size: 3/4Manufacturer: Watts Orientation: VD 0.25% Pb: No Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrManufacturer: Watts Model: 919QT Size: 1 0.25% Pb: No 0.25% Pb: No 			
Shutoffs: (w),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Model: 919QT Size: 3/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: Shutoffs: (wv),xx,ooo,hhhh,pppp,rrrr Manufacturer: Watts Model: 919QT Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (wv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (wv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Model: 919QT Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Model: 919QT Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No			
Type: RPManufacturer: WattsModel: 919QTSize: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrVDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: NoType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: NoApproved: 11/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:		Renewed: 14-Jun-2015	Bypass:
Size: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrBypass:Type: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrrSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,ppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: NoType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Type: RP	Manufacturer: Watts	Model: 919QT
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrRenewed: 30-Aug-2015Bypass:Type: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoShutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Size: 3/4	Orientation: VD	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 Orientation: VD Meters: Model: 919QT Size: 1 Orientation: VD Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 919QT Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: RPManufacturer: WattsModel: 919QTSize: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrModel: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrSpare Parts Only: NoType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 11/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrModel: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrModel: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Type: RP	Manufacturer: Watts	Model: 919QT
Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrRenewed: 01-Jun-2015Bypass:Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrManufacturer: Watts Orientation: VD Meters: Manual: 9 Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Model: 919QT Meters: Manual: 9 Manufacturer: Watts Manufacturer: Watts Model: 919QT Model: 919QTType: RP Size: 1 1/4 Manufacturer: Watts Orientation: H Manufacturer: Watts Manual: 9 Manufacturer: Watts Manufacturer: Watts Manual: 9 Manufacturer: Watts Manual: 9 Manufacturer: Watts Manual: 9 Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Manufacturer: Watts Matters: Manufacture: Watts Manufacture: Matter Manufacture: Watts Manufacture: Matter Manufacture: Matter Manufacture: Matter Manufacture: Matter Manufacture: Matter Manufacture: Matter Matter Manuf	Size: 1	Orientation: H	Meters:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: RPManufacturer: WattsModel: 919QTSize: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:	Type: RP	Manufacturer: Watts	Model: 919QT
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2015Bypass:Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrManufacturer: WattsModel: 919QTType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:			
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrRenewed: 30-Aug-2015Bypass:Type: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:			
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrType: RPManufacturer: WattsModel: 919QTSize: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:			
Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:		č	
Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:		Manufacturor: Watto	Model: 9190T
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Jun-2006 Renewed: 01-Jun-2015 Bypass:			
Approved: 01-Jun-2006Renewed: 01-Jun-2015Bypass:			
	Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Keneweu. 01-Jun-2013	Dypass.

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015	Model: 919QT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 01-Jun-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size 4	Orientation: H	Meters:
SIZE: 4		
	0.25% Pb: Yes	Spare Parts Only: No
Size: 4 Manual: 9 Approved: 07-Oct-2002	0.25% Pb: Yes Renewed: 07-Oct-2014	Spare Parts Only: No Bypass:
Manual: 9	Renewed: 07-Oct-2014	
Manual: 9 Approved: 07-Oct-2002	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn	
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn	
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone	Bypass:
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Bypass: Model: 957
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Bypass: Model: 957 Meters:
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: Model: 957 Meters: Spare Parts Only: No
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: Model: 957 Meters: Spare Parts Only: No
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters:
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013 kkk,IIII,mmmm,nnnn,nnnn	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kl Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP	Renewed: 07-Oct-2014 kkk,IIII,mmmm,nnnn,nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2013 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2013 kkk,IIII,mmmm,nnnn,nnnn	Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: 957
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2013	Bypass:
	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2014	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2014	Bypass:
Shutoffs: (yyy)		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Type: RP Size: 4	Manufacturer: Watts Orientation: VUVD	Model: 957N Meters:
Size: 4 Manual: 9	Orientation: VUVD	Meters:
Size: 4 Manual: 9 Approved: 14-Apr-2003	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,i Notes: Check valve discs may b	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957N
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,I Notes: Check valve discs may b Type: RP Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 957N Meters:
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,I Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IllI,mmmm,nnn	Meters: Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmmm,nnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb, Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmm,nnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957N Meters: Spare Parts Only: No Bypass: Model: 957N

Type: RP	Manufacturer: Watts	Model: 957N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2013	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, llll, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RP	Manufacturer: Watts	Model: 957QT
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
- pp: 01000 = 0 0 01 = 0000		
Shutoffs: (fffff)		
Shutoffs: (fffff)	e black EPDM or orange Silicone	
Shutoffs: (fffff)	e black EPDM or orange Silicone Manufacturer: Watts	Model: 957Z
Shutoffs: (fffff) Notes: Check valve discs may be		Model: 957Z Meters:
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP	Manufacturer: Watts	
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: VUVU	Meters:
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015	Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957Z
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,ggg	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,ggg	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmmm,nnn	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 nnnnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmmm,nnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass:
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmmm,nnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z
Shutoffs: (fffff) Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2015 Innnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2015 gg,kkkk,IIII,mmm,nnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Model: 957Z

Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,	,	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
onatons. (mm)		

Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957ZQT
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2015	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 967
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Manual: 9 Approved: 07-Oct-2002	0.25% Pb: No Renewed: 07-Oct-2014	Spare Parts Only: No Bypass:
Approved: 07-Oct-2002		Bypass:
Approved: 07-Oct-2002	Renewed: 07-Oct-2014	Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb	Renewed: 07-Oct-2014 bbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r	Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts	Bypass: innn,nnnnn Model: 967
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H	Bypass: innn,nnnnn Model: 967 Meters:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: Innnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014	Bypass: Innnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r	Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts	Bypass: mnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: mnnn,nnnnn Model: 967
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H	Bypass: Innn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: Innn,nnnnn Model: 967 Meters:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No	Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014	Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 967 Meters: Spare Parts Only: No
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaaa,bbbb,g	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014 gggg,kkkk,llll,mmmm,nnnn,nnnn	Bypass: mnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass: mnnn,nnnnn Model: 967 Meters: Spare Parts Only: No Bypass:
Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 3 Manual: 9 Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,zzz,aaaa,bb Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaaa,bbbb,g Type: RP	Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Oct-2014 obb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,r Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2014 gggg,kkkkk,llll,mmmm,nnnn,nnnn Manufacturer: Watts	Bypass: Model: 967 Meters: Spare Parts Only: No Bypass: Model: 967 Meters: Spare Parts Only: No Bypass: Model: 967 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: 967
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,aa	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,llll,	mmmm,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,aa	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,llll,	mmmm,nnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14 Apr 2002	Renewed: 14-Apr-2015	Bypass:
Approved. 14-Apr-2003		
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,zzz,aaaa,bbl	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,l	nnnn,nnnnn
		nnnn,nnnnn Model: 967N
Shutoffs: (ppp),qqq,zzz,aaaa,bbl	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,i	
Shutoffs: (ppp),qqq,zzz,aaaa,bbl	bb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,i Manufacturer: Watts	Model: 967N
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD	Model: 967N Meters:
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013	Model: 967N Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013	Model: 967N Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,zzz,aaaa,bbb Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn	Model: 967N Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn Type: RP Size: 4	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn Type: RP Size: 4 Manual: 9	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts Orientation: VUVD	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N Meters:
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 15-Nov-2013	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 15-Nov-2013	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: yyy,zzz,dddd,eeee,ggg	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 15-Nov-2013 g,kkkk,llll,mmmm,nnn	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bbl Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: yyy,zzz,dddd,eeee,ggg Type: RP	bb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm, Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013 nnn Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 15-Nov-2013 gg,kkkk,llll,mmmm,nnn Manufacturer: Watts	Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N Meters: Spare Parts Only: No Bypass: Model: 967N

Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee,		bypass.
		Madalı 0077
Type: RP Size: 2 1/2	Manufacturer: Watts	Model: 967Z
Manual: 9	Orientation: VUVU 0.25% Pb: No	Meters:
		Spare Parts Only: No Bypass:
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Silutons: (ppp),qqq,yyy,zzz,aaaa	,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	, , , , , , , , , , , , , , , , , , , ,
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2015	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bbb	b,dddd,eeee,gggg,kkkk,llll,mmmm,nnr	n,nnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee,	gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 990
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2013	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		
Type: RP	Manufacturer: Watts	Model: 990
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		

Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 992
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2013	Bypass:
Shutoffs: oo		
Type: RP	Manufacturer: Watts	Model: 992
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2014	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 994
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2015	Bypass:

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2015	Model: 994 Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 15-Apr-2015 cc,ddd	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 15-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 22-Sep-2015 cc,ddd	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 22-Sep-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000 Shutoffs: int	Renewed: 13-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000 Shutoffs: int	Renewed: 13-Apr-2015	Bypass:

Type: RP Manufacturer: Watts Model: 995QT **Size:** 1 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 14-Jan-1999 Renewed: 14-Jan-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2014 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: FAE909HWQT Size: 1 1/4 Orientation: H Meters: Manual: 5 0.25% Pb: No Spare Parts Only: No Renewed: 07-Feb-2016 Approved: 07-Feb-1980 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909HWQT Orientation: H Size: 1 1/2 Meters: 0.25% Pb: No Spare Parts Only: No Manual: 5 Renewed: 07-Feb-2016 Approved: 07-Feb-1980 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Type: RP Model: FAE909HWQT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 5 Spare Parts Only: No Approved: 07-Feb-1980 Renewed: 07-Feb-2016 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 6 Approved: 15-Jan-1982 Renewed: 15-Jan-2015 **Bypass:**

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/2 **Orientation:** H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: No Approved: 15-Jan-1982 Renewed: 15-Jan-2015 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: LF009 Size: 2 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 Bypass: Shutoffs: (00) Type: RP Manufacturer: Watts Model: LF009 Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Jan-2010 Renewed: 12-Jan-2016 **Bypass:** Shutoffs: (00) Type: RP Manufacturer: Watts Model: LF009M2PCQT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 13-Mar-2015 **Renewed:** Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF009M2PCQT Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 13-Mar-2015 **Renewed:** Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF009M2QT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 11-Jan-2008 Renewed: 11-Jan-2014 Bypass: Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2014 Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M3QT Meters: Spare Parts Only: No Bypass:

Model: LF009PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009QT Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: LF909
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2016	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2013	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Watts	Model: LF909M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:

Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2016

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Watts Model: LF909PCQT Size: 1 **Orientation:** H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 13-Mar-2015 **Renewed:** Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909PCQT **Size:** 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No **Renewed:** Approved: 13-Mar-2015 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2016 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 15-Nov-2010 Renewed: 15-Nov-2013 **Bypass:** Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 18-Feb-2016 Approved: 18-Feb-2010 Bypass: Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF909QT **Size:** 1 Orientation: VU Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 15-Nov-2010 Renewed: 15-Nov-2013 **Bypass:** Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Model: LF919AQT Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Jun-2006 Renewed: 14-Jun-2015 **Bypass:** Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (hhhh),rrrrr

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 05-Sep-2006

Approved: 05-Sep-2006

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Size: 1

Size: 1

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Jun-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 05-Sep-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 05-Sep-2015

Manufacturer: Watts

Renewed: 12-Apr-2015

Orientation: VUVD

0.25% Pb: No

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015 Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2	Manufacturer: Watts Orientation: VUVD	Model: LF919AQT Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LF919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (hhhh),rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp,rrrrr		

Type: RP Manufacturer: Watts **Size:** 1 Orientation: H 0.25% Pb: Yes Manual: 9 Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts **Size:** 1 Orientation: VD 0.25% Pb: No Manual: 9 Renewed: 30-Aug-2015 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Size: 1 Orientation: VD Manual: 9 0.25% Pb: Yes Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Size: 1 1/4 Orientation: H Manual: 9 0.25% Pb: No Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Shutoffs: (vv),xx,ooo,pppp,rrrrr Type: RP Manufacturer: Watts Orientation: H Size: 1 1/4 0.25% Pb: Yes Manual: 9 Approved: 12-Apr-2006 Renewed: 12-Apr-2015 Shutoffs: (hhhh),rrrrr Type: RP Manufacturer: Watts Size: 1 1/4 Orientation: VD 0.25% Pb: No Manual: 9 Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919QT

Model: LF919QT

Model: LF919QT

Model: LF919QT

Model: LF919QT

Model: LF919QT

Spare Parts Only: No

Meters:

Bypass:

Meters:

Bypass:

Meters:

Bypass:

Meters:

Bypass:

Meters:

Bypass:

Meters:

Bypass:

2016 © University of Southern California

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr	Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015	Model: LF919QT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LF919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: LFU919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2015	Bypass:

Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: hhhh

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp

Shutoffs: (vv),xx,ooo,pppp

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Type: RP

Size: 1 1/4

Manual: 9

Type: RP

Size: 1 1/2

Manual: 9

Shutoffs: hhhh

Shutoffs: hhhh

Size: 1

Size: 1

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Jun-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Approved: 12-Apr-2006

Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2015 Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2015	Model: LFU919AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: hhhh	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2006 Shutoffs: hhhh	Renewed: 12-Apr-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Aug-2006 Shutoffs: hhhh	Renewed: 30-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: LFU919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2006	Renewed: 12-Apr-2015	Bypass:
Shutoffs: (vv),xx,ooo,pppp		

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2015 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Watts Model: LFU919QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: RP Manufacturer: Watts Model: LFU919QT Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 12-Apr-2015 Approved: 12-Apr-2006 Bypass: Shutoffs: hhhh Type: RP Manufacturer: Watts Model: LFU919QT Size: 2 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 Bypass: **Shutoffs:** (vv),xx,ooo,pppp Type: RP Manufacturer: Watts Model: LFU919QT Size: 2 Orientation: VD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2015 **Bypass:** Shutoffs: hhhh Type: RP Manufacturer: Watts Model: SS009M3QT Size: 1/4 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Renewed: 19-Dec-2013 Approved: 19-Dec-2001 Bypass: Shutoffs: (hhh) Type: RP Manufacturer: Watts Model: SS009M3QT Size: 3/8 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 19-Dec-2001 Renewed: 19-Dec-2013 **Bypass:** Shutoffs: (hhh) Type: RP Manufacturer: Watts Model: SS009M3QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 19-Dec-2001 Renewed: 19-Dec-2013 **Bypass:** Shutoffs: (hhh)

Type: RP Manufacturer: Watts Model: SS009M3QT Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 31-Jul-2013 Approved: 31-Jul-2001 Bypass: Shutoffs: (hhh) Type: RP Manufacturer: Watts Model: SS009QT **Size:** 1 Orientation: H Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: 18-May-1998 Renewed: 18-May-2013 Bypass: Shutoffs: (hhh) Type: RP Manufacturer: Watts Model: U009APCQT Size: 3/4 **Orientation: VDVD** Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009APCQT Size: 3/4 Orientation: VDVU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 10-Dec-1993 Renewed: 10-Dec-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009APCQT Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009APCQT Size: 3/4 Orientation: VUVU Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009APCQT **Size:** 1 **Orientation: VDVD** Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8

Bypass:

Shutoffs: vv,xx,ooo,hhhh,pppp

Approved: 10-Dec-1993

Renewed: 10-Dec-2014

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 10-Dec-2014	Model: U009APCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 10-Dec-2014	Bypass:
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 1 Manual: 8 Approved: 12-Jun-1992 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 12-Jun-2013	Model: U009AQT Meters: Spare Parts Only: Yes Bypass:
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992 Shutoffs: vv,xx,ooo,hhhh,pppp	Renewed: 12-Jun-2013	Bypass:
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2013	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP

Manual: 8

Type: RP

Approved: 27-Sep-1994

Shutoffs: vv,xx,ooo,hhhh,pppp

Size: 2

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts

Orientation: VDVD

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VDVU

0.25% Pb: No

Orientation: VDVD

0.25% Pb: No

Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP

Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 16-Dec-2013

Renewed: 16-Dec-2013

Type: RP
Size: 1 1/2
Manual: 8
Approved: 16-Dec-1992
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 16-Dec-2013

Manufacturer: Watts

Renewed: 16-Dec-2013

Manufacturer: Watts

Renewed: 09-Nov-2013

Manufacturer: Watts

Renewed: 09-Nov-2013

Manufacturer: Watts

Renewed: 09-Nov-2013

Manufacturer: Watts

Renewed: 09-Nov-2013

Orientation: VUVU

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VDVU

0.25% Pb: No

Orientation: VDVD

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

> Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1PCQT Meters: Spare Parts Only: No Bypass:

Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Size: 2 Manual: 8

Type: RP

Size: 1 1/2

Manual: 8

Approved: 09-Nov-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 8 Approved: 09-Nov-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 8 Approved: 09-Nov-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 8 Approved: 09-Nov-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015 Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts

Model: U009M1PCQT Meters: Spare Parts Only: No Bypass:

Model: U009M1PCQT

Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 27-Sep-2015 Approved: 27-Sep-1994 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 30-Jun-1992 Renewed: 30-Jun-2013 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 30-Jun-1992 Renewed: 30-Jun-2013 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 30-Jun-2013 Approved: 30-Jun-1992 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M2APCQT Size: 1 Orientation: VDVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 15-Jan-1999 Renewed: 15-Jan-2014 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M2APCQT Size: 1 Orientation: VDVU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 15-Jan-1999 Renewed: 15-Jan-2014 Bypass:

Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 15-Jan-2014	Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 26-Aug-2015 Manufacturer: Watts	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass: Model: U009M2APCQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: VDVD 0.25% Pb: No Manual: 8 Approved: 24-Aug-1993 Renewed: 24-Aug-2014 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: VDVU Meters: 0.25% Pb: No Manual: 8 Renewed: 24-Aug-2014 Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: VUVD Manual: 8 0.25% Pb: No Approved: 24-Aug-1993 Renewed: 24-Aug-2014 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: VUVU Meters: 0.25% Pb: No Manual: 8 Approved: 24-Aug-1993 Renewed: 24-Aug-2014 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VDVD Meters: 0.25% Pb: No Manual: 9 Approved: 26-Aug-1997 Renewed: 26-Aug-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VDVU Meters: 0.25% Pb: No Manual: 9 Approved: 26-Aug-1997 Renewed: 26-Aug-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 26-Aug-1997 Renewed: 26-Aug-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp

Model: U009M2AQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2AQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2PCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 12-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Sep-2015	Model: U009M2PCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Aug-2015	Model: U009M2PCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 8 Approved: 16-Nov-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 16-Nov-2013	Model: U009M2QT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2014	Model: U009M2QT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 24-Aug-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 24-Aug-2014	Model: U009M2QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 2 Manual: 9	Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: U009M2QT Meters: Spare Parts Only: No
Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 26-Aug-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Feb-1995	Renewed: 02-Feb-2016	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2014	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2015	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Size: 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2016 Model: U009QT Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Watts Model: U009QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Size: 1 1/4 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Aug-1988 Renewed: 09-Aug-2015 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009QT Orientation: H Size: 1 1/2 Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 09-Aug-1988 Renewed: 09-Aug-2015 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Type: RP Model: U009QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 09-Aug-1988 Renewed: 09-Aug-2015 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Model: U009SSPCQT Type: RP Manufacturer: Watts Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2014 Bypass: Shutoffs: vv,xx,pppp

2016 © University of Southern California

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2014

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015 Model: U009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass: Type: RP Size: 1 1/2 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp

Approved: 09-Aug-1988

Approved: 29-Sep-1979

Shutoffs: vv,xx,pppp

Type: RP

Manual: 7

Type: RP

Size: 3/4

Manual: 5

Type: RP

Size: 3/4

Manual: 9

Size: 2

Manufacturer: Watts **Orientation:** H 0.25% Pb: No Renewed: 09-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2015

Manufacturer: Watts

Renewed: 29-Sep-2015

Orientation: H

0.25% Pb: No

Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Oct-2013 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp

Notes: Approved 6th Ed. (15 Jan 1982), 9th Ed. Approval for S/N 464100 and higher

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U909HWQT Meters: Spare Parts Only: No Bypass:

Model: U909HWQT Meters: Spare Parts Only: No **Bypass:**

Model: U909QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 3/4 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: S/N 464100 and greater

Manufacturer: Watts **Orientation: VU** 0.25% Pb: No Renewed: 09-Oct-2013 Model: U909QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Approved 6th Ed. (15 Jan 19	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Oct-2013 982), 9th Ed. Approval for S/N 464100	Model: U909QT Meters: Spare Parts Only: No Bypass: D and higher
Type: RP	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Oct-1998	Renewed: 09-Oct-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: S/N 464100 and greater		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 14-Jun-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 9	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 01-Jun-2015 Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: U919AQT Meters: Spare Parts Only: No Bypass: Model: U919QT Meters: Spare Parts Only: No
Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 01-Jun-2015	Bypass:
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Type: RP Size: 1	Manufacturer: Watts Orientation: VD	Model: U919QT Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed : 01-Jun-2015	Bypass:
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Jun-2015	Model: U919QT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 2	Manufacturer: Watts Orientation: VD	Model: U919QT Meters:
Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 30-Aug-2015	Spare Parts Only: No Bypass:
Type: RP Size: 1/2 Manual: 9 Approved: 06-Apr-2011 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 06-Apr-2014	Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2016	Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2016	Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/4 Manual: 9 Approved: 20-Apr-2010 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Apr-2013	Model: 375 Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 1/2 Manual: 9 Approved: 20-Apr-2010 Shutoffs: (int)	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Apr-2013	Model: 375 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 28-Sep-2013	Bypass:
Approved: 28-Sep-2001	1011011001 20 00p 2010	
	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,	www,yyyy,zzzz,kkkkk
Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	www,yyyy,zzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	www,yyyy,zzz,kkkkk Model: 375
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins	Model: 375
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9	205 Manufacturer: Wilkins Orientation: H	Model: 375 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,www,yyyy,zzzz,kkkkk	Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss; Notes: Serial number L61205 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher Manufacturer: Wilkins Orientation: H	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk hd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk hd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss; Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk hd higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 uu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass: wwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 3 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number L61205 ar Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2013 pu,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205	Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass: www.yyyy,zzzz,kkkkk

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2000	Renewed: 27-Mar-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł nd higher	ς
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	ζ
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Nov-2002	Renewed: 11-Nov-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	X
Notes: Serial number L61205 ar	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number X188	305	

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIII
Notes: Serial number X18805 ar	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number X18	805	
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	r,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	r,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	y,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual. 9		

	Manufacturer: Wilkins	Model: 375AMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,IIIII
Notes: Integral grooved spool be serial number X18805	etween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8" Up to
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	0.25% Pb: Yes Renewed: 09-Sep-2013	Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s		Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll and higher approved. These have an Inte	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll and higher approved. These have an Inte	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8"	Bypass: Il gral grooved spool between the #2 ck and #2
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Bypass: Il egral grooved spool between the #2 ck and #2 Model: 375AR
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H	Bypass: Il egral grooved spool between the #2 ck and #2 Model: 375AR Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Il sgral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,z	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa ind higher approved. These have an Inte	Bypass: Il sgral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,z Notes: Only Serial No G00110 a	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,llll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa ind higher approved. These have an Inte	Bypass: Il egral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,z Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,III and higher approved. These have an Inter d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa and higher approved. These have an Inter d max. 47 1/8"	Bypass: Il sgral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII sgral grooved spool between the #2 ck and #2
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,z Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Renewed: 09-Sep-2013 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa ind higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Bypass: I sgral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: a,kkkkk,IIIII sgral grooved spool between the #2 ck and #2 Model: 375AR

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP Size: 4	Manufacturer: Wilkins Orientation: H	Model: 375AR Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,lllll
•	• • • • •	gral grooved spool between the #2 ck and #2
SOV with length: min. 35 3/4" and	max. 62 1/4"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 and SOV with length: min. 34 1/4" and	o 11	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 and SOV with length: min. 42 1/2" and		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyy,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 and SOV with length: min. 34 1/4" and	o 11	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy	,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 and high	ner approved. These have an Integral g	prooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and max.	47 1/8"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy	,aaaaa,kkkkk,IIIII
•		prooved spool between the #2 ck and #2
SOV with length: min. 61 3/8" and max.	100 5/8"	
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz	z,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy	,aaaaa,kkkkk,IIIII
Notes: Only Serial No G00110 and high SOV with length: min. 34 1/4" and max.		prooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uut	ıu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
		with length: min. 34 1/4" and max. 47 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uut		

Notes: These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 48 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 42 1/2" and max. 71 1/4"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 57 7/8" and max. 86"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	x,yyyy,aaaaa,kkkkk,IIIII
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 61 3/8" and max. 100 5/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd	
Notes: Only Serial No G00110 a	and higher approved. These have an Inte	egral grooved spool between the #2 ck and #2

SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP Size: 3	Manufacturer: Wilkins Orientation: H	Model: 375ARXL Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,ddd	
Notes: Only Serial No G00110 a SOV with length: min. 35 3/4" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Notes: Only Serial No G00110 a SOV with length: min. 42 1/2" an	• • • •	gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	с,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 57 7/8" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	с,уууу,ааааа
Notes: Only Serial No G00110 a SOV with length: min. 61 3/8" an		gral grooved spool between the #2 ck and #2
Type: RP	Manufacturer: Wilkins	Model: 375ARXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 61 3/8" and max. 100 5/8"

i ype: I di		
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:

Manufacturer: Wilkins

Model: 375AST

Type: RP

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,x	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 47 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 1/4" and max.

Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 34 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2015	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 35 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel g	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.

100 5/8"

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31 1/2" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 32 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 39" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.

86"

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed:	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,xxx	k,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel groo 100 5/8"	ved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz	Renewed: 14-Apr-2013	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd,eeee		

Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	à
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	3
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 375AXL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2015	Bypass:
Shutoffs: (int)		

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 an	d higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	05	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an		
		Model: 375MS
Notes: Serial number L61205 an	id higher	Model: 375MS Meters:
Notes: Serial number L61205 an	nd higher Manufacturer: Wilkins	
Notes: Serial number L61205 an Type: RP Size: 3	Manufacturer: Wilkins Orientation: H	Meters:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	Meters: Spare Parts Only: No Bypass: vwww,yyyy,zzzz,kkkkk
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 005 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 and Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 and Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: www.yyyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: k Model: 375MS
Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,ut Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: www.yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: k Model: 375MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv	ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk
Notes: Serial number L61205 an	d higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	ı,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	05	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		_
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł d higher	5
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins	Model: 375MS
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375MS Meters: Spare Parts Only: No
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 and Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkł	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wv Notes: Serial number L61205 and Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,wv	ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkł	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wy Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,wy Notes: Serial number L61205 an	ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk d higher	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,wy Notes: Serial number L61205 an Type: RP Size: 8 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,wy Notes: Serial number L61205 an Type: RP	ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2015 J,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 ww,ssss,tttt,vvvv,wwww,yyy,zzzz,kkkkk d higher Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375MS

Type: RP
Size: 1/2
Manual: 9
Approved: 22-Feb-2011
Shutoffs: (int)

- Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (int)
- Type: RP Size: 1 Manual: 9 Approved: 31-Oct-2011 Shutoffs: int
- Type: RP Size: 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (int)
- Type: RP Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)
- Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)
- Type: RP Size: 1 1/4 Manual: 9 Approved: 20-Apr-2010 Shutoffs: (int)

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-Oct-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 07-Apr-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Mar-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Mar-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 20-Apr-2013 Model: 375ST Meters: Spare Parts Only: No Bypass:

Model: 375ST Meters: Spare Parts Only: No Bypass:

Model: 375ST Meters: Spare Parts Only: No Bypass:

Model: 375XL Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2013	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	w,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	222,0000,0000	
	Manufacturer: Wilkins	Model: 375XL
Type: RP		Model: 375XL Meters:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins	

Type: RP Size: 1/2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

- Type: RP Size: 3/4 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)
- Type: RP Size: 1 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 1 1/4 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 1 1/2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RP Size: 2 Manual: 9 Approved: 08-Nov-2012 Shutoffs: (int)

Type: RPMSize: 2 1/2CManual: 9OApproved: 14-Apr-2010FShutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 08-Nov-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 14-Apr-2013 Model: 375XLB Meters: Spare Parts Only: No Bypass:

Model: 375XLMS Meters: Spare Parts Only: No Bypass:

2016 © University of Southern California

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,II,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zzz	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	vww,,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 14-Apr-2013	Bypass:
Approved: 14-Apr-2010		
Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	•	
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	•	Model: 375XLMS
	dddd,eeee	
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	dddd,eeee Manufacturer: Wilkins	Model: 375XLMS

Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	/w,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd,eeee	
Type: RP	Manufacturer: Wilkins	Model: 375XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: gg,hh,ppp,qqq,vvv,ww	/w,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	Renewed: 24-Jan-2014	

Notes: Up to serial number Q05664

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	-) pace.
Notes: Serial number Q05664 a		
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	
Notes: Serial number Q05664 a		
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Vanual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
lotes: Up to serial number Q05		
	Manufacturer: Wilkins	Model: 475
Type: RP Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	
Notes: Serial number Q05664 a		
	-	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q05	664	

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIII
lotes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q050	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	
Notes: Serial number Q05664 a	nd higher	
	Manufacturer: Wilkins	Model: 475
Type: RP	Manufacturer: Wilkins Orientation: VUVD	Model: 475 Meters:
Гуре: RP Size: 10		
Type: RP Size: 10 Manual: 9	Orientation: VUVD	Meters:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664	Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,lllll
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,I Notes: Serial number Q05664 an	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 at	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 at Type: RP Size: 2 1/2	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk nd higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Model: 475MS
Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Orientation: VUVD 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk nd higher Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: Model: 475MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII
Notes: Serial number Q05664 a	nd higher	
Turner DD		Madal: 475MC
Type: RP	Manufacturer: Wilkins	Model: 475MS
•••	Orientation: VUVD	Meters:
Size: 4		
Size: 4 Manual: 9	Orientation: VUVD	Meters:
Size: 4 Manual: 9 Approved: 03-Jul-2003	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,lllll
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 475MS
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 and Type: RP	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkkk,IIIII
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 an Type: RP Size: 6	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki nd higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkkk,IIIII
Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki nd higher Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII Model: 475MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIII
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp).aga.sss.ttt.www.	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	
= $=$ $=$ $(117)110$ $()$ $()$		
Notes: Serial number Q05664 ar	nd higher	
Notes: Serial number Q05664 ar	nd higher Manufacturer: Wilkins	Model: 475MS
Notes: Serial number Q05664 ar		Model: 475MS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 10	Manufacturer: Wilkins	
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: H	Meters:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664	Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,IIIII Model: 475V Meters:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk hd higher	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk hd higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No Bypass: Model: 475V
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk hd higher Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No Bypass: Model: 475V Meters:

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	iuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Serial number Q05664 and		
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,	yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q0566	64	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	
Notes: Serial number Q05664 and		,
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Bypass:
Approved: 09-Sep-2000	Renewed: 09-Sep-2015	Dypass.
	Renewed: 09-Sep-2015 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www,y	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Up to serial number Q0566	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Up to serial number Q0566 Type: RP	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 34	yyyy,aaaaa,kkkkk,lllll
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: Up to serial number Q0566 Type: RP Size: 6	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 4 Manufacturer: Wilkins	yyyy,aaaaa,kkkkk,lilli Model: 475V
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 4 Manufacturer: Wilkins Orientation: VUVU	,yyyy,aaaaa,kkkkk,IIIII Model: 475∨ Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	yyyyy,aaaaa,kkkkk,llill Model: 475∨ Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyyy,aaaaa,kkkkk,lllll Model: 475∨ Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyyy,aaaaa,kkkkk,llill Model: 475∨ Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyyy,aaaaa,kkkkk,lllll Model: 475∨ Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,	yyyyy,aaaaa,kkkkk,IIIII Model: 475∨ Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566	yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 4 Manufacturer: Wilkins	yyyyy,aaaaa,kkkkk,IIIII Model: 475V Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII Model: 475V
Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6 Manual: 9 Approved: 31-May-2001 Shutoffs: (ppp),qqq,sss,ttt,www,yy Notes: Up to serial number Q0566 Type: RP Size: 6	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 31-May-2013 yy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx, 4 Manufacturer: Wilkins Orientation: VUVU	yyyyy,aaaaa,kkkkk,IIIII Model: 475∨ Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII Model: 475∨ Meters:

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jun-2004	Renewed: 08-Jun-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
lotes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł nd higher	(kk,IIIII
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	
	nd higher	
Notes: Serial number Q05664 ar	nd higher Manufacturer: Wilkins	Model: 475V
Notes: Serial number Q05664 ar		Model: 475∨ Meters:
Notes: Serial number Q05664 ar Type: RP Size: 10	Manufacturer: Wilkins	
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: VUVU	Meters:
Notes: Serial number Q05664 an Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 564	Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,lllll
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,u Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar Type: RP	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar Type: RP Size: 2 1/2	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk hd higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS
Notes: Serial number Q05664 ar Type: RP Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 22-Nov-2013 zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 uuuu,vvvv,xxxx,yyy,aaaaa,kkkkk hd higher Manufacturer: Wilkins Orientation: VUVU	Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: Model: 475VMS Meters:

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,ս	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	
lotes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	KKK,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar		KKK,IIII
Notes: Serial number Q05664 ar		Model: 475VMS
Notes: Serial number Q05664 ar	nd higher	
Notes: Serial number Q05664 ar Type: RP Size: 4	Manufacturer: Wilkins	Model: 475VMS
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,lllll
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 475VMS
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kki	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kki	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: kkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 6	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki nd higher Manufacturer: Wilkins	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: kkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 03-Jul-2015 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 09-Sep-2013 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl nd higher Manufacturer: Wilkins Orientation: VUVU	Model: 475VMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII Model: 475VMS Meters: Spare Parts Only: No Bypass: kkk,IIIII

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	/,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kk,IIII
Notes: Serial number Q05664 a	and higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2015	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	/,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q0	5664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
		Spore Porto Ophy No
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a	Renewed: 09-Sep-2013 /,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv	Renewed: 09-Sep-2013 /,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP	Renewed: 09-Sep-2013 v,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10	Renewed: 09-Sep-2013 v,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9	Renewed: 09-Sep-2013 /,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H	Bypass: IIII Model: 475VMS Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Up to serial number Q05	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Up to serial number Q05	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 5664	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Up to serial number Q05 Type: RP Size: 2 1/2	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 5664 Manufacturer: Wilkins	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaa,kkkkk,IIIII Model: 475XL
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 5664 Manufacturer: Wilkins Orientation: VUVD	Bypass: IIII Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475XL Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q05 Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 5664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475XL Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Up to serial number Q05 Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 5664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475XL Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,wwv Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,wwv	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 3664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 ,zzz,dddd	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475XL Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Serial number Q05664 a Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (ppp),qqq,sss,ttt,www Notes: Up to serial number Q08 Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz	Renewed: 09-Sep-2013 x,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l and higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2014 x,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 ,zzz,dddd Manufacturer: Wilkins	Bypass: Model: 475VMS Meters: Spare Parts Only: No Bypass: y,aaaaaa,kkkkk,IIIII Model: 475XL Meters: Spare Parts Only: No Bypass: Model: 475XL Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	•	Dypass.
	·	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
	Manufacturer: Wilkins	Model: 475XL
Type: RP Size: 4		
Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: Yes	Meters:
		Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Sincors: (ppp),qqq,sss,iii,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XL
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
	Kenemed . 10-1 05-2010	DJP4 00.

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 8	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:	
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 10	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:	
Shutoffs: zzz,dddd,eeee			
Type: RP	Manufacturer: Wilkins	Model: 475XL	
Size: 10	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:	
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:	
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:	
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS	
	Manufacturer: Wilkins Orientation: VUVD	Model: 475XLMS Meters:	
Size: 3			
Size: 3 Manual: 9	Orientation: VUVD	Meters:	
Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Meters: Spare Parts Only: No	
Size: 3 Manual: 9 Approved: 14-Apr-2010	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013	Meters: Spare Parts Only: No	
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 zzz,dddd	Meters: Spare Parts Only: No Bypass:	
Size: 3 Manual: 9 Approved: 14-Apr-2010 Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz, Type: RP	Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2013 zzz,dddd Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 475XLMS	

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: U	Mataua
	Orientation: H	Meters:

0.25% Pb: No **Renewed:** 18-Feb-2016 Spare Parts Only: No Bypass:

Approved: 18-Feb-2010

Shutoffs: zzz,dddd,eeee

Type: RP	Manufacturer: Wilkins	Model: 475XLMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		. ,

Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLV
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,zzz,dddd

Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: ee,ff,ll,mm,tt,uu,yy,zz,	zzz,dddd	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2010	Renewed: 14-Apr-2013	Bypass:

Type: RP Size: 8 Manual: 9 Approved: 18-Feb-2010	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 18-Feb-2016	Model: 475XLVMS Meters: Spare Parts Only: No Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,y	yy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: zzz,dddd,eeee		
Type: RP	Manufacturer: Wilkins	Model: 475XLVMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2016	Bypass:
Shutoffs: ppp,qqq,sss,ttt,www,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2015	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2013	Bypass:
Shutoffs: gg,ee,tt,yy		

Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2015	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Jun-1980	Renewed: 08-Jun-2013	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2014	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575 (MOD-III)
Size: 2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575A
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2014	Bypass:
Shutoffs: ii		

Type: RP Size: 1	Manufacturer: Wilkins Orientation: H	Model: 575A Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2014	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 575M10
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jun-1983	Renewed: 01-Jun-2013	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 6"x6"x10" manifold, form	erly MBC-10"	
Type: RP	Manufacturer: Wilkins	Model: 575M8
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2016	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 4"x4"x8" manifold, forme	rly MBC-8"	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1		Matana
	Orientation: H	Meters:
Manual: 8	0:25% Pb: No	Meters: Spare Parts Only: Yes
Manual: 8 Approved: 18-Jul-1991		
	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991 Shutoffs: ii	0.25% Pb: No Renewed: 18-Jul-2015	Spare Parts Only: Yes Bypass:
Approved: 18-Jul-1991 Shutoffs: ii Type: RP	0.25% Pb: No Renewed: 18-Jul-2015 Manufacturer: Wilkins	Spare Parts Only: Yes Bypass: Model: 975
Approved: 18-Jul-1991 Shutoffs: ii Type: RP Size: 1 1/4	0.25% Pb: No Renewed: 18-Jul-2015 Manufacturer: Wilkins Orientation: H	Spare Parts Only: Yes Bypass: Model: 975 Meters:

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
T DD	Manufacturer: Wilkins	Model: 975
Iype: RP		
	Orientation: H	Meters:
Type: RP Size: 8 Manual: 8	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Feb-1995	Renewed: 06-Feb-2016	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2015	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,zz	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jun-1997	Renewed: 17-Jun-2015	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (gg), ee, ff, hh, tt, uu, yy, zz, ssss, tttt, vvvv, www, yyyy, zzzz

Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,		
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2013	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2014	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jul-1994	Renewed: 12-Jul-2015	Bypass:
Shutoffs: (ii)		

Type: RP Manufacturer: Wilkins Model: 975XL Size: 3/4 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XL **Size:** 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XL Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 Bypass: Shutoffs: (ii),000,ggg Type: RP Manufacturer: Wilkins Model: 975XL Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Nov-1992 Renewed: 02-Nov-2013 **Bypass:** Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XL Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Renewed: 02-Nov-2013 Approved: 02-Nov-1992 Bypass: Shutoffs: (ii),bbb,ooo,bbbbb,ccccc Manufacturer: Wilkins Type: RP Model: 975XL2 Size: 1/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 01-Oct-2009 Renewed: 01-Oct-2015 **Bypass:** Shutoffs: (iiii) Type: RP Manufacturer: Wilkins Model: 975XL2 Size: 3/8 Orientation: H Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 01-Oct-2009 Renewed: 01-Oct-2015 **Bypass:** Shutoffs: (iiii)

Type: RP Size: 1/2 Manual: 8 Approved: 01-Oct-2009 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 8 Approved: 21-Aug-2009 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 8 Approved: 21-Aug-2009 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 21-Aug-2009 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 01-Oct-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 Model: 975XL2 Meters: Spare Parts Only: No Bypass:

Model: 975XL2BMS Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

- Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)
- Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2MS Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 3/4 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2014 Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 29-Mar-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2013 Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2TCU Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2014 Model: 975XL2U Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XL2V Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (bbbbb)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (ccccc)

Type: RP Size: 3/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015 Model: 975XL2V Meters: Spare Parts Only: No Bypass:

Model: 975XLBF Meters: Spare Parts Only: No Bypass:

Model: 975XLBFSS Meters: Spare Parts Only: No Bypass:

Model: 975XLBMS Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 3/4 Manual: 9 Approved: 08-Oct-2002 Shutoffs: (ii),000

Type: RP Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 30-Aug-1994 Shutoffs: (ii),000 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 30-Aug-2015 Model: 975XLBMS Meters: Spare Parts Only: No Bypass:

Model: 975XLD Meters: Spare Parts Only: No Bypass:

Model: 975XLD Meters: Spare Parts Only: No Bypass:

Model: 975XLMS Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Wilkins Model: 975XLMS Size: 2 **Orientation:** H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Renewed: 30-Aug-2015 Approved: 30-Aug-1994 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 3/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 16-Oct-2015 Approved: 16-Oct-2000 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 3/4 **Orientation: VUVU** Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2015 **Bypass:** Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Orientation: VUVU Size: 1 Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 16-Oct-2000 Renewed: 16-Oct-2015 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 1/4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Nov-1999 Renewed: 04-Nov-2014 **Bypass:** Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLSE Size: 1 1/4 Orientation: VUVU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Nov-1999 Renewed: 04-Nov-2014 **Bypass:** Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii).000

Type: RP Size: 3/4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 3/4 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2014

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 16-Oct-2015 Model: 975XLSE Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 16-Oct-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 1 1/2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 16-Oct-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2015

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2015 Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/8 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

- Type: RP Size: 1/2 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)
- Type: RP Size: 1/2 Manual: 8 Approved: 05-Apr-2007 Shutoffs: (ii),000
- Type: RP Size: 3/4 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2014

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Apr-2016

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 27-Jun-2015 Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLTCU Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Wilkins Model: 975XLTCU Size: 2 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 27-Jun-2015 Approved: 27-Jun-2006 Bypass: Shutoffs: (ii),000,XXX Type: RP Manufacturer: Wilkins Model: 975XLU Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 02-Sep-2014 Approved: 02-Sep-1993 Bypass: Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 1 **Orientation: H** Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Sep-1993 Renewed: 02-Sep-2014 Bypass: Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 02-Sep-1993 Renewed: 02-Sep-2014 **Bypass:** Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLU Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 02-Sep-1993 Renewed: 02-Sep-2014 Bypass: Shutoffs: (ggg),xxx Type: RP Manufacturer: Wilkins Model: 975XLV Size: 3/4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Jan-2001 Renewed: 07-Jan-2016 **Bypass:** Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: 975XLV Size: 3/4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Jan-2001 Renewed: 07-Jan-2016 Bypass: Shutoffs: (ii),000

Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2016	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: MBC-10"
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" manifold, Mode	el designation changed to 575M10	
Type: RP	Manufacturer: Wilkins	Model: MBC-8"
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: 6"x6"x10" manifold,Mode	l designation changed to 575M8	
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2013	Bypass: Conbraco 4020402 3/4 (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 6	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2013	Bypass: Conbraco 4020402 3/4 (H)
	oo,pp,tt,ccc,ddd,ffff,gggg	

Type: RPDA

Orientation: H Size: 8 0.25% Pb: No Manual: 8 Approved: 01-Jul-1989 Renewed: 01-Jul-2013 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDA

Size: 10

Orientation: H Manual: 8 0.25% Pb: No Approved: 19-Mar-1990 Renewed: 19-Mar-2014 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDA Size: 2 1/2 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu

Type: RPDA Size: 3 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 4 Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 6

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee Manufacturer: Ames

Renewed: 07-Jul-2015

Manufacturer: Ames

Manufacturer: Ames

Manufacturer: Ames

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015 Model: 5000 Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q Spare Parts Only: No Bypass: Conbraco 4020402 3/4 (H)

Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Model: 5000CIV Meters: (H),C,D,E,F,G,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Type: RPDA

Size: 8 Manual: 8 Approved: 07-Jul-2000

Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 10

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 28-May-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 28-May-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2015 Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Page 566 of 616

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Orientation: VUVU 0.25% Pb: No Renewed:

> Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames

Manufacturer: Ames

Orientation: VUVU

0.25% Pb: No

Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: Colt 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Colt 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: LFColt 500-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500-GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
o : (Mataras (O)
Size: 4	Orientation: H	Meters: (O)
Size: 4 Manual: 9	Orientation: H 0.25% Pb: Yes	Spare Parts Only: No

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 8	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er.
Type: RPDA	Manufacturer: Ames	Model: LFColt 500GV
Size: 10	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	er en
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	9 r
	Manufacturer: Ames	Model: LFColt 500NBF
Type: RPDA		
Type: RPDA Size: 4	Orientation: VUVD	Meters: (O)
	Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500NGV
Size: 4	Orientation: VUVD	Meters: (O)
Manualy 0	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed:	
Approved: 08-Jan-2014 Shutoffs: (zzz)		
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	ion identified with NSF61 mark on mete	r
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFColt 500ZBF
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	Model: LFColt 500ZBF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014

Shutoffs: (zzz)

Renewed:

Notes: Lead free compliant version identified with NSF61 mark on meter

Page 570 of 616

Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFColt 500ZGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)	Renewed:	
Shutoffs: (zzz)		
Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 500GV
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFMaxim 500GV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014

Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Renewed:

Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 6	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 8	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500GV
Size: 10	Orientation: H	Meters: (M)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Oct-2015	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	ion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NBF
	Manufacturer: Ames Orientation: VUVD	Model: LFMaxim 500NBF Meters: (O)
Size: 3		
Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014	Orientation: VUVD	Meters: (O)
Size: 3 Manual: 9	Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: VUVD 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	Orientation: VUVD 0.25% Pb: Yes Renewed:	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant versi Type: RPDA	Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on mete Manufacturer: Ames	Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) er Model: LFMaxim 500NGV

Notes: Lead free compliant version identified with NSF61 mark on meter

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: LFMaxim 500ZGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on mete	r
Type: RPDA	Manufacturer: Ames	Model: Maxim 500-GV
Size: 2 1/2	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q

Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500NGV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA

Size: 3

Manual:

Approved:

Type: RPDA

Size: 3

Manual:

Approved:

Manufacturer: Ames

Orientation: VUVU 0.25% Pb: No **Renewed:**

Manufacturer: Apollo/Conbraco **Orientation:** 0.25% Pb: No **Renewed:** Notes: model designation changed to RPDA40

Manufacturer: Apollo/Conbraco

Orientation:

0.25% Pb: No

Renewed:

Model: 4070003 Meters: Spare Parts Only: No **Bypass:**

Model: 40700C3 Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to RPDA40

Page 576 of 616

Manufacturer: Ames **Orientation: VUVU** 0.25% Pb: No **Renewed:**

Manufacturer: Ames **Orientation: VUVU** 0.25% Pb: No **Renewed:**

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No **Renewed:**

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No **Renewed:**

Bypass: Watts 919QT 3/4" (H) Model: Maxim 500ZGV

Meters: (N),H,I,J,K,L,M,N,O,P,Q

Model: Maxim 500ZGV

Spare Parts Only: No

Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZGV Meters: (N),H,I,J,K,L,M,N,O,P,Q

Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: Maxim 500ZBF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 40700E3
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	nged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	nged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070AE3
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	nged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	nged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070CC3
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	nged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070CE3
21		
	Orientation:	Meters:
Size: 6	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 6 Manual: Approved:		
Size: 6 Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 6 Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation cha	0.25% Pb: No Renewed: nged to RPDA40	Spare Parts Only: No Bypass:
Size: 6 Manual: Approved: Notes: model designation cha Type: RPDA	0.25% Pb: No Renewed: nged to RPDA40 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 4070E03

Notes: model designation changed to RPDA40

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070EC3
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070EE3
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	nanged to RPDA40	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: 4070GC3
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No Bypass:
	Renewed:	
Approved:	Renewed:	
Approved: Notes: model designation ch Type: RPDA	Renewed: nanged to RPDA40	Bypass:
Approved: Notes: model designation ch Type: RPDA Size: 10	Renewed: nanged to RPDA40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4070GE3 Meters:
Approved: Notes: model designation ch	Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 4070GE3
Approved: Notes: model designation ch Type: RPDA Size: 10 Manual:	Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 4070GE3 Meters: Spare Parts Only: No
Approved: Notes: model designation ch Type: RPDA Size: 10 Manual: Approved: Notes: model designation ch	Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RPDA40	Bypass: Model: 4070GE3 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation ch Type: RPDA Size: 10 Manual: Approved: Notes: model designation ch Type: RPDA	Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco	Bypass: Model: 4070GE3 Meters: Spare Parts Only: No Bypass: Model: 407AC3
Approved: Notes: model designation ch Type: RPDA Size: 10 Manual: Approved:	Renewed: hanged to RPDA40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RPDA40	Bypass: Model: 4070GE3 Meters: Spare Parts Only: No Bypass:

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1993	Renewed: 27-Jul-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070003, 40700C3, 40	1700E3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1993	Renewed: 27-Jul-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm Notes: formerly 4070A03, 407AC3, 407	70AE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 6	Orientation: H	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Oct-1993	Renewed: 20-Oct-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070C03, 4070CC3, 4	070CE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1993	Renewed: 24-May-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070E03, 4070EC3, 40	070EE3	

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDA40
		Meters:
Size: 10	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2014	Bypass: Apollo/Conbraco 4020402 3/4" (H), Apollo/Conbraco RP40 3/4" (H)
Shutoffs: (uu),cc,mm		
Notes: formerly 4070G03, 4070G0	C3, 4070GE3	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	m, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 3	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	m, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 4	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	m, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	m, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 2 1/2	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

	Manulactaren. Apolio/Oolibiaco	
Size: 2 1/2	Orientation: VUVU	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 3	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 3	Orientation: VUVU	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 4	Orientation: VUVU	Meters: (P),G,H,I,J,K,L,M,N,O,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed:	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 6	Orientation: VUVD	Meters: (M),G,H,I,J,K,L, N,O,P,Q
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Approved: 12-May-2015		
Manual: 10 Approved: 12-May-2015 Shutoffs: (yyy), cccc, dddd, mmm Type: RPDA	Renewed:	
Approved: 12-May-2015 Shutoffs: (yyy), cccc, dddd, mmm	Renewed: nm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa	Bypass: Apollo RPLF4A 1/2" (H)

Manufacturer: Apollo/Conbraco

Model: RPDALF4AN

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Renewed:

Approved: 12-May-2015

Type: RPDA

Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 34" and max. 47
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 35" and max. 48
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 37 3/8" and max.
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Dec-2015	Renewed:	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/4"	rooved spool between the #2 ck and #2 SO\	✓ - assembly length: min. 46" and max. 71
Type: RPDA	Manufacturer: Cla-Val	Model: 18-4
Size: 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Aug-1990	Renewed: 23-Aug-2014	Bypass: Cla-Val RP2 3/4 (H)
Shutoffs: hh,gg,qq,rr		

	Manufacturer: Conbraco	Model:
Type: RPDA Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		Dypass.
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch		
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
		- Jpaco.

Notes: model designation changed to 826YD

Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 2 1/2	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 11-Nov-1988	Renewed: 11-Nov-2015	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggg	g	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 3	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Nov-1988	Renewed: 11-Nov-2015	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggg	g	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 4	Orientation: H	Meters: (M),
0126. 4		B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Oct-1988	Renewed: 14-Oct-2015	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggg Notes: formerly 826 Type YD	g	
Type: RPDA	Manufacturer: Febco	Model: 826YD
		Meters: (M),
Size: 6	Orientation: H	B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Mar-1990	Renewed: 01-Mar-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggg	g	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
		Meters: (M),
Size: 8	Orientation: H	B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,ggg	g	
Notes: formerly 826 Type YD		

Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 10	Orientation: H	Meters: (M),
	Chematon. H	B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2014	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,f	fff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 4	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		
Type: RPDA	Manufacturer: Watts	Model: 009NRSRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: oo,gg,ll,tt		
Type: RPDA	Manufacturer: Watts	Model: 009OSYRPDA
Size: 4	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)
Shutoffs: pp,hh,mm,uu,zz		
Type: RPDA	Manufacturer: Watts	Model: 009OSYRPDA
Size: 6	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1995	Renewed: 01-Feb-2016	Bypass: Watts 009M2QT 3/4 (H)

Shutoffs: pp,hh,mm,uu,zz

Type: RPDAManufacturer: WattsSize: 6Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 90 RPDA

Type: RPDAManufacturer: WattsSize: 3Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 909RPDA

Type: RPDAManufacturer: WattsSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 16-Jun-1999Renewed: 16-Jun-2014Shutoffs: (pp),hh,mm,uu,zz,ffff,gggg

Type: RPDAISize: 3GManual: 8GApproved: 05-Oct-1988FShutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Notes: formerly 909DDCM2

Type: RPDAMSize: 4CManual: 8CApproved: 09-Feb-1988FShutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Type: RPDA

Size: 6

Manual: 8

Orientation: H

0.25% Pb: No Renewed: 01-Feb-2015

Manufacturer: Watts

Renewed: 05-Oct-2015

Orientation: H

0.25% Pb: No

Manufacturer: Watts

Manufacturer: Watts

Renewed: 05-Oct-2015

Orientation: H

0.25% Pb: No

Model: 909DDC Meters: Spare Parts Only: No Bypass:

Model: 909DDCM2 Meters: Spare Parts Only: No Bypass:

Model: 909RPDA Meters: (H),C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Approved: 05-Oct-1988

Notes: formerly 909DDC

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Type: RPDA

Type: RPDA

Size: 10

Manual: 8

Size: 8 (Manual: 8 (Approved: 14-Feb-1988 F Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Manufacturer: Watts
Orientation: H

Manufacturer: Watts

Renewed: 14-Feb-2015

Orientation: H

0.25% Pb: No

0.25% Pb: No Renewed: 15-Feb-2015

Manufacturer: Watts

Orientation: VUVD

0.25% Pb: No

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Approved: 15-Feb-1988

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy) Renewed: Manufacturer: Watts

Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 909RPDA Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 909QT 3/4 (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

- Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)
- Type: RPDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)
- Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)
- Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)
- Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)
- Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015 Model: 957ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 957ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (yyy)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2015

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015 Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (zzz)

Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2015

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Nov-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H) Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (yyy)

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 3 Manual: 9 Approved: 24-Jun-2013 Shutoffs: (zzz)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)

Type: RPDA

Size: 4

Manual: 8 Approved: 01-Nov-1992 Shutoffs: pp,hh,mm,uu,zz

Type: RPDA

Size: 8

Manual: 8 Approved: 13-Jan-1993

Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed:

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 11-Nov-2013

Manufacturer: Watts
Orientation: H

0.25% Pb: No Renewed: 13-Jan-2014 Model: 967ZRPDA-BF Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 967ZRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Model: 990RPDA Meters: (H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 009QT 3/4 (H)

Model: 990RPDA Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: Yes Bypass: Watts 009QT 3/4 (H)

Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size: 4	Orientation: H	Meters:
Manuali 0		(H),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992 Shutoffs: oo	Renewed: 11-Nov-2013	Bypass: Watts 009QT 3/4 (H)
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size : 10	Orientation: H	Meters: (H),D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993 Shutoffs: oo	Renewed: 13-Jan-2014	Bypass: Watts 009QT 3/4 (H)
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-BF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF957NRPDA-BF
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed:	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014 Shutoffs: (zzz)

0.25% Pb: Yes Renewed:

Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Watts

Orientation: VUVD

0.25% Pb: Yes

Renewed:

Type: RPDA Manufacturer: Watts Size: 4 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 **Renewed:** Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 2 1/2 **Orientation:** H Manual: 9 0.25% Pb: Yes Approved: 15-May-2014 **Renewed:** Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Manufacturer: Watts Orientation: H Size: 3 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Size: 4 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA **Size:** 6 Manual: 9 Approved: 15-May-2014 Shutoffs: (zzz) **Notes:** Water meter identified with NSF61 mark

Manufacturer: Watts **Orientation:** H 0.25% Pb: Yes **Renewed:**

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Page 595 of 616

Manufacturer: Watts Orientation: H

0.25% Pb: Yes **Renewed:**

0.25% Pb: Yes

Renewed:

Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Model: LF957NRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

> Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Type: RPDA	Manufacturer: Watts
Size: 8	Orientation: H
Manual: 9	0.25% Pb: Yes
Approved: 13-Aug-2015	Renewed:
Shutoffs: (zzz)	
Notes: Water meter identified with NSF6	31 mark

Type: RPDA Manufacturer: Watts Size: 10 **Orientation:** H 0.25% Pb: Yes Manual: 9 Approved: 21-Sep-2015 **Renewed:** Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Size: 2 1/2 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Approved: 08-Jan-2014 **Renewed:** Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Watts Orientation: VUVD Size: 3 0.25% Pb: Yes Manual: 9 Approved: 08-Jan-2014 **Renewed:** Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA

Size: 2 1/2

Manual: 9

Shutoffs: (zzz)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes **Renewed:**

Manufacturer: Watts

Orientation: VUVD

0.25% Pb: Yes

Renewed:

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Page 596 of 616

Approved: 08-Jan-2014

2016 © University of Southern California

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF

Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	on identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed:	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant versi	on identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Type: RPDA Size: 2 1/2	Manufacturer: Wilkins Orientation: H	Model: 375ADA Meters: (O), M
••		
Size: 2 1/2	Orientation: H	Meters: (O), M
Size: 2 1/2 Manual: 9	Orientation: H 0.25% Pb: Yes Renewed:	Meters: (O), M Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu	Orientation: H 0.25% Pb: Yes Renewed: J,vvvv,xxxx,yyyy,kkkkk,lllll	Meters: (O), M Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi	Orientation: H 0.25% Pb: Yes Renewed: J,vvvv,xxxx,yyyy,kkkkk,lllll	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter	Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # Y09616; By-pass A	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA	Orientation: H 0.25% Pb: Yes Renewed: u,vvvv,xxxx,yyyy,kkkkk,IIIII fon: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 3	Orientation: H 0.25% Pb: Yes Renewed: J,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA Meters: (M),H,I,J,K,L,N,O,P,Q
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 3 Manual: 9	Orientation: H 0.25% Pb: Yes Renewed: 0,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 3 Manual: 9 Approved: 20-Oct-2008	Orientation: H 0.25% Pb: Yes Renewed: 0,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (qqq),ttt,www,yyy,zzz,	Orientation: H 0.25% Pb: Yes Renewed: 0,vvvv,xxxx,yyyy,kkkkk,IIIII on: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Size: 2 1/2 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,uuu Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 3 Manual: 9 Approved: 20-Oct-2008 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: RPDA	Orientation: H 0.25% Pb: Yes Renewed: 0,vvvv,xxxx,yyyy,kkkkk,IIIII fon: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 20-Oct-2014 uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII Manufacturer: Wilkins	Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) ssembly Starting Serial # 3863325 and identified Model: 375ADA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) Model: 375ADA

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 4	Orientation: H	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,u	uuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 4	Orientation: H	Meters: (O), M

Approved: 18-Feb-2014Renewed:Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Manual: 9

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Spare Parts Only: No

Bypass: Wilkins 975XLD 3/4" (H)

0.25% Pb: Yes

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 6	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003 Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,u	Renewed: 25-Nov-2015 uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	Bypass: Wilkins 975XLD 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-2009	Renewed: 11-Mar-2015	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq), ttt, www, yyy, zz	zz, eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
	Manufacturer: Wilkins Orientation: H	Model: 375ADAR Meters: (M),H,I,J,K,L,N,O,P,Q
Size: 2 1/2		
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010	Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013	Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (qqq),ttt,www,yyy,zzz,	Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013	Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (qqq),ttt,www,yyy,zzz,	Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (qqq),ttt,www,yyy,zzz, Notes: Integral grooved spool be	Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII etween the #2 ck and #2 SOV - assembly	Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) / length: min. 34 1/4" and max. 47 1/8"
Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (qqq),ttt,www,yyy,zzz, Notes: Integral grooved spool be	Orientation: H 0.25% Pb: No Renewed: 16-Jun-2013 uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII etween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) / length: min. 34 1/4" and max. 47 1/8" Model: 375ADAR

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,		
	etween the #2 ck and #2 SOV - assembl	y length: min. 34 3/4" and max. 48 1/8"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuu		
0 0 1		y length: min. 34 3/4" and max. 48 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assemble	y length: min. 35 3/4" and max. 62 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll	
		y length: min. 35 3/4" and max. 62 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)

Approved: 25-Mar-2010

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,u	iuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Notes: Integral grooved spool between	the #2 ck and #2 SOV - assembly length	n: min. 57 7/8" and max. 86"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size : 10	Orientation: H	Meters:
Size. 10		(M),A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,	uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Netes Integral grooved appel betwee	n the $\#2$ element $\#2$ SOV eccembly lengt	b: min 61.2/0" and may 100 5/0"

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Manual: 10		
	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll	
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual : 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Approved: 20-Feb-2014	Reneweu.	
Approved: 20-Feb-2014 Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter	v,xxxx,yyyy,kkkkk,lllll	
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter	v,xxxx,yyyy,kkkkk,lllll	
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial #	3863325 and identified with NSF61 mark on
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA Size: 4	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins	3863325 and identified with NSF61 mark on Model: 375ASTDA
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins Orientation: H	3863325 and identified with NSF61 mark on Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA Size: 4 Manual: 10	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed:	3863325 and identified with NSF61 mark on Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA Size: 4 Manual: 10 Approved: 14-Jun-2013	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed:	3863325 and identified with NSF61 mark on Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA Size: 4 Manual: 10 Approved: 14-Jun-2013 Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: v,xxxx,yyyy,kkkkk,IIIII	3863325 and identified with NSF61 mark on Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv Notes: Lead free compliant vers meter Type: RPDA Size: 4 Manual: 10 Approved: 14-Jun-2013 Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,IIIII ion: By-pass Assembly Starting Serial # Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: v,xxxx,yyyy,kkkkk,IIIII Manufacturer: Wilkins	3863325 and identified with NSF61 mark on Model: 375ASTDA Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Model: 375ASTDA

Manufacturer: Wilkins

Orientation: H

Model: 375ASTDA

Meters: (M),H,I,J,K,L,N,O,P,Q

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA

Size: 2 1/2

Type: RPDA Manufacturer: Wilkins Size: 6 Orientation: H 0.25% Pb: Yes **Manual:** 10 Approved: 18-Sep-2014 **Renewed:** Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Type: RPDA Manufacturer: Wilkins Size: 8 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 18-Sep-2014 **Renewed:** Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Type: RPDA Manufacturer: Wilkins Size: 10 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 18-Sep-2014 **Renewed:** Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Type: RPDA Size: **Manual:** 10 Approved: 09-Oct-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31" and max. 47 1/8"

Manufacturer: Wilkins

Orientation: H

0.25% Pb: Yes

Renewed:

Type: RPDA Manufacturer: Wilkins **Size:** 3 Orientation: H 0.25% Pb: Yes **Manual:** 10 Approved: 09-Oct-2014 **Renewed:** Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8"

Type: RPDA Size: 4 **Manual:** 10 Approved: 09-Oct-2014

0.25% Pb: Yes **Renewed:** Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll

Model: 375ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Bypass: Wilkins 975XLD 3/4" (H)

Model: 375ASTDA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Model: 375ASTDA

Spare Parts Only: No

Meters: (O), M

Model: 375ASTDA Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Model: 375ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Model: 375ASTDAR

Spare Parts Only: No

Meters: (O), M

Bypass: Wilkins 975XLD 3/4" (H)

Manufacturer: Wilkins Orientation: H

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 32 5/8" and max. 62 1/4"

Size: 6	Manufacturer: Wilkins	Model: 375ASTDAR
	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuuu	,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool betv	ween the #2 ck and #2 SOV - assembly	y length: min. 39" and max. 71 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuuu	,vvvv,xxxx,kkkkk,lllll	
Notes: Integral grooved spool bet	ween the #2 ck and #2 SOV - assembly	y length: min. 48 3/4" and max. 86"
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDAR
Size: 10	Orientation: H	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 18-Sep-2014	0.25% Pb: Yes Renewed:	Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
	Renewed:	
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu	Renewed: ,vvvv,xxxx,kkkkk,lllll	
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu	Renewed: ,vvvv,xxxx,kkkkk,lllll	Bypass: Wilkins 975XLD 3/4" (H)
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA	Renewed: ,vvvv,xxxx,kkkkk,lllll ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8"
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2	Renewed: ,vvvv,xxxx,kkkkk,lllll ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters:
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2 Manual: 9	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betv	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Oct-2002	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Oct-2002 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014 www,yyyy,zzzz,kkkkk	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Oct-2002 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w Type: RPDA Size: 2 1/2	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014 www,yyyy,zzzz,kkkkk Manufacturer: Wilkins	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) Model: 375DA
Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuuu Notes: Integral grooved spool betw Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Oct-2002 Shutoffs: (hh),ff,mm,uu,zz,vvvv,w	Renewed: ,vvvv,xxxx,kkkkk,IIIII ween the #2 ck and #2 SOV - assembly Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Oct-2014 www,yyyy,zzzz,kkkkk Manufacturer: Wilkins Orientation: H	Bypass: Wilkins 975XLD 3/4" (H) y length: min. 52 5/8" and max. 100 5/8" Model: 375DA Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H) Model: 375DA Meters: (O), M

with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2014	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk	
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Dec-2000	Renewed: 13-Dec-2015	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	/vv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	r,kkkk
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (N),C,D,E,F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	/vv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkk

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass /	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (N), G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2013	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,	/vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz	z,kkkk
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	•	Assembly Starting Serial # 3863325 and identified
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass /	
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA	ion: Starting Serial # M08452; By-pass / Manufacturer: Wilkins	Model: 375DA
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 10	ion: Starting Serial # M08452; By-pass # Manufacturer: Wilkins Orientation: H	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9	ion: Starting Serial # M08452; By-pass / Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004	ion: Starting Serial # M08452; By-pass # Manufacturer: Wilkins Orientation: H	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi- with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi- with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v	ion: Starting Serial # M08452; By-pass / Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 /vv,www.zzz,eeee,vvvv,wwww,yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz ion: Starting Serial # M08452; By-pass /	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Assembly Starting Serial # 3863325 and identified
Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA Size: 10 Manual: 9 Approved: 22-Nov-2004 Shutoffs: (hh),ff,mm,uu,zz,qqq,v Type: RPDA Size: 10 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (hh),qqq,vvv,www,yyy Notes: Lead free compliant versi with NSF61 mark on meter Type: RPDA	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Nov-2013 ////www.zzz,eeee,///www.yyyy,zzz Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: y,zzzz ion: Starting Serial # M08452; By-pass //	Model: 375DA Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) z,kkkk Model: 375DA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Assembly Starting Serial # 3863325 and identified Model: 475DA

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll

Page 606 of 616

Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identifi
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identifi
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	•	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	ssembly Starting Serial # 3863325 and identifi

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2001	Renewed: 20-Mar-2016	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy,zzz	z,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	/y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy	v,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed:	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	/y,zzz	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 8	Orientation: VUVU	Meters: (M), B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Apr-2004	Renewed: 24-Apr-2013	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy	v,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
o : 0		

 Size: 8
 Orientation: VUVU
 Meters: (O), M

 Manual: 9
 0.25% Pb: Yes
 Spare Parts Only: No

 Approved: 18-Feb-2014
 Renewed:
 Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz

Notes: Lead free compliant version: Starting Serial # R04847; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA

Size: 2 1/2

Manual: 8 Approved: 01-Feb-1994

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy,zzzz

Type: RPDA

Size: 3

Size: 4

Manual: 8

Manual: 8 Approved: 01-Feb-1994 Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy,zzzz

Manufacturer: Wilkins **Orientation:** H

Renewed: 01-Feb-2015

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No

0.25% Pb: No Renewed: 01-Feb-2015 Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Type: RPDA Manufacturer: Wilkins Model: 975DA Meters: **Orientation:** H (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q 0.25% Pb: No Spare Parts Only: Yes Approved: 01-Nov-1993 Renewed: 01-Nov-2014 Bypass: Wilkins 975 3/4 (H) Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz

Type: RPDA Manufacturer: Wilkins Model: 975DA Meters: **Orientation:** H Size: 6 (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Mar-1994 **Renewed:** 14-Mar-2015 Bypass: Wilkins 975 3/4 (H) Shutoffs: hh,ff,mm,uu,zz,vvvv,wwww,yyyy,zzzz

Type: RPDA Size: 8 Manual: 8 Approved: 05-Dec-1996 **Shutoffs:** (hh),ff,uu,zz,vvvv,wwww,yyyy.zzzz

Orientation: H 0.25% Pb: No Renewed: 05-Dec-2014

Manufacturer: Wilkins

Renewed: 05-Dec-2014

Orientation: H

0.25% Pb: No

Manufacturer: Wilkins

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q

Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

Size: 10 Manual: 8

Type: RPDA

Approved: 05-Dec-1996

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy.zzzz

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975 3/4 (H)

2016 © University of Southern California

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 13-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 8 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 10 Manual: 10 Approved: 07-Jul-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Mar-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Jan-2015 Shutoffs: (mm), II Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

	Manufacturen Estas	
Type: RPDA-II Size: 8	Manufacturer: Febco Orientation: VUVD	Model: LF886V
Manual: 10	0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Approved: 07-Jul-2015	Renewed:	Bypass: Watts 3/4" LF619 (HVU)
Shutoffs: (mm), II	Kellewed.	
Type: RPDA-II	Manufacturer: Febco	Model: LF886V
Size: 8	Orientation: VUVU	Meters: (O)
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Jul-2015	Renewed:	Bypass: Watts 3/4" LF619 (HVD)
Shutoffs: (mm), II		
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-1998	Renewed: 18-Nov-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-1998	Renewed: 18-Nov-2013	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2000	Renewed: 19-Jun-2015	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr		
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed:	Bypass:
••		

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: SVB Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed:	Model: LF008PCQT Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 3/8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (ooo),ii	Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 09-Mar-2016	Model: 460 Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1/2 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (000),ii	Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 09-Mar-2016	Model: 460 Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 3/4 Manual: 9 Approved: 08-May-2008 Shutoffs: (000),ii	Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 08-May-2014	Model: 460 Meters: Spare Parts Only: No Bypass:
Type: SVB Size: 1 Manual: 9 Approved: 08-May-2008 Shutoffs: (000),ii	Manufacturer: Wilkins Orientation: VUH 0.25% Pb: No Renewed: 08-May-2014	Model: 460 Meters: Spare Parts Only: No Bypass:

Type: SVB Size: 3/8 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1/2 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 3/4 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014 Model: 460XL Meters: Spare Parts Only: No Bypass:

Page 614 of 616

Type: SVB Size: 3/8 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1/2 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 3/4 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii)

Type: SVB Size: 1 Manual: 9 Approved: 21-Mar-2011 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014

Manufacturer: Wilkins Orientation: VUH 0.25% Pb: Yes Renewed: 21-Mar-2014 Model: 460XL Meters: Spare Parts Only: No Bypass:

Manufacturers of Approved Backflow Prevention Assemblies

Ames Fire & Waterworks - A Watts Water Technologies Company http://www.amesfirewater.com/ 1427 N. Market Blvd., Ste. 9 Sacramento, CA 95834 (916) 928-0123

Apollo/Conbraco Industries, Inc. http://www.apollovalves.com/ P. O. Box 247 Matthews, NC 28105 (704) 847-9191

A.R.I. FLOW CONTROL ACCESSORIES http://www.arivalves.com Kibbutz Kfar Charuv M.P. South Golan ISRAEL, 12932 972-4-6761800 or 972-4-6761988

Arrowhead Brass http://www.arrowheadbrass.com/ 5147 Alhambra Ave. Los Angeles, CA 90032 (323) 343-9790

Backflow Direct www.backflowdirect.com 3290 Monier Circle, Ste. 300 Rancho Cordova, CA 95742 (916) 760-4524

Cash Acme http://www.cashacme.com 2400 7th Avenue S.W. Cullman, Alabama 35055 (256) 775-8200

Cla-Val Company http://www.cla-val.com/ P. O. Box 1325 Newport Beach, CA 92659-0325 (949) 722-4800

FEBCO - A Watts Water Technologies Company http://www.febcoonline.com P. O. Box 8070 Fresno, CA 93747 (559) 252-0791

Flomatic http://www.flomatic.com/ 15 Pruyn's Island Dr. Glen Falls, NY 12801-4424 (800) 833-2040 Hersey Meters http://www.herseymeters.com/ 10210 Statesville Blvd. Cleveland, NC 27013 (800) 323-8584

Watts - A Watts Water Technologies Company http://www.wattsreg.com/ 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Wilkins Regulator Company http://www.zurn.com/operations/wilkins/pages/home.asp 1747 Commerce Way Paso Robles, CA 93446 (800) 817-8177