October 11, 2022 | Hazard Mitigation Plan





















Credits

Q&A | ELEMENT A: PLANNING PROCESS | A1c.

Q: Does the plan identify who represented each jurisdiction? (At a minimum, it must identify the jurisdiction represented and the person's position or title and agency within the jurisdiction.) (Requirement §201.6(c)(1))

A: See Hazard Mitigation Planning Team below.

Hazard Mitigation Planning Team:

Nama	Demonstrate and /Divinion	D45-4 T41-
Name	Department/Division	Position Title
City of Santa Ana		
Daisy Perez	City Manager's Office	Senior Management Assistant
Waldo Barela	Finance	Budget Supervisor
Jason Kwak	Planning & Building	Building Safety Manager
Anson So	Planning & Building	Senior Plan Check Engineer
Ricardo Soto	Planning & Building	Associate Planner
Richard (Joe) Weber	Police Department	Homeland Security Division Commander
Steve Rhyner, Chair	Police Department	Emergency Operations Coordinator
Tyrone Chesanek	Public Works	Deputy Public Works Director- Construction
Phil Neff	Public Works	Facilities Maintenance Manager
Ruben Castaneda	Public Works	Associate Engineer
Bryan Lopez	Public Works	Public Works Safety Coordinator
Craig Foster	Public Works	NPDES Manager
City of Anaheim		
Sagar Patel	Anaheim Fire & Rescue	Emergency Manager
Jannine Wilmoth	Anaheim Fire & Rescue	Assistant Emergency Manager
Santa Ana Unified School Distri	ict	
Camille Boden	Risk Management	Director
Kevin Phillips	SAUSD Police	Sergeant/EOC Coordinator
Orange County Fire Authority		
Steve Horner	Orange County Fire Authority	Administrative Captain
Emergency Planning Consultan	nts	
Carolyn Harshman	Emergency Planning Consultants	President





Q&A | ELEMENT A: PLANNING PROCESS | A1b.

Q: Does the plan list the jurisdiction(s) participating in the plan that are seeking approval? (Requirement §201.6(c)(1))

A: See Acknowledgements below.

Acknowledgements

City of Santa Ana

- ✓ Vicente Sarmiento, Mayor
- ✓ Thai Viet Phan, Ward 1
- ✓ David Penaloza, Ward 2
- ✓ Jessie Lopez, Ward 3
- ✓ Phil Bacerra, Ward 4
- ✓ Johnathan Ryan Hernandez, Ward 5
- ✓ Nelida Mendoza, Ward 6

Q&A | ELEMENT A: PLANNING PROCESS | A1c.

Q: Does the plan identify who represented each jurisdiction? (At a minimum, it must identify the jurisdiction represented and the person's position or title and agency within the jurisdiction.) (Requirement §201.6(c)(1))

A: See Point of Contact below.

Point of Contact

To request information or provide comments regarding this mitigation plan, please contact:

Name & Position Title	Steve Rhyner, Emergency Operations Coordinator, City of Santa Ana, Santa Ana Police Department, Homeland Security Division			
Email	srhyner@santa-ana.org			
Mailing Address	60 Civic Center Plaza, PO Box 1981, M-18, Santa Ana, CA 92702			
Telephone Number	714-647-5315			

Consulting Services

Emergency Planning Consultants

✓ Principal Planner: Carolyn J. Harshman, MPA, CEM

✓ Planning Assistant: Megan R. Fritzler, BA

3665 Ethan Allen Avenue San Diego, California 92117 Phone: 858-483-4626 epc@pacbell.net www.carolynharshman.com





Mapping

The maps in this plan were provided by the City of Santa Ana, Orange County, Federal Emergency Management Agency (FEMA), or were acquired from public Internet sources. Care was taken in the creation of the maps contained in this plan, however they are provided "as is". The City of Santa Ana cannot accept any responsibility for any errors, omissions, or positional accuracy, and therefore, there are no warranties that accompany these products (the maps). Although information from land surveys may have been used in the creation of these products, in no way does this product represent or constitute a land survey. Users are cautioned to field verify information on this product before making any decisions.

Mandated Content

In an effort to assist the readers and reviewers of this document, the jurisdiction has inserted "markers" emphasizing mandated content as identified in the Disaster Mitigation Act of 2000 (Public Law - 390). Following is a sample marker:

EXAMPLE

Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement $\S 201.6(c)(1)$)





Table of Contents

CREDITSTABLE OF CONTENTS	
PART I: PLANNING PROCESS	
INTRODUCTION	
PLANNING PROCESS	9
PART II: RISK ASSESSMENT	26
CITY PROFILE	26
RISK ASSESSMENT	35
EARTHQUAKE HAZARDS	48
FLOOD HAZARDS	71
CLIMATE CHANGE HAZARDS	
EPIDEMIC/PANDEMIC/VECTOR-BORNE DISEASE HAZARDS	
PART III: MITIGATION STRATEGIES	
MITIGATION STRATEGIES	
Mitigation Actions Matrix	
PLAN MAINTENANCE	
ATTACHMENTS	131
FEMA Letter of Approval	131
City Council Resolution	132
Secondary Stakeholders Involvement	
Planning Team Sign-In Sheet: Meeting 1 – January 13, 2021	
Planning Team Sign-In Sheet: Meeting 2 – January 27, 2021	
Planning Team Sign-In Sheet: Meeting 3 – February 10, 2021	
Planning Team Sign-In Sheet: Meeting 4 – February 24, 2021	
Figuring ream Sign-in Sheet. Meeting 3 - April 24, 2021	147





Part I: PLANNING PROCESS

Introduction

Q&A | ELEMENT A: PLANNING PROCESS | A1b.

Q: Does the plan list the jurisdiction(s) participating in the plan that are seeking approval? (Requirement §201.6(c)(1))

A: See Introduction below.

The Hazard Mitigation Plan (Mitigation Plan) was prepared in response to the Disaster Mitigation Act of 2000 (DMA 2000). DMA 2000 (also known as Public Law 106-390) requires state and local governments to prepare mitigation plans to document their mitigation planning process, and identify hazards, potential losses, mitigation needs, goals, and strategies. This type of planning supplements City of Santa Ana emergency management planning programs. The City's first hazard mitigation plan was approved by FEMA on May 10, 2005.

Although the City may face a wide range of potential hazards, FEMA's hazard mitigation planning requirements focus on natural hazard events. Other hazards are analyzed and discussed in the City's Emergency Operations Plan.

Q&A | ELEMENT A: PLANNING PROCESS | A4

Q: Does the plan describe the review and incorporation of existing plans, studies, reports, and technical information? (Requirement §201.6(b)(3))

A: See Planning Approach below.

Planning Approach

The four-step planning approach outlined in the FEMA publication, *Developing the Mitigation Plan: Identifying Mitigation Actions and Implementing Strategies* (FEMA 386-3) was used to develop this plan:

- ✓ Develop mitigation goals and objectives The risk assessment (hazard characteristics, inventory, and findings), along with municipal policy documents, were utilized to develop mitigation goals and objectives.
- ✓ Identify and prioritize mitigation actions Based on the risk assessment, goals and objectives, existing literature/resources, and input from participating entities, mitigation activities were identified for each hazard.
- ✓ Prepare implementation strategy Generally, high priority activities are recommended for implementation first. However, based on organizational needs and goals, project costs, and available funding, some medium or low priority activities may be implemented before some high priority items.
- ✓ Document mitigation planning process The mitigation planning process is documented throughout this plan.





Q&A | ELEMENT C. MITIGATION STRATEGY | C2

Q: Does the plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate? (Requirement §201.6(c)(3)(ii))

A: See NFIP Participation below.

National Flood Insurance Program

Established in 1968, the NFIP provides federally backed flood insurance to homeowners, renters, and businesses in communities that adopt and enforce floodplain management ordinances to reduce future flood damage.

Established in 1968, the NFIP provides federally backed flood insurance to homeowners, renters, and businesses in communities that adopt and enforce floodplain management ordinances to reduce future flood damage. The City of Santa Ana adopted a floodplain management ordinance and has Flood Insurance Rate Maps (FIRM) that show floodways, 100-year flood zones, and 500-year flood zones. The Executive Director of Planning & Building and the Executive Director of Public Works are designated as the floodplain administrator.

NFIP Participation

The City of Santa Ana participates in NFIP and the FEMA FIRM maps for the City were last updated December 3, 2009. These studies and maps represent flood risk at the point in time when FEMA completed the studies and does not incorporate planning for floodplain changes in the future due to new development. Although FEMA is considering changing that policy, it is optional for local communities. According to FEMA, the City is located within flood Zones X, A, AE, AH, and AO.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B4

Q: Does the Plan address NFIP insured structures within the jurisdiction that have been repetitively damaged by floods? (Requirement §201.6(c)(2)(ii))

A: See Repetitive Loss Properties below.


Repetitive Loss Properties

Repetitive Loss Properties (RLPs) are most susceptible to flood damages; therefore, they have been the focus of flood hazard mitigation programs. Unlike a Countywide program, the Floodplain Management Plan (FMP) for repetitive loss properties involves highly diversified property profiles, drainage issues, and property owner's interest. It also requires public involvement processes unique to each RLP area. The objective of an FMP is to provide specific potential mitigation measures and activities to best address the problems and needs of communities with repetitive loss properties. A repetitive loss property is one for which two or more claims of \$1,000 or more have been paid by the National Flood Insurance Program (NFIP) within any given ten-year period. According to FEMA resources, none of the City owned facilities are designated as a Repetitive Loss Property (RLPs).





Map: Flood Hazard Severity Zone Map Determined by FEMA (Source: Santa Ana General Plan, 2020)







Q&A | ELEMENT A: PLANNING PROCESS | A1b.

Q: Does the plan list the jurisdiction(s) participating in the plan that are seeking approval? (Requirement §201.6(c)(1))

A: See Planning Process below.

Planning Process

Throughout the project, the Planning Team served as the primary stakeholders while also making a concerted effort to gather information from the general public, external agencies (utility providers and special districts). In addition, the Planning Team solicited information from agencies and people with specific knowledge of hazards and past historical events, as well as building codes and facilities maintenance planning. The hazard mitigation strategies contained in this plan were developed through an extensive planning process involving City staff, general public, and external agencies.

Following review and input by the Planning Team to the First Draft Plan, next (still during the Plan Writing Phase), the Second Draft Plan was shared with the general public and external agencies (adjoining jurisdictions, utility providers, special districts, etc.). The general public and external agencies served as the secondary stakeholders. Next, the comments gathered from the secondary stakeholders were incorporated into a Third Draft Plan which was submitted to Cal OES and FEMA along with a request for a determination of "Approval Pending Adoption".

Next, the Planning Team completed amendments to the Plan to reflect mandated input by Cal OES and FEMA. The Final Draft Plan was then posted in advance of the City Council public meeting. Any comments gathered were included in the staff report to the City Council. Following adoption by the City Council, proof of adoption was forwarded to FEMA with a request for approval. The FEMA Letter of Approval was included in the Final Plan. The planning process described above is portrayed below in a progression:

Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1))
A: See Plan Methodology and Planning Phases Progression below.

Q&A | ELEMENT A: PLANNING PROCESS | A3a.

Q: Does the plan document how the public was given the opportunity to be involved in the planning process? (Requirement §201.6(b)(1))

A: See Planning Phases Progression below.

Q&A | ELEMENT A: PLANNING PROCESS | A6a.

Q: Does the plan identify how, when, and by whom the plan will be monitored (how will implementation be tracked) over time? (Requirement \$201.6(c)(4)(i))

A: See Planning Phases Progression below.





Figure: Planning Phases Progression

	PLANI	NING PHASES PROGRES	SION	
Plan Writing Phase (First & Second Draft Plan)	Plan Review Phase (Third Draft Plan)	Plan Adoption Phase (Final Draft Plan)	Plan Approval Phase (Final Plan)	Plan Implementation Phase
 Planning Team input – research, meetings, writing, review of First Draft Plan Incorporate input from the Planning Team into Second Draft Plan Invite public and external agencies via email and web posting to review, comment, and contribute to the Second Draft Plan Incorporate input into the Third Draft Plan 	Third Draft Plan sent to Cal OES and FEMA for approval pending adoption Address any mandated revisions identified by Cal OES and FEMA into Final Draft Plan	Post public notice of City Council meeting along with the Final Draft Plan Final Draft Plan distributed to City Council in advance of meeting Present Final Draft Plan to the City Council for adoption City Council adopts Plan	Submit Proof of Adoption to FEMA with request for final approval Receive FEMA Letter of Approval Incorporate FEMA approval and City Council resolution into the Final Plan	Conduct annual Planning Team meetings Integrate mitigation action items into budget and other funding and strategic documents

Q&A | ELEMENT E: PLAN ADOPTION | E1

Q: Does the plan include documentation that the plan has been formally adopted by the governing body of the jurisdiction requesting approval? (Requirement §201.6(c)(5))

A: See Plan Adoption Process below.

Plan Adoption Process

Adoption of the plan by the local governing body demonstrates City's commitment to meeting mitigation goals and objectives. Governing body approval legitimizes the plan and authorizes responsible agencies to execute their responsibilities.

The Third Draft Plan was submitted to Cal OES and FEMA for review and approval. FEMA issued an Approval Pending Adoption on September 23, 2022 requiring the adoption of the Plan by the City Council. The adoption resolution was submitted to FEMA along with a request for a FEMA Letter of Approval.

In preparation for the public meeting with the City Council, the Planning Team prepared a Staff Report including an overview of the Planning Process, Risk Assessment, Mitigation Goals, and Mitigation Actions. The staff presentation concluded with a summary of the input received during the public review of the document. The meeting participants were encouraged to present their views and make suggestions on possible mitigation actions.





The City Council heard the item on _____. The Council voted to _____ the Hazard Mitigation Plan. The Resolution of adoption is located in the Attachments: City Council Resolution.

Plan Approval

FEMA approved the Plan on ______. A copy of the FEMA Letter of Approval is in the Attachments: FEMA Letter of Approval.

Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Plan Methodology below.

Plan Methodology

The Planning Team discussed knowledge of hazards and past historical events, as well as building codes and facilities maintenance plans.

The rest of this section describes the mitigation planning process including 1) Planning Team involvement, 2) general public and external agency involvement; and 3) integration of existing data and plans.

Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Planning Team Involvement below.

Planning Team Involvement

The Planning Team consisted of representatives from City departments, Santa Ana Unified School District, City of Anaheim, and Orange County Fire Authority. The Planning Team served as the primary stakeholders throughout the planning process. The general public and external agencies served as secondary stakeholders in the planning process. The Planning Team was responsible for the following tasks:

- ✓ Updating planning goals
- ✓ Preparing timeline for plan development
- ✓ Ensuring plan meets DMA 2000 requirements
- ✓ Organizing and soliciting involvement of the public and external agencies
- ✓ Gathering hazard information
- ✓ Reviewing HAZUS loss projection estimates
- ✓ Developing mitigation action Items
- Participating in Planning Team meetings and a City Council public meeting
- ✓ Providing existing resources including maps and data





Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Planning Team Level of Participation below.

Q&A | ELEMENT A: PLANNING PROCESS | A1b.

Q: Does the plan list the jurisdiction(s) participating in the plan that are seeking approval? (Requirement §201.6(c)(1))

A: See Planning Team Level of Participation below.

Q&A | ELEMENT A: PLANNING PROCESS | A1c.

Q: Does the plan identify who represented each jurisdiction? (At a minimum, it must identify the jurisdiction represented and the person's position or title and agency within the jurisdiction.) (Requirement §201.6(c)(1))

A: See Planning Team Level of Participation below.

The Planning Team, with assistance from Emergency Planning Consultants, identified and profiled hazards; determined hazard rankings; estimated potential exposure or losses; evaluated development trends and specific risks; and developed mitigation goals and action items.

Table: Planning Team Level of Participation

Name	Risk Assessment, Plan Research, Writing	Planning Team Meeting 1: January 13, 2021	Planning Team Meeting 2: January 27, 2021	Planning Team Meeting 3: February 10, 2021	Planning Team Meeting 4: February 24, 2021	Planning Team Meeting 5: March 31, 2021	Planning Team Meeting 6: April 14, 2021	Community Input - Distribute Second Draft Plan to General Public and External Agencies	Incorporate input from Public, and External Agencies into the Third Draft Plan	Submit Third Draft Plan to Cal OES/FEMA for Approval Pending Adoption	Receive FEMA Approval Pending Adoption	Post Final Draft Plan in Advance of City Council Meeting	Present Final Draft Plan to City Council at Public Meeting for Plan Adoption	Submit Proof of Adoption to FEMA for Final Approval	Receive FEMA Final Approval and Incorporate FEMA Approval into Final Plan
City of Santa Ana															
Daisy Perez			Χ		Χ										
Waldo Barela		Χ	Χ	Χ	Χ	Χ	Χ								
Steve Horner		Χ		Χ											
Jason Kwak		Χ	Χ	Χ	Χ	Χ	Χ								
Anson So			Χ		Χ	Χ	Χ								
Ricardo Soto		Χ	Χ	Χ	Χ	Χ	Χ								





														SANI	A ANA
Name	Risk Assessment, Plan Research, Writing	Planning Team Meeting 1: January 13, 2021	Planning Team Meeting 2: January 27, 2021	Planning Team Meeting 3: February 10, 2021	Planning Team Meeting 4: February 24, 2021	Planning Team Meeting 5: March 31, 2021	Planning Team Meeting 6: April 14, 2021	Community Input - Distribute Second Draft Plan to General Public and External Agencies	Incorporate input from Public, and External Agencies into the Third Draft Plan	Submit Third Draft Plan to Cal OES/FEMA for Approval Pending Adoption	Receive FEMA Approval Pending Adoption	Post Final Draft Plan in Advance of City Council Meeting	Present Final Draft Plan to City Council at Public Meeting for Plan Adoption	Submit Proof of Adoption to FEMA for Final Approval	Receive FEMA Final Approval and Incorporate FEMA Approval into Final Plan
Richard (Joe) Weber		Χ			Χ										
Steve Rhyner, Chair	Χ	Χ	Χ	Χ	Χ	Χ	Χ	Х	Х	Х	Χ				
Tyrone Chesanek		Χ	Χ	Χ	Χ										
Phil Neff		Χ	Χ	Χ	Χ	Χ	Χ								
Ruben Castaneda		Χ	Χ	Χ	Χ	Χ	Χ								
Bryan Lopez		Χ	Χ	Χ	Χ	Χ	Χ								
Craig Foster				Χ											
Santa Ana Unified School District															
Camille Boden		Χ													
Kevin Phillips		Х													
City of Anaheim															
Sagar Patel		Х													
Jannine Wilmoth		Х													
EPC															
Carolyn Harshman	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х				
Megan Fritzler	Χ						Χ	Х	Х						





Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Planning Team Timeline below.

Table: Planning Team Timeline

Task	November 2020	December	January 2021	February	March	April	May	June	July	August	September	October	November	December	January 2022	February-August	September	October
Conduct Risk Assessment	Χ	Χ																
Prepare HAZUS	Χ	Χ																
Plan Writing - First, Second, Third, and Final Drafts, Final Plan		Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Planning Team Meeting #1 HMP Overview and Initial Hazard Briefing			Χ															
Planning Team Meeting #2 Best Practices and Plan Integration			Χ															
Planning Team Meeting #3 HAZUS and Mitigation Action Items				Χ														
Planning Team Meeting #4 Mitigation Action Items				Χ														
Planning Team Meeting #5 Review First Draft Plan					Χ													
Planning Team Meeting #6 Review HAZUS Maps and Reports						Χ												
Encourage Public Participation in Mitigation Activities											Χ							
General Public and External Agencies Input to Second Draft Plan											Χ							
Submit Third Draft Plan to Cal OES/FEMA. Complete Mandated Revisions.													Χ	Χ	Χ	Χ		
Receive FEMA's Approval Pending Adoption																	Χ	
Post and Conduct City Council Meeting to Adopt the Final Draft Plan and submit Proof of Adoption to FEMA																		
Receive FEMA Final Approval																		
Incorporate FEMA Final Approval into Final Plan																		



- 14 -



Q&A | ELEMENT A: PLANNING PROCESS | A2a.

Q: Does the plan document an opportunity for neighboring communities, local, and regional agencies involved in hazard mitigation activities, agencies that have the authority to regulate development, as well as other interested parties to be involved in the planning process? (Requirement §201.6(b)(2)) A: See Secondary Stakeholders below.

Q&A | ELEMENT A: PLANNING PROCESS | A2b.

Q: Does the plan identify how the stakeholders were invited to participate in the process? (Requirement §201.6(b)(2))

A: See Secondary Stakeholders below.

Q&A | ELEMENT A: PLANNING PROCESS | A3

Q: Does the plan document how the public was involved in the planning process during the drafting stage? (Requirement §201.6(b)(1))

A: See Secondary Stakeholders below.

Q&A | ELEMENT A: PLANNING PROCESS | A3a.

Q: Does the plan document how the public was given the opportunity to be involved in the planning process? (Requirement §201.6(b)(1))

A: See Secondary Stakeholders below.

Q&A | ELEMENT A: PLANNING PROCESS | A3b.

Q: Does the plan document how the public's feedback was incorporated into the plan? (Requirement §201.6(b)(1))

A: See Secondary Stakeholders below.

Secondary Stakeholders

In addition to the Planning Team, the secondary stakeholders also provided information, expertise, and other resources during plan writing phase. The secondary stakeholders included the general public and external agencies. All gathered input was incorporated into the Third Draft Plan prior to submission to Cal OES and FEMA. For a specific accounting of the date, source, information gathered, and use of information during the Plan Writing Phase, please see below.

In advance of the City Council public meeting, City staff, general public, and external agencies were informed of the Final Draft Plan and encouraged to participate in the public meeting. Any comments gathered were noted in the Planning Team Staff Report and added to the Final Plan.

The Hazard Mitigation Planning Team (Planning Team) consisted of City department staff from City's Manager's Office, Police, Public Works, Planning & Building, Finance, Human Resources as well as representatives from Santa Ana Unified School District, City of Anaheim, and Orange County Fire Authority. The Planning Team served as the primary stakeholders throughout the planning process.

As required by DMA 2000, the Planning Team involved "the public". The general public and external agencies were invited to contribute to the mitigation plan during the plan writing phase. Emails were distributed to external agencies and staff on September 1, 2021, containing a link to the Second Draft Plan's web posting. Emails were distributed to the Nixle subscribers and posted on social media on September 9, 2021, containing a link to the Second Draft Plan's web posting. Emails requested comments back from external agencies and staff by September 24, 2021 and





requested comments from the public by October 1, 2021. See Attachment: Email to External Agencies for the sample email.

The general public and external agencies served as secondary stakeholders with opportunity to contribute to the plan during the Plan Writing Phase of the planning process.

Table: Secondary Stakeholder Involvement Source: Emergency Planning Consultants

Date Invited to Provide Input or Input Gathered	Agency Represented, Name, Position Title	Information Received	How Information was Incorporated into Plan
September 1-24, 2021	Robert Simmons, City of Irvine, Emergency Management Administrator	N/A	
September 1-24, 2021	Jason Dempsey, City of Costa Mesa, Emergency Services Administrator	N/A	
September 1-24, 2021	Stephen Foster, City of Tustin, Emergency Operations Coordinator	N/A	
Sent September 1, 2021	Jannine Wilmoth, City of Anaheim, Emergency Manager	Recommended several grammatical changes.	All revisions were made.
Sent September 1, 2021	Linda Morin, City of Garden Grove, Emergency Operations Coordinator	Recommended several formatting changes.	Planning Team chose to leave the format and content as written.
Sent September 1, 2021	Vicki Osborn, Municipal Water District of Orange County, Emergency Management Director	Plan looks good.	
September 1-24, 2021	Michelle Anderson, County of Orange, Emergency Management Director	N/A	
September 1-24, 2021	James Henery, Orange County Fire Authority, Division Chief	N/A	
September 1-24, 2021	Shane Sherwood, Orange County Fire Authority, Division Chief	N/A	





Date Invited to Provide Input or Input Gathered	Agency Represented, Name, Position Title	Information Received	How Information was Incorporated into Plan
September 1-24, 2021	Sara Nazir, Santa Ana Unified School District, Director of Risk Management	N/A	
September 1-24, 2021	John Hill, Santa Ana Unified School District Police Department, Lieutenant	N/A	
September 1-24, 2021	Rosa Gonzalez, Garden Grove Unified School District, Director of Business Services	N/A	
September 1-24, 2021	Donald Maus, Rancho Santiago Community College District, Director of Risk Management	N/A	
September 1-24, 2021	Ralph Webb, Santa Ana College, Director of Safety and Security	N/A	

Q&A | ELEMENT C. MITIGATION STRATEGY | C1a.

Q: Does the plan document each jurisdiction's existing authorities, policies, programs and resources? (Requirement §201.6(c)(3))

A: See Capability Assessment – Existing Processes and Programs below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C1b.

Q: Does the plan document each jurisdiction's ability to expand on and improve these existing policies and programs? (Requirement §201.6(c)(3))

A: See Capability Assessment – Existing Processes and Programs below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C5b.

Q: Does the plan identify the position, office, department, or agency responsible for implementing and administering the action/project, potential funding sources and expected timeframes for completion? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))

A: See Capability Assessment – Existing Processes and Programs below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C6a.

Q: Does the plan identify the local planning mechanisms where hazard mitigation information and/or actions may be incorporated? (Requirement \$201.6(c)(4)(ii))

A: See Capability Assessment – Existing Processes and Programs below.





Q&A | ELEMENT C. MITIGATION STRATEGY | C6b.

Q: Does the plan describe each community's process to integrate the data, information, and hazard mitigation goals and actions into other planning mechanisms? (Requirement §201.6(c)(4)(ii))
A: See Capability Assessment – Existing Processes and Programs below.

Capability Assessment – Existing Processes and Programs

The City will incorporate mitigation planning as an integral component of daily operations. This will be accomplished by the Planning Team working with their respective departments to integrate mitigation strategies into the planning documents and City operational guidelines. FEMA identifies four types of capabilities:

- ✓ Planning and Regulatory
- ✓ Administrative and Technical
- √ Financial
- ✓ Education and Outreach

The table below includes a broad range of capabilities within the City to successfully accomplish mitigation.





Table: Capability Assessment - Existing Processes and Programs (Source: City of Santa Ana Website, 2021, Emergency Planning Consultants)

		Capabilit		Name of Capability	Capability Description and Ability to Support Mitigation
Planning & Regulatory	Administrative & Technical	Financial	Education & Outreach		
City of	Santa A	Ana Depa	artment	S	
X	Х			City Attorney's Office	The City Attorney, appointed by and serving at the pleasure of the City Council, is mandated to provide legal services to the various officials and departments of the City of Santa Ana. The powers and duties of the City Attorney include appearing in litigation on behalf of the City and its officials; drafting all ordinances, resolutions and contracts; and advising officials and employees on all matters of law pertaining to official duties. The Santa Ana City Attorney is also empowered to prosecute violations of municipal and state law on behalf of the People of the State of California.
X	X	X	X	City Manager's Office	The City Manager's Office is responsible for implementing all of the City Council's policy decisions and direction, providing leadership and direction to department heads and other staff, as well as working with both Council and staff to develop action plans and programs to support the City's mission, values and priorities and serve our great community. The City of Santa Ana operates under the 'council-manager' form of government, meaning that the Council appoints the city manager, who is then responsible for the administrative and staff-appointment duties. The City Council also appoints the City Attorney and the City Clerk, and makes appointments to City Boards and Commissions. Contrary to the 'strong mayor' form of government the day-to-day operations of the City are under the authority of the City Manager. The City Manager appoints and manages the City's department heads (Chief of Police, Public Works Services Director, Community Development Director, Human Resources Director, Parks, Recreation and Community Services Director, Information Technology Director, Planning and Building Director, and Finance Director). There are a number of guiding and strategic documents to assist the City of Santa Ana serve the community and deliver on our purpose, which is to provide quality service to enhance the safety, livability and prosperity of the community. The City Council approves a strategic goals and measure outcomes. The Budget is the City's financial roadmap to support the City's strategic plan and goals and contains funding details to deliver city services, programs and capital improvement projects.
	X		X	Clerk of the City Council	The Clerk of the Council Office is responsible for the care of official records and documents of the city such as agendas, minutes, resolutions, ordinances, and for providing and maintaining legal and





	Type of (Capabilit	V	Name of Capability	Capability Description and Ability to Support Mitigation						
	l ype or (,	Name of Capability	Supublity Description and Ability to Support Willigation						
Planning & Regulatory	Administrative & Technical	Financial	Education & Outreach								
					historical records and information. The Clerk of the Council also coordinates all municipal and special elections held by the city, coordinates the annual boards, commissions, and committees recruitment process, administers the records retention and destruction policy, and receives official filings required by the Fair Political Practices Commission "FPPC", such as the Campaign Contribution Reports, Statements of Economic Interest, and other such filings. The Clerk's office prepares and posts the bi-monthly City Council meeting agendas. These agendas may be viewed on this website. Copies of agendas, minutes of prior meetings, videos, and other public documents are also available and may be requested via the Public Records Request process.						
X	X	X	X	Community Development	The Community Development Agency is responsible for providing services in the area of economic development, job training, affordable housing, and downtown development. The Agency plans, develops and administers programs to accomplish the public policy goals of the Santa Ana City Council, Santa Ana Housing Authority and Workforce Investment Board.						
		X		Finance and Management	The Finance and Management Department's mission is to manage internal City financial operations and controls at the highest level of efficiency with effective staffing and management. Its purpose is to safeguard public funds through proper internal controls, expenditure, and service operations. In addition, it provides supporting services for all City agencies and residents. There are several divisions within the Finance and Management Services Agency including: Treasury & Customer Service, Purchasing, Budget and Accounting.						
	X		X	Human Resources	Human Resources Administration staff assist city departments with interpretation and application of the provisions in the city's labor agreements, address and resolve employee grievances, conduct administrative investigations, assist departments in addressing employee conflict resolution, disciplinary concerns and performance issues, and coordinate disciplinary review hearings before the Personnel Board. Human Resources Administration staff also investigate discrimination and harassment complaints, and administer the city's employee drug and alcohol testing programs.						



- 20 -



1	Type of (Capabilit	у	Name of Capability	Capability Description and Ability to Support Mitigation
Planning & Regulatory	Administrative & Technical	Financial	Education & Outreach		
	X		Х	Information Technology	The Information Technology Department is an Internal Service department within the City of Santa Ana organization. With about 17 FTEs and an operating budget of around \$9m, IT is organized into three main divisions – Administration, Applications & Client Services, and Infrastructure Services. The department is a full service organization providing a centralized resource for technology deployment and support throughout the City. Services provided include e-mail, Internet/Intranet, business application systems and support, geographic information system (GIS) support, project management, voice and data network management, server and data center management, cybersecurity, user support help desk, personal computer, printer, and technology acquisition and support. The department strives to provide customers high value and excellent customer service.
			X	Library Services	Santa Ana Public Library's purpose is to respond to our community's informational, educational, and personal interest needs using books, materials, technology, and professional expertise. Santa Ana Public Library is committed to serving the needs of Santa Ana residents first and foremost. Santa Ana is one of the 100 largest cities in the United States and its residents have the youngest median age of any of those cities. For that reason, the Library places special emphasis on services to children, youth and their families. Santa Ana's Library staff shares the cultural heritage of the community and each staff member strives to provide the highest level of customer service. The two Library locations are maintained as safe and wholesome places for young people and their families to spend out of school and leisure time.
			Х	Parks and Recreation	The Parks, Recreation and Community Services Agency is responsible to deliver a variety of services to the community that includes recreation programs, parks, libraries, and operations of the Santa Ana Zoo. The core services the agency provides are essential in making lives and communities better now and in the future by providing access to nature, outdoor space to play and exercise, facilities for self-directed and organized recreation, positive





	OANTA AT					
Type of Capability			у	Name of Capability	Capability Description and Ability to Support Mitigation	
Planning & Regulatory	Administrative & Technical	Financial	Education & Outreach			
					alternatives for youth, and activities that encourage social connections, human development, and lifelong learning.	
X	X		X	Planning and Building	The Planning Division maintains the City's General Plan and Zoning documents. Planning is also responsible for environmental review, historic preservation, implementation of commercial cannabis regulations, and new development. Planning provides staff support to the City's Planning Commission, the Historic Resources Commission, and the City Council.	
	Х		Х	Police	The mission of the Santa Ana Police Department is to deliver public safety services to the community with the utmost professionalism and integrity. The Police Department's values of teamwork, excellence, accountability, and making a difference act as the guidelines for the discretionary use of police powers and are the basis by which employee actions are evaluated.	
X	X			Public Works	The Public Works Agency is responsible for building and maintaining all public streets, storm drains, sewers, and water facilities. In addition, it coordinates the collection and recycling of refuse, sweep public streets, landscape the public right-of-way, trim trees, and remove graffiti. The Public Works department ensures that the community enjoys high quality drinking water and is able to travel around the City efficiently through the use of our state-of-the-art traffic management system. The department works with neighborhood associations to resolve speeding, parking, and traffic problems and with developers to ensure that City development standards are met.	
Plans	and Pro	grams				
X	X	Х	X	Santa Ana Strategic Plan	On March 18, 2014, the City Council adopted a 5-year strategic plan. The adoption of this plan marked a major milestone for both the city and the community which began in 2012 with the adoption of the Sunshine Ordinance. The Strategic Plan provides a clear statement of where the city is going and how it intends to get there. It includes a vision, a description of the mission of the organization, a set of guiding principles (values) that will guide actions, a set of multi-year goals that guide decisions, objectives and strategies for each goal, and a plan for implementation and accountability.	
X	X	X	X	City Budget Detail (FY 2020-2021)	The City of Santa Ana has an annual fiscal budget, which begins in July and ends in June of the following year. The approach is to combine the strategic plan and annual financial plan for operations and capital improvements. This process enables us to direct our	





Type of Capability			V	Name of Capability	Capability Description and Ability to Support Mitigation
Planning & Regulatory	Administrative & Technical	Financial	Education & Outreach	Name of Capability	Capability Description and Ability to Support Mittigation
_ ⊡	Ă	II.	Ш		resources towards programs and activities with the greatest potential to successfully achieve our Vision and Purpose.
X	X	X	Х	Capital Improvement Program 2020-2021	The City's Capital Improvement Program (CIP) is a long-term plan which articulates, identifies, and prioritizes both large and expensive projects focusing on infrastructure improvements, equipment purchases, and facilities improvements as well as annual and day-to-day maintenance and repair of the City's infrastructure. The plan is executed by the City Council in rolling five-year increments based on long-term needs of the City balanced with available funding sources necessary to meet those needs.
X	X	Х	X	Storm Drain Master Plan (2018)	The purpose of this study is to provide comprehensive long-range planning for the implementation and development of storm drainage facility improvements in the City, determine the capital improvement costs, identify grant opportunity programs, and discuss priorities of the drainage improvements. The City of Santa Ana encompasses approximately 27 square miles and is located adjacent to the cities of Orange, Garden Grove, Westminster, Tustin, Irvine, Costa Mesa, and Fountain Valley. The Santa Ana River and Santiago Creek run through Santa Ana, carrying flows to the ocean.
Extern	External Agencies				
X	X		Х	Orange County Fire Authority	The Orange County Fire Authority is a regional fire service agency that serves 23 cities in Orange County and all unincorporated areas. The OCFA protects nearly 2 million residents from its 77 fire stations located throughout Orange County. The OCFA, founded in 1995, is a premier public safety agency providing superior fire protection and medical emergency services to its communities.

Q&A | ELEMENT A: PLANNING PROCESS | A4

Q: Does the plan describe the review and incorporation of existing plans, studies, reports, and technical information? (Requirement §201.6(b)(3))

A: See Use of Existing Data below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C1a.

Q: Does the plan document each jurisdiction's existing authorities, policies, programs and resources? (Requirement §201.6(c)(3))

A: See Use of Existing Data below.





Use of Existing Data

The Planning Team gathered and reviewed existing data and plans during plan writing and specifically noted as "sources". Numerous electronic and hard copy documents were used to support the planning process:

City of Santa Ana Website

https://www.santa-ana.org/

Applicable Incorporation: City Council, Maps, Location and the Environment, City Profile, Capability Assessment

Santa Ana General Plan, Public Hearing Draft (2020)

https://www.santa-ana.org/sites/default/files/pb/general-plan/documents/Public%20Review%20Draft/2%20-%20Safety%20Element.pdf

Applicable Incorporation: Hazard Chapter Information

Santa Ana General Plan, Public Safety Element Draft (2021)

https://www.santa-ana.org/sites/default/files/pb/general-plan/documents/new-elements/PublicSafety.pdf Applicable Incorporation: Flood Chapter Information

City of Santa Ana Storm Drain Master Plan (2018)

https://www.santa-ana.org/sites/default/files/Documents/MasterSantaAnaMPD6_2_2016.pdf Applicable Incorporation: Flood Chapter Information, Mitigation Actions Matrix

Census 2020 California Hard-to-County Fact Sheet, Santa Ana (2020)

https://census.ca.gov/wp-content/uploads/sites/4/2021/05/cahtci_all.pdf Applicable Incorporation: City Profile, Demographics

State of California Hazard Mitigation Plan (2018)

www.caloes.ca.gov/cal-oes-divisions/hazard-mitigation/hazard-mitigation-planning/state-hazard-mitigation-plan

Applicable Incorporation: Used to identify hazards posing greatest threat to State

Vulnerability Assessment Report for the General Plan Update (2020)

https://www.santa-ana.org/sites/default/files/pb/general-

plan/documents/SantaAna_Vulnerability_Assessment_Report_transmittal.pdf

Applicable Incorporation: Climate Change Hazard Information

Orange County General Plan, Safety Element (2013)

https://www.ocgov.com/civicax/filebank/blobdload.aspx?blobid=40234

Applicable Incorporation: Hazard chapter Information

California's Fourth Climate Change Assessment: Los Angeles Region Report (2018)

https://www.energy.ca.gov/sites/default/files/2019-07/Reg%20Report-%20SUM-CCCA4-2018-

007%20LosAngeles.pdf

Applicable Incorporation: Climate Information

Southern California Association of Governments, Profile of the City of Santa Ana (2019)

 $https://scag.ca.gov/sites/main/files/file-attachments/santaana_localprofile.pdf? 1606012682$

Applicable Incorporation: Maps





HAZUS Maps and Reports

Created by Emergency Planning Consultants

Applicable Incorporation: Numerous HAZUS maps and reports have been included for Earthquake and Flooding to determine specific risks and impacts to the City

FEMA "How To" Mitigation Series (386-1 to 386-9)

www.fema.gov/media

Applicable Incorporation: Mitigation Measures Categories and 4-Step Planning Process are quoted in the Executive Summary

National Flood Insurance Program

www.fema.gov/national-flood-insurance-program

Applicable Incorporation: Used to confirm there are no repetitive loss properties within the City

Local Flood Insurance Rate Maps

https://msc.fema.gov/portal/home

Applicable Incorporation: Provided by FEMA and included in Flood Hazard section

California Department of Conservation

www.conservation.ca.gov/cgs

Applicable Incorporation: Seismic hazards mapping

U.S. Geological Survey (USGS)

www.usgs.gov

Applicable Incorporation: Earthquake records and statistics

Using HAZUS for Mitigation Planning (2018)

https://www.fema.gov/media-library-data/1540479624999-

ab1eca852448e271f0de82cf2031a01b/Using_Hazus_in_Mitigation_Planning_20180820_Final_508_Compliant pdf

Applicable Incorporation: HAZUS Information

NOAA National Centers for Environmental Information, Storms Database (2021)

https://www.ncdc.noaa.gov/cag/county/time-series

Applicable Incorporation: Previous hazard occurrences

Cal OES MyHazards (2021)

https://myhazards.caloes.ca.gov/

Applicable Incorporation: Map for Flooding Hazard.





Part II: RISK ASSESSMENT

City Profile

Q&A | ELEMENT B3:

Q: Is there a description of each identified hazard's impact on the community as well as an overall summary of the community's vulnerability for each jurisdiction? (Requirement §201.6(b)(3))
A: See Location and the Environment below.

Location and the Environment

According to the City's website, Don Gaspár de Portolá, a Spanish expedition party leader, discovered a picturesque valley and river in Southern California, which he christened Santa Ana, in honor of Saint Anne, on July 26, 1769. José Antonio Yorba, a youthful expedition soldier, and his nephew Juan Peralta, were given a Spanish land grant for the area. They developed the Rancho Santiago de Santa Ana for cattle grazing and productive farmland. In 1869, William H. Spurgeon purchased 70 acres from the Yorba family and plotted a town site. The new town was given the name Santa Ana. In 1886, Santa Ana was incorporated as a city. Orange County was separated from Los Angeles in 1889, and Santa Ana was designated the County Seat. Santa Ana is the financial and governmental center of Orange County and a major city in the state.





According to the City of Santa Ana General Plan, Public Draft (2020), Santa Ana has a long, dynamic history of growth and development, starting from its establishment in 1869 (and later incorporation in 1886) on just over 74 acres of land. In the past 151 years, the City, which sits at 115 feet elevation and 35 meters above sea level, has grown to encompass over 27 square miles, with a population of more than 330,000 residents and businesses and institutions employing over 160,000 workers (both as of 2020). By the 1990s, very little vacant land remained in the City; new growth since then has largely involved the recycling and intensification of already developed properties. In the past 15 years, dozens of unique and creative projects have infused new life and investment into the City. The City has also expanded beyond its historic role as the civic center of Orange County. It is emerging as the county's cultural and economic hub.





Map: City of Santa Ana


(Source: City of Santa Ana General Plan, Public Draft 2020)

ABOUT THE MAP. This map shows the number, type, and distribution of facilities designed for community gathering, recreation, and learning. Together with Figures CM-2 (Schools and School Districts) and OS-1 (Open Space), the map can identify areas that may be underserved or have limited access to community services and facilities. The City seeks to ensure an equitable distribution of an access to these facilities for all Santa Ana residents. ORANGE GARDEN GROVE La Veta Ave (22) 0 Santa Clara Ave (22) Ŷ 6 15t St 0 FOUNTAIN VALLEY TUSTIN Slater Ave 25 Talbert Ave IRVINE COSTA MESA Course: City of Canta Ana 2020 Oats Published: 9/19/2020 Parks & Recreation Santa Ana Zoo СМ FIGURE CM-1 CITY OF SANTA AND SENERAL PLAN EARING DRAFCOMMUNITY FACILITIES





Map: Southern California Association of Governments Map of District 16 (Source: Profile of the City of Santa Ana, 2019)





- 28 -



Climate

General Climate

The City of Santa Ana sits within Orange County, which experiences a Mediterranean climate, according to California's Fourth Climate Change Assessment (2018). This climate consists of hot, dry summers and cool, wet winters.

Temperatures

According to the US Climate Data, the City experiences an annual high average temperature of 76 degrees and a low average of 55 degrees. Average precipitation consists of 13.63 inches.

Graph: Weather Averages in Santa Ana (Source: US Climate Data)





Table: Seasonal Average Temperatures (Source: Santa Ana Website)

Codi co. Canta 7 tha 1105otto					
Season	Lows	Highs			
Winter	49:0°F	70:0°F			
Spring	56:33°F	73:33°F			
Summer	68:66°F	84:33°F			
Fall	60:3°F	83:66°F			





Graph: Weather Averages in Santa Ana (Source: NOAA)



Precipitation

According to the Santa Ana website, the City experienced a rainfall total 19.71 inches from 2018-2019. This is an increase from the City's annual seasonal average from 1977-2017, which was 13.53 inches.

Population and Demographics

According to the Census 2020 California Hard-to-Count Fact Sheet, Santa Ana has a population of 334,493. Most of the population identifies as Hispanic or Latino (77.3%).

Table: City of Santa Ana Demographics (Source: Census California Hard-to-Count Fact Sheet, 2020)

Racial/Ethnic Group	Population	Percentage (%)
Hispanic or Latino of any race	258,563	77.3%
White alone	31,442	9.4%





Racial/Ethnic Group	Population	Percentage (%)
Black alone	2,675	0.8%
American Indian or Alaska Native alone	334	0.1%
Asian alone	38,132	11.4%
Native Hawaiian and Other Pacific Islander alone	668	0.2%
Other race alone	334	0.1%

Housing

According to the Profile of the City of Santa Ana (2019), between 2000 and 2018, the median home sales price of existing homes increased 198% from \$181,000 to \$540,000.

Table: City of Santa Ana Housing Data (Source: Profile of the City of Santa Ana, 2019)

Source. I Tollie of the Oily of Garita Aria, 2013)						
	2000	2010	2018			
Owners	49.3%	47.5%	45.4%			
Renters	50.7%	52.5%	54.6%			
Median Home Sale Price	\$181,000	\$288,000	\$540,000			

The most common housing type is the Single Family Detached. 53% of homes are single family and 41.8% are multi-family.

Table: City of Santa Ana Housing Data (Source: Profile of the City of Santa Ana, 2019)

Housing Type	Number of Units	Percent of Total Units
Single Family Detached	35,640	45.6%
Single Family Attached	5,762	7.4%
Multi-Family: 2-4 Units	7,553	9.7%
Multi-Family: 5+ Units	25,048	32.1%
Mobile Home	4,049	5.2%
Total	78,052	100.0%



- 31 -



Employment and Industry

According to the Profile of the City of Santa Ana (2019), the predominant employment industries for Santa Ana residents include Professional (23.1%), Education (18.2%), and Manufacturing (11.4%).

Table: City of Santa Ana Jobs by Sector, 2017 (Source: Profile of the City of Santa Ana, 2019)




Table: City of Santa Ana Jobs by Sector (Source: Profile of the City of Santa Ana, 2019)

la diretur	2007	2017	
Industry	Percent %	Percent %	
Professional	19.8	23.1	
Education	15.2	18.2	
Leisure	6.5	8.0	
Other	3.5	2.7	
Public	5.2	4.1	
Agriculture	0.2	n/a	
Construction	6.7	5.3	
Manufacturing	14.8	11.4	
Wholesale	5.6	7.0	
Retail	8.2	8.5	
Transportation	3.7	2.5	
Information	2.2	2.3	
Finance	8.4	7.0	






Transportation and Commuting Patterns

According to the Profile of the City of Santa Ana (2019), 44% of residents spend between 15-30 minutes commuting to work and 24% of people commute 30-45 minutes to work.

Table: City of Santa Ana Travel Time to Work, 2018 (Source: Profile of the City of Santa Ana, 2019)



Most residents choose to drive alone (73%) and only 14% of residents carpool. Public transit is utilized by 6% of the population, while the remainder of residents use alternate forms of transportation such as walking, bicycling, or they have in-home employment.

Table: City of Santa Ana Transportation Data (Source: Profile of the City of Santa Ana, 2019)

	2000	2010	2018
Drive Alone	61%	62%	73%
Carpool	25%	22%	14%
Public Transit	9%	11%	6%
Other	5%	6%	7%





Q&A | ELEMENT D: MITIGATION STRATEGY | D1

Q: Was the plan revised to reflect changes in development? (Requirement §201.6(d)(3))

A: See Changes in Development below

Changes in Development

Since its incorporation, Santa Ana has grown into a flourishing urban city. As such, the City of Santa Ana has essentially been built out for many years, with very little vacant land remaining for new development. Since the 2005 Hazard Mitigation Plan, the majority of development in the City has consisted remodeling of existing structures or redevelopment of properties requiring demolition and replacement of existing buildings.

Since the adoption of the 2005 Plan, there have been no significant alterations to the development pattern of the City in the hazard prone areas. This conclusion was reached after a thorough review of the General Plan and discussion with the Planning Team. Furthermore, the Planning Team concluded the overall vulnerability to identified hazards remained approximately the same.





Risk Assessment

What is a Risk Assessment?

Conducting a risk assessment can provide information regarding: the location of hazards; the value of existing land and property in hazard locations; and an analysis of risk to life, property, and the environment that may result from natural hazard events. Specifically, the five levels of a risk assessment are as follows:

- 1. Hazard Identification
- 2. Profiling Hazard Events
- 3. Vulnerability Assessment/Inventory of Existing Assets
- 4. Risk Analysis
- 5. Assessing Vulnerability/Analyzing Development Trends

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1a.

Q: Does the plan include a general description of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Hazard Identification below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1b.

Q: Does the plan provide rationale for the omission of any natural hazards that are commonly recognized to affect the jurisdiction(s) in the planning area? (Requirement §201.6(c)(2)(i))

A: See Hazard Identification below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1c.

Q: Does the plan include a description of the location for all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Hazard Identification below.

1) Hazard Identification

This section is the description of the geographic extent, potential intensity, and the probability of occurrence of a given hazard. Maps are used in this plan to display hazard identification data. The City of Santa Ana utilized the categorization of hazards as identified in California's State Hazard Mitigation Plan, including Earthquakes, Floods, Levee Failures, Wildfires, Landslides and Earth Movements, Tsunami, Climate-Related Hazards, Volcanoes, and Other Hazards.

Next, the Planning Team reviewed existing documents to determine which of these hazards posed the most significant threat to the City and its ability to deliver services. In other words, which hazard would likely result in a proclamation of local emergency.















The geographic extent of each of the identified hazards was identified by the Planning Team utilizing maps and data contained in the Santa Ana General Plan (2020) and the Orange County General Plan (2013). Utilizing the Calculated Priority Risk Index (CPRI) ranking technique, the Planning Team concluded the following hazards posed a significant threat against the City.

Earthquake | Flood | Climate Change (sub-hazards Drought and Extreme Heat) | Epidemic/Pandemic/Vector-Borne Diseases

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1e.

Q: Does the plan include a description of the extent for all natural hazards that can affect each jurisdiction? (Requirement $\S 201.6(c)(2)(i)$)

A: See Table: Calculated Priority Risk Index Ranking below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2b.

Q: Does the plan include information on the probability of future hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Table: Calculated Priority Risk Index Ranking below.

The hazard ranking system is described in Table: Calculated Priority Risk Index, while the actual ranking is shown in Table: Calculated Priority Risk Index Ranking for the City of Santa Ana.

Table: Calculated Priority Risk Index

(Source: FEMA Emergency Management Institute – Risk Assessment Course)

CPRI	Degree of Risk				
Category	Level ID Description		Index Value	Weighting Factor	
	Unlikely	Extremely rare with no documented history of occurrences or events. Annual probability of less than 1 in 1,000 years.	1		
	Possibly	Rare occurrences. Annual probability of between 1 in 100 years and 1 in 1,000 years.	2		
Probability	Likely	Occasional occurrences with at least 2 or more documented historic events. Annual probability of between 1 in 10 years and 1 in 100 years.	3	45%	
	Highly Likely	Frequent events with a well-documented history of occurrence. Annual probability of greater than 1 every year.	4		
Magnitude/ Severity	Negligible	Negligible property damages (less than 5% of critical and non- critical facilities and infrastructure. Injuries or illnesses are treatable with first aid and there are no deaths. Negligible loss of quality of life. Shut down of critical public facilities for less than 24 hours.	1		
	Limited	Slight property damage (greater than 5% and less than 25% of critical and non-critical facilities and infrastructure). Injuries or illnesses do not result in permanent disability, and there are no deaths. Moderate loss of quality of life. Shut down of critical public facilities for more than 1 day and less than 1 week.	2	30%	
	Critical	Moderate property damage (greater than 25% and less than 50% of critical and non-critical facilities and infrastructure). Injuries or	3		





	illnesses result in permanent disability and at least 1 death. Shut down of critical public facilities for more than 1 week and less than 1 month.			
	Catastrophic	Severe property damage (greater than 50% of critical and non- critical facilities and infrastructure). Injuries and illnesses result in permanent disability and multiple deaths. Shut down of critical public facilities for more than 1 month.	4	
	> 24 hours	Population will receive greater than 24 hours of warning.	1	
Warning	12–24 hours Population will receive between 12-24 hours of warning.		2	15%
Time	6-12 hours Population will receive between 6-12 hours of warning.		3	15%
	< 6 hours	Population will receive less than 6 hours of warning.	4	
	< 6 hours	Disaster event will last less than 6 hours	1	
Duration	< 24 hours	24 hours Disaster event will last less than 6-24 hours		10%
Duration	< 1 week	1 week Disaster event will last between 24 hours and 1 week.		
	> 1 week	Disaster event will last more than 1 week	4	





Table: Calculated Priority Risk Index Ranking for the City of Santa Ana (Source: City of Santa Ana Planning Team)

(Source, Oily of Santa Ana Planning Team)									
Hazard	Probability	Weighted 45% (x.45)	Magnitude Severity	Weighted 30% (x.3)	Warning Time	Weighted 15% (x.15)	Duration	Weighted 10% (x.1)	CPRI Total
Earthquake – Newport-Inglewood Fault M7.2	3	1.35	4	1.2	4	0.6	1	0.1	3.25
Earthquake – Whittier Fault M7.0	3	1.35	4	1.2	4	0.6	1	0.1	3.25
Earthquake – San Andreas Fault M7.9	3	1.35	3	0.9	4	0.6	1	0.1	2.95
Earthquake – Elsinore Fault M7.5	2	0.9	4	1.2	4	0.6	1	0.1	2.80
Earthquake – Compton M7.4	2	0.9	4	1.2	4	0.6	1	0.1	2.80
Earthquake – Anaheim M6.4	2	0.9	4	1.2	4	0.6	1	0.1	2.80
Flood	3	1.35	2	0.6	2	0.3	2	0.2	2.45
Epidemic/Pandemic/Vector-Borne Diseases	2	0.9	2	0.6	2	0.3	4	0.4	2.20
Climate Change	3	1.35	1	0.3	1	0.15	4	0.4	2.20
Drought	3	1.35	1	0.3	1	0.15	4	0.4	2.20
Extreme Heat	3	1.35	1	0.3	1	0.15	4	0.4	2.20

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1b.

Q: Does the plan provide rationale for the omission of any natural hazards that are commonly recognized to affect the jurisdiction(s) in the planning area? (Requirement §201.6(c)(2)(i))

A: See Profiling Hazard Events below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1c.

Q: Does the plan include a description of the location for all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Profiling Hazard Events below.

2) Profiling Hazard Events

This process describes the causes and characteristics of each hazard and what part of City facilities, infrastructure, and environment may be vulnerable to each specific hazard. A profile of each hazard discussed in this plan is provided in the Hazard Analysis. Table: Vulnerability: Location, Extent, and Probability for the City of Santa Ana indicates a generalized perspective of the City's vulnerability of the various hazards according to extent (or degree), location, and probability.





Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1b.

Q: Does the plan provide rationale for the omission of any natural hazards that are commonly recognized to affect the jurisdiction(s) in the planning area? (Requirement §201.6(c)(2)(i))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1c.

Q: Does the plan include a description of the location for all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1d.

Q: Does the plan include a description of the extent for all natural hazards that can affect each jurisdiction? (Requirement $\S 201.6(c)(2)(i)$)

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1e.

Q: Does the plan include a description of the extent for all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2a.

Q: Does the plan include information on previous occurrences of hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2b.

Q: Does the plan include information on the probability of future hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Table: Vulnerability: Location, Extent, and Probability for the City below.

Table: Vulnerability: Location, Extent, and Probability for the City of Santa Ana

Hazard	Location (Where)	Extent (How Big an Event)	Probability (How Often) *	Previous Occurrences
Earthquake (San Andreas Fault M7.9)	Entire City	The Southern California Earthquake Center (SCEC) in 2007 concluded that there is a 99.7 % probability that an earthquake of M6.7 or greater will hit California within 30 years.1	Likely	March 10, 1933: Long Beach earthquake, caused substantial structural damage on 4th street.
Flood	City facilities located within 100-Year and 500-Year flood zones, as well as Northern border of the City and along the Santa Ana	100-Year and 500-Year Flood Zone areas subject to inundation, flooding, and flash flooding.	Likely	December 6, 2018: rainfall at a rate of 1 inch per hour, flash flooding across the entire region.





Hazard	Location (Where)	Extent (How Big an Event)	Probability (How Often) *	Previous Occurrences
	River on the West side of the City.			
Climate Change	Entire City	Impacts would range from mild to severe throughout the City.	Likely	Increasing temperatures throughout the region over the past century.
Drought	Entire City	Statewide Drought 2011-2015	Likely	2013-2015. City issued mandatory reductions of 13% in 2013 and another 12% in 2015.
Extreme Heat	Entire City	Impacts would range from mild to severe throughout the City.	Likely	As recently as 2022, heat and humidity are increasing.
Epidemic / Pandemic / Vector- Borne Diseases	Entire City	Impacts would range from mild to severe throughout the City.	Likely	Coronavirus March 2020-present

^{*} Probability is defined as: Unlikely = 1:1,000 years, Possibly = 1:100-1:1,000 years, Likely = 1:10-1:100 years, Highly Likely = 1:1 year

HAZUS-MH



The hazard maps in the Mitigation Plan were generated by Emergency Planning Consultants using FEMA's Hazards United States – Multi Hazard (HAZUS-MH) software program. The HAZUS complete reports are attached separately.

Once the location and size of a hypothetical earthquake are identified, HAZUS-MH estimates the intensity of the ground shaking, the number of buildings damaged, the number of casualties, the amount of damage to transportation systems and utilities, the number of people displaced from their homes, and the estimated cost of repair and clean

up. It's important to note that the "project area" is based on Census Tracts not jurisdictional boundaries.

As per FEMA's HAZUS Guidebook, HAZUS is a GIS-based software that can be used to estimate potential damage, economic loss, and social impacts from earthquake, flood, tsunami and hurricane wind hazards. The HAZUS software includes nationwide general GIS datasets, and a model for the four natural disasters below. The model results can support the risk assessment piece of mitigation planning.



¹ Uniform California Earthquake Rupture Forecast



Graphic: Model Results to Support Risk Assessment for Mitigation Planning (Source: Using HAZUS for Mitigation Planning, Federal Emergency Management Agency, 2018)

Earthquake model



Estimates damages and losses to buildings, essential facilities, transportation, and utility lifelines from a single scenario or probabilistic earthquake analysis. There are also tools that allow the user to integrate earthquake hazard data generated outside of Hazus into the earthquake model. This model estimates debris generation, shelter requirements, casualties, and fire following an earthquake disaster.



Generates flood hazard data using nationwide hydrological datasets. There are also tools that allow the user to integrate flood hazard data generated outside of Hazus software into the flood model. This model estimates the expected levels of damage to infrastructure and buildings. Debris generation and shelter requirements, as well as agricultural losses, can be calculated with this model.

Tsunami model



Can produce analyses that have several pre-tsunami and/or post-tsunami applications. Use of the methodology will generate an estimate of the consequences to a county or region of a "scenario tsunami," i.e., a tsunami with a specified inundation depth, velocity, and location. The resulting "loss estimate" generally will describe the scale and extent of damage and disruption that may result from the scenario tsunami.

Hurricane wind model



Can create the wind hazard data from a historical or real-time event, probabilistic event, or from a user-defined scenario. Estimates of potential damage and economic loss to buildings can then be calculated. The storm surge analysis combines the wind and coastal flood model to simulate storm surge for historical, and manual hurricanes. The model combines the wind and flood losses.

HAZUS is packaged with datasets that include building inventories and infrastructure for the entire United States. Because HAZUS is currently built on GIS technology, the inventory and infrastructure datasets can be mapped and intersected with the hazard information created from the four models.

Following the intersection, HAZUS determines the effects of wind, ground shaking, and water depths on buildings and infrastructure to calculate losses and damages. The outputs and estimates can be used in hazard mitigation planning, emergency response, and planning for recovery and reconstruction.

Losses estimated in HAZUS are based on the accuracy of input data. Basic analysis can be developed using the default data and parameter data provided within HAZUS. Users can conduct more advanced analysis using more accurate data that is specific to the region, hazard, population, etc. User-supplied data improves the accuracy of inventories and/or parameters.

Advanced-level analyses may also incorporate data from third-party studies. The user must determine the appropriate level of analysis to meet the user's needs and resources.

HAZUS analysis can be performed at three different levels:

• A Level 1 basic analysis can be performed simply using the default data provided. This level of analysis is very coarse, and because the results will be subject to a much higher level of uncertainty, this should serve primarily as a baseline for further study. The user





will still be able to produce basic maps and results. Limited additional data will be required to complete the flood analysis. Site specific input data produces more accuracy in vulnerability identification and loss estimation amounts. If the data is available, it is highly recommended that a user integrate site specific data to reduce uncertainty associated with the results of default data. Using a user defined depth grid, in the flood model, against default state data is classified as a level 1 analysis and is the recommendation of HAZUS Program.

- A Level 2 advanced analysis increases the accuracy and precision of an analysis by incorporating user-supplied data relevant to a given hazard. While the data included with the HAZUS software can be utilized to run a basic level one analysis, level two inputs are supplied by local sources and contain a higher level of detail. This can include datasets that model the hazards in more detail, or datasets that increase the accuracy of the inventory information. Incorporating more detailed data will improve the quality of the results. Level 2 is broadly defined as the incorporation of user-defined hazard and updated GBS or site-specific data.
- A Level 3 advanced analysis achieves the highest degree of precision and involves modifying or substituting the model parameters and/or equations, relevant to a given hazard. Users can modify inputs depending on the time and resources available. Keeping track of the data used is suggested so that any relationships between input and results is documented. It is usually done by advanced users experienced with both the hazard and the HAZUS software.

FEMA's Natural Hazard Risk Assessment Program (NHRAP) encourages users to conduct Level 2 or 3 analyses to improve the accuracy of results and recommends the use of user defined data (e.g., depth grids for all flood analysis) for mitigation planning.

Graphic: HAZUS Analysis Levels

(Source: Using HAZUS for Mitigation Planning, Federal Emergency Management Agency, 2018)



HAZUS creates credible estimates for losses and damages; datasets created on the local level typically provide greater detail than the datasets that are packaged with HAZUS (Level 1). Incorporating local datasets into the analysis will improve the results.





It's important to note that the HAZUS maps and reports on flooding, that loss estimations are for specific riverine scenarios. FEMA flood maps are not used in HAZUS analysis, in that it does not use historical flood data as an input. However, physical data (i.e., USGS DEM, or Depth Grids) are used to define the terrain in the study area. Once a scenario is chosen (100-year, 500-year) the model estimates the physical, economic, and social impacts of that one event, a snapshot in time.

HAZUS analysis does not supersede the comprehensive investigation of FEMA Flood Maps, the results will never match exactly the flooding areas found on FEMA flood maps. However, if you compare the two, you'll be able to verify areas of potential flood risk, and the result from the model will aid to identify the possible damages and the financial cost from that event.

HAZUS Outputs

The user plays a major role in selecting the scope and nature of the output of a HAZUS analysis. A variety of maps can be generated for visualizing the extent of the losses. Numerical results may be examined at the level of the census block or tract or may be aggregated by county or region. There are three main categories of HAZUS outputs: direct physical damage, induced damage, and direct losses. Direct physical damage includes general building stock (GBS), essential facilities, high potential loss facilities, transportation systems, utility systems, and user defined facilities. Induced damage includes building debris, tree debris generation and fire following disaster occurrence. Direct losses include losses for buildings, contents, inventory, income, crop damage, vehicle loss, injuries, casualties, sheltering needs and displaced households.





Graphic: HAZUS Outputs

(Source: Using HAZUS for Mitigation Planning, Federal Emergency Management Agency, 2018)

Hazus Capabilities	Earthquake Ground Shaking Ground Failure	Flood Frequency Depth Riverine Coastal Surge	Hurricane Wind Surge	Tsunami Depth Momentum Flux Runup Velocity
Inputs				
Historic	✓		✓	
Deterministic	✓	✓	✓	✓
Probabilistic	✓	✓	✓	
User-supplied	✓	✓	✓	✓
Other supported inputs	Real-time & scenario USGS ShakeMaps	Risk MAP, User- supplied depth grids (ArcGRID, GeoTIFF, IMAGINE), HEC-RAS (.FLT)	Hurrevac, User- supplied wind files (.dat)	NOAA PMEL SIFT, State models
Direct Damage				
General Building Stock	✓	✓	✓	✓
Essential Facilities	✓	✓	✓	
Transportation Systems	✓	✓		
Utility Systems	✓	✓		
User-Defined Facilities	✓	✓	✓	✓
Induced Damage				
Fire Following	✓			
Debris Generation	✓	✓	✓	
Direct Losses				
Cost of Repair	✓	✓	✓	✓
Income Loss	✓	✓	✓	✓
Agricultural		✓		
Casualties	✓			✓
Shelter and/or Evacuation Needs	✓	✓	✓	✓
Average Annualized Loss (AAL)	✓	✓	✓	

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Vulnerability Assessment/Inventory of Existing Assets below.

3) Vulnerability Assessment/Inventory of Existing Assets

A Vulnerability Assessment in its simplest form is a simultaneous look at the geographical location of hazards and an inventory of the underlying land uses (populations, structures, etc.). Facilities that provide critical and essential services following a major emergency are of particular concern because these locations house staff and equipment necessary to provide important public safety, emergency response, and/or disaster recovery functions.





Critical Facilities

FEMA separates critical buildings and facilities into the five categories shown below based on their loss potential. All of the following elements are considered critical facilities:

Essential Facilities are essential to the health and welfare of the whole population and are especially important following hazard events. Essential facilities include hospitals and other medical facilities, police and fire stations, emergency operations centers and evacuation shelters, and schools.

Transportation Systems include airways – airports, heliports; highways – bridges, tunnels, roadbeds, overpasses, transfer centers; railways – trackage, tunnels, bridges, rail yards, depots; and waterways – canals, locks, seaports, ferries, harbors, drydocks, piers.

Lifeline Utility Systems such as potable water, wastewater, oil, natural gas, electric power and communication systems.

High Potential Loss Facilities are facilities that would have a high loss associated with them, such as nuclear power plants, dams, and military installations.

Hazardous Material Facilities include facilities housing industrial/hazardous materials, such as corrosives, explosives, flammable materials, radioactive materials, and toxins.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3a.

Q: Is there a description of each hazard's impacts on each jurisdiction (what happens to structures, infrastructure, people, environment, etc.)? (Requirement §201.6(c)(2)(ii))

A: See Table: Critical Facilities Vulnerable to Hazards below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Table: Critical Facilities Vulnerable to Hazards below.

Table: Critical Facilities Vulnerable to Hazards below illustrates the hazards with potential to impact critical facilities owned by or providing services to the City.





Table: Critical Facilities Vulnerable to Hazards (Source: Santa Ana website and Emergency Planning Consultants)

City of Santa Ana Critical Facilities	Earthquakes	Flood	Epidemic / Pandemic / Vector-Borne Diseases	Climate Change	Drought	Extreme Heat
City Offices & Governmental Functions						
City of Santa Ana City Hall	X		X	X	X	X
City of Santa Ana City Hall Ross Annex	X	.,	X	X	X	X
City of Santa Ana Corporate Yard	Х	X	Х	Х	Х	Х
City Community Center Shelter Sites		.,			V	
Jerome Recreation Center	X	X	X	X	X	X
Logan Recreation Center	Х		Х	Х	X	X
McFadden Learning Center (PAAL)					X	X
Memorial Recreation Center	X		Х	X	X	X
Salgado Recreation Center	X		Х	X	X	X
Santa Ana Senior Center	Х		Х	Х	X	X
Santa Anita Recreation Center	X	X	Х	X	X	X
Southwest Senior Center	Х	Х	Х	Х	Х	Х
Emergency Services						
Santa Ana Police Department	X	Х	X	X	X	X
Santa Ana Police Department Detention Facility	X		X	X	X	X
OCFA Fire Station 70	X		X	X	X	X
OCFA Fire Station 71	X		X	X	X	X
OCFA Fire Station 72	X		X	X	X	X
OCFA Fire Station 73	X	Х	X	X	X	X
OCFA Fire Station 74	X		X	X	X	X
OCFA Fire Station 75	X		X	X	X	X
OCFA Fire Station 76	X		X	X	X	X
OCFA Fire Station 77	X	Х	X	X	X	X
OCFA Fire Station 78	X	Х	X	X	X	X
OCFA Fire Station 79	Х		Х	Х	Х	Х
Water Reservoirs						
Cambridge Station	X		X	X	X	X
Crooke Station	X		X	X	X	Х
East Station	X		X	X	X	X
Elevated Tank	X		X	X	X	X
J. Garthe Station	X	Х	X	X	X	X
South Station	Х		Х	X	Х	Х
Walnut Station	X		X	Χ	Х	X





City of Santa Ana Critical Facilities West Station	× Earthquakes	X Flood	Epidemic / Pandemic / Vector-Borne Diseases	X Climate Change	X Drought	× Extreme Heat
Water Wells		^				
Well 16	X		Х	Х	Х	Х
Well 18	X	Χ	Х	Х	Х	Х
Well 20	X	X	Х	Χ	Х	Х
Well 21	X	X	Х	Х	Х	Х
Well 24	Х	Х	Х	Χ	Х	Х
Well 26	Х		Х	Х	Х	Х
Well 27	Х	Х	Х	Х	Х	Х
Well 28	Х		Х	Х	Х	Х
Well 29	Х		Х	Х	Х	Х
Well 30	Х	Х	Х	Х	Х	Х
Well 31	Х		Х	Х	Х	Х
Well 32	Х		Х	Χ	Х	Х
Well 33	Х		Х	Х	Х	Х
Well 34	Х		Х	Х	Х	Х
Well 35	Х	Х	Х	Х	Х	Х
Well 36	Х	Х	Х	Х	Х	Х
Well 37	Х		Х	X	Х	Х
Well 38	Х		Х	X	Х	Х
Well 39	Х	Х	Х	X	Х	Х
Well 40	Х		Х	Χ	Х	Х
Well 41	Х		Х	Χ	Х	Х
Sewer Lift Stations						
Maxine Life Station	Х		Х	Χ	X	Х
Segerstrom Life Station	X		Χ	Χ	Х	Х



- 47 -



Earthquake Hazards

Hazard Definition

An earthquake is a sudden motion or trembling that is caused by a release of strain accumulated within or along the edge of the Earth's tectonic plates. The effects of an earthquake can be felt far beyond the site of its occurrence. They usually occur without warning and, after just a few seconds, can cause massive damage and extensive casualties. Common effects of earthquakes are ground motion and shaking, surface fault ruptures, and ground failure.

There are two tools used to describe earthquake intensity. The first is the Magnitude Scale, which is sometimes referred to as the Richter Scale. The two are similar but not exactly the same. The



Magnitude Scale was devised as a means of rating earthquake strength and is an indirect measure of seismic energy released. The Scale is logarithmic with each one-point increase corresponding to a 10-fold increase in the amplitude of the seismic shock waves generated by the earthquake. In terms of actual energy released, however, each one-point increase on the Richter scale corresponds to about a 32-fold increase in energy released. Therefore, a Magnitude 7 (M7) earthquake is 100 times (10 X 10) more powerful than a M5 earthquake and releases 1,024 times (32 X 32) the energy.











Image: Magnitude Scale (Source: USGS)



The second scale is the Modified Mercalli (MM) Intensity Scale. According to the US Geological Survey, this scale consists of a series of certain key responses such as people awakening, movement of furniture, damage to chimneys, and finally - total destruction. Although numerous intensity scales have been developed over the last several hundred years to evaluate the effects of earthquakes, the one currently used in the United States is the Modified Mercalli (MM) Intensity Scale. It was developed in 1931 by the American seismologists Harry Wood and Frank Neumann. This scale, composed of increasing levels of intensity that range from imperceptible shaking to catastrophic destruction, is designated by Roman numerals. It does not have a mathematical basis; instead it is an arbitrary ranking based on observed effects.

The Modified Mercalli Intensity value assigned to a specific site after an earthquake has a more meaningful measure of severity to the nonscientist than the magnitude because intensity refers to the effects actually experienced at that place. The lower numbers of the intensity scale generally deal with the manner in which the earthquake is felt by people. The higher numbers of the scale are based on observed structural damage. Structural engineers usually contribute information for assigning intensity values of VIII or above. Below is an image of the scale.





Table: Modified Mercalli Intensity Scale (Source: USGS)

Intensity	Shaking	Description/Damage
1	Not felt	Not felt except by a very few under especially favorable conditions.
II	Weak	Felt only by a few persons at rest,especially on upper floors of buildings.
Ш	Weak	Felt quite noticeably by persons indoors, especially on upper floors of buildings. Many people do not recognize it as an earthquake. Standing motor cars may rock slightly. Vibrations similar to the passing of a truck. Duration estimated.
IV	Light	Felt indoors by many, outdoors by few during the day. At night, some awakened. Dishes, windows, doors disturbed; walls make cracking sound. Sensation like heavy truck striking building. Standing motor cars rocked noticeably.
٧	Moderate	Felt by nearly everyone; many awakened. Some dishes, windows broken. Unstable objects overturned. Pendulum clocks may stop.
VI	Strong	Felt by all, many frightened. Some heavy furniture moved; a few instances of fallen plaster. Damage slight.
VII	Very strong	Damage negligible in buildings of good design and construction; slight to moderate in well-built ordinary structures; considerable damage in poorly built or badly designed structures; some chimneys broken.
VIII	Severe	Damage slight in specially designed structures; considerable damage in ordinary substantial buildings with partial collapse. Damage great in poorly built structures. Fall of chimneys, factory stacks, columns, monuments, walls. Heavy furniture overturned.
IX	Violent	Damage considerable in specially designed structures; well-designed frame structures thrown out of plumb. Damage great in substantial buildings, with partial collapse. Buildings shifted off foundations.
х	Extreme	Some well-built wooden structures destroyed; most masonry and frame structures destroyed with foundations. Rails bent.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2a.

Q: Does the plan include information on previous occurrences of hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Previous Occurrences of Earthquakes in the City below.

Previous Occurrences of Earthquakes in the City

The most significant earthquake to impact the City was the 1933 Long Beach earthquake. On March 10, 1933, the Newport-Inglewood Fault ruptured with a magnitude 6.4 earthquake. Santa Ana suffered substantial structural damage from the event, especially on 4th street (as seen in adjoining photo). Santa Ana suffered 3 of the 4 deaths occurring in Orange County during this earthquake. All 3 of the deaths all occurred in downtown Santa Ana. The original Santa Ana City Hall and the original Santa Ana High School, the first high school opened in Orange County, were both destroyed by this earthquake.

The City has experienced multiple earthquakes since then, but none have had the same devastation.







Table: Historic Earthquakes Affecting Communities Near Orange County (Source: USGS)

(Date	Earthquake	Damage
March 29, 2014	La Habra, M5.1	On March 29, 2014, at 9:09pm, an earthquake hit one mile away from La Habra. It was followed by 30 aftershocks. The quake resulted in roughly 2,000 people without power, but the community suffered minimal damage.
July 29, 2008	Chino Hills, M5.4	On Tuesday, July 29, 2008, at 11:42 a.m. Pacific Daylight Time, a magnitude 5.4 earthquake rumbled the East Los Angeles area of California. The epicenter of the quake was about 9 miles beneath the Chino Hills. According to reports from the U.S. Geological Survey (USGS), the quake and several aftershocks caused strong shaking from the Chino Basin in the north to the Los Angeles basin in the southwest. Some shaking was felt as far away as Las Vegas, Nevada, and Yuma, Arizona.
March 11, 1933	Long Beach, M6.4	In the early evening hours on March 10, 1933, the treacherous Newport-Inglewood fault ruptured, jolting the local citizenry just as the evening meals were being prepared. The Magnitude 6.4 earthquake caused extensive damage (approximately \$50 million in 1933 dollars) throughout the City of Long Beach and surrounding communities. Damage was most significant to poorly designed and unreinforced brick structures. Sadly, the earthquake caused 120 fatalities. Within a few seconds, 120 schools in and around the Long Beach area were damaged, of which 70 were destroyed. Experts concluded that if children and their teachers were in school at the time of the earthquake, casualties would have been in the thousands.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1a.

Q: Does the plan include a general description of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Local Conditions below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Local Conditions below.


Local Conditions

According to the Orange County General Plan, Safety Element (2013), potentially hazardous, active fault zones run along the coastal and inland edges of the County. The best known of the faults is the Newport-Inglewood Fault, which angles from offshore near Dana Point, inland through what is now the City of Newport Beach, on into Los Angeles County through the cities of Long Beach and Torrance. This fault zone produced the catastrophic 1933 Long Beach earthquake with a Richter scale magnitude of 6.3. It is believed this fault is capable of generating a maximum 7.5 magnitude earthquake.

Due to the proximity of active and potentially active faults in and around Orange County and its degree of urbanization, the risk of structural damage and loss of life due to ground shaking is considerable. The risk of secondary hazards is also great. According to various geologic experts, much of Orange County is highly susceptible to slope failure (activated by ground shaking), lurching and displacement. Another secondary hazard of particular concern to some portions of Orange County is that of liquefaction.












San Andreas Fault Zone

The San Andreas Fault Zone falls East of the City. This fault zone extends from the Gulf of California northward to the Cape Mendocino area where it continues northward along the ocean floor. The total length of the San Andreas Fault Zone is approximately 750 miles. The activity of the fault has been recorded during historic events, including the 1906 (M8.0) event in San Francisco and the 1857 (M7.9) event between Cholame and San Bernardino, where at least 250 miles of surface rupture occurred. These seismic events are among the most significant earthquakes in California history. Geologic evidence suggests that the San Andreas Fault has a 50 percent chance of producing a magnitude 7.5 to 8.5 quake (comparable to the great San Francisco earthquake of 1906) within the next 30 years.


Map: Shake Intensity Map – San Andreas Fault M7.9 (Source: USGS)







Map: HAZUS – San Andreas Fault M7.9 (Source: Emergency Planning Consultants)







Newport-Inglewood Fault

This fault zone consists of a right-lateral, local reverse slip associated with fault steps. It is 75 kilometers in length with a slip rate of .6 millimeters per year. The communities nearest to this fault are Culver City, Inglewood, Gardena, Compton, Signal Hill, Long Beach, Seal Beach, Huntington Beach, Newport Beach, and Costa Mesa. Its most recent surface rupture was in 1933 with a magnitude of 6.4. This fault has a probable magnitude of 6.0-7.4. According to the Earthquake Data Center, Surface trace is discontinuous in the Los Angeles Basin, but the fault zone can easily be noted there by the existence of a chain of low hills extending from Culver City to Signal Hill. South of Signal Hill, it roughly parallels the coastline until just south of Newport Bay, where it heads offshore, and becomes the Newport-Inglewood - Rose Canyon fault zone.


Map: Shake Intensity Map – Newport-Inglewood Fault M7.2 (Source: USGS)

Palmdale Santa Victory Java Hi Clarita Angele: National San Bernardino Forest National Forest Rancho Thousand 11489 ft Cucamonia Oaks Ontario ANBERN P.omona Riverside Santa Monica Banning Corons 10815 ft. Santa Ana **Aurrieta** Oceanside Escond do PERCEIVED SHAKING Violent Not felt Weak Moderate Strong Very strong Severe Extreme Light Very light Moderate Mod./Heavy Very Heavy none none none Light Heavy 12 PEAK ACC.(%g) < 0.05 0.3 2.8 6.2 22 40 75 >139 < 0.02 9.6 20 PEAK VEL.(cm/s) 0.1 1.4 4.7 41 86 >178 INSTRUMENTAL 11-111 IV VI VII VIII





Map: HAZUS – Newport-Inglewood Fault M7.2 (Source: Emergency Planning Consultants)








Whittier Fault

The Whittier Fault lies North of the City. It is a 40-kilometer right-lateral strike-slip fault that runs along the Chino Hills range between the cities of Chino Hills and Whittier. The fault has a slip rate of 2.5 to 3.0 millimeters per year. It is estimated that this fault could generate a quake of 6.0 – 7.2M.


Map: Shake Intensity Map – Whittier Fault M7.0 (Source: USGS)







Map: HAZUS – Whittier Fault M7.0 (Source: Emergency Planning Consultants)







Elsinore Fault Zone

The Elsinore fault zone lies approximately 18 miles East of the City. According to USGS, it's projected to have a magnitude of 7.0 with a depth of 11.6 km. The Elsinore fault zone is a major dextral shear system, parallel to the southern San Andreas fault, that accommodates about 5 mm/year of the Pacific-North American Plate boundary slip. The northern elements of the fault zone, the Chino and Whittier faults, bound the Puente Hills, an uplifted block of Tertiary sediments. The Glen Ivy section forms the northeast boundary of the Santa Ana Mountains, and, together with the Temecula section, forms the Elsinore trough. To the southeast the fault zone (Temecula, Julian, and Coyote Mountain sections) cuts diagonally across various Peninsular Range batholithic and pre-batholithic metamorphic terrain until it reaches the southwestern margin of the Salton Trough as the Laguna Salada fault. Total strike-slip is reported to be as much as 40 km but is more likely only 10–15 km, and total vertical separation is about 200 m.


Map: Shake Intensity Map – Elsinore Fault M7.5 (Source: USGS)







Map: HAZUS – Elsinore Fault M7.5 (Source: Emergency Planning Consultants)








Anaheim Scenario

The earthquake scenario places the epicenter in Anaheim approximately 6 miles Northwest of Santa Ana. Like what occurred during the Northridge Earthquake caused by a previously unknown upward thrust fault, the scenario is not based on a known fault but rather a possible location. The scenario assumes a magnitude of 6.4 with a depth of 10.5 km.


Map: Shake Intensity Map – Anaheim Scenario M6.4 (Source: USGS)







Map: HAZUS – Anaheim Scenario M6.4 (Source: Emergency Planning Consultants)








Compton Fault

The Compton fault lies Northwest of the City. According to USUS, the Compton thrust fault (blind) extends below the western Los Angeles Basin, lying entirely within Mesozoic metamorphic basement (Catalina Schist). Most of the thrust fault is a ramp that rises to the southwest from depths as great as 10 km up to 5 km. The ramp connects the Central Basin Decollement, a thrust flat below the Los Angeles Basin, with shallower parts of the thrust fault near its tip below the Palos Verdes Peninsula. It was estimated to have a slip rate of 1.2+0.5, -0.3 mm/year.


Map: Shake Intensity Map – Compton Fault M7.4 (Source: USGS)







Map: HAZUS – Compton Fault M7.4 (Source: Emergency Planning Consultants)







Earthquake Related Hazards

Ground shaking, landslides, and liquefaction are the specific hazards associated with earthquakes. The severity of these hazards depends on several factors, including soil and slope conditions, proximity to the fault, earthquake magnitude, and the type of earthquake.

Ground Shaking

Ground shaking is the motion felt on the earth's surface caused by seismic waves generated by the earthquake. It is the primary cause of earthquake damage. The strength of ground shaking depends on the magnitude of the earthquake, the type of fault, and distance from the epicenter (where the earthquake originates). Buildings on poorly consolidated and thick soils will typically see more damage than buildings on consolidated soils and bedrock.

Earthquake-Induced Landslides

Earthquake-induced landslides are secondary earthquake hazards that occur from ground shaking. They can destroy the roads, buildings, utilities, and other critical facilities necessary to respond and recover from an earthquake. Many communities in Southern California have a high likelihood of encountering such risks, especially in areas with steep slopes.


Rock falls may happen suddenly and without warning but are more likely to occur in response to earthquake induced ground shaking, during periods of intense rainfall, or as a result of human activities, such as grading and blasting. Ground acceleration of at least 0.10g in steep terrain is necessary to induce earthquake-related rock falls.


The following map shows the minimal risk of earthquake-induced landslide risk within the City.





Map: Landslide Susceptibility (Source: Department of Conservation)










Liquefaction

Liquefaction is a phenomenon in which the strength and stiffness of a soil is reduced by earthquake shaking or other events. Liquefaction occurs in saturated soils, which are soils in which the space between individual soil particles is completely filled with water. This water exerts a pressure on the soil particles that influences how tightly the particles themselves are pressed together. Prior to an earthquake, the water pressure is relatively low. However, earthquake shaking can cause the water pressure to increase to the point where the soil particles can readily move with respect to each other. Because liquefaction only occurs in saturated soil, its effects are most commonly observed in low lying areas. Typically, liquefaction is associated with shallow groundwater, which is less than 50 feet beneath the earth's surface. Map: Liquefaction Zones shows the City's significant susceptibility to liquefaction.

Map: Liquefaction Zones (Source: Department of Conservation)







Structures and Building Code

The built environment is susceptible to damage from earthquakes. Buildings that collapse can trap and bury people. Lives are at risk, and the cost to clean up the damages is great. In most California communities, including the City of Santa Ana, many buildings were built before 1973 when building codes were not as strict. In addition, retrofitting is not required except under certain conditions and can be expensive. Therefore, the number of buildings at risk remains high. Perhaps at greatest risk are the unreinforced masonry buildings. The California Seismic Safety Commission makes annual reports on the progress of the retrofitting of unreinforced masonry buildings. According to the State of California's 2006 URM Report, all URM buildings within the City have been identified and upgraded to meet local municipal requirements.

Jurisdiction Survey Results (numbers of URMs)																
Inventory Completed	Number of Historic URMs	Number of Non- Historic URMs	Mitigation Program Established	Replied to 2006 Survey	UCBC Compliance Compliance with Jurisdiction Program Partial Compliance/Under Construction Retrofit Permit Issued Plans Submitted /Plancheck LInderway Reduced Occupancy Demolished Demolished Slated for Demolition Warning Placards Posted No Mitigation Progress						Owners Notified					
Santa	Ana															
Yes	unkno wn	211	Yes	Yes	146			0	()	59	63		0	2	209
Mitigat	Mitigation Program Type: Mandatory strengthening Mitigation Rate: 99 percent															
Technic	Technical Mitigation Standards: Similar to Division 88, 1982 Edition Los Angeles City Code															
Buil	Progress and Remarks: City used Marks Bond Act funds for historical buildings.* Included in #2, Based upon our 1980 Ordinance. 59 Buildings have reduced occupancy and are in substantial compliance with the program. Two buildings are discovered to be URM in 2004.															

Implementation of earthquake mitigation policy most often takes place at the local government level. The City of Santa Ana Planning and Building Department enforces building codes pertaining to earthquake hazards.

Additionally, the City has implemented basic building requirements that are above and beyond what the State demands for hazard mitigation. Newly constructed buildings in Santa Ana that are built in an area subject to earthquake-induced landslide or liquefaction are typically built with extra foundation support. Such support is found in the post-tension reinforced concrete foundation; this same technique is used by coastal cities to prevent home destruction during cases of liquefaction.

Generally, these codes seek to discourage development in areas that could be prone to flooding, landslide, wildfire and/or seismic hazards; and where development is permitted, that the applicable construction standards are met. Developers in hazard-prone areas may be required to retain a qualified professional engineer to evaluate level of risk on the site and recommend appropriate mitigation measures.





Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3a.

Q: Is there a description of each hazard's impacts on each jurisdiction (what happens to structures, infrastructure, people, environment, etc.)? (Requirement §201.6(c)(2)(ii))
A: See Impact of Earthquakes in the City below.

Vulnerability of City to Earthquakes

According to the 2021 County of Orange and Orange County Fire Authority Local Hazard Mitigation Plan, following major earthquakes, extensive search and rescue operations may be required to assist trapped or injured persons. Emergency medical care, food and temporary shelter would be required for injured or displaced persons. In the event of a truly catastrophic earthquake, identification and burial of the fatalities would pose difficult problems. Mass evacuation may be essential to save lives, particularly in areas below dams. Many families could be separated if the earthquake should occur during working hours. Emergency operations could be seriously hampered by the loss of communications and damage to transportation routes within, to and out of the disaster area and by the disruption of public utilities and services. Unless properly secured, hazardous materials can be released, causing significant damage to the environment and people. Extensive federal assistance could be required and could continue for an extended period.

A significant earthquake (5.0 or greater) in the Orange County area or the region can strike without warning, and may create cascading effects including:

- Earthquakes can cause large and sometimes disastrous landslides and mudslides. Any steep slope is vulnerable to slope failure, often as a result of loss of cohesion in clay-rich soils.
- Earthquakes can also cause dam failures. The most common mode of earthquake-induced dam failure is slumping or settlement of earth-fill dams where the fill has not been property compacted. If the slumping occurs when the dam is full, then overtopping of the dam, with rapid erosion leading to dam failure is possible. Dam failure is also possible if strong ground motions heavily damage concrete dams. Earthquake-induced landslides into reservoirs have also caused dam failures.
- Another secondary effect of earthquakes that is often observed in low-lying areas near water bodies is ground liquefaction. Liquefaction is the conversion of water-saturated soil into a fluid-like mass. This can occur when loosely packed, waterlogged sediments lose their strength in response to strong shaking. Liquefaction effects may occur along the shorelines of the ocean, rivers, and lakes and they can also happen in low-lying areas away from water bodies in locations where the ground water is near the earth's surface.
- Tsunamis can be formed as a result of undersea earthquakes of the Orange County coastline when huge amounts of energy are released as a result of quick, upward bottom movement. A wave is formed when huge volumes of ocean water are pushed upward. A large earthquake can lift large portions of the seafloor, which will cause the formation of huge waves.

Impact of Earthquakes in the City

Based on the risk assessment, it is evident that earthquakes will continue to have potentially devastating economic impacts to the City. Impacts that are not quantified, but can be anticipated in future events, include:

- ✓ Injury and loss of life
- ✓ Commercial and residential structural damage





- ✓ Disruption of and damage to public infrastructure
- ✓ Secondary health hazards e.g. mold and mildew
- ✓ Damage to roads/bridges resulting in loss of mobility
- ✓ Significant economic impact (jobs, sales, tax revenue) upon the community
- ✓ Negative impact on commercial and residential property values
- ✓ Significant disruption to citizens as temporary facilities and relocations would likely be needed






Flood Hazards

Hazard Definition

A floodplain is a land area adjacent to a river, stream, lake, estuary, or other water body that is subject to flooding. This area, if left undisturbed, acts to store excess flood water. The floodplain is made up of two sections: the floodway and the flood fringe. The 100-year flooding event is the flood having a one percent chance of being equaled or exceeded in magnitude in any given year. Contrary to popular belief, it is not a flood occurring once every 100 years. The 100-year floodplain is the area adjoining a river, stream, or watercourse covered by water in the event of a 100-year flood. Schematic: Floodplain and Floodway shows the relationship of the floodplain and the floodway.

Figure: Floodplain and Floodway

(Source: FEMA How-To-Guide Assessing Hazards)



Types of Flooding

Two types of flooding primarily affect the region: slow-rise or flash flooding. Slow-rise floods may be preceded by a warning period of hours or days. Evacuation and sandbagging for slow-rise floods have often effectively lessened flood related damage. Conversely, flash floods are most difficult to prepare for, due to extremely limited, if any, advance warning and preparation time.





Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2a.

Q: Does the plan include information on previous occurrences of hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Previous Occurrences of Flooding in the City below.

Previous Occurrences of Flooding in the City

According to the NOAA Storm Events Database, the most recent flooding event to occur within the City was on December 6, 2018. A moisture plume with a weak atmospheric river arrived on December 5th and brought rain to the region. On December 6th, a strong closed upper level low pressure brought an unstable air mass into Southern California with showers and thunderstorms.

especially Orange and San Diego Counties. Rainfall of 1 inch per hour amounts occurred in Costa Mesa as well as adjacent cities. The main storm system on December 6th brought widespread rain to the entire region. All mountains and the coast and valleys areas received 1-3 inches and some spots receiving over 4 of rainfall over higher terrain. The most significant mud and debris flows occurred at recent Holy burn scar areas, and many reports of flash flooding across the region. Snow fell as low as 4000 feet with mountains receiving 1 to 4 inches of snow. John Wayne Airport reported 2.56 inches of rainfall in about 2 hours on December 6th. This is a 1 in 100 year return interval. Cars in nearby Costa Mesa were seen completely submerged or stalled in deep water up to the windows.

Orange County has experienced the following flood events since 2018:



Date	Location
04/06/2020	Peralta Hills
04/06/2020	Costa Mesa
04/06/2020	Los Alamitos
04/06/2020	Cypress
11/28/2019	Huntington Beach
11/19/2019	San Clemente
05/22/2019	Fullerton
03/06/2019	Freeway
02/13/2019	Laguna Beach
02/04/2019	Arcilla
01/15/2019	Seal Beach
12/06/2018	San Clemente
12/06/2018	Esperanza
12/06/2018	Anaheim
12/06/2018	Santa Ana
01/09/2018	San Clemente







According to the Santa Ana River Vision Plan (2006), the Santa Ana River experienced flooding most recently in 1969, when flooding along the watershed caused damage to nearby tributaries. After this incident, the Santa Ana River was considered the greatest flood threat west of the Mississippi, which prompted the installation of the concrete lining in the river channel.

Table: Santa Ana River Flood History

(Source: History of the Santa Ana River, Santa Ana Website)

Date	Description
1969	Flooding along the Watershed, damaged nearby tributaries
1938	Flash flood, 19 deaths, 2,000 homeless, 68,400 acres flooded

Photo: January 12, 2017 Flooding at Bristol and 17th Street (Source: 2018 Storm Drain Master Plan)



Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1a.

Q: Does the plan include a general description of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Local Conditions below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Local Conditions below.

Local Conditions

According to the Orange County General Plan (2013), Orange County's geography and climate increase its susceptibility to flooding. Commonly, where a broad alluvial plain exists, such as the one created by the Santa Ana River, there has been and is a continual expansion of urban development.





According to the Vulnerability Assessment Report (2020), flooding can cause significant harm to buildings, people, and infrastructure. Floodwater can be deep enough to drown people and may move fast enough to carry people or heavy objects (such as cars) away. Flooding can be caused by heavy rainfall or long periods of moderate rainfall, or clogged drains during periods of rainfall. In rare instances, a break in a dam, water pipe, or water tank can also cause flooding. Additionally, heavy periods of rainfall can stress levee systems, and overtopping can lead to catastrophic flooding. Storm drainage systems throughout the city collect stormwater runoff and convey water to prevent flooding, although these systems are typically designed based on winter storms recorded in the past and may not be designed to accommodate more intense storms. The levee system along the Santa Ana River is designed for a 190-year flood and may also not be able to accommodate a more intense storm or heavy rainfall over a short period of time. Scientists project that climate change will increase the frequency and intensity of floods within Santa Ana, although total annual precipitation levels are not expected to change very much.

The northern, southern, and western portions of Santa Ana are within the 100-year or 500-year flood zone, or an area with reduced flood risk due to a levee. The portion of Santa Ana east of Broadway is outside of the flood zone. Due to a projected increase in frequency and intensity of rainstorms, flooding could occur more frequently, leaving major roadways and highways, bridges, and railroads highly vulnerable to damage. While parks and open space can absorb stormwater, park facilities such as restrooms and pedestrian paths can be damaged by floodwaters, rendering the parks unusable. Other buildings east of Main Street are also vulnerable to flooding, including commercial buildings in Downtown Santa Ana, industrial buildings in western Santa Ana near the Santa Ana River, and over half of school buildings, including the Santa Ana Community College. Many of the community services are also highly vulnerable to flooding, such as wastewater services that can back up due to an increase in wet weather flow and roadways that can become impassable from flood waters, disrupting public transit services, emergency medical response, and public safety response. Disruption of these services could be detrimental to both residents and businesses. Community services, such as emergency medical response, are highly vulnerable to human health hazards, such as vector-borne diseases, that can overwhelm and create shortages of facilities, equipment, pharmaceuticals, and personnel if health care workers become sick or if supply chains are disrupted.

Santa Ana River and Santiago Creek


According to the Public Safety Element of Santa Ana's General Plan (2010), the City has two major drainage courses with potential for significant flooding: Santiago Creek and the Santa Ana River. The Santa Ana River, with its normally dry riverbed and broad engineered channel and armored levees, does not appear to present a significant flood hazard. However, the Santa Ana River has a long history of overflowing its banks and flooding in the surrounding areas. Another reference document concerning flooding is the Santa Ana Storm Drain Master Drain (2018) which is referenced in the Mitigation Actions Matrix.

To reduce this risk, the U.S. Army Corps of Engineers (Corps) is constructing the \$2.2 billion Santa Ana River Mainstem Project which includes raising the height of Prado Dam and constructing new gate-works allowing for controlled water releases up to 30,000 cubic feet per second and constructing channel improvements between Prado Dam and the ocean. Given the progress to date, the Corps' project provides 100-year flood protection for Orange County. When completed, the project is designed to provide 190-year level protection from flooding due to the Santa Ana River. Located in Riverside County at the head of Santa Ana Canyon, Prado Dam is a single purpose dam designed to reduce the flood risk for metropolitan area in Orange County.






Map: HAZUS Flood Results – 100 Year Flood Scenario (Source: HAZUS - Emergency Planning Consultants)








Map: HAZUS Flood Results – 500 Year Flood Scenario (Source: HAZUS - Emergency Planning Consultants)







Map: Flood Hazard Severity Zone Map Determined by FEMA (Source: Santa Ana General Plan, 2020)







Map: Flood Zones for City of Santa Ana (Source: Cal OES MyHazards)



100-Year Floodplains



FEMA/DWR Awareness/Regional Studies /USACE Comprehensive Study

FLOOD HAZARD

NOTE: FEMA is currently updating the Flood Insurance Rate Map (FIRM) inventory through its Map Modernization Program. The updated maps will be added to this site as they are available, however, the digital information for many California counties has not been completed. Please be sure to check on-line at FEMA's Map Service Center website to view the most current FIRMs and use the search function for a "Public Flood Map." Your local Community Map Repository can provide information on how to view or obtain copies of FIRMs."

Your location is IN or NEAR an area of Low hazard of flooding.





Q&A | ELEMENT C. MITIGATION STRATEGY | C2

Q: Does the Plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate? (Requirement §201.6(c)(3)(ii))

A: See NFIP Participation below.

National Flood Insurance Program

The City participates in the National Flood Insurance Program (NFIP). Created by Congress in 1968, the NFIP makes flood insurance available in communities that enact minimum floodplain management rules consistent with the Code of Federal Regulations §60.3. According to FEMA, the City is located within flood Zones X, A, AE, AH, and AO.

Definitions of FEMA Flood Zone Designations

Flood zones are geographic areas that the FEMA has defined according to varying levels of flood risk. These zones are depicted on a community's Flood Insurance Rate Map (FIRM) or Flood Hazard Boundary Maps as shown in Map: Flood Hazard Severity Zone Map Determined by FEMA above. Each zone reflects the severity or type of flooding in the area.

Moderate to Low Risk Areas

In communities that participate in the NFIP, flood insurance is available to all property owners and renters in these zones:

ZONE	DESCRIPTION
B and X (shaded)	Area of moderate flood hazard, usually the area between the limits of the 100-year and 500-year floods. B Zones are also used to designate base floodplains of lesser hazards, such as areas protected by levees from 100-year flood, or shallow flooding areas with average depths of less than one foot or drainage areas less than 1 square mile.
C and X (unshaded)	Area of minimal flood hazard usually depicted on FIRMs as above the 500-year flood level. Zone C may have ponding and local drainage problems that don't warrant a detailed study or designation as base floodplain. Zone X is the area determined to be outside the 500-year flood and protected by levee from 100-year flood.

High Risk Areas

In communities that participate in the NFIP, mandatory flood insurance purchase requirements apply to all of these zones:

ZONE	DESCRIPTION
А	Areas with a 1% annual chance of flooding and a 26% chance of flooding over the life of a 30-year mortgage. Because detailed analyses are not performed for such areas; no depths or base flood elevations are shown within these zones.
AE	The base floodplain where base flood elevations are provided. AE Zones are now used on new format FIRMs instead of A1-A30 Zones.
A1-30	These are known as numbered A Zones (e.g., A7 or A14). This is the base floodplain where the FIRM shows a BFE (old format).





ZONE	DESCRIPTION
АН	Areas with a 1% annual chance of shallow flooding, usually in the form of a pond, with an average depth ranging from 1 to 3 feet. These areas have a 26% chance of flooding over the life of a 30-year mortgage. Base flood elevations derived from detailed analyses are shown at selected intervals within these zones.
AO	River or stream flood hazard areas, and areas with a 1% or greater chance of shallow flooding each year, usually in the form of sheet flow, with an average depth ranging from 1 to 3 feet. These areas have a 26% chance of flooding over the life of a 30-year mortgage. Average flood depths derived from detailed analyses are shown within these zones.
AR	Areas with a temporarily increased flood risk due to the building or restoration of a flood control system (such as a levee or a dam). Mandatory flood insurance purchase requirements will apply, but rates will not exceed the rates for unnumbered A zones if the structure is built or restored in compliance with Zone AR floodplain management regulations.
A99	Areas with a 1% annual chance of flooding that will be protected by a Federal flood control system where construction has reached specified legal requirements. No depths or base flood elevations are shown within these zones.

Undetermined Risk Areas

ZONE	DESCRIPTION
D	Areas with possible but undetermined flood hazards. No flood hazard analysis has been conducted. Flood insurance rates are commensurate with the uncertainty of the flood risk.

Dam Failure


Failed dams can create floods that are catastrophic to life and property as a result of the tremendous energy of the released water. A catastrophic dam failure could easily overwhelm local response capabilities and require mass evacuations to save lives. Dams typically are constructed of earth, rock, concrete, or mining tailings. Two factors that influence the potential severity of a full or partial dam failure are the amount of water impounded and the density, type, and value of development and infrastructure located downstream.

Prado Dam and Reservoir, completed by the Corps of Engineers in 1941, are intended to provide flood protection to the Lower Santa Ana River basin. The earthen dam and its reservoir were designed in the 1930s to control floods of magnitudes that could be reasonably expected to occur under anticipated future development of the watershed (typically a 200-year flood). Since Prado Dam was built, however, changes have occurred in the drainage area. Historical data on rainfall and runoff, coupled with advances in predicting future flood potential, have shown Prado Dam to presently offer only 70-year flood protection. In addition, intensive urbanization within the drainage area has occurred, further complicating this problem. Another serious concern is that the existing Prado Dam and spillway could not accommodate a probable maximum flood, resulting in overtopping of the dam.





Map: HAZUS Flood Results – Prado Dam Flood Scenario (Source: HAZUS - Emergency Planning Consultants)







Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3a.

Q: Is there a description of each hazard's impacts on each jurisdiction (what happens to structures, infrastructure, people, environment, etc.)? (Requirement §201.6(c)(2)(ii))
A: See Impact of Flooding in the City below.

Vulnerability of City to Flooding

According to the 2021 County of Orange and Orange County Fire Authority, the largest impact to communities in a flood event is the loss of life and property to both private and public entities. Development in the floodplains of Orange County increases the risk of extensive property loss resulting in flooding and flood damage. The type of property damage resulting from flood events is dependent upon the depth and velocity of the floodwaters. Fast moving floodwaters can wash buildings off their foundations and sweep cars downstream. High waters combined with flood debris can damage infrastructure, pipelines, and bridges.

Landslide damage related to soil saturation can cause extensive damage. Water saturation of materials susceptible to loss (i.e., wood, insulation, wallboard, fabric, furnishings, floor coverings, and appliances), in many cases, renders a home unlivable. Flooding impacts businesses when damaged property interrupts operation, forcing closure for repairs, and customer access is cut off. A community maintains economic vitality in the face of flood damage with quick response to the needs of businesses affected by the flood. Response to business damages can include funding to assist owners in elevating or relocating flood-prone business structures.

Impact of Flooding in the City

Floods and their impacts vary by location and severity of any given flood event, and likely only affect certain areas of the region during specific times. Based on the risk assessment, it is evident that floods will continue to have potentially devastating economic impacts to the City. Impacts that are not quantified, but anticipated in future events include:

- ✓ Injury and loss of life
- ✓ Commercial and residential structural damage
- ✓ Disruption of and damage to public infrastructure
- ✓ Secondary health hazards e.g. mold and mildew
- ✓ Damage to roads/bridges resulting in loss of mobility
- ✓ Significant economic impact (jobs, sales, tax revenue) upon the community
- ✓ Negative impact on commercial and residential property values
- ✓ Significant disruption to citizens as temporary facilities and relocations would likely be needed





Climate Change Hazards

Hazard Definition

"Climate change" refers to seasonal changes over a long period of time. It is generally perceived in the emergency management profession that climate change will have a measurable impact on the occurrence and severity of natural hazards around the world. Changes could include:



- Sea ice and snow cover losses will continue, and declining snowpack will affect snowdependent water supplies and stream flow levels around the world.
- Sea level is projected to rise 7 to 23 inches during the 21st century due to melting snow and ice on land and thermal expansion of ocean waters.
- The risk of drought and the frequency, intensity, and duration of heat waves are expected to increase.
- More extreme precipitation is likely, increasing the risk of flooding; if the world's average temperature warms only an additional 2.7°F to 4.5°F above pre-industrial levels, an estimated 20 to 30 percent of known plant and animal species would be at increasingly high risk of extinction.

Climate change will affect communities in a variety of ways. Impacts could include an increased risk for extreme events such as drought, storms, flooding, forest fires; more heat-related stress; the spread of existing or new vector-born disease into a community; and increased erosion and inundation of low-lying areas along coastlines.

According to the State of California Multi-Hazard Mitigation Plan (2018), climate change is already affecting California. Sea levels have risen by as much as seven inches along the California coast over the last century, increasing erosion and pressure on the state's infrastructure, water supplies, and natural resources. The State has also seen increased average temperatures, more extreme hot days, fewer cold nights, a lengthening of the growing season, shifts in the water cycle with less winter precipitation falling as snow, and both snowmelt and rainwater running off sooner in the year. In addition to changes in average temperatures, sea level, and precipitation patterns, the intensity of extreme weather events is also changing.





Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2a.

Q: Does the plan include information on previous occurrences of hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Previous Occurrences of Climate Change in the City below.

Previous Occurrences of Climate Change in the City

The City has expereinced gradual Climate Change, with warmer temperatures increasing over the past century. According to California's Fourth Climate Change Assessment (2018), observations over the past century indicate that temperature has increased across southern California. Based on 1896-2015 temperature records for the California South Coast NOAA Climate Division, which encompasses the LA region (which includes Orange County), researchers found significant trends in annual average, maximum, and minimum temperature around 0.16°C per decade. Every month has experienced significant positive trends in monthly



average, maximum, and minimum temperature. Monthly average and minimum temperatures have increased the most in September and monthly maximum temperatures have increased the most in January, with each trend exceeding 0.2°C per decade. Recently, the California South Coast Climate Division has experienced sustained record warmth. The top 5 warmest years in terms of annual average temperature have all occurred since 2012: 2014 was the warmest, followed by 2015, 2017, 2016, and 2012.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1a.

Q: Does the plan include a general description of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Local Conditions below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Local Conditions below.

Local Conditions (Sub-Hazards): Extreme Heat, Drought

In recognition of the priorities mentioned above, the Planning Team identified drought and extreme heat as "sub-hazards" of climate change. As such, hazard profiles have been prepared for each and hazard mitigation action items included in the Mitigation Strategy.

Extreme Heat


According to the Vulnerability Assessment Report of the General Plan (2020), extreme heat occurs when temperatures rise significantly above normal levels. In Santa Ana, an extreme heat day occurs when temperatures reach above 96.3 degrees Fahrenheit. As shown in the Figure below, the projected number of extreme heat days in Santa Ana is projected to increase to an





average of 11 extreme heat days per year by mid-century and an average of 25 extreme heat days per year by end of century.

Figure: Projected Extreme Heat Days in Santa Ana (Source: Vulnerability Assessment Report for the General Plan Update, 2020)



Extreme heat can also occur in the form of warmer nights, as temperatures do not cool down overnight and provide relief from the heat. In Santa Ana, a warm night occurs when the temperature remains above 68.3 degrees Fahrenheit. As shown in the Figure below, the projected number of warm nights in Santa Ana is projected to increase to an average of 39 warm nights per year by mid-century and an average of 87 warm nights per year by the end of the century.

Figure: Projected Warm Nights in Santa Ana (Source: Vulnerability Assessment Report for the General Plan Update, 2020)










Figure: NOAA's National Weather Service Heat Index (Source: NOAA National Weather Service, 2016)



This chart shows that as the temperature (horizontal axis) and relative humidity (vertical axis) each increase, they combine to create a heat index (colored values) that feels hotter than the actual temperature. For example, when the temperature is 96°F, with 65 percent humidity, it actually feels like 121°F (indicated by the blue lines in the chart above). Source: NOAA National Weather Service, 2016¹

Figure: Observed U.S. Temperature Change



The colors on this map show temperature changes over the past 22 years (1991–2012) compared with the 1901–1960 average for the contiguous United States. Temperature changes for Alaska and Hawaii were compared with the 1951–1980 average for those states. Thick borders represent National Climate Assessment regions. Source: Melillo et al., 2014³






According to CDC's Extreme heat causes more deaths than any other weather-related hazard—more than hurricanes, tornadoes, or flooding. In addition, thousands of people who are exposed to extreme heat seek medical treatment each year. In fact, each - summer more than 65,000 Americans on average visit an emergency room for acute heat illness.

Figure: Fatalities by Hazard, 2006–2015

Source: NOAA National Weather Service, 2016



Numbers in each bar represent the total number of fatalities by hazard. Source: NOAA National Weather Service, 2016²

Drought

Previous Occurrences

According to the City's Public Works Department website, throughout California's history there have been periods of low rainfall and even drought. However, the 2015 drought was referred to at the time as the worst in our state's history. The severity of the five-year drought put us in a state of emergency and Governor Brown asked for a voluntary 20% reduction in water use statewide. That same year, the City of Santa Ana adopted a strategic plan, which—among other important initiatives— focused on completing the City's Climate Action Plan with measures to address water conservation, energy efficient buildings (city and community) and greenhouse gas emissions. Creating awareness for and educating the community about water conservation is an important component of the plan.

Drought conditions looked even more dire in 2015. The close of our official rainy season, which provides California with 90% of its water, was marked with record high temperatures and record low rainfall. Reservoirs were low. Landscapes were parched. And the Sierra Nevada snowpack, which usually supplies 30% of the state's water as it melts through early summer, was at its second-lowest level on record. It was no surprise, then, that Governor Brown issued an Executive Order on April 1, 2015 that called for the first-ever statewide mandatory water reduction to slash water use by 25% (compared to 2013 levels) and increase enforcement to prevent wasteful water use. As a result, the State Water Resources Control Board (SWRCB) adopted an expanded emergency regulation and has imposed a new round of water conservation rules, including sharp restrictions on landscape watering as well as orders to restaurants not to serve water to customers unless asked.

Since Santa Ana had already reduced its water consumption by 13% since 2013, the City called for a mandatory 12% reduction in water use and issued emergency conservation requirements for all water users to comply with state regulations and local ordinances. On March 28, 2022, Governor Newsom urged water agencies to "take more aggressive actions" and increase





enforcement to prevent wasteful water use. In response, the State Water Resources Control Board (SWRCB) adopted regulation requiring water suppliers to implement conservation actions under Level 2 of their Water Conservation Contingency Plans by June 10, 2022. Currently, there is no water supply emergency for Santa Ana, however the City Council supports the actions necessary to comply with the State's requirements. As such, Santa Ana residents and businesses were asked to reduce water usage by following water conservation practices inside and outside the home, and for businesses to improve their water use processes. Santa Ana's reduction actions for a Level 2 Water Supply Conservation, recently implemented by City Council resolution, limits outdoor watering to two days a week and only between the hours of 6 p.m. and 6 a.m. It also reduces the time to repair leaks to within 48 hours of notification by the City. These new requirements were effective on June 7, 2022.

Local Conditions

It's impossible to separate drought from water supply shortages. Drought is defined as a deficiency of precipitation over an extended period of time, usually a season or more. This deficiency results in a water shortage for some activity, group, or environmental sector. Drought should be considered relative to some long-term average condition of balance between precipitation and evapotranspiration (i.e., evaporation + transpiration) in a particular area, a condition often perceived as "normal". It is also related to the timing (e.g., principal season of occurrence, delays in the start of the rainy season, occurrence of rains in relation to principal crop growth stages) and the effectiveness of the rains (e.g., rainfall intensity, number of rainfall events).

Other climatic factors such as high temperature, high wind, and low relative humidity are often associated with it in many regions of the world and can significantly aggravate its severity. Drought should not be viewed as merely a physical phenomenon or natural event. Its impacts on society result from the interplay between a natural event (less precipitation than expected resulting from natural climatic variability) and the demand people place on water supply. Human beings often exacerbate the impact of drought. Recent droughts in both developing and developed countries and the resulting economic and environmental impacts and personal hardships have underscored the vulnerability of all societies to this natural hazard.

One dry year does not normally constitute a drought in California but serves as a reminder of the need to plan for droughts. California's extensive system of water supply infrastructure — its reservoirs, groundwater basins, and inter-regional conveyance facilities — mitigates the effect of short-term dry periods for most water users. Defining when a drought begins is a function of drought impacts to water users. Hydrologic conditions constituting a drought for water users in one location may not constitute a drought for water users elsewhere, or for water users having a different water supply. Individual water suppliers may use criteria such as rainfall/runoff, amount of water in storage, or expected supply from a water wholesaler to define their water supply conditions.

Drought is a gradual phenomenon. Although droughts are sometimes characterized as emergencies, they differ from typical emergency events. Most natural disasters, such as floods or forest fires, occur relatively rapidly and afford little time for preparing for disaster response. Droughts occur slowly, over a multiyear period. There is no universal definition of when a drought begins or ends. Impacts of drought are typically felt first by those most reliant on annual rainfall - ranchers engaged in dry land grazing, rural residents relying on wells in low-yield rock formations, or small water systems lacking a reliable source. Criteria used to identify statewide drought conditions do not address these localized impacts. Drought impacts increase with the





length of a drought, as carry-over supplies in reservoirs are depleted and water levels in groundwater basins decline.

There are four different ways that drought can be defined:

- o Meteorological a measure of departure of precipitation from normal. Due to climatic differences what is considered a drought in one location may not be a drought in another location.
- o Agricultural refers to a situation when the amount of moisture in the soil no longer meets the needs of a particular crop.
- o Hydrological occurs when surface and subsurface water supplies are below normal.
- o Socioeconomic refers to the situation that occurs when physical water shortage begins to affect people.

According to the Vulnerability Assessment Report in the 2020 General Plan, a drought's severity depends on numerous factors, including duration, intensity, and geographic extent, as well as regional water supply demands by humans and vegetation. Due to its multi-dimensional nature, drought is difficult to define in exact terms and poses difficulties in terms of comprehensive risk assessments.

Drought differs from other natural hazards in three ways. First, the onset and end of a drought are difficult to determine due to the slow accumulation and lingering of effects of an event after its apparent end. Second, the lack of an exact and universally accepted definition adds to the confusion of its existence and severity. Third, in contrast with other natural hazards, the impact of drought is less obvious and may be spread over a larger geographic area. These characteristics have hindered the preparation of drought contingency or mitigation plans by many governments.


Climate scientists predict that in the future southern California will get drier and northern California will get hotter. The resulting loss of snowpack in the Sierra Nevada will mean less water for all Californians – farmers, residents, utilities, and even hatchery fish. However, while drought cannot be controlled, according to the USGS, drought can be managed in two ways: through drought planning and in helping communities make the best day-to-day management decisions while the drought is taking place. During the drafting of this plan update, the Governor of California signed an executive order directing specific State agencies to develop a Water Resilience Portfolio to "ensure safe and dependable water supplies, flood protection and healthy waterways for the state's communities, economy and environment."

The U.S. Seasonal Drought Outlook below shows the Metro Service Area as well as California as a whole is no longer in danger from the impacts of drought:





Figure: U.S. Seasonal Drought Outlook - 2019



Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3a.

Q: Is there a description of each hazard's impacts on each jurisdiction (what happens to structures, infrastructure, people, environment, etc.)? (Requirement §201.6(c)(2)(ii))
A: See Impact of Climate Change in the City below.

Vulnerability of the City to Climate Change

According to the 2021 County of Orange and Orange County Fire Authority, climate change has the possibility of producing impacts that span many sectors of the economy and reaches well beyond the areas experiencing physical sea level rise or long-term temperature rise. The impacts would be complex and can be direct or indirect. A few examples of direct impacts are productivity from agriculture could decrease; wildfire hazard could increase; drinking water levels could decrease; wildlife mortality rates and damage to wildlife and fish habitat could increase. The consequences of these impacts may result in reduced income for businesses, increased prices for food and resources, unemployment, reduced tax revenues due to reduced expenditures, increased crime, foreclosures on bank loans to businesses, and migration. The web of impacts would be complex making it challenging to come up with financial estimates of damages. The impacts of climate change can be categorized as economic, environmental, or social.

Social impacts involve public safety, health, reduced quality of life, and inequities in the distribution of impacts and disaster relief. Many of the impacts specified as economic and environmental have social components as well. We could see migration out of the coastal areas where increasing pressure on the social infrastructure could result. Municipalities will have to make decisions about which critical assets to protect, relocate, or remove and





what is economically feasible. It will be challenging to achieve multiple goals such as protection of critical infrastructure, sustained coastal recreation, and ecosystem protection. Agencies need to recognize there could be conflicts and develop priorities while working with the regulatory agencies.

Impact of Climate Change in the City

Based on the risk assessment, it is evident that climate change will continue to have potentially devastating economic impacts to the City. Impacts that are not quantified, but can be anticipated in future events, include:

- ✓ Injury and loss of life
- ✓ Commercial and residential structural damage
- ✓ Disruption of and damage to public infrastructure
- ✓ Secondary health hazards (e.g., mold and mildew)
- ✓ Damage to roads/bridges resulting in loss of mobility
- ✓ Significant economic impact (jobs, sales, tax revenue) upon the community
- ✓ Negative impact on commercial and residential property values
- ✓ Significant disruption citizens as temporary facilities and relocations would likely be needed





Epidemic/Pandemic/Vector-Borne Disease Hazards

Hazard Definition

According to the California State Hazard Mitigation Plan (2018), the California Department of Public Health has identified epidemics, pandemics, and vector-borne diseases as specific hazards that would have a significant impact throughout the State.

According to the Centers for Disease Control (CDC), an epidemic refers to an increase, often sudden, in the number of cases of a disease above what is normally expected in that population area. A pandemic refers to an epidemic that has spread over several countries or continents, usually affecting a large number of people. Vector-borne diseases are human illnesses caused by parasites, viruses and bacteria that are transmitted by vectors – living organisms that can transmit infectious pathogens between humans, or from animals to humans.



Seasonal Influenza

Seasonal influenza, also known as the flu, is a disease that attacks the respiratory system (nose, throat, and lungs) in humans. Seasonal influenza occurs every year. In the U.S., the influenza season typically occurs from October through May, peaking in January or February with yearly epidemics of varying severity. Although mild cases may be similar to a viral "cold," influenza is typically much more severe. Influenza usually comes on suddenly; may include fever, headache, tiredness (which may be extreme), dry cough, sore throat, nasal congestion, and body aches; and can result in complications such as pneumonia. Persons aged 65 and older, those with chronic health conditions, pregnant women, and young children are at the highest risk for serious complications, including death.

Pandemic Influenza

A pandemic influenza occurs when a new influenza virus, for which there is little or no human immunity, emerges and spreads on a worldwide scale, infecting a large proportion of the human population. The most notable pandemic influenza outbreaks have been the 1918 Spanish Flu that was responsible for 20 million to 40 million deaths throughout the world. Also, H1N1 in 2009, popularly referred to as the Swine Flu, resulted in many hospitalizations and deaths. Pandemic H1N1 influenza was spread in the same way as seasonal influenza, from person to person through coughing or sneezing by infected people. In April 2009, two kids living more than 100 miles apart in Southern California came down with the flu. By mid-April, their illnesses had been diagnosed as being caused by a new strain of H1N1 influenza. Persons infected with H1N1





experienced fever and mild respiratory symptoms, such as coughing, runny nose, and congestion. In some cases, symptoms were severe and included diarrhea, chills, and vomiting, and in rare cases respiratory failure occurred. The H1N1 virus caused relatively few deaths in humans. In the United States, for example, it caused fewer deaths (between 8,870 and 18,300) than seasonal influenza, which, based on data for the years 2014–2019, causes an average of about 40,000 deaths each year. The H1N1 virus was most lethal in individuals affected by chronic disease or other underlying health conditions.

As demonstrated historically and currently, pandemic influenza has the potential to cause serious illness and death among people of all age groups and have a major impact on society. These societal impacts include significant economic disruption that can occur due to death, loss of employee work time, and costs of treating or preventing the spread of influenza.

Novel Coronavirus



Beginning in 2019, the U.S. Centers for Disease Control responded to a pandemic of severe respiratory disease spreading from person to person caused by a novel (new) coronavirus. The disease was named "Coronavirus Disease 2019" (abbreviated "COVID-19"). Coronaviruses are a large family of viruses that are common in people and many different species of animals, including camels, cattle, cats, and bats. Rarely, animal coronaviruses can infect people and then spread between people such as with Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS).

According to the CDC, many of the patients at the epicenter of the outbreak in Wuhan, Hubei Province, China had some link to a large seafood and live animal market, suggesting animal-to-person spread. Later, a growing number of patients reportedly did not have exposure to animal markets, indicating person-to-person spread. Person-to-person spread was subsequently reported outside Hubei and in countries outside China, including in the United States. Most international destinations now have ongoing community spread with the virus that causes COVID-19, as does the United States.


On March 4, 2020, Governor Newsom proclaimed a state of emergency in the California in response to the COVID-19 outbreak, which was followed by an executive order directing all residents immediately to heed current State public health directives to stay home, except as needed to maintain continuity of operations of essential critical infrastructure sectors. As of March 9, 2021, 80% of the state was still considered widespread risk, with many non-essential indoor business operations closed.





Figure: Current Tier Assignments as of March 9, 2021 (Source: California State Government Website)





Avian Influenza

According to the CDC, although avian influenza A viruses usually do not infect people, rare cases of human infection with these viruses have been reported. Infected birds shed avian influenza virus in their saliva, mucous and feces. Human infections with bird flu viruses can happen when enough virus gets into a person's eyes, nose or mouth, or is inhaled. This can happen when virus is in the air (in droplets or possibly dust) and a person breathes it in, or when a person touches something that has virus on it then touches their mouth, eyes or nose. Rare human infections with some avian viruses have occurred most often after unprotected contact with infected birds





or surfaces contaminated with avian influenza viruses. However, some infections have been identified where direct contact was not known to have occurred. Illness in people has ranged from mild to severe.

The spread of avian influenza A viruses from one ill person to another has been reported very rarely, and when it has been reported it has been limited, inefficient and not sustained. However, because of the possibility that avian influenza A viruses could change and gain the ability to spread easily between people, monitoring for human infection and person-to-person spread is extremely important for public health.

Vector-Borne Diseases

Vector-borne diseases are human illnesses caused by parasites, viruses and bacteria that are transmitted by vectors. Every year there are more than 700,000 deaths from diseases such as malaria, dengue, schistosomiasis, human African trypanosomiasis, leishmaniasis, Chagas disease, yellow fever, Japanese encephalitis and onchocerciasis. Vectors are living organisms that can transmit infectious pathogens between humans, or from animals to humans. Many of these vectors are bloodsucking insects, which ingest disease-producing microorganisms during a blood meal from an infected host



(human or animal) and later transmit it into a new host, after the pathogen has replicated. Often, once a vector becomes infectious, they can transmit the pathogen for the rest of their life during each subsequent bite/blood meal.

Mosquito-Borne Viruses

Mosquito-borne viruses belong to a group of viruses commonly referred to as arboviruses (for arthropod-borne). Although 12 mosquito-borne viruses are known to occur in California, only West Nile virus (WNV), western equine encephalomyelitis virus (WEE), and St. Louis encephalitis virus (SLE) are significant causes of human disease. WNV continues to seriously affect the health of humans, horses, and wild birds throughout the state. Since 2003, there have been over 6,000 WNV human cases with 248 deaths, and over 1,200 equine cases.

WNV first appeared in the United States in 1999 in New York and rapidly spread across the country to California in subsequent years. California has historically maintained a comprehensive mosquito-borne disease surveillance and control program including the Mosquito-borne Virus Surveillance and Response Plan, which is updated annually in consultation with local vector control agencies.

Climate change will likely affect vector-borne disease transmission patterns. Changes in temperature and precipitation can influence seasonality, distribution, and prevalence of vector-borne diseases. A changing climate may also create conditions favorable for the establishment of invasive mosquito vectors in California.

For most Californians, WNV poses the greatest mosquito-borne disease threat. Above-normal temperatures are among the most consistent factors associated with WNV outbreaks. Mild winters are associated with increased WNV transmission due, in part, to less mosquito and resident bird mortality. Warmer winter and spring seasons may also allow for transmission to






start earlier. Such conditions also allow more time for virus amplification in bird-mosquito cycles, increasing the potential for mosquitoes to transmit WNV to people.

The effects of increased temperature are primarily through acceleration of physiological processes within mosquitoes, resulting in faster larval development and shorter generation times, more frequent mosquito biting, and shortening of the incubation period time required for infected mosquitoes to transmit WNV. During periods of drought, especially in urban areas, mosquitoes tend to thrive more due to changes in stormwater management practices. Mosquitoes in urban areas can reach higher abundance due to stagnation of water in underground stormwater systems that would otherwise be flushed by rainfall. Runoff from landscape irrigation systems mixed with organic matter can also create ideal mosquito habitat. Drought conditions may also force birds to increase their utilization of suburban areas where water is more available, bringing these WNV hosts into contact with urban vectors.





Lyme Disease

Lyme disease is caused by a spirochete (a corkscrew-shaped bacteria) called Borrelia burgdorferi and is transmitted by the Western black-legged tick. Lyme disease was first described in North America in the 1970s in Lyme, Connecticut, the town for which it was then named. Though the


Hazard Mitigation Plan | 2022



tick has been reported from 56 of the 58 counties in California, the highest incidence of disease occurs in the northwest coastal counties and northern Sierra Nevada counties with western-facing slopes. Ticks prefer cool, moist areas and can be found in wild grasses and low vegetation in both urban and rural areas.

The map below shows Western black-legged tick and Lyme disease incidence in California. The Western black-legged tick is commonly found in all green areas shown on the map; dark green areas on the map show where reported Lyme disease cases most often had exposure.





Valley Fever

Valley Fever is caused by Coccidioides, a fungus that lives in the soil in the southwestern United States and parts of Mexico, Central America, and South America. Inhaling the airborne fungal spores can cause an infection called coccidioidomycosis, which is also known as "cocci" or "Valley Fever."

Most people who are exposed to the fungus do not get sick, but some people develop flu-like symptoms that may last for weeks to months. In a very small proportion of people who get Valley






Fever, the infection can spread from the lungs to other parts of the body and cause more severe conditions, such as meningitis or even death. Valley Fever cannot spread from person to person.

Most cases of Valley Fever in the U.S. occur in people who live in or have traveled to the southwestern United States, especially Arizona and California. The map below shows the areas where the fungus that causes Valley Fever is thought to be endemic, or native and common in the environment. The full extent of the current endemic areas is unknown and is a subject for further study.

Map: Valley Fever Average Annual Rates by California County (Source: California State Hazard Mitigation Plan, 2018)



Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B2a.

Q: Does the plan include information on previous occurrences of hazard events for each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Previous Occurrences of Epidemic/Pandemic/Vector-Borne Disease below.





Previous Occurrences of Epidemic/Pandemic/Vector-Borne Disease

The City lies within Orange County, which has been affected by Vector Borne diseases. The table below shows the County's history:

Table: Reportable Diseases and Conditions, 2015-2019

(Source: Orange County Health Care Agency)

	2015	2016	2017	2018	2019
Lyme Disease	0	0	0	0	0
West Nile Infections	97	36	38	13	7
Zika Virus Infections	0	30	12	1	2
Influenza	1	2, 718	8, 278	-	-

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B1a.

Q: Does the plan include a general description of all natural hazards that can affect each jurisdiction? (Requirement §201.6(c)(2)(i))

A: See Local Conditions below.

Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.


Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See Local Conditions below.

Local Conditions

Currently, COVID-19 is devastating the the City of Santa Ana, as well as Orange County. As of February 26, 2021, the City had 43,914 cases, compared to the County's 245,983 cases, displayed in the graphic below.

Graphic: COVID-19 Count Update (Source: Santa Ana website)







Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3a.

Q: Is there a description of each hazard's impacts on each jurisdiction (what happens to structures, infrastructure, people, environment, etc.)? (Requirement §201.6(c)(2)(ii))

A: See Impact of Epidemic/Pandemic/Vector-Borne Diseases in the City below.

Vulnerability of City to Epidemic/Pandemic/Vector-Borne Diseases

Epidemic/Pandemic

According to the 2021 County of Orange and Orange County Fire Authority Local Hazard Mitigation Plan, major impacts of severe influenza seasons include increase in diversion hours at local emergency rooms, increase in hospital admissions in persons with underlying health conditions, and death occurring amongst individuals under the age of 65. Maintaining an active surveillance allows public health to make timely recommendations to intervene on the widespread transmission of influenza. An influenza pandemic would place a great strain on existing health care resources and may exceed available resources. Personnel, supplies, equipment, and pharmaceutical responses (e.g., vaccination and antivirals) may be in short supply and/or unavailable. If transportation is compromised in the region or country, food and other essentials may be unavailable as well. Outbreaks are expected to occur simultaneously throughout much of the County and the State, which may limit the availability of mutual aid assistance and resources from other areas.

Impact of Epidemic/Pandemic/Vector-Borne Diseases in City

Based on the risk assessment, it is evident that Epidemic/Pandemic/Vector-Borne Diseases will continue to have potentially devastating economic impacts to the City. Impacts that are not quantified, but can be anticipated in future events, include:

- ✓ Injury and loss of life
- ✓ Disruption of public infrastructure
- ✓ Disruption of the educational process
- ✓ Significant economic impact (jobs, sales, tax revenue) upon the community
- ✓ Negative impact on commercial and residential property values
- ✓ Closure of businesses and public services
- ✓ Reduction of transportation services





PART III: MITIGATION STRATEGIES

Q&A | ELEMENT C. MITIGATION STRATEGY | C4a.

Q: Does the plan identify and analyze a comprehensive range of specific mitigation actions and projects to reduce the impacts from hazards? (Requirement $\S 201.6(c)(3)(ii)$)

A: See Mitigation Strategies below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C4c.

Q: Do the identified mitigation actions and projects have an emphasis on new and existing buildings and infrastructure? (Requirement §201.6(c)(3)(ii))

A: See Mitigation Strategies below.

Mitigation Strategies

Overview of Mitigation Strategy

As the cost of damage from disasters continues to increase nationwide, the City of Santa Ana recognizes the importance of identifying effective ways to reduce vulnerability to disasters. Mitigation Plans assist communities in reducing risk from natural hazards by identifying resources, information and strategies for risk reduction, while helping to guide and coordinate mitigation activities at City facilities.

The plan provides a set of action items to reduce risk from hazards through education and outreach programs, and to foster the development of partnerships. Further, the plan provides for the implementation of preventative activities.

The resources and information within the Mitigation Plan:

- 1. Establish a basis for coordination and collaboration among agencies and the public in the City
- 2. Identify and prioritize future mitigation projects; and
- 3. Assist in meeting the requirements of federal assistance programs

The Mitigation Plan is integrated with other plans including the City's General Plan as well as department-specific standard operating procedures.

Mitigation Measure Categories

Following is FEMA's list of mitigation categories. The activities identified by the Planning Team are consistent with the six broad categories of mitigation actions outlined in FEMA publication 386-3 *Developing the Mitigation Plan: Identifying Mitigation Actions and Implementing Strategies*.

✓ Prevention: Government administrative or regulatory actions or processes that influence the way land and buildings are developed and built. These actions also include public activities to reduce hazard losses. Examples include planning and zoning, building codes, capital improvement programs, open space preservation, and storm water management regulations.





- ✓ Property Protection: Actions that involve modification of existing buildings or structures to protect them from a hazard, or removal from the hazard area. Examples include acquisition, elevation, relocation, structural retrofits, storm shutters, and shatterresistant glass.
- ✓ Public Education and Awareness: Actions to inform and educate citizens, property owners, and elected officials about hazards and potential ways to mitigate them.Such actions include outreach projects, real estate disclosure, hazard information centers, and school-age and adult education programs.
- ✓ Natural Resource Protection: Actions that, in addition to minimizing hazard losses preserve or restore the functions of natural systems. Examples include sediment and erosion control, stream corridor restoration, watershed management, forest and vegetation management, and wetland restoration and preservation.
- ✓ Emergency Services: Actions that protect people and property during and immediately following a disaster or hazard event. Services include warning systems, emergency response services, and protection of critical facilities.
- ✓ Structural Projects: Actions that involve the construction of structures to reduce the impact of a hazard. Such structures include dams, levees, floodwalls, retaining walls, and safe rooms.

Q&A | ELEMENT C. MITIGATION STRATEGY | C3

Q: Does the plan include goals to reduce/avoid long-term vulnerabilities to the identified hazards? (Requirement §201.6(c)(3)(i))

A: See Goals below.

Goals

The Planning Team considered the goals identified in the 2005 HMP and decided to keep the same goals.

Each goal is supported by mitigation action items. The Planning Team developed these action items through its knowledge of the local area, risk assessment, review of past efforts, identification of mitigation activities, and qualitative analysis.

The five mitigation goals and descriptions are listed below.

Protect Life and Property

Implement activities that assist in protecting lives by making homes, businesses, infrastructure, critical facilities, and other property more resistant to losses from natural, human-caused, and technological hazards.

Improve hazard assessment information to make recommendations for avoiding new development in high hazard areas and encouraging preventative measures for existing development in areas vulnerable to natural, human-caused, and technological hazards.

Increase Public Awareness

Develop and implement education and outreach programs to increase public awareness of the risks associated with natural, human-caused, and technological hazards.





Provide information on tools; partnership opportunities, and funding resources to assist in implementing mitigation activities.

Protect Natural Systems

Support management and land use planning practices with hazard mitigation to protect life.

Preserve, rehabilitate, and enhance natural systems to serve hazard mitigation functions.

Promote Partnerships and Implementation

Strengthen communication and coordinate participation with public agencies, non-profit organizations, business, and industry to support implementation.

Encourage leadership within the City and public organizations to prioritize and implement local and regional hazard mitigation activities.

Enhance Emergency Services

Establish policy to ensure mitigation projects for critical facilities, services, and infrastructure.

Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and industry.

Coordinate and integrate hazard mitigation activities where appropriate, with emergency operations plans and procedures.

How are the Mitigation Action Items Organized?

The action items are a listing of activities in which City agencies and citizens can be engaged to reduce risk. Each action item includes an estimate of the timeline for implementation.

The action items are organized within the following Mitigation Actions Matrix, which lists all of the multi-hazard (actions that reduce risks for more than one specific hazard) and hazard-specific action items included in the mitigation plan. Data collection and research and the public participation process resulted in the development of these action items. The Matrix includes the following information for each action item:

Funding Source

The action items can be funded through a variety of sources, possibly including the Annual Budget, development fees, Capital Improvement Program (CIP), Hazard Mitigation Grant Program (HMGP), Building Resilient Infrastructure and Communities grant (BRIC), other Grants, private funding, and other funding opportunities.

Lead Department

The Mitigation Actions Matrix assigns primary responsibility for each of the action items. The hierarchies of the assignments vary – from positions to departments to committees. The primary responsibility for implementing the action items falls to the entity shown as the "Lead Department". The lead department is the agency with regulatory responsibility to address hazards, or that is





willing and able to organize resources, find appropriate funding, or oversee activity implementation, monitoring, and evaluation. Lead departments may include local, County, or regional agencies that are capable of or responsible for implementing activities and programs.

Plan Goals Addressed


The plan goals addressed by each action item are included as a way to monitor and evaluate how well the mitigation plan is achieving its goals once implementation begins.

The plan goals are organized into the following five areas:

- ✓ Protect Life and Property
- ✓ Enhance Public Awareness
- ✓ Preserve Natural Systems
- ✓ Enhance Emergency Services
- ✓ Promote Partnerships and Implementation

Planning Mechanism

It's important that each action item be implemented. Perhaps the best way to ensure implementation is through integration with one or many of the City's existing "planning mechanisms" including the General Plan, Capital Improvement Program, General Fund and Grants. Opportunities for integration will be simple and easy in cases where the action item is already compatible with the content of the planning mechanism. As an example, if the action item calls for the creation of a floodplain ordinance and the same action is already identified in the General Plan's policies, then the General Plan will assist in implementation. On the contrary, if preparation of a floodplain ordinance is not already included in the General Plan policies, then the item will need to be added during the next update to



the General Plan. The General Plan was last updated in 2020 and was used as a reference throughout the Mitigation Plan. The next General Plan update will likely not take place for another 10 years.

The Capital Improvement Program (CIP), depending on the budgetary environment, is updated every 5 years. The CIP includes infrastructure projects built and owned by the City. As such, the CIP is an excellent medium for funding and implementing action items from the Mitigation Plan. The Mitigation Actions Matrix includes several items from the existing CIP. The authors of the CIP served on the Planning Team and are already looking for funding opportunities for several of the Mitigation Plan action items.

The Storm Drain Master Plan (2018) identifies flood-related improvements for the City and is referenced in several flood-related items on the Mitigation Actions Matrix.

The General Fund is the budget document that guides all of the City's expenditures and is updated on an annual basis. Although primarily a funding mechanism, it also includes descriptions and details associated with tasks and projects.





Grants come from a wide variety of sources – some annually and other triggered by events like disasters. Whatever the source, the City uses the General Fund to identify successful grants as funding sources.

Q&A | ELEMENT C. MITIGATION STRATEGY | C4c.

Q: Do the identified mitigation actions and projects have an emphasis on new and existing buildings and infrastructure? (Requirement §201.6(c)(3)(ii))

A: See Building and Infrastructure below.

Building and Infrastructure

This addresses the issue of whether or not a particular action item results in the reduction of the effects of hazards on new and existing buildings and infrastructure.

Q&A | ELEMENT C. MITIGATION STRATEGY | C5a.

Q: Does the plan explain how the mitigation actions and projects will be prioritized (including cost benefit review)? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))

A: See Benefit/Cost Ratings and Priority Rating below.

Benefit/Cost Ratings

The benefits of proposed projects were weighed against estimated costs as part of the project prioritization process. The benefit/cost analysis was not of the detailed variety required by FEMA for project grant eligibility under the Hazard Mitigation Grant Program (HMGP) and Building Resilient Infrastructure and Communities (BRIC) grant programs. A less formal approach was used because some projects may not be implemented for up to 10 years, and associated costs and benefits could change dramatically in that time. Therefore, a review of the apparent benefits versus the apparent cost of each project was performed. Parameters were established for assigning subjective ratings (high, medium, and low) to the costs and benefits of these projects.

Cost ratings were defined as follows:

High: Existing jurisdictional funding will not cover the cost of the action item so other sources of revenue would be required.

Medium: The action item could be funded through existing jurisdictional funding but would require budget modifications.

Low: The action item could be funded under existing jurisdictional funding.

Benefit ratings were defined as follows:

High: The action item will provide short-term and long-term impacts on the reduction of risk exposure to life and property.

Medium: The action item will have long-term impacts on the reduction of risk exposure to life and property.

Low: The action item will have only short-term impacts on the reduction of risk exposure to life and property.





Q&A | ELEMENT D. MITIGATION STRATEGY | D3

Q: Was the plan revised to reflect changes in priorities? (Requirement §201.6(d)(3))

A: See Priority Rating below.

Priority Rating

The Planning Team utilized the following Priority Rating method. Designations of "High", "Medium", and "Low" priority have been assigned to all of the action items using the following criteria:

Does the Action:						
□ solve the problem?						
address Vulnerability Assessment?						
reduce the exposure or vulnerability to the highest priority hazard?						
address multiple hazards?						
 benefits equal or exceed costs? implement a goal, policy, or project identified in the General Plan or Capital 						
Improvement Plan?						
Can the Action:						
be implemented with existing funds?						
be implemented by existing state or federal grant programs?						
be completed within the 5-year life cycle of the LHMP?						
be implemented with currently available technologies?						
Will the Action:						
be accepted by the community?						
be supported by community leaders?						
adversely impact segments of the population or neighborhoods?						
require a change in local ordinances or zoning laws?						
positive or neutral impact on the environment?						
comply with all local, state and federal environmental laws and regulations?						
Is there:						
□ sufficient staffing to undertake the project?						
existing authority to undertake the project?						
As mitigation action items were updated or written the Planning Team, representatives						
were provided worksheets for each of their assigned action items. Answers to the						
criteria above determined the priority according to the following scale.						
• 1-6 = Low priority						
• 7-12 = Medium priority						
• 13-18 = High priority						





Q&A | ELEMENT C. MITIGATION STRATEGY | C1b.

Q: Does the plan document each jurisdiction's ability to expand on and improve these existing policies and programs? (Requirement §201.6(c)(3))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C2

Q: Does the Plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate? (Requirement §201.6(c)(3)(ii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C3

Q: Does the plan include goals to reduce/avoid long-term vulnerabilities to the identified hazards? (Requirement §201.6(c)(3)(i))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C4a.

Q: Does the plan identify and analyze a comprehensive range of specific mitigation actions and projects to reduce the impacts from hazards? (Requirement §201.6(c)(3)(ii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C4b.

Q: Does the plan identify mitigation actions for every hazard posing a threat to each participating jurisdiction? (Requirement §201.6(c)(3)(ii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C4c.

Q: Do the identified mitigation actions and projects have an emphasis on new and existing buildings and infrastructure? (Requirement §201.6(c)(3)(ii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C5a.

Q: Does the plan explain how the mitigation actions and projects will be prioritized (including cost benefit review)? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C5b.

Q: Does the plan identify the position, office, department, or agency responsible for implementing and administering the action/project, potential funding sources and expected timeframes for completion? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT D. MITIGATION STRATEGY | D2

Q: Was the plan revised to reflect progress in local mitigation efforts? (Requirement §201.6(d)(3))

A: See Mitigation Actions Matrix below.

Q&A | ELEMENT D. MITIGATION STRATEGY | D3

Q: Was the plan revised to reflect changes in priorities? (Requirement §201.6(d)(3))

A: See Mitigation Actions Matrix below.





Mitigation Actions Matrix

Following is Table: Mitigation Actions Matrix which identifies the existing and future mitigation activities developed by the Planning Team.

Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
Multi-Hazard Mitigation Action Items												
MH-1 Develop and maintain a database to track community vulnerability (i.e., exposure in known hazard areas).	Planning and Building	1-5 years	Х	Х			Χ	Y	HMGP, BRIC	M	М	L
MH-2 Identify the most at-risk critical facilities and evaluating potential mitigation techniques.	Planning and Building	1-5 years	Х	Х			Х	Y	HMGP, BRIC	М	М	L
MH-3 Incorporate risk assessment and hazard mitigation principles into comprehensive planning efforts. (Source: General Plan)	Planning and Building	Ongoing	х	Х			X	Y	В	М	М	L
MH-4 Incorporate a hazard risk assessment and mitigation practices into local	Planning and Building	3-5 years	Х	Х			Χ	Y	В	М	М	L





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
development and subdivision review processes.												
MH-5 Adopt the International Building Code (IBC) and International Residential Code (IRC).	Planning and Building	Tri-Annual	Х	Х			Х	Y	В	М	М	L
MH-6 Incorporate higher standards for hazard resistance in local application of the building code.	Planning and Building	3-5 years	Х	Х			Х	Y	B, HMGP, BRIC	М	М	L
MH-7 Provide advanced training to local building inspectors (ATC, SAP)	Planning and Building	Ongoing	Χ	Χ			Χ	Υ	В	М	М	L
MH-8 Develop and implement a multi-hazard public awareness program.	Police, Planning and Building	Ongoing		Χ			Χ	N	B, EMPG	М	L	М
MH-9 Encourage property owners to purchase hazard insurance not as an alternative to mitigation, but rather to add financial protection if damage does occur.	Police, Planning and Building	Ongoing		х			Х	N	B, EMPG	М	L	М
MH-10 Encourage residents to prepare by stocking up the necessary items and	Police, Planning and Building	Ongoing		Х			Χ	N	B, EMPG	М	L	М





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program,, HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
planning for how family members should respond during a disaster.												
MH-11 Provide hazard vulnerability checklists for homeowners to conduct their own inspections.	Police, Planning and Building	Ongoing		Х			X	Υ	B, EMPG	М	L	М
MH-12 Reconstruct or retrofit City-owned buildings and infrastructure located in high-hazard areas.	Public Works	1-5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
MH-13 Install permanent and quick-connect emergency generators and other power source hook-ups for City-owned buildings and infrastructure.	Public Works	1-5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
MH-14 Purchase and install emergency shut off devices to water and gas distribution lines.	Public Works	1-5 years	Х			X		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
MH-15 Install/Upgrade security camera systems at water resources division facilities to improve security and to make the division aware of intrusions.	Water Resources Division	5 years	Х					Υ	B, CIP, HMGP, BRIC, EMPG	M	M	М





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
MH-16 Purchase generators for well and pump stations to ensure power to wells and reservoirs during disasters.	Water Resources Division	5 years	Х			Х		Υ	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
MH-17 Perform periodic (approximately every 10 years) water/sewer resource studies and master plans to identify deficiencies and deferred maintenance for the city's infrastructure systems, including cost estimates; develop nexus calculations to determine new development's fair share cost to upgrade infrastructure systems. (Reference: GP Public Services Element)	Public Works	Ongoing	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	M	Н
MH-18 Increase police and fire staffing levels, improve police and fire facilities and equipment, and improve community safety services and programs. (Reference: GP Public Services Element)	Police, Orange County Fire	Ongoing	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	M	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
MH-19 Update the Santa Ana River Vision Plan to expand opportunities to reintroduce natural elements, increase habitat, and provide more recreational opportunities. (Reference: GP Open Space Element)	Parks / Recreation & Community Services, Public Works	2024	Х			X		Y	B, CIP, HMGP, BRIC, EMPG	Н	M	Н
MH-20 Explore the development of a climate adaptation plan to respond to the most significant potential climate change risks and vulnerabilities identified in the vulnerability assessment and protect the natural and built environment, residents, visitors, economic base, and quality of life. (Reference: GP Safety Element)	Planning and Building, Public Works	2022	X			X		Y	B, CIP, HMGP, BRIC, EMPG	Ŧ	M	Н
MH-21 Compile and maintain a list of facilities that, because of population demands (such as mobility issues at a nursing home), construction type, location relative to a fault, or other factors, may have a high risk and require special response	Planning and Building, Orange County Fire	2025	X			X		Y	B, CIP, HMGP, BRIC, EMPG	Ι	M	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
during a geologic or seismic event. (Reference: GP Safety Element)												
MH-22 Establish a low interest/cost loan program to seismically retrofit buildings on local Historic Register. (Reference: FP Historic Preservation Element)	Community Development	2022	х			Х		Υ	B, CIP, HMGP, BRIC, EMPG	Н	M	Н
MH-23 The City will be prepared to support vulnerable populations through resources such as the Listos California website. (https://www.listoscalifornia.org/)												
Earthquake Mitigation Action Items												
EQ-1 Support financial incentives, such as low interest loans or tax breaks, for home and business owners who seismically retrofit their structures.	Planning and Building	1-5 years		X		X	Χ	Y	HMGP, BRIC, EMPG	М	M	М
EQ-2 Develop an inventory of private buildings that may be particularly vulnerable to earthquake damage, including pre-1940s	Planning and Building	1-5 years		Х		Х	X	Υ	HMGP, BRIC, EMPG	M	М	М





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
homes and homes with cripple wall foundations.												
EQ-3 Document information gathered through the development process on geologic information on seismic sources, soil conditions, and related potential hazards.	Planning and Building	Ongoing		Х		х	Х	Y	В	М	М	М
EQ-4 Educate homeowners on safety techniques to follow during and after an earthquake.	Police, Planning and Building	Ongoing		Х			Х	Y	B, EMPG	М	L	М
EQ-5 Educate homeowners about structural and non-structural retrofitting of vulnerable homes and encouraging retrofit.	Police, Planning and Building	Ongoing		Х			Х	Y	B, EMPG	М	L	М
EQ-6 Develop an outreach program to encourage homeowners to secure furnishings, storage cabinets, and utilities to prevent injuries and damage.	Police, Planning and Building	Ongoing		Х			х	Y	B, EMPG	М	L	М
EQ-7 Conduct seismic retrofitting for critical City-owned buildings and infrastructure most at risk to earthquakes.	Public Works	1-5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
EQ-8 Identify and harden critical lifeline systems (i.e., critical public services such as utilities and roads) to meet "Seismic Design Guidelines and Standards for Lifelines" or equivalent standards.	Public Works	1-5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
EQ-9 Strengthen and retrofit City-owned buildings and infrastructure with non-reinforced masonry and non-ductile concrete that are particularly vulnerable to ground shaking.	Public Works	5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
EQ-10 Retrofit City-owned structures with veneers to prevent failure.	Public Works	1-5 years	Х			Х		Υ	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
EQ-11 Retrofit windows in City-owned structures with film to prevent injuries from shattered glass following an earthquake.	Public Works	1-5 years	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
EQ-12 Retrofit City-owned rooftop-mounted equipment (i.e., HVAC units, satellite dishes, etc.) with better anchoring.	Public Works	1-5 years	Х			Х		Υ	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н





Witigation Action Item EQ-13 Seismic evaluation of reservoir and pump stations.	Tead Debartment Water Resources Division	Limeline 2 A Sears	Coal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	X Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program,, B – Budget, CIP – Capital Improvement Program,, HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Penefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
Flooding Mitigation Action Items												
FLD-1 Due to potential for flood damage and overall security, relocate the main City of Santa Ana I.T. server room from City Hall Basement to the Police Department.	Information Technology	2 years	Х					Υ	CIP	Н	Н	Н
FLD-2 Improve drainage at City Hall loading dock. The loading dock has a 12-foot drop from street level. A poor drainage system and high rains in 2018 caused severe damage to basement. There are several key City services located on the basement level. Modifications would include increasing surface area of drain grates, increasing slope and piping size from grates to sump pumps	Public Works	Complete	Х			X		Y	CIP	Н	L	Н





Mitigation Action Item and modifying curbs at the bottom of ramp to	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
better utilize both drainage grates.												
FLD-3 Improve the various significantly undersized existing City storm drain systems by installing additional drains, increasing capacity, or re-routing.	Public Works	5-25 years						Υ	HMP, BRIC, EMPG	Н	Н	Н
FLD-4 City-owned facilities will use porous pavement, vegetative buffers, and islands in large parking areas, where feasible. (Source: NPDES)	Public Works, Planning and Building	Ongoing		Х	X		Х	Y	В	М	L	L
FLD-5 Encourage the use of permeable pavements or other infiltration BMPs to reduce runoff and increase groundwater recharge. (NPDES)	Public Works, Planning and Building	Ongoing		Х	Х		Х	Υ	В	М	L	L
FLD-6 Fund and complete an update to the Stormwater Project Master Plan	Public Works	1-5 years	Х			Х		Υ	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н
FLD-7 Prepare and adopt a Storm Drain Master Plan.	Public Works	Completed 2018	Х			Х		Υ	В	Н	Н	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
FLD-8 Increase dimensions of drainage culverts in flood-prone areas.	Public Works	Ongoing	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	H	H	Н
FLD-9 At City-owned facilities, perform regular drainage system maintenance, such as sediment and debris clearance, as well as detection and prevention of discharges into stormwater and sewer systems from home footing drains, downspouts, or sewer pumps.	Public Works	Ongoing	X			X		Y	В	Ι	Н	Н
FLD-10 Floodproofing water and wastewater treatment facilities located in flood hazard areas.	Water Resources	Ongoing	Х			X		Y	B, CIP, HMGP, BRIC, EMPG	H	Н	Н
FLD-11 Install and/or upgrade stormwater pumping stations. Completed include First Street lift station and Civic Center lift stations.	Public Works	Complete	Х			X		Υ	CIP	Η	H	Н
FLD-12 Installing back-up generators or other power sources for pumping and lift stations in sanitary sewer systems along with	Water Resources	1-5 years	Х			Χ		Υ	B, CIP, HMGP, BRIC, EMPG	Н	Н	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program,, HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
other measures (alarms, meters, remote controls, and switchgear upgrades).												
FLD-13 Continue participation in NPDES Program (National Pollutant Discharge Elimination System). Seek funding for administrative, engineering, and construction aspects of compliance.	Public Works	Ongoing	х	Х	X	Х	X	Y	B, CIP, HMGP, BRIC, EMPG	П	Т	Н
FLD-14 As per the Storm Drain Master Plan (2018), seek funding to implement the "Top 10 Capital Improvement Projects" including: 1. Greenville-Banning subarea 18 improvements 2. Gardens subareas 18, 19 & 20 improvements 3. Delhi subarea 1 improvements 4. Gardens subarea 14 improvements 5. Delhi subareas 16, 17 & 18 improvements 6. Delhi subarea 40 improvements 7. Delhi subarea 2 improvements	Public Works	5-25 years	X	X	X	X	X	Y	B, CIP, HMGP, BRIC, EMPG	Н	H	Н





Mitigation Action Item	Lead Department	Timeline	Goal: Protect Life and Property	Goal: Public Awareness	Goal: Natural Systems	Goal: Emergency Services	Goal: Partnerships and Implementation	Buildings & Infrastructure: Does the Action item involve New and/or Existing Buildings and/or Infrastructure? Yes (Y), No (N)	Funding Source and Planning Mechanism: B – Budget, CIP – Capital Improvement Program, , HMGP- Hazard Mitigation Grant Program, BRIC – Building Resilient Infrastructure and Communities Grant, EMPG – Emergency Management Planning Grant	Benefit: L-Low, M-Medium, H-High	Cost: L-Low, M-Medium, H-High	Priority: L-Low, M-Medium, H-High
8. Santa Fe Grand subarea 3 improvements 9. Wintersburg subarea 15 improvements 10. Santa Fe subarea 1 (2 of 2) improvements												
FLD-15 Redesign or reengineer sewer lift stations to prevent flooding inside stations. If flooding occurs, limited ability to pump sewage.	Water Resources Division	5 years	Х			х		Y	B, CIP, HMGP, BRIC, EMPG	М	Н	М
Epidemic / Pandemic / Vector-Borne Disease Mitigation Action Items												
EPV- 1 Partner with County of Orange Vector Control to develop and maintain a public information campaign to educate residents and businesses on vector-borne hazards and mitigation measures.	Public Works	Ongoing	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	М	Н	М
EPV-Continue to work with County of Orange Vector Control for mosquito abatement projects aimed at protecting the City.	Public Works	Ongoing	Х			Х		Y	B, CIP, HMGP, BRIC, EMPG	М	Н	М





Climate Change Mitigation Action Items										
CC-1 Investigate, fund, and install solar panels and battery back-ups for all City-owned buildings.	Public Works	1-5 years	Х	Х		Y	B, CIP, HMGP, BRIC, EMPG	М	М	М
CC-2 Review and update the City's Climate Action Plan	Public Works	2025	x		x	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
CC-3 Update Citywide Design Guidelines to incorporate energy conservation principles, including passive heating and cooling, siting, shading, and material choices. Provide examples of site plans that illustrate energy conservation principles. (Reference: GP Conservation Element)	Planning and Building	2022	Х		X	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
CC-4 Support and encourage retrofitting existing buildings to achieve energy optimization. Partner with Southern California Edison and other stakeholders to provide incentives, rebates, and expedited permitting for energy retrofit projects and to make residents, property owners, and businesses aware of such programs. (Reference: GP Conservation Element)	Planning and Building, Public Works	Ongoing	X		X	Y	B, CIP, HMGP, BRIC, EMPG	Н	M	Н
CC-5 Reduce the amount of carbon dioxide that would otherwise be released into the atmosphere through the continued maintenance and expansion of the city's urban forest and development of other green infrastructure. Explore options to include green infrastructure requirements in new public realm plans. (Reference: GP Conservation Element)	Public Works	Ongoing	x		X	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
CC-6 Establish and maintain a clearinghouse of information on available funding alternatives for renewable energy projects, rates of return, and other information to	Public Works, Community Development	2022	Х		Х	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н





support developers and community members interested in pursuing renewable energy projects. (Reference: GP Conservation Element)												
CC-7 Create educational programs to sustain public awareness of the importance of resource conservation (e.g., energy, water, and open space), the continued existence of long-term resource demand challenges, and specific conservation tactics that are recommended. (Reference: GP Conservation Element)	Public Works	2022	X			X		Υ	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
Climate Change Sub-Hazard Extreme Heat Mitigation Action Items												
EH-1 Organize outreach to vulnerable populations, including establishing and promoting accessible cooling centers in the community.	Parks / Recreation & Community Services	1-5 years	х			Χ		Y	В	M	M	М
EH-2 In private and public spaces, encourage installation of green roofs, which provide shade and remove heat from the roof surface and surrounding air.	Planning and Building	1 year		Х			Х	Y	В	М	L	М
EH-3 Increasing tree plantings around buildings to shade parking lots and along public rights- of-way.	Public Works	Ongoing	Х		Х			Υ	B, CIP, HMGP, BRIC, EMPG	М	М	М
EH-4 In private and public spaces, use cool roofing products that reflect sunlight and heat away from a building.	Public Works	Ongoing	Х		Х			Υ	B, CIP, HMGP, BRIC, EMPG	М	М	М
Climate Change Sub-Hazard Drought Heat Mitigation Action Items												
DR-1 Provide educational outreach materials for residents and businesses on proper water use and other water conservation practices. (Reference: GP Conservation Element)	Public Works	Ongoing										





DR-2 Promote awareness of the City Landscape and Parkway Improvement Guidelines to require public projects and new private development to incorporate drought- tolerant landscaping. Continue to encourage drought-tolerant retrofits through the Turf Removal Rebate Program and educate property owners about incentives available through the SoCal Water\$mart program to public and private property owners for planting native or drought-tolerant vegetation. (Reference: GP Conservation Element)	Public Works, Planning and Building	2022	X		X	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н
DR-3 Pursue funding to implement the first phase of the City of Santa Ana Recycled Water Master Plan, with an emphasis on local water recycling programs and cooperation with regional water recycling efforts. (Reference: GP Conservation Element)	Public Works	2023	Х		Х	Y	B, CIP, HMGP, BRIC, EMPG	Н	М	Н





Plan Maintenance

The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process.

Q&A | ELEMENT A: PLANNING PROCESS | A6a.

Q: Does the plan identify how, when, and by whom the plan will be monitored (how will implementation be tracked) over time? (Requirement §201.6(c)(4)(i))

A: See Method and Scheduling of Plan Implementation and Monitoring and Implementing the Plan below.

Q&A | ELEMENT A: PLANNING PROCESS | A6c.

Q: Does the plan identify how, when, and by whom the plan will be updated during the 5-year cycle? (Requirement §201.6(c)(4)(i))

A: See Method and Scheduling of Plan Implementation and Monitoring and Implementing the Plan below.

Method and Scheduling of Plan Implementation

	Year 1	Year 2	Year 3	Year 4	Year 5
Monitoring	X	Χ	Χ	Χ	Χ
Evaluating					
Internal Planning Team Evaluation	Х	Х	Х	Х	Х
Cal OES and FEMA Evaluation					Х
Updating					Х

Q&A | ELEMENT A: PLANNING PROCESS | A6b.

Q: Does the plan identify how, when, and by whom the plan will be evaluated (assessing the effectiveness of the plan at achieving stated purpose and goals) over time? (Requirement $\S 201.6(c)(4)(i)$)

A: See Monitoring and Implementing the Plan below.

Monitoring and Implementing the Plan

Plan Adoption

The City Council will be responsible for adopting the Mitigation Plan. This governing body has the authority to promote sound public policy regarding hazards. Once the plan has been adopted, the Local Mitigation Officer will be responsible for submitting it to the State Hazard Mitigation Officer at California Office of Emergency Services (Cal OES). Cal OES will then submit the plan to the Federal Emergency Management Agency (FEMA) for review and approval. This review will address the requirements set forth in 44 C.F.R. Section 201.6 (Local Mitigation Plans). Upon acceptance by FEMA, the City will gain eligibility for Hazard Mitigation Grant Program funds.

Local Mitigation Officer

The Planning Team that was involved in research and writing of the Plan will also be responsible for implementation. The Planning Team will be led by the Planning Team Chair Steve Rhyner who will be referred to as the Local Mitigation Officer. Under the direction of the Local Mitigation Officer, the Planning Team will take responsibility for plan maintenance and implementation. The Local Mitigation Officer will facilitate the Planning Team meetings and will assign tasks such as

Hazard Mitigation Plan | 2022



updating and presenting the Plan to the members of the Planning Team. Plan implementation and evaluation will be a shared responsibility among all of the Planning Team members. The Local Mitigation Officer will coordinate with the City leadership to ensure funding for 5-year updates to Plan as required by FEMA.

The Planning Team will be responsible for coordinating implementation of plan action items and undertaking the formal review process. The Local Mitigation Officer will be authorized to make changes in assignments to the current Planning Team.

The Planning Team will meet no less than annually. Meeting dates will be scheduled once the final Planning Team has been established. These meetings will provide an opportunity to discuss the progress of the action items and maintain the partnerships that are essential for the sustainability of the mitigation plan. The Local Mitigation Officer or designee will be responsible for contacting the Planning Team members and organizing the annual meeting which will take place annually during the month of the Plan's approval.

Q&A | ELEMENT A: PLANNING PROCESS | A6a.

Q: Does the plan identify how, when, and by whom the plan will be monitored (how will implementation be tracked) over time? (Requirement \$201.6(c)(4)(i))

A: See Monitoring the Plan below.

Monitoring the Plan

The Local Mitigation Officer will hold an annual meeting with representatives from the coordinating agencies in order to gather status updates on the mitigation action items. These meetings will provide an opportunity to discuss the progress of the action items and maintain the partnerships that are essential for the sustainability of the mitigation plan. See the Annual Implementation Report discussed below which will be a valuable tool for the Planning Team to measure the success of the Hazard Mitigation Plan. The focus of the annual meeting will be on the progress and changes to the Mitigation Action Items.

Q&A | ELEMENT C. MITIGATION STRATEGY | C1b.

Q: Does the plan document each jurisdiction's ability to expand on and improve these existing policies and programs? (Requirement §201.6(c)(3))

A: See Implementation through Existing Programs below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C6a.

Q: Does the plan identify the local planning mechanisms where hazard mitigation information and/or actions may be incorporated? (Requirement §201.6(c)(4)(ii))

A: See Implementation through Existing Programs below.

Q&A | ELEMENT C. MITIGATION STRATEGY | C6b.

Q: Does the plan describe each community's process to integrate the data, information, and hazard mitigation goals and actions into other planning mechanisms? (Requirement §201.6(c)(4)(ii))

A: See Implementation through Existing Programs below.





Implementation through Existing Programs

The City addresses statewide planning goals and legislative requirements through the General Fund, Capital Projects, and Grants. The Mitigation Plan provides a series of recommendations many of which are closely related to the goals and objectives of existing planning programs. The City will implement recommended mitigation action items through existing programs and procedures.

The City is responsible for adhering to the State of California's Building and Safety Codes. In addition, the City may work with other agencies at the state level to review, develop and ensure Building and Safety Codes are adequate to mitigate or present damage by hazards. This is to ensure that life-safety criteria are met for new construction.

Some of the goals and action items in the Mitigation Plan will be achieved through activities recommended in the strategic and other budget documents. The various departments involved in developing the Plan will review it on an annual basis. During the review, the Planning Team will ensure the Mitigation Plan action items are consistent with the City's strategic and budget documents to ensure the Mitigation Plan goals and action items are implemented in a timely fashion.

Upon FEMA approval, the Planning Team will begin the process of incorporating risk information and mitigation action items into existing planning mechanisms. The annual meetings of the Planning Team will provide an opportunity for Planning Team members to report back on the progress made on the integration of mitigation planning elements into the City's planning documents and procedures.

Specifically, the Planning Team will utilize the updates of the following documents to implement the Mitigation Plan:

- ✓ Risk Assessment, City Profile, Planning Process (stakeholders) Emergency Operations Plan, General Plan
- ✓ Mitigation Actions Matrix General Fund, Capital Projects, Grants, Bonds

Q&A | ELEMENT A: PLANNING PROCESS | A6c.

Q: Does the plan identify how, when, and by whom the plan will be updated during the 5-year cycle? (Requirement §201.6(c)(4)(i))

A: See Annual Implementation Report below.

Annual Implementation Report

The Annual Implementation Matrix is the same as the Mitigation Actions Matrix but with a column added to track the annual status of each Action Item. Upon approval and adoption of the Plan, the entire Annual Implementation Report will be added to the Appendix of the Plan. Following is a view of the Annual Implementation Matrix:

Insert Matrix once plan finalized.

An equal part of the monitoring process is the need to maintain a strategic planning process which needs to include funding and organizational support. In that light, at least one year in advance of the FEMA-mandated 5-year submission of an update, the Local Mitigation Officer will convene

Hazard Mitigation Plan | 2022



the Planning Team to discuss funding and timing of the update planning process. On the fifth year of the planning cycles (five years from the date of FEMA approval), the Planning Team will broaden its scope to include discussions and research on all of the sections within the Plan with particular attention given to goal achievement and public participation.

Q&A | ELEMENT C: MITIGATION STRATEGY | C5a.

Q: Does the plan explain how the mitigation actions and projects will be prioritized (including cost benefit review)? (Requirement §201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))

A: See Economic Analysis of Mitigation Projects and FEMA Benefit-Cost Analysis Guidelines below.

Economic Analysis of Mitigation Projects

FEMA's approach to identify the costs and benefits associated with hazard mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis.

Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later. Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating hazards can provide decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.


Given federal funding, the Planning Team will use a FEMA-approved benefit/cost analysis approach to identify and prioritize mitigation action items. For other projects and funding sources, the Planning Team will use other approaches to understand the costs and benefits of each action item and develop a prioritized list.

The "benefit", "cost", and overall "priority" of each mitigation action item was included in the

Mitigation Actions Matrix located in Part III: Mitigation Strategies. A more technical assessment will be required in the event grant funding is pursued through the Hazard Mitigation Grant Program. FEMA Benefit-Cost Analysis Guidelines are discussed below.

FEMA Benefit-Cost Analysis Guidelines

The Stafford Act authorizes the President to establish a program to provide technical and financial assistance to state and local governments to assist in the implementation of hazard mitigation measures that are cost effective and designed to substantially reduce injuries, loss of life, hardship, or the risk of future damage and destruction of property. To evaluate proposed hazard mitigation projects prior to funding FEMA requires a Benefit-Cost Analysis (BCA) to validate cost effectiveness. BCA is the method by which the future benefits of a mitigation project are estimated and



compared to its cost. The end result is a benefit-cost ratio (BCR), which is derived from a project's total net benefits divided by its total project cost. The BCR is a numerical expression of the cost effectiveness of a project. A project is considered to be cost effective when the BCR is 1.0 or greater, indicating the benefits of a prospective hazard mitigation project are sufficient to justify the costs.





Although the preparation of a BCA is a technical process, FEMA has developed software, written materials, and training to support the effort and assist with estimating the expected future benefits over the useful life of a retrofit project. It is imperative to conduct a BCA early in the project development process to ensure the likelihood of meeting the cost-effective eligibility requirement in the Stafford Act.

The BCA program consists of guidelines, methodologies and software modules for a range of major natural hazards including:

- ✓ Flood (Riverine, Coastal Zone A, Coastal Zone V)
- ✓ Hurricane Wind
- ✓ Hurricane Safe Room
- ✓ Damage-Frequency Assessment
- ✓ Tornado Safe Room
- ✓ Earthquake
- ✓ Wildfire

The BCA program provides up to date program data, up to date default and standard values, user manuals and training. Overall, the program makes it easier for users and evaluators to conduct and review BCAs and to address multiple buildings and hazards in a single BCA module run.





Q&A | ELEMENT A: PLANNING PROCESS | A6a.

Q: Does the plan identify how, when, and by whom the plan will be monitored (how will implementation be tracked) over time? (Requirement \$201.6(c)(4)(i))

A: See Evaluating and Updating the Plan below.

Q&A | ELEMENT A: PLANNING PROCESS | A6b.

Q: Does the plan identify how, when, and by whom the plan will be evaluated (assessing the effectiveness of the plan at achieving stated purpose and goals) over time? (Requirement $\S 201.6(c)(4)(i)$)

A: See Evaluating and Updating the Plan below.

Q&A | ELEMENT A: PLANNING PROCESS | A6c.

Q: Does the plan identify how, when, and by whom the plan will be updated during the 5-year cycle? (Requirement §201.6(c)(4)(i))

A: See Evaluating and Updating the Plan below.

Evaluating and Updating the Plan

Evaluation

At the conclusion of the Annual Implementation Meeting, the Local Mitigation Officer will lead a discussion with the Planning Team on the success (or failure) of the Mitigation Plan to meet the plan goals. The results of that discussion will be added to the Evaluation portion of the Annual Implementation Report and inclusion in the 5-year update to the Plan. Efforts will be made immediately by the Local Mitigation Officer to address any failed plan goals.

Formal Update Process

As identified above, the Mitigation Action Items will be monitored for status on an annual basis as well as an evaluation of the Plan's goals. The Local Mitigation Officer or designee will be responsible for contacting the Planning Team members and organizing the annual meeting which will take place annually during the month of the Plan's approval. Planning Team members will also be responsible for participating in the formal update to the Plan every fifth year of the planning cycle.

The Planning Team will begin the update process with a review of the plan's goals and mitigation action items to determine their relevance to changing situations within the City as well as changes in State or Federal policy, and to ensure they are addressing current and expected conditions. The Planning Team will also review the Plan's Risk Assessment to determine if this information should be updated or modified, given any new available data. The coordinating organizations responsible for the various action items will report on the status of their projects, including the success of various implementation processes, difficulties encountered, success of coordination efforts, and which strategies should be revised. Amendments and updates will be made to the Mitigation Actions Matrix and other sections in the Plan as deemed necessary by the Planning Team.

Q&A | ELEMENT A: PLANNING PROCESS | A5

Q: Is there discussion of how the community(ies) will continue public participation in the plan maintenance process? (Requirement §201.6(c)(4)(iii))

A: See Continued Public Involvement below.





Continued Public Involvement

The City is dedicated to involving the public directly in the continual review and updates to the Mitigation Plan. Copies of the plan will be made available at City Hall and on the City website. The existence and location of these copies will be publicized in the City's social media resources and on the website. This site will also contain an email address and phone number where people can direct their comments and concerns. At the discretion of the Local Mitigation Officer, a public meeting may be held after the Annual Implementation Meeting. The meeting would provide the public a forum in which interested individuals and/or agencies could express their concerns, opinions, or ideas about the plan.

The Local Mitigation Officer will be responsible for using City resources to publicize any public meetings and always free to maintain public involvement through the public access channel, web page, and newspapers.





Attachments

FEMA Letter of Approval





City Council Resolution





Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Web Postings of Second Draft Plan below.

Q&A | ELEMENT A: PLANNING PROCESS | A3a.

Q: Does the plan document how the public was given the opportunity to be involved in the planning process? (Requirement §201.6(b)(1))

A: See Web Postings of Second Draft Plan below.

Web Postings of Second Draft Plan

City of Santa Ana Website







Facebook



The City of Santa Ana has created a Hazard Mitigation Plan that identifies a range of natural hazards that could significantly impact the city and City facilities. The Plan provides a list of mitigation items, like strengthening City buildings and other infrastructure, to reduce losses from the identified hazards.

As part of the approval process by the Federal Emergency Management Agency, the City is sharing this document with the public and partner agencies to solicit input during the plan writing phase.

To review the plan and provide your feedback, go to https://bit.ly/3BXhfs3. Deadline to submit comments is Oct. 1, 2021.







Instagram







Twitter



**

The City of Santa Ana has created a Hazard Mitigation Plan that is now available for the public and partner agencies to review and solicit input.

Learn more, review the plan, and submit comments by Oct. 1, 2021: bit.ly/3BXhfs3

@SantaAnaPD



6:28 PM · Sep 9, 2021 · Twitter Web App

II View Tweet activity

2 Retweets 1 Like






Next Door







Nixle







Social Media Statistics as of October 18, 2021

Facebook 9/9: 6,566 people reached, 10 likes, 3 comments, 3 shares, 119 post clicks, 12 link clicks

Instagram: 9/10: 7,750 accounts reached, 56 profile visits, 4 website clicks, 200 likes, 8

comments, 16 sends, 16 saves

Twitter 9/9: 2 retweets, 1 like, 1,878 impressions, 4 link clicks, 7 profile clicks

Nextdoor 9/9: 1,338 impressions, no likes/comments

Post Links

Facebook: https://www.facebook.com/permalink.php?story_fbid=4695782277100799&id=200089073336831

Instagram: https://www.instagram.com/p/CTp60KEhWN0/

Twitter: https://twitter.com/CityofSantaAna/status/1436139478310010900

Nextdoor: https://nextdoor.com/p/pm6KLqfkYppg?utm_source=share&extras=NjQyNDkxODA%3D

Q&A | ELEMENT A: PLANNING PROCESS | A2a.

Q: Does the plan document an opportunity for neighboring communities, local, and regional agencies involved in hazard mitigation activities, agencies that have the authority to regulate development, as well as other interested parties to be involved in the planning process? (Requirement §201.6(b)(2))

A: See Email to External Agencies and Email to Nixle Subscribers below.

Q&A | ELEMENT A: PLANNING PROCESS | A2b.

Q: Does the plan identify how the stakeholders were invited to participate in the process? (Requirement §201.6(b)(2))

A: See Email to External Agencies and Email to Nixle Subscribers below.





Email to External Agencies Email to External Agencies – September 1, 2021

Hello,

The City of Santa Ana is in the process of creating a Hazard Mitigation Plan. The Plan identifies a range of natural hazards with the potential to significantly impact the overall City as well as City facilities. The Plan provides a list of mitigation action items that will be used in the future to reduce impacts from the identified hazards.

Part of the FEMA-mandated approval process for the Plan requires sharing the document with the general public as well as external agencies (adjoining jurisdictions, utilities and special districts providing services) in order to solicit input during the plan writing phase.

I am asking you to please review this draft version of the Plan (attached, or https://www.santa-ana.org/ residents/programs-events/emergency-management/hazard-mitigation-plan) and share your comments with me by September 24, 2021. If you are not able to provide your comments by this date, we will move forward with the understanding that you do not have any concerns with the Plan as it is written.

I look forward to receiving your comments. If you do want to provide comments, please reply to me and FEMA requires that we document your name, and if you are responding as an agency representative, please include your agency and job title along with your comments.

Thank you in advance for your time and assistance with this project, Steve



Steve Rhyner
EMERGENCY OPERATIONS COORDINATOR
Santa Ana Police Department, Homeland Security Division
60 Civic Center Plaza, P.O. Box 1981, Santa Ana, CA 92702
srhyner@santa-ana.org | (714) 647-5315







Email to Nixle Subscribers - September 9, 2021



Community: Public Review of the City's Hazard Mitigation Plan | Revisión pública del plan de mitigación de peligros | Kế hoạch giảm thiểu nguy cơ

Dear Nixle User.

Translations: español Tiếng Việt

In the City of Santa Ana, we have a good idea what natural disasters could happen here. Earthquakes and floods are good examples. If they do happen, we know the injuries, property damage and economic losses they could cause.

The City of Santa Ana is creating a Hazard Mitigation Plan. The Plan identifies a range of natural hazards that could significantly impact the City and City facilities. The Plan provides a list of mitigation items, like strengthening City buildings and other infrastructure, to reduce losses from the identified hazards.

The Plan must be approved by the Federal Emergency Management Agency, and this approval makes the City eligible to receive federal funding for our mitigation projects. Part of the FEMA-required approval process requires sharing the document with the public as well as partner agencies to solicit input during the plan writing phase.

Please review this draft version of the <u>Plan</u> and share any comments by October 1, 2021, by emailing the City's Emergency Operations Coordinator, Steve Rhyner, at <u>srhyner@santa-ana.org</u>. If you do provide comments, please provide your name and any agency that you may represent, FEMA requires that we document that information.





Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q: Does the plan document the planning process, including how it was prepared (with a narrative description, meeting minutes, sign-in sheets, or another method)? (Requirement §201.6(c)(1)) A: See Planning Team Sign-In Sheets below.

Planning Team Sign-In Sheet: Meeting 1 – January 13, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #1 January 13, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Waldo Barela	WB
Steve Horner	SH
Jason Kwak	JK
Ricardo Soto	RS
Richard (Joe) Weber	RW
Steve Rhyner	SR
Tyrone Chesanek	TC
Phil Neff	PN
Ruben Castaneda	RC
Bryan Lopez	BL
Camille Boden	СВ
Kevin Phillips	KP





City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #1 January 13, 2021 (Note: Virtual meeting so initials entered electronically)

Name	Initials
Sagar Patel	SP
Jannine Wilmoth	JW
Carolyn Harshman	CH





Planning Team Sign-In Sheet: Meeting 2 – January 27, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #2 January 27, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Waldo Barela	WB
Jason Kwak	JK
Anson So	AS
Ricardo Soto	RS
Steve Rhyner	SR
Tyrone Chesanek	TC
Phil Neff	PN
Ruben Castaneda	RC
Bryan Lopez	BL
Daisy Perez	DP
Carolyn Harshman	CH





Planning Team Sign-In Sheet: Meeting 3 – February 10, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #3 February 10, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Waldo Barela	WB
Steve Horner	SH
Jason Kwak	JK
Ricardo Soto	RS
Steve Rhyner	SR
Tyrone Chesanek	TC
Phil Neff	PN
Ruben Castaneda	RC
Bryan Lopez	BL
Craig Foster	CF
Carolyn Harshman	CH





Planning Team Sign-In Sheet: Meeting 4 – February 24, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #4 February 24, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Daisy Perez	DP
Waldo Barela	WB
Jason Kwak	JK
Anson So	AS
Richard (Joe) Weber	RW
Steve Rhyner	SR
Tyrone Chesanek	TC
Phil Neff	PN
Ruben Castaneda	RC
Bryan Lopez	BL
Carolyn Harshman	CH





Planning Team Sign-In Sheet: Meeting 5 – March 31, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #5 March 31, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Waldo Barela	WB
Ruben Castaneda	RC
Jason Kwak	JK
Bryan Lopez	BL
Phil Neff	PN
Anson So	AS
Ricardo Soto	RS
Steve Rhyner	SR
Carolyn Harshman	CH





Planning Team Sign-In Sheet: Meeting 6 - April 14, 2021

City of Santa Ana Hazard Mitigation Plan Planning Team Meeting #6 April 14, 2021

(Note: Virtual meeting so initials entered electronically)

Name	Initials
Waldo Barela	WB
Ruben Castaneda	RC
Jason Kwak	JK
Bryan Lopez	BL
Phil Neff	PN
Anson So	AS
Ricardo Soto	RS
Steve Rhyner	SR
Carolyn Harshman	CH





Planning Team Minutes

Q&A | ELEMENT A: PLANNING PROCESS | A1a.

Q Does the plan provide documentation of how the plan was prepared? (Note: This documentation must include the schedule or timeframe and activities that made up the plan's development as well as who was involved.)

A: See Planning Team Minutes below.

Agenda

City of Santa Ana

Planning Team Meeting #1

- 1. Examine the purpose hazard mitigation.
- 2. Discuss the concepts and terms related to hazard mitigation planning.
- 3. Review the project schedule and public involvement during the plan writing phase.
- 4. Discuss initial results of Hazard Analysis and Rank Hazards.
- 5. Gather City Profile Data
 - a. History, Geography, Land Use, Demographics, CIP

Agenda

City of Santa Ana

Planning Team Meeting #2

- 1. Review examples of hazard mitigation activities.
- 2. Develop Hazard Mitigation Action Items.
 - a. Action Item
 - b. Goals Achieved
 - c. Coordinating Agency
 - d. Timeline
 - e. Funding Source
 - f. Planning Mechanisms
 - g. Benefit, Cost, and Priority Ranking
 - h. Does action item apply to existing or future buildings or infrastructure?





Agenda

City of Santa Ana

Planning Team Meeting #3

- 1. Continue to Develop Hazard Mitigation Action Items.
 - a. Action Item
 - b. Goals Achieved
 - c. Coordinating Agency
 - d. Timeline
 - e. Funding Source
 - f. Planning Mechanisms
 - g. Benefit, Cost, and Priority Ranking
 - h. Does action item apply to existing or future buildings or infrastructure?

Agenda

City of Santa Ana

Planning Team Meeting #4

- 1. Review First Draft Plan (distributed ahead of meeting to all members).
- 2. Continue to Develop Mitigation Action Items.
- 3. Discuss Strategy for Distributing Second Draft Plan to External Agencies and General Public.





Q&A | ELEMENT B: HAZARD IDENTIFICATION AND RISK ASSESSMENT | B3b.

Q: Is there a description of each identified hazard's overall vulnerability (structures, systems, populations, or other community assets defined by the community that are identified as being susceptible to damage and loss from hazard events) for each jurisdiction? (Requirement §201.6(c)(2)(ii))

A: See HAZUS Reports – Attached Separately.

HAZUS Reports – Attached Separately

