City of Sonoma – EVCS CHECKLIST

Submittal Requirements Checklist for Permitting of **Electric Vehicle Charging Stations (EVCS)**

Revised 1/30/2020

This checklist is provided to guide applicants through a streamlined permitting process for Electric Vehicle Charging Stations (EVCS).

1. Approval Requirements

- a) The Building Department will conduct the plan review and inspection for EVCS installations.
- b) Planning Department plan review approval is not required for EVCS installations unless the Building Official determines that the proposed EVCS will have a specific, adverse impact upon the public health or safety.
- c) Fire Department plan review and inspection approval is not required for EVCS installations unless the system includes a stationary storage battery system as defined in the CA Fire Code.

2. Submittal Information

- a) All forms and checklists described herein are available on the City's web site located at http://www.sonomacity.org/Government/Departmental-Offices/Building.aspx.
- b) A completed City of Sonoma Building Permit application (available at Sonoma City Hall or on the City's web site is required for all EVCS installations.
- c) One copy of this checklist must be completed and submitted to the Building Department along with the Building Permit application. Please provide an explanation for any checklist item not completed or met.
- d) Provide three (3) sets of plans for the proposed EVCS (36" x 24" preferred plan size, 11"x 17" minimum plan size; 1/8'' = 1'-0'' minimum scale, 9 pt. Arial or equal font size or 1/8'' minimum neatly hand printed lettering). Plan submittals shall include, but not be limited to:
 - 1) A Title Page
 - 2) A Site Plan [Not required for Level One or Level Two EVCS equipment installed within an existing one- or two-family residential structure (i.e. garage or carport)]
 - 3) An Electrical Floor Plan [Not required for exterior EVCS equipment installations.]
 - 4) A Single-Line Electrical Diagram [Not required for Level 1 charging station installations.]
 - 5) EVCS Manufacturer Installation Details and Specifications.
 - 6) Electrical Service Load Calculations
- e) Submit a \$100.00 permit application deposit payable to the City of Sonoma.

3. General Requirements for Electric Vehicle Charging Stations to be Shown and **Noted on Plans:**

Use the following checklist items for preparation and submittal of your plans. The level of detail and the specific plan requirements will depend upon the extent, nature and complexity of the work to be done. All applicable checklist items must be noted or specified on the plans. Indicate the plan sheet number where the applicable requirement is shown or specified.

4. Type of Electric Vehicle Charging Station (please check one)

Check One	Type of Charging Station(s) Proposed	Power Levels (proposed circuit rating)
	Level 1	110/120 volt alternating current (VAC) at 15 or 20 Amps
	Level 2 - 3.3 kilowatt (kW) (low)	208/240 VAC at 20 or 30 Amps
	Level 2 - 6.6kW (medium)	208/240 VAC at 40 Amps
	Level 2 - 9.6kW (high)	208/240 VAC at 50 Amps
	Level 2 - 19.2kW (highest)	208/240 VAC at 100 Amps
	DC Fast Charging	440 or 480 VAC
	Other (Specify and provide details):	

5. Submittal Requirements Checklist for Electric Vehicle Charging Stations (EVCS)

PERMIT APPLICATION REQUIREMENTS		
Yes □ No □	1.	 The permit application is complete with the following information: Project address and parcel number, Owner name, address and phone number; Contractor name, address and phone number and contractor's license number; and Other information requested on the permit application form?
ELECTRICAL LOAD CALCULATION WORKSHEET		
Yes □ No □	2.	An electrical load calculation is included with the permit application? (CEC ¹ 220)
Yes □ No □	3.	Based on the required load calculation ² , is an electrical service panel upgrade required?
Yes □ No □ N/A □		If yes, do plans show and specify the electrical service panel upgrade?
Yes □ No □	4.	The EVCS branch circuit conductor is appropriately sized for a continuous load of 125% of the EVCS equipment plus any other non-continuous loads per CEC 210.19?

¹ CEC means the 2016 California Electrical Code

² Load Calculation: The size of the existing service MUST be equal to or larger than the minimum required size of main service breaker as determined by the load calculations required by CEC article 220. If the existing service panel is smaller than the minimum required size of existing electrical services, then a new upgraded electrical service panel must be installed in order to handle the added electrical load from the proposed EVCS.


PLANS	GENERAL
Yes □ No □	 5. The drawings are: drawn to scale; on a paper size not less than 17" wide by 11" high (36" x 24" preferred); oriented in landscape orientation; are printed with text with not less than 9 point Arial font size or equal or 1/8" minimum neatly hand printed lettering?
Yes □ No □	 6. The plans include a Title Page with property information including, but not limited to: address of property; name, address, phone number of the property owner; name, address, phone number and license number of the person responsible for the EVCS system design; codes applicable to the project; occupancy and use of the facilities; and narrative description and scope of the proposed work?
Yes No No N/A N/A N/A	 7. A Site Plan is included with the permit application and includes the following information? [Not required for Level One or Level Two EVCS equipment installed within an existing one- or two-family residential structure (i.e. garage or carport)]. Location and name of structures on the site; Property lines, streets, lot dimensions, north arrow, the distance from property lines to structures and the proposed EVCS equipment; Dimensioned parking improvements, driveways, etc.; EVCS equipment, main electric service panel, disconnects and overcurrent protection locations; Underground conduit locations and routing; Location of additional meter, if applicable; All site related accessibility requirements prescribed by CA Building Code (CBC) Sections 11B-228 and 11B-812 are shown and fully specified. [Applicable only to commercial facilities, public and common use areas, public accommodations and public housing as defined in the CA Building Code.] Detail and specify all of the site related proposed work. [See additional requirements below.]
Yes No N/A	 8. An Electrical Floor Plan is included with the permit application and includes the following information? [Not required for exterior installations.] Plan view of the location of the proposed EVCS equipment including the use of the space or area where the EVCS will be installed; All applicable electrical plan related requirements of CEC Article 625 are shown or specified on the plan; All electrical plan related accessibility requirements prescribed by CA Building Code (CBC) Sections11B-228 and 11B-812 are shown and fully specified. [Applicable only to commercial facilities, public and common use areas, public accommodations and public housing as defined in the CA Building Code.] Detail and specify all of the plan related proposed work. [See additional requirements below.]

³ N/A means Not Applicable to this project.

Yes □ No □ N/A □	 9. A Single-Line Electrical Diagram is included with the permit application and includes the following information? [Not required for Level 1 charging station installations.] List and label all EVCS supply equipment; Conductor and conduit size, type and location; Size of the over current device (circuit breaker) supplying the EVCS; The size and location of the main electric panel, distribution panels (sub panels); overcurrent protection, disconnects, additional meters, and EVCS equipment; The type (level), voltage and ampacity for each charging station. All equipment labeling requirements per CEC 625.15.
Yes □ No □	10. Two (2) sets of the EVCS Manufacturer Installation Details and Specifications are included with the permit application?
Yes □ No □ N/A □	11. Two (2) copies of Electrical Service Load Calculations are provided for sizing of the electrical service panel pursuant to CA Electrical Code (CEC) Article 220? [NOTE: Make sure to include 125% of the EV charging station load in the calculation.]
Yes 🗆 No 🗆 N/A 🗆	12. If the EVCS equipment is listed for charging electric vehicles that require ventilation for indoor charging, is a Mechanical Plan showing and specifying all of the ventilation requirements prescribed by CEC 625.52 included with the permit application?
Yes □ No □	13. The project site is located outside of a 100-year flood hazard zone? [NOTE: If the charging equipment is located within a 100-year flood hazard zone, the EVCS equipment shall be elevated above the base flood elevation. The base flood elevation must be determined and an elevation certificate submitted by a registered land surveyor. (Sonoma Municipal Code 14.25.160)]
	a care e you (concerna mannopar conc = 11_01_00),
PLANS	2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS
PLANS Yes □ No □ Sheet#	
Yes 🗆 No 🗆	2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS 14. The plans indicate that the installation shall meet all requirements of the 2019 California
Yes No Sheet#	 2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS 14. The plans indicate that the installation shall meet all requirements of the 2019 California Electrical Code - Article 625 for Electric Vehicle Charging Systems. 15. The plans identify the amperage and location of the existing (or new) electrical service panel and the service panel is sized in accordance with the electrical service load
Yes No Sheet# Yes No Sheet# Yes No Sheet#	 2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS 14. The plans indicate that the installation shall meet all requirements of the 2019 California Electrical Code - Article 625 for Electric Vehicle Charging Systems. 15. The plans identify the amperage and location of the existing (or new) electrical service panel and the service panel is sized in accordance with the electrical service load calculations? (CEC 220)
Yes	 2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS 14. The plans indicate that the installation shall meet all requirements of the 2019 California Electrical Code - Article 625 for Electric Vehicle Charging Systems. 15. The plans identify the amperage and location of the existing (or new) electrical service panel and the service panel is sized in accordance with the electrical service load calculations? (CEC 220) 16. The plans indicate the size of the service entrance conductors? 17. The plans indicate that the charging equipment shall have a Nationally Recognized Testing
Yes	 2019 CALIFORNIA ELECTRCIAL CODE - MINIMUM PLAN REQUIREMENTS 14. The plans indicate that the installation shall meet all requirements of the 2019 California Electrical Code - Article 625 for Electric Vehicle Charging Systems. 15. The plans identify the amperage and location of the existing (or new) electrical service panel and the service panel is sized in accordance with the electrical service load calculations? (CEC 220) 16. The plans indicate the size of the service entrance conductors? 17. The plans indicate that the charging equipment shall have a Nationally Recognized Testing Laboratory (NRTL) approved listing mark? (UL 2202/UL 2200) 18. The single-line electrical diagram shows and specifies the required overcurrent protection

Yes \(\subseteq \text{No } \subseteq \) Sheet#	21. The plans specify where the labeling of the EVCS equipment (i.e. "FOR USE WITH ELECTRIC VEHICLES", "VENTILATION NOT REQUIRED", "VENTILATION REQUIRED", etc.) is required? (CEC 625.15)
Yes No N/A	22. An approval letter from PG&E is provided to the building department <u>if a dedicated</u> <u>electrical meter is to be installed for the electric vehicle charging system?</u> [NOTE: If a single mast will continue to be used to serve two meters, ensure that the service entrance conductors are sized for the sum of the two meters, in accordance with CEC Article 310.]
Yes No N/A Sheet#	23. If the EV charging equipment is rated more than 60 amps or more than 150V to ground, the plans specify that the disconnecting means shall be lockable open and shall be provided in a readily accessible location? (CEC 625.43)
Yes \(\subseteq \text{No } \subseteq \) Sheet#	24. The plans specify that the EVCS equipment disconnecting means shall be identified with a durable label stating "Emergency Power Off – Electric Vehicle Charging Station"? (CEC 110.22)
Yes No Sheet#	25. The plans specify that the main service conductors and the equipment for the protection of electrical service (i.e. disconnecting means, overcurrent protection, etc.) will be installed in accordance with CEC Article 230?
Yes No N/A Sheet#	26. If trenching is required, a trenching detail is provided on the plans showing compliance with the minimum cover requirements pursuant to CEC 300.5? [NOTE: trenching for electrical feeders from structure to structure must comply with CEC 225.]
Yes \(\subseteq \text{No } \subseteq \) N/A \(\subseteq \text{Sheet#}	27. Physical protection such as a bollard is shown and detailed on the plans when vehicle impact protection for EVCS equipment is required? (CEC 110.27 (B)) [NOTE: Typically not required for Level 1 EVCS. Physical protection from damage is often a 4" diameter steel pipe filled with concrete, a minimum of 40"above the finished floor/grade, installed in a footing measuring 12" in diameter and 3' deep].
Yes \(\sum \) No \(\sum \) Sheet#	28. The plans show and specify the mounting height for the charging coupling (the connector nozzle) and the operable controls? [NOTE: If installed indoors, the electric vehicle charging coupling shall be located between 18" and 48" above the finished floor. If installed outdoors, the electric vehicle charging coupling shall be located between 24" and 48" above the finished grade. (CEC 625.50 and CBC 11B-309)
Yes No Sheet#	29. If the EVCS is installed within in a building containing an R (residential) occupancy, the plans show and specify the location for all required smoke and carbon monoxide alarms within the dwelling(s)? (CBC 907.2.11, CBC 915, CRC R314 and CRC R315) [NOTE: In lieu of showing and specifying the location for all required smoke and carbon monoxide alarms within the dwelling(s), a Smoke & CO Alarm Declaration and Installation Certification Form, available on the City's web site, may be completed, signed and submitted with the application.]
PLANS	2019 CALGREEN REQUIREMENTS
Yes No N/A	30. Does the number of proposed electric vehicle charging spaces conform to the Tier 1 requirements of California Green Building Code (CGBC)? (CGBC A4.106.8.2 and A5.106.5.3) [Only applies to newly constructed multi-family residential and newly constructed non-residential projects.]

PLANS	2019 CALIFORNIA BUILDING CODE ACCESSIBILITY REQUIREMENTS
	[NOTE: Accessibility requirements are required for public and common use areas, public accommodations, commercial facilities and public housing as defined in the CA Building Code.]
Yes □ No □ N/A □	The plans show and specify all of the applicable accessibility requirements prescribed in CBC Chapter 11B, including but not limited to the requirements of the following sections:
Yes □ No □	11B-202.4 (Path of Travel Requirements in Alterations, Additions and Structural Bonaire)
N/A Sheet#	Repairs) [See 11B-202.4 Exception 10 for Path of Travel Requirement Exceptions]
Sheet#	11B-228.3 (Electric Vehicle Charging Stations);
Sheet#	
Sheet#	• 11B-303 (Changes in Level);
Sheet#	
Sheet#	
Sheet#	• 11B-309 (Operable Parts);
Sheet#	
Sheet#	
Sheet#	 11B-703.7 (Symbols of Accessibility);
Sheet#	11B-703.7.2.1 (International Symbol of Accessibility);
Sheet#	
Sheet#	• 11B-707.3 (Operable Parts);
Sheet#	• 11B-707.7.2 (Characters);
Sheet#	• 11B-707.9 (Point-of-Sale Devices);
Sheet#	• 11B-812 (Electric Vehicle Charging Stations)?
lectrical plans sha lectrical contracto	all be completed, stamped and signed by a California Licensed Electrical Engineer or a C-10 or.
roject Address	
ame of person co	ompleting the Checklist (Please Print)
gnature	
 lectrical Engineer	or Contractor's License Number and Type




Typical Single Electric Vehicle Charging Station Configuration For an **Existing** Commercial Facility or Public Accommodation

See 2019 CA Building Code Sections 11B-202.4, 11B-812 and 11B-228.3 for additional requirements

KEY LEGEND

- 1 30" x 48" clear space for parallel approach (CBC 11B-302).
- 2 Electric Vehicle Charging Station (EVCS)(see CBC 11B-228.3 & 11B-812 for requirements).
- **3** Electric Vehicle Charging Station coupling (nozzle) and conductor.
- 4 Curb
- 5 No International Symbol of Accessibility (ISA) sign or "Van Accessible" sign is required (see CBC 11B-812.8)
- 60" minimum width access aisle located on the passenger side of a van accessible space and at the same level as the adjacent vehicle space. (CBC 11B-812.7)
- 7 Contrasting border and 36" maximum on center diagonal hatched lines designating the access aisle. Access aisles borderlines and hatched lines for EVCS spaces shall not be blue. (CBC 11B-812.7.2)
- 8 Minimum 144" wide by 216" long van accessible lined EVCS space (ISA sign and "Van Accessible" sign NOT required). (CBC 11B-812.6.1 and 11B-812.8)
- **9** Parking space not regulated by CBC 11B-812.
- 10 12" high "EV CHARGING ONLY" surface marking at the end of each EVCS space. (CBC 11B-812.9)
- 11 12" high "NO PARKING" surface marking within the access aisle. (CBC 11B-812.7.3)



Typical Electric Vehicle Charging Station Configuration for Public Use

See 2019 CA Building Code Sections 11B-812 and 11B-228.3 for additional requirements

() KEY LEGEND

- 1 30" x 48" clear space for parallel approach (CBC 11B-302).
- 2 Electric Vehicle Charging Station (EVCS)(see CBC 11B-228.3 & 11B-812 for requirements).
- 3 Electric Vehicle Charging Station coupling (nozzle) and conductor.
- 4 Wheel stop.
- 5 70 sq. in reflectorized International Symbol of Accessibility (ISA) sign required at van accessible charging station when 5 or more EVCS spaces are provided. "Van Accessible" sign shall also be provided. (see CBC 11B-812.8 for additional requirements)
- 60" minimum width access aisle located on the passenger side of a van accessible space and at the same level as the adjacent vehicle space. (CBC 11B-812.7)
- 7 Contrasting border and 36" maximum on center diagonal hatched lines designating the access aisle. Access aisles borderlines and hatched lines for EVCS spaces shall not be blue. (CBC 11B-812.7.2)
- 8 Minimum 144" wide by 216" long van accessible lined EVCS space (ISA sign and "Van Accessible" sign required). (CBC 11B-812.6.1 and 11B-812.8)
- 9 Minimum 108" wide by 216" standard accessible lined EVCS space (ISA sign <u>not</u> required unless 26 or more EVCS are provided). (CBC 11B-812.6.2)
- 10 EVCS space not regulated by CBC 11B-812.
- 11 12" high "EV CHARGING ONLY" surface marking at the end of each EVCS space. (CBC 11B-812.9)
- 12" high "NO PARKING" surface marking within the access aisle. (CBC 11B-812.7.3)

6. Plan Review

Permit applications must be submitted to the City of Sonoma Building Department in person at City Hall, #1 The Plaza, Sonoma, CA or electronically through e-mail. The Building Department e-mail address is building@sonomacity.org.

Permit applications eligible for the expedited permitting process will receive a high priority and be reviewed as early as practical with a processing goal of one to three business days following receipt of the submittal.

7. Fees

An initial building permit deposit of \$100.00 must accompany all EVCS permit applications at the time of submittal. The deposit will be applied towards the total cost of the building permit and is used to help cover initial processing, plan review and other applicable fees for service. The total cost for building permits for the installation of Electric Vehicle Charging Stations is dependent on a number of factors but generally is in the range \$200 – \$250 for a Level 1 EVCS and \$300 - \$550 for a Level 2 or above EVCS.

8. Inspections

Once all permits to construct the EVCS have been issued and the system has been installed, it must be inspected before final approval is granted for the solar system. On-site inspections can be scheduled by contacting the City of Sonoma Building Department by telephone at 707-938-3681. Inspection requests received during City Hall business hours can usually be scheduled for the next business day.

Permit holders must provide the inspector with the Building Department Approved Job Plans, the Building Permit Inspection Record Card and access to the location of the work. The permittee must be prepared to show conformance with all technical requirements in the field at the time of inspection. The inspector will verify that the installation is in conformance with applicable code requirements and the approved plans.

9. Departmental Contact Information

For additional information regarding this permit process, please consult our departmental website at http://www.sonomacity.org/Government/Departmental-Offices/Building.aspx or contact the Building Department at 707-938-3681.