

Specifications for new class 4 or 5 truck chassis w/ dump body	Meets Preferred Specification YES	Meets Preferred Specification NO	Alternate to Specification
Preferred Specifications			
Truck chassis:			
Engine: V8			
Fuel: Gasoline or Diesel, 40-gallon tank			
Transmission: 10-speed automatic			
Alternator: 200-amp			
Battery: 650cca 72ah			
Axle: Mono-beam front axle with coil spring suspension, 4.10 limited slip electronic lock			
Brakes: 4-wheel power disk brakes w/ ABS and vacuum boost			
Transfer case: Electronic shift-on-the-fly 4-wheel-drive system, skid plates			
Wheels: 19.5" steel hubs, dual rear			
Tires: 225/70R19.5G BSW, All-season, (1) full size spare w/ rim			
Wheelbase: Regular cab 205.3"			
Mirrors: Manual telescoping/ folding trailer tow, Heated glass/ convex spotter mirror, Integrated clearance lamps/ turn signals			
Paint: Oxford White			
Seats: Front, vinyl 40/20/40 split-bench seat with center armrest, cupholder and storage			
Exterior:			
2-front and 2-rear frame mounted tow hooks			
Roll stability control and trailer sway control			
Rear view camera			
Roof clearance lights			
Automatic headlamps			
Exterior backup alarm			
Platform running boards			
Telescoping, heated side mirrors			
Front license plate bracket			
Platform running boards			
Interior:			
Trailer brake controller			

Steering, tilt and telescopic			
Air conditioning			
Intermittent wipers			
Trailer tow wire harness			
Rubber floor			
AM/FM stereo			
Power door locks			
Power windows			
Warranty:			
Bumper to Bumper: 3 years/ 36,000 miles			
Commercial Powertrain: 5 years/ 100,000 miles			
Safety Restraint System: 5 years/ 60,000 miles			
Corrosion (Perforation only): 5 years/ unlimited miles			
Roadside Assistance Program: 5 years/ 60,000 miles			

Dump Box:			
Dimensions:			
Body Length: 11'			
Body inside diameter: 84"			
Body outside diameter: 96"			
Front height: 20"			
Side height: 14"			
Tailgate height: 20"			
Hoist:			
Electric over hydraulic 10-ton hoist capacity with in-cab push button controls			
Features:			
Backup alarm			
Tailgate: Quick release with center release handle. Manual lower tailgate pin release with handle front driver's side corner			
Side style: manual fold down			
Mud flaps: front and rear rubber flaps with removable mounts			
Class 5 receiver hitch: 2" receiver tube with D rings and run wiring trailer plug on chassis through plate. 7 pin RV connector			
Cab shield window cutout			
Fuel fill brackets			
Material:			
Understructure: 3/16" high tensile steel, fabricated trapezoid, fully boxed 8" long members			
Front: 10 ga stainless 201 2B			
Side: 10 ga stainless 201 2B			
Tailgate: 10 ga stainless 201 2B			
Floor: 3/16" high tensile steel			
Lights:			
Beacon: Whelen R1LPPA beacon light bar installed on cab shield			
Rear lights: LED FMVSS 108 light kit backup light integral with stop/turn/tail. One additional light hole in rear bolster for Whelen 5G 12volt amber warning flasher installed			

Truck chassis manufacturer:			
Dump body manufacturer:			
Total delivered price:			\$
Trade-in price:			\$
Final price less trade-in:			\$
Firm delivery date:			