


**GENERAL NOTES**

- A. FIELD VERIFY ALL DIMENSIONS AND CONDITIONS PRIOR TO COMMENCEMENT OF WORK. SHOULD ANY DISCREPANCIES BE DISCOVERED, VERIFY INTENT WITH THE ARCHITECT BEFORE PROCEEDING.
- B. MAINTAIN ALL MECHANICAL, ELECTRICAL, PLUMBING AND COMMUNICATION SERVICES TO OWNER'S OPERATIONAL AREAS WHILE PERFORMING WORK. PROVIDE ALL BYPASS, CROSS-CONNECTS AND/OR TEMPORARY ROUTINGS AND CONNECTIONS AS REQUIRED TO INSURE FULL OPERATION OF ALL SERVICES TO ALL AREAS NOT UNDER CONSTRUCTION - AT NO ADDITIONAL COST.
- C. AT ANY AND ALL LOCATIONS IN THE PROJECT WHERE DEMOLITION OCCURS, PATCH/REPLACE ADJACENT FLOOR FINISHES, WALL FINISHES, CEILING FINISHES, ETC. AFFECTED BY THE DEMOLITION TO ACHIEVE A UNIFORM FINISH - WHETHER SPECIFICALLY INDICATED ON THE DRAWINGS OR NOT.
- D. SEE SITE PLAN FOR CONTINUATION OF SITE WORK NOT SHOWN ON THIS PLAN.
- E. PROVIDE CONCEALED BACKING FOR ALL WALL-MOUNTED ITEMS INCLUDING DOOR BUMPERS, DOOR HOLDERS, GRAB BARS, CABINETWORK, ETC.
- F. REFER TO EQUIPMENT SCHEDULE FOR EQUIPMENT MARKS SHOWN ON THIS SHEET.
- G. PROVIDE WINDOW TREATMENTS AT ALL WINDOWS. COORDINATE WITH OWNER.

**KEYED NOTES**

1. LINE OF CEILING BULKHEAD OR ROOF OVERHANG ABOVE. SEE R.C.P. AND ROOF PLAN.
2. ROOF HATCH. SEE ROOF PLAN.
3. OFO.I. WALL MOUNTED LCD MONITOR.
4. COMBINATION MARKER/PROJECTION SURFACE FULL WIDTH OF WALL. SEE EXTERIOR ELEVATIONS.
5. SEMI-RECESSED FIRE EXTINGUISHER AND BOX. MOUNT AT 42" AFF. TO CEILING OR WALL.
6. MOP BASIN, 24"X24" WITH 4" HIGH FRP BOARD TWO SIDES. CAULK ALL ROLLING EDGES OF BASIN AND FRP.
7. ELECTRICAL DISTRIBUTION PANEL.
8. TELEPHONE PATCH PANEL WITH 3/4" PLYWOOD BACKING.
9. OFO.I. REFRIGERATOR WITH ICE MAKER. PROVIDE WATER.
10. OFO.I. DISHWASHER.
11. OFO.I. COPIER.
12. OFO.I. TABLE TOP LCD MONITOR.
13. OFO.I. PROJECTOR. PROVIDE POWER AND DATA.
14. ELECTRICAL METER AND DISCONNECT.
15. GAS METER.
16. CARD READER. PROVIDE ELECTRICAL ROUGH-IN.
17. OVERHEAD MECHANICAL UNIT.
18. IRRIGATION CONTROLLER.
19. FIRE ALARM PANEL.
20. SURFACE MOUNTED FIRE EXTINGUISHER. MOUNT AT 48" AFF. TO TOP OF BRACKET.
21. ACCORDION PARTITION. SEE DOOR TYPES.
22. COFFEE POTS.
23. OFO.I. TRASH COMPACTOR.
24. DEAL TRAY: QUICKSERV QS-1612, 10"WX2"DX14" L.




Glads Holdings, LLC Office Building  
4911 Chappell Dr. N.E.  
Albuquerque, New Mexico

proj. no.: 0614  
acad file:  
date: 3-23-7

NOTED FLOOR PLAN

A1.1



The Sunshine Building  
110 Second St. S.W. Suite 204  
(505) 243-7492 fax: (505) 243-1106  
e-mail: gthicks@gthicks.com