



RESTAURANT SPACE NEXT TO NEW HOTEL

SEC OF SUN RANCH VILLAGE RD AND SUN RANCH VILLAGE LOOP
2263 Sun Ranch Village Loop Los Lunas, NM 87031



**FOR
LEASE**

AVAILABLE
4,461 SF
+ Patio

RATE
\$42.00 PSF NNN
NNNs* TBD
* Estimate provided by Landlord and
subject to change


Remsa Troy
rtroy@resolutre.com
505.337.0777

Daniel Kearney
dkearney@resolutre.com
505.337.0777

The information contained herein was obtained from sources deemed reliable; however, RESOLUT RE makes no guaranties, warranties or representations to the completeness or accuracy thereof. The presentation of this real estate information is subject to errors; omissions; change of price; prior sale or lease; or withdrawal without notice. RESOLUT RE, which provides real estate brokerage services, is a division of Reliance Retail, LLC, a Texas Limited Liability Company.

PROPERTY HIGHLIGHTS

- Situated within a newly developed mixed-use project that combines retail, hospitality, and entertainment.
- Directly next to a planned event center designed to host weddings, conferences, and large gatherings.
- Directly across from a 4-story Marriott SpringHill Suites hotel, now under construction, which is expected to bring steady guest foot traffic.
- Thoughtfully designed to encourage strong synergy between the restaurant, event center, and hotel.
- Versatile space suitable for full-service dining, private parties, or catering operations.
- Excellent visibility and frontage along high-traffic roadways, maximizing brand exposure.
- Interior layout can be customized to suit a variety of restaurant concepts or service models.
- Potential for outdoor patio seating to enhance customer experience and increase capacity.
- Shared on-site and street parking provide easy access for patrons and event attendees.
- Positioned to benefit from built-in demand generated by hotel guests and event attendees.
- Now pre-leasing to secure tenants ahead of project completion.



AREA TRAFFIC GENERATORS



Remsa Troy

rtroy@resolutre.com | 505.337.0777

Daniel Kearney

dkearney@resolutre.com | 505.337.0777

DEMOGRAPHIC SNAPSHOT 2025



20,566
POPULATION
3-MILE RADIUS



\$88,213.00
AVG HH INCOME
3-MILE RADIUS



13,016
DAYTIME POPULATION
3-MILE RADIUS



TRAFFIC COUNTS
Sun Ranch Village Rd: 4,855 VPD
Sun Ranch Village Loop: 1,277 VPD
(Sites USA 2025)

RESTAURANT SPACE NEXT TO NEW HOTEL | 2263 Sun Ranch Village Loop Los Lunas, NM 87031

PROPOSED FLOOR PLAN

GENERAL NOTES

1. DIMENSIONS SHOWN AND CALLED OUT ARE TO FINISH FACE TO FINISH FACE OF CPT, RD, OR WALL SHEARING. DO NOT SCALE DRAWINGS.
2. PROVIDE SOLID BLOCKING IN WALLS FOR MILLWORK, MIRRORS AND OTHER WALL ATTACHED ITEMS.
3. ALL LAVA/ROCKES INTEGRAL TO MARBLE COUNTERTOPS UNLESS NOTED OTHERWISE. REF: PLUMBING PLANS.
4. ALL WATER CLOSURES TO BE FLOOR MOUNTED. REF: PLUMBING PLANS.
5. WALL MOUNTED LAVATORY. REF: PLUMBING PLANS.
6. SEE DOOR SCHEDULE FOR DOOR TYPES, DOOR SIZES AND DOOR HARDWARE. BY G.C., INSTALLED BY G.C.
7. REFER TO DOOR SCHEDULE FOR WINDOW TYPE, WINDOW SIZES AND WINDOW ELEVATIONS. BY G.C., INSTALLED BY G.C.
8. PER IRC SECTION 1210.2.1 FLOOR AND WALL BASES, IN OTHER THAN DWELLING UNITS, TOILET, BATHING AND SHOWER ROOM FLOOR FINISH MATERIALS SHALL HAVE A SMOOTH, HARD, NONABSORBENT SURFACE. THE INTERSECTIONS OF THE FLOOR WITH WALLS SHALL HAVE A SMOOTH, HARD, NONABSORBENT VERTICAL BASE THAT EXTENDS UPWARD ONTO THE WALLS NOT LESS THAN 4 INCHES.
9. PER IRC 1210.2.2 ALL WALLS WITHIN 5' OF WATER CLOSURES OR URINALS SHALL BE OF A HARD SMOOTH NONABSORBENT SURFACE OF 48" HEIGHT A.F.F.
10. ALL WET WALLS TO BE 5/8" DENS-ARMOR PLUS GYP. RD. (TYPE "X" AS REQUIRED).

SYMBOL LEGEND TYPICAL FOR ALL SHEETS

- WALL TYPE TAG, REF: PARTITION TYPE LEGEND
- ENLARGED PLAN LOCATION
- BUILDING SECTION
- WINDOW TAG, SEE SHEET A-4.0 FOR WINDOW ELEVATIONS
- DOOR NUMBER, SEE SHEET A-4.0 FOR DOOR SCHEDULE
- KEYED NOTE


KEYED NOTES

1. COMBINATION EXIT SIGN AND EMERGENCY LIGHT WITH BATTERY BACK-UP. REF: ELECTRICAL PLANS.
2. DIRECTIONAL EXIT LIGHT WITH BATTERY BACK-UP. REF: ELECTRICAL PLANS.
3. EMERGENCY LIGHT WITH BATTERY BACK-UP. REF: ELECTRICAL PLANS.
4. 50W RECESSED FIRE EXTINGUISHER CABINET WITH 2A-10BC F.E.
5. WALL MOUNTED FIRE EXTINGUISHER, 2A-10BC, TYP.
6. 1/2" HD HALL AREA, 1/2" HD, TYP.
7. 50W RECESSED KNICK BOX LOCATION WITH KEYS FOR FIRE DEPARTMENT TO ENTER BUILDING IN CASE OF EMERGENCY.
8. MOP SINK WITH MOP BUCKET RACK. REF: PLUMBING PLANS.
9. GAS FIRED WATER HEATER. BY G.C., INSTALLED BY G.C., REF: PLUMBING PLANS.
10. CHANGE IN CEILING HEIGHT. REF: BUILDING SECTIONS.
11. CORNER OF VALETED CEILING. REF: BUILDING SECTIONS.
12. WAIT STATION MILLWORK, COUNTERTOP AND SINK. REF: FOOD SERVICE PLANS.
13. CORNER OF VALETED CEILING. REF: BUILDING SECTIONS.
14. BAR COUNTERTOP. BY G.C., INSTALLED BY G.C., REF: MILLWORK PLANS AND FOOD SERVICE PLANS.
15. BAR EQUIPMENT. REF: FOOD SERVICE PLANS.
16. COUNTERTOP ON THE BAR EQUIPMENT, COUNTERTOP BY G.C., INSTALLED BY G.C., REF: MILLWORK PLANS AND FOOD SERVICE PLANS.
17. FLAT SCREEN TV FOR MENU BOARD. TYPICAL. BY G.C., INSTALLED BY G.C.
18. FLAT SCREEN TV FOR MENU BOARD. TYPICAL. BY G.C., INSTALLED BY G.C.
19. STOOL TYPICAL. BY G.C., INSTALLED BY G.C.
20. DRINKING FOUNTAIN. TYPICAL. BY G.C., INSTALLED BY G.C.
21. INDOOR DINING TABLES AND CHAIRS. TYPICAL. BY G.C., INSTALLED BY G.C.
22. OUTDOOR DINING TABLES AND CHAIRS. TYPICAL. BY G.C., INSTALLED BY G.C.
23. DRINKING FOUNTAIN. TYPICAL. BY G.C., INSTALLED BY G.C.
24. TYPE I GREASE HOOD WITH FIRE SUPPRESSION SYSTEM. INSTALLED BY FOOD SERVICE EQUIPMENT SUPPLIER. REF: FOOD SERVICE PLANS.
25. NOT USED.
26. 42" HIGH GUARDRAIL.
27. 66" WOOD POST.
28. GROUND FLOOR. REF: ROOF FRAME PLAN.
29. 5.5 x 1.4 FT L.S. COLUMN. REF: STRUCTURAL PLANS.
30. UNFLOATED FLOOR ABOVE. TYP. REF: ROOF AND FLOOR DETAILS.
31. 30" GATE.




2019 NMBC TABLE C402.1.3 OPAQUE THERMAL ENVELOPE INSULATION COMPONENT MINIMUM REQUIREMENTS, R-VALUE METHOD*

CLIMATE ZONE	ROOF	WALLS ABOVE GRADE	WALLS BELOW GRADE	FLOORS	CEILING ON GRADE FLOORS
1. FLEET/MAINE	INSULATION MINIMUM R-VALUE	METAL BUILDING	METAL BUILDING	METAL BUILDING	UNHEATED HEATED
2. ALL OTHER	R-30	R-10	R-10	R-10	R-10

- a. Continuous insulation, IR = No Requirement, LL = Upper System.
- b. Assembly descriptions can be found in ASHRAE 90.1 Appendix A.
- c. When using R-value compliance method, a thermal spacer block shall be provided, otherwise use the U-factor compliance method in Table C402.1.3.
- d. R-5.0 is achieved by the addition of concrete block with complying with ASTM C-90, impounded or partially grouted at 32 inches or less on center vertically and 48 inches or less on center horizontally, with ungrouted cores filled with lightweight hollow or medium weight concrete of 4,000 psi strength.
- e. Notes herein shall be in accordance with Section C402.2.3.
- f. These values are for exterior insulation and the second value is for full cavity insulation. Minimum insulation measures not required to extend below the bottom of the slab.



PROPOSED SITE PLAN



RESTAURANT SPACE NEXT TO NEW HOTEL | 2263 Sun Ranch Village Loop Los Lunas, NM 87031




RESTAURANT SPACE NEXT TO NEW HOTEL | 2263 Sun Ranch Village Loop Los Lunas, NM 87031

The information contained herein was obtained from sources deemed reliable; however, RESOLUT RE makes no guaranties, warranties or representations to the completeness or accuracy thereof. The presentation of this real estate information is subject to errors; omissions; change of price; prior sale or lease; or withdrawal without notice. RESOLUT RE, which provides real estate brokerage services, is a division of Reliance Retail, LLC, a Texas Limited Liability Company.

RESTAURANT SPACE NEXT TO NEW HOTEL | 2263 Sun Ranch Village Loop Los Lunas, NM 87031



RESTAURANT SPACE NEXT TO NEW HOTEL | 2263 Sun Ranch Village Loop Los Lunas, NM 87031



Summary Profile

2010-2020 Census, 2025 Estimates with 2030 Projections
Calculated using Weighted Block Centroid from Block Groups

Lat/Lon: 34.8141/-106.7646

2263 Sun Rnch Vlg Lp Los Lunas, NM 87031	1 mi radius	3 mi radius	5 mi radius
Population			
2025 Estimated Population	7,391	20,566	35,380
2030 Projected Population	8,416	22,982	38,715
2020 Census Population	7,316	18,843	33,238
2010 Census Population	5,852	16,607	31,508
Projected Annual Growth 2025 to 2030	2.8%	2.3%	1.9%
Historical Annual Growth 2010 to 2025	1.8%	1.6%	0.8%
2025 Median Age	36.8	36.8	39.0
Households			
2025 Estimated Households	2,825	7,440	12,916
2030 Projected Households	3,270	8,495	14,401
2020 Census Households	2,738	6,696	11,950
2010 Census Households	2,174	5,897	11,334
Projected Annual Growth 2025 to 2030	3.1%	2.8%	2.3%
Historical Annual Growth 2010 to 2025	2.0%	1.7%	0.9%
Race and Ethnicity			
2025 Estimated White	52.0%	51.3%	51.5%
2025 Estimated Black or African American	3.5%	3.1%	2.5%
2025 Estimated Asian or Pacific Islander	2.2%	2.3%	1.6%
2025 Estimated American Indian or Native Alaskan	3.9%	4.0%	3.8%
2025 Estimated Other Races	38.4%	39.3%	40.6%
2025 Estimated Hispanic	58.5%	59.1%	59.4%
Income			
2025 Estimated Average Household Income	\$94,337	\$88,213	\$95,702
2025 Estimated Median Household Income	\$74,726	\$71,220	\$74,749
2025 Estimated Per Capita Income	\$36,116	\$31,976	\$35,442
Education (Age 25+)			
2025 Estimated Elementary (Grade Level 0 to 8)	4.4%	4.0%	4.5%
2025 Estimated Some High School (Grade Level 9 to 11)	2.0%	6.1%	5.7%
2025 Estimated High School Graduate	26.6%	29.2%	29.1%
2025 Estimated Some College	26.5%	22.6%	24.4%
2025 Estimated Associates Degree Only	11.0%	10.9%	9.6%
2025 Estimated Bachelors Degree Only	17.3%	16.5%	14.8%
2025 Estimated Graduate Degree	12.2%	10.7%	12.0%
Business			
2025 Estimated Total Businesses	278	593	1,140
2025 Estimated Total Employees	2,476	4,773	7,661
2025 Estimated Employee Population per Business	8.9	8.1	6.7
2025 Estimated Residential Population per Business	26.6	34.7	31.0