

The Stables at Floyds Fork


10503 1/2 Bardstown Bluff Road
Louisville, KY 40291

JUNE 2025 - PERMIT SUBMITTAL



K. NORMAN BERRY ASSOCIATES ARCHITECTS PLLC
815 WEST MARKET STREET, STE. 502 LOUISVILLE, KY 40202
ARCHITECT


RAI ENGINEERING
539 WEST MARKET STREET, STE. 200 LOUISVILLE, KY 40202
STRUCTURAL ENGINEER



ABBREVIATIONS	GENERAL NOTES	SYMBOLS	SHEET INDEX
ADDITIONAL NOTES: 1. ALL DIMENSIONS TO FACE UNLESS NOTED OTHERWISE. 2. ALL MATERIALS TO BE USED SHALL BE APPROVED BY THE ARCHITECT. 3. ALL WORK SHALL BE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES. 4. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. 5. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES. 6. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. 7. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES. 8. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME. 9. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES. 10. ALL WORK SHALL BE COMPLETED WITHIN THE SPECIFIED TIME FRAME.	For the purpose of these drawings and accompanying specifications, the term "by owner" shall mean item furnished by the owner and "by contractor" shall mean item furnished by the contractor. All materials and workmanship shall be in accordance with the latest editions of the building codes and standards, unless otherwise specified. Contractor shall verify all conditions and dimensions at the job site and notify architect of any dimensional errors, omissions, or discrepancies before beginning or finalizing any work. Any errors, omissions and discrepancies in drawings and specifications shall be the responsibility of the architect. Architect's P.L.C. for completion during bidding period and before construction. No liability shall be assumed by architect for any additional work or cost incurred by contractor in connection with the construction of the project. The use of these plans and specifications shall be restricted to the original use for which they were prepared and publication thereof is expressly limited to such use. Resale, reproduction, or other use without the written approval of K. Norman Berry Associates, Architects, is prohibited. The architect's professional seal is in K. Norman Berry Associates, Architects, without which no project shall be undertaken.	COLUMN GRID BUBBLE — 0 FUTURE ACCESSORIES TAG — 3 WALL TYPE — 000 DOOR NUMBER — 100-07 WINDOW TYPE — 100-07 ROOM TAG — 100-07 ELEVATION — 100-07 SECTION — 100-07 ELEVATION — 100-07 INTERIOR ELEVATION — 100-07 DETAIL CALLOUT — 100-07	GENERAL 0000 Cover 0001 Life Safety 0002 Structural ARCHITECTURAL A101 First Floor Plan A201 Building Sections A301 Elected Plans & Interior Elevations A401 Chapel Framing Plan and Details A501 Storage Unit Framing Plan

[illegible][illegible]

10503 1/2 Bardstown Bluff
Road Louisville, KY 40291

[illegible]

Architect:
J. NORMAN BERRY
ASSOCIATES ARCHITECTS PLLC
115 W. Market Street, Ste. 815
Louisville, KY 40202
502.582.2500


Structural Engineer:
DAI ENGINEERING
339 W. Market Street, Ste. 815
Louisville, KY 40202
502-589-2212

Sheet Title:
Code Review / Life Safety Plan

Project Number
Drawn By
Approved By
Date
Revisions:

LS101

3/2/2025 3:58:31 PM



1 FIRST FLOOR - Life Safety
3/32" = 1'-0"

HARDWARE SETS:

Hardware Set 01		Hardware Set 02	
(3)	Butt Hinges	(3)	Butt Hinges
(1)	Office Lock	(1)	Privacy Set w/indicator
(1)	Monitors Cyfnder	(1)	Clear, Regular Arm
(1)	Net Device (Fonic Bar)	(1)	Discard parallel arm bracket
(1)	Clear, Parallel Arm	(1)	Coil Plate
		(1)	Knob
		(1)	Mop Plate
		(1)	Wall Stop, Convex

Manufacturer abbreviations


BMMA statistical information below is used as basis for comparing products even if manufacturers' products are named in dot hardware sales. Delete grade options if grades is indicated in dot hardware sales. If a grade is not indicated, the product may be available in higher grades. Coordinate below with Part 2

1. Best Access Systems, Inc.
2. Best Access Systems, Inc.
3. Best Access Systems, Inc.
4. Best Access Systems, Inc.
5. Best Access Systems, Inc.
6. Best Access Systems, Inc.
7. Best Access Systems, Inc.
8. Best Access Systems, Inc.
9. Best Access Systems, Inc.
10. Best Access Systems, Inc.
11. Best Access Systems, Inc.
12. Best Access Systems, Inc.
13. Best Access Systems, Inc.
14. Best Access Systems, Inc.
15. Best Access Systems, Inc.
16. Best Access Systems, Inc.
17. Best Access Systems, Inc.
18. Best Access Systems, Inc.
19. Best Access Systems, Inc.
20. Best Access Systems, Inc.
21. Best Access Systems, Inc.
22. Best Access Systems, Inc.
23. Best Access Systems, Inc.
24. Best Access Systems, Inc.
25. Best Access Systems, Inc.
26. Best Access Systems, Inc.
27. Best Access Systems, Inc.
28. Best Access Systems, Inc.
29. Best Access Systems, Inc.
30. Best Access Systems, Inc.
31. Best Access Systems, Inc.
32. Best Access Systems, Inc.
33. Best Access Systems, Inc.
34. Best Access Systems, Inc.
35. Best Access Systems, Inc.
36. Best Access Systems, Inc.
37. Best Access Systems, Inc.
38. Best Access Systems, Inc.
39. Best Access Systems, Inc.
40. Best Access Systems, Inc.
41. Best Access Systems, Inc.
42. Best Access Systems, Inc.
43. Best Access Systems, Inc.
44. Best Access Systems, Inc.
45. Best Access Systems, Inc.
46. Best Access Systems, Inc.
47. Best Access Systems, Inc.
48. Best Access Systems, Inc.
49. Best Access Systems, Inc.
50. Best Access Systems, Inc.
51. Best Access Systems, Inc.
52. Best Access Systems, Inc.
53. Best Access Systems, Inc.
54. Best Access Systems, Inc.
55. Best Access Systems, Inc.
56. Best Access Systems, Inc.
57. Best Access Systems, Inc.
58. Best Access Systems, Inc.
59. Best Access Systems, Inc.
60. Best Access Systems, Inc.
61. Best Access Systems, Inc.
62. Best Access Systems, Inc.
63. Best Access Systems, Inc.
64. Best Access Systems, Inc.
65. Best Access Systems, Inc.
66. Best Access Systems, Inc.
67. Best Access Systems, Inc.
68. Best Access Systems, Inc.
69. Best Access Systems, Inc.
70. Best Access Systems, Inc.
71. Best Access Systems, Inc.
72. Best Access Systems, Inc.
73. Best Access Systems, Inc.
74. Best Access Systems, Inc.
75. Best Access Systems, Inc.
76. Best Access Systems, Inc.
77. Best Access Systems, Inc.
78. Best Access Systems, Inc.
79. Best Access Systems, Inc.
80. Best Access Systems, Inc.
81. Best Access Systems, Inc.
82. Best Access Systems, Inc.
83. Best Access Systems, Inc.
84. Best Access Systems, Inc.
85. Best Access Systems, Inc.
86. Best Access Systems, Inc.
87. Best Access Systems, Inc.
88. Best Access Systems, Inc.
89. Best Access Systems, Inc.
90. Best Access Systems, Inc.
91. Best Access Systems, Inc.
92. Best Access Systems, Inc.
93. Best Access Systems, Inc.
94. Best Access Systems, Inc.
95. Best Access Systems, Inc.
96. Best Access Systems, Inc.
97. Best Access Systems, Inc.
98. Best Access Systems, Inc.
99. Best Access Systems, Inc.
100. Best Access Systems, Inc.


DOOR SCHEDULE

Door Number	Type	Width	Height	Thickness	Material	Finish	Frame Style	Hardware	Frame Type	Material	Finish	Frame	Jamb	Hand
1001	D	6'-0"	8'-0"	1 1/2"	ALUM./GLASS	WD	80 UHN	1	2	H.M.	PART	3X601	3X601	1
1002	A	3'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1003	E	8'-0"	8'-0"	1 1/2"	GLASS	PART				H.M.	PART	3X601	3X601	1
1004	E	8'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	1
1005	A	2'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1006	A	2'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1007	A	2'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1008	A	3'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1009	A	3'-0"	8'-0"	1 1/2"	WD	GLASS STAIN				H.M.	PART	3X601	3X601	1
1010	A	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	1
1011	A	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	1
1012	A	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	1
RELOCATED CORE LINE DOOR AND FRAME														
1101	A	3'-0"	8'-0"	1 1/2"	ALUM./GLASS	PART				H.M.	PART	3X601	3X601	SM
1102	A	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1103	A	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1104	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1105	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1106	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1107	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1108	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1109	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1110	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1111	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1112	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1113	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1114	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1115	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1116	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1117	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1118	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1119	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1120	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1121	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1122	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1123	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1124	B	3'-0"	8'-0"	1 1/2"	H.M.	PART				H.M.	PART	3X601	3X601	SM
1														


FRAME TYPE:




DOOR TYPES:




WALL TYPES:




Door LAMB at Cedar Siding



Exterior Door Jamb



Dear Jamb



**The Stables at
Floyds Fork**
Carin Veech + Stef
Perri

10503 1/2 Bardstown Bluff
Road Louisville, KY 40291

K N O R M A N B E R R Y
A S S O C I A T E S
A R C H I T E C T S[illegible]

Architect:
**K. NORMAN BERRY
ASSOCIATES ARCHITECTS PLLC**
815 W. Market Street, Ste. 815
Louisville, KY 40202
502.582.2500

Structural Engineer:
RAJ ENGINEERING
539 W. Market Street, Ste. 815
Louisville, KY 40202
502.589.2212

Sheet Title:
First Floor Plan

Project Number	21.0610
Drawn By	KS/lbc
Approved By	CT/EK
Date	JUNE 2025
Revisions:	

A101

6/2/2025 3:58:33 PM

KEYNOTES



Key	Description
101	REMOVE REMOVED PORTION OF KEY; EXTERIOR WALL AS REQUIRED FOR NEW WINDOW
102	REINFORCE FLOOR SLAB TO REMAIN - TYPICAL THROUGH OUT RECEPTION AREA, DRESSING ROOM AND STUDIO
103	SEE FRAMING PLAN S100 FOR SUPPLEMENTAL FLOOR FRAMING THROUGHOUT CHAPEL
104	SEE PROJECT SCOPE NOTE IN HVAC SUD TO VERIFY SIZE, CLEARANCE AND LOCATION OF EXISTING CHIMNEY
105	EXISTING HEAVY THINNER WOOD COLUMNS TO REMAIN - PROTECT
106	NEW 4" CONCRETE SLAB ON GRADE LANDING,
107	PELVS BY OWNER (N.A.C.)

GENERAL NOTES:



1. ALL NEW INTERIOR PARTITION ARE TO BE WALL TYPE G.4 (U.N.O.)
2. ALL EXISTING EXTERIOR POLE BARN WALLS ARE TO BE INSULATED. SEE WALL TYPE G.5

LEGEND:


	EXISTING CONSTRUCTION TO REMAIN
	ITEMS TO BE PROVIDED BY OWNER (NOT IN CONTRACT)
	NEW WORK
	WALL TAB - NEW CONSTRUCTION - SEE A001 FOR WALL TYPES
	EXISTING DOOR AND FRAME TO REMAIN - PROTECT
	NEW DOOR AND FRAME - SEE A001 FOR DOOR SCHEDULE




KEYNOTES	
659	REMOVE PORTION OF EXIST. EXTERIOR WALL AS REQUIRED FOR NEW OPENING
101	WALLS TO EXTEND 12" A.F.F. WHERE ADJACENT TO AREAS THAT ARE OPEN TO BELOW
201	NOT TO WALL TO ALLOW FOR EXIST. FLOOR TRUSS CLEARANCE




5 Enlarged Stair Plan
1/4" = 1'-0"




6 Stair Elevation
3/8" = 1'-0"




4 Railed Chapel Wall - Entry Callout
3" = 1'-0"



3 Railed Chapel Wall - Base Callout
3" = 1'-0"



4 Railed Chapel Wall - Entry Callout
3" = 1'-0"



1 Building Section 01 - Chapel and Reception Bar
1/4" = 1'-0"

The Stables at
Floyds Fork
Carin Veech + Stef
Perri

10503 1/2 Bardtown Bluff
Road Louisville, KY 40291




K NORMAN BERRY
ASSOCIATES
ARCHITECTS

Sheet Title:
Enlarged Plans & Interior
Elevations

Project Number 21.0610
Drawn By bc
Approved By CT/CK
Date JUNE 2025
Revisions:

A300

6/2/2025 3:48:37 PM



GENERAL NOTES:

- 1. ALL NEW ACCESSORIES AND FIXTURES SHALL BE TYPE G3 (UNLESS NOTED OTHERWISE).
- 2. ALL EXISTING EXTERIOR DOOR AND WALLS ARE TO REMAIN.
- 3. INSULATED SEE VALL TYPE G3.







PLUMBING ACCESSORY LEGEND

G.1	3" GRAB BAR
G.2	4" GRAB BAR
G.3	1" VERT. GRAB BAR
H	TOILET PAPER DISPENSER - 20"
J	PAPER TOWEL DISPENSER
K	WAPIN DISPOSAL
L	SOAP DISPENSER
N	MIRROR (24" x 48" x 1/2" FLOOR TO BOTTOM EDGE)

NOTE: RESTROOM ACCESSORIES TO OCCUR AT EACH RESTROOM. HEIGHTS FOR ALL ACCESSORIES, GRAB BARS, ETC. HEIGHTS FOR ALL ACCESSORIES, GRAB BARS, ETC.

LEGEND:

- EXISTING CONSTRUCTION TO REMAIN
- ITEMS TO BE PROVIDED BY OWNER (NOT IN CONTRACT)
- NEW WORK
- WALL TAG - NEW CONSTRUCTION - SEE A01 FOR WALL TYPES
- EXISTING DOOR AND FRAME TO REMAIN - PROTECT
- NEW DOOR AND FRAME - SEE A01 FOR DOOR SCHEDULE



**The Stables at
Floyds Fork**
Carin Veech + Stef
Perri

10503 1/2 Bardstown Bluff
Road Louisville, KY 40291

K N O R M A N B E R R
A S S O C I A T E
A R C H I T E C T[illegible]

Architect:
K. NORMAN BERRY
ASSOCIATES ARCHITECTS PLLC
815 W. Market Street, Ste. 815
Louisville, KY 40202
502 582 7500

Structural Engineer:
RAI ENGINEERING
339 W. Market Street, Ste. 815
Louisville, KY 40202
502.589.2212

Sheet Title:
Chapel Framing Plan a
Details

Project Number
Drawn By
Approved By
Date
Revisions:

\$100

6/2/2025 3:58:38 PM

JUNE 2025 PERMIT SUBMITTAL

