

2026 CAN-AM OUTLANDER
DPS 500

COMPARE SHEET



KEY FEATURES

650 cc, 40 hp, Rotax single cylinder, DOHC (Double Overhead Camshaft)

CVT with pDrive primary clutch and engine braking

Tri-mode Dynamic Power Steering (DPS) Intelligent throttle control technology (iTC)

SUSPENSION:
FR: Double A-arm 9.75 in. travel
RR: Double A-arm 10.25 in. travel
12 in. ground clearance

360 lb (163 kg) rack capacity

1,830 lb (830 kg) towing capacity

Front weather-tight dropdown storage

Rear open dropdown storage

Glovebox

ADDITIONAL FEATURES

25 in. tires with 12 in. steel wheels

Full 5.5 mm thick skid plate

2 in. hitch receiver

LED headlights and taillights

4.5 in. digital display

Rubber-mounted bushings

No break-in maintenance + maintenance every 100 hours or 2,000 miles

HOW TO WIN

CLASS-LEADING ENGINE

Power of 40 hp

TOP-OF-THE-LINE SPECS

Class-leading ground clearance, suspension travel, towing and rack capacity

CAN-AM RENOWN 4WD SYSTEM

Visco-Lok QE front differential efficiency

VEHICLE LOOK

Cutting edge design with LED headlights and taillights

STORAGE CAPACITY

Front dropdown storage, glovebox and rear open dropdown storage

2026 HONDA [†] RUBICON DCT EPS			
KEY FEATURES	518 cc, 30 hp, single cylinder, OHV (Overhead valve engine)	ADDITIONAL FEATURES	25 in. tires with 12 in. steel wheels
	Dual-Clutch Transmission (DCT) with engine braking		
	Electric Power Steering (EPS)		Full 4 mm skid plate
	SUSPENSION: FR: Double A-arm 7.3 in. travel RR: Double A-arm 8.5 in. travel 9.7 in. ground clearance		Halogen headlights
	286 lb (130 kg) rack capacity		
	1,322 lb (600 kg) towing capacity		4 in. digital display
	1.9 L front storage, rear storage, front and rear flat racks		

2026 CAN-AM OUTLANDER
DPS 500

COMPARE SHEET



HOW TO WIN

CLASS-LEADING ENGINE
Power of 40 hp

TOP-OF-THE-LINE SPECS
Class-leading ground clearance, suspension travel, towing and rack capacity

CAN-AM RENOWN 4WD SYSTEM
Visco-Lok QE front differential efficiency

VEHICLE LOOK
Cutting edge design with LED headlights and taillights

STORAGE CAPACITY
Front dropdown storage, glovebox and rear open dropdown storage

KEY FEATURES

650 cc, 40 hp, Rotax single cylinder, DOHC (Double Overhead Camshaft)

CVT with pDrive primary clutch and engine braking

Tri-mode Dynamic Power Steering (DPS) Intelligent throttle control technology (iTC)

SUSPENSION:
FR: Double A-arm 9.75 in. travel
RR: Double A-arm 10.25 in. travel
12 in. ground clearance

360 lb (163 kg) rack capacity

1,830 lb (830 kg) towing capacity

Front weather-tight dropdown storage

Rear open dropdown storage

Glovebox

ADDITIONAL FEATURES

25 in. tires with 12 in. steel wheels

Full 5.5 mm thick skid plate

2 in. hitch receiver

LED headlights and taillights

4.5 in. digital display

Rubber-mounted bushings

No break-in maintenance + maintenance every 100 hours or 2,000 miles

2026 CFMOTO [†] CFORCE 500			
KEY FEATURES	500 cc, 34 hp, single cylinder, SOHC (Single Overhead Camshaft)	ADDITIONAL FEATURES	12 in. aluminum wheels with 25 in. tires
	CVT with engine braking, 2WD/4WD/4WD lock		
	Electric Power Steering (EPS)		Full skid plate
	SUSPENSION: FR: Double A-arm 7.5 in. travel RR: Double A-arm 8.9 in. travel 10.3 in. ground clearance		LED headlights
	207 lb (94 kg) rack capacity		Front bumper
	1,350 lb (612 kg) towing capacity		5 in. digital display
	Front glovebox, rear storage, front and rear flat racks		



KEY FEATURES

650 cc, 50 hp, Rotax single cylinder, DOHC (Double Overhead Camshaft)

CVT with pDrive primary clutch and engine braking

Tri-mode Dynamic Power Steering (DPS)
Intelligent throttle control technology (ITC)

SUSPENSION:
FR: Double A-arm 9.75 in. travel
RR: Double A-arm 10.25 in. travel
12 in. ground clearance

360 lb (163 kg) rack capacity

1,830 lb (830 kg) towing capacity

Front weather-tight dropdown storage

Rear open dropdown storage

Glovebox

ADDITIONAL FEATURES

25 in. tires with 12 in. steel wheels

Full 5.5 mm thick skid plate

2 in. hitch receiver

LED headlights and taillights

4.5 in. digital display

Rubber-mounted bushings

No break-in maintenance + maintenance every 100 hours or 2,000 miles

HOW TO WIN

CLASS-LEADING ENGINE

Power of 50 hp

TOP-OF-THE-LINE SPECS

Class-leading ground clearance, suspension travel, towing and rack capacity

CAN-AM RENOWN 4WD SYSTEM

Visco-Lok QE front differential efficiency

VEHICLE LOOK

Cutting edge design with LED headlights and taillights

STORAGE CAPACITY

Front dropdown storage, glovebox and rear open dropdown storage

2026 POLARIS [†] SPORTSMAN 570 EPS			
KEY FEATURES	567 cc, 44 hp, single cylinder, DOHC (Double Overhead Camshaft)	ADDITIONAL FEATURES	25 in. tires with 12 in. steel wheels
	CVT with engine braking		Steel skid plate
	Multi-Select Electric Power Steering (EPS)		LED headlights
	SUSPENSION: FR: MacPherson strut 8.2 in. travel RR: Double A-arm 9.5 in. travel 11.5 in. ground clearance		Front bumper
	270 lb (122 kg) rack capacity		3,500 lb (1,588 kg) winch with steel cable
	1,350 lb (612 kg) towing capacity		4 in. digital display
	Front storage, front and rear rack extenders		Front A-arms protectors



KEY FEATURES

650 cc, 50 hp, Rotax single cylinder, DOHC (Double Overhead Camshaft)

CVT with pDrive primary clutch and engine braking

Tri-mode Dynamic Power Steering (DPS)
Intelligent throttle control technology (iTC)

SUSPENSION:
FR: Double A-arm 9.75 in. travel
RR: Double A-arm 10.25 in. travel
12 in. ground clearance

360 lb (163 kg) rack capacity

1,830 lb (830 kg) towing capacity

Front weather-tight dropdown storage

Rear open dropdown storage

Glovebox

ADDITIONAL FEATURES

25 in. tires with 12 in. steel wheels

Full 5.5 mm thick skid plate

2 in. hitch receiver

LED headlights and taillights

4.5 in. digital display

Rubber-mounted bushings

No break-in maintenance + maintenance every 100 hours or 2,000 miles

HOW TO WIN

CLASS-LEADING ENGINE

Power of 50 hp

TOP-OF-THE-LINE SPECS

Class-leading ground clearance, suspension travel, towing and rack capacity

CAN-AM RENOWN 4WD SYSTEM

Visco-Lok QE front differential efficiency

VEHICLE LOOK

Cutting edge design with LED headlights and taillights

STORAGE CAPACITY

Front dropdown storage, glovebox and rear open dropdown storage

2026 YAMAHA [†] KODIAK 700 EPS			
KEY FEATURES	686 cc, 48 hp, single cylinder, SOHC (Single Overhead Camshaft)	ADDITIONAL FEATURES	25 in. tires with 12 in. steel wheels
	CVT with engine braking, 2WD/4WD/4WD lock		Full 3 mm skid plate
	Electric Power Steering (EPS)		Halogen headlights
	SUSPENSION: FR: Double A-arm 7.1 in. travel RR: Double A-arm 9.1 in. travel 10.8 in. ground clearance		Front bumper
	308 lb (140 kg) rack capacity		4 in. digital display
	1,322 lb (600 kg) towing capacity		Front and rear A-arms protectors
	Glovebox, front and rear flat racks		

2026 CAN-AM OUTLANDER
DPS 700

COMPARE SHEET



KEY FEATURES

ADDITIONAL FEATURES

HOW TO WIN

CLASS-LEADING ENGINE
Power of 50 hp

TOP-OF-THE-LINE SPECS
Class-leading ground clearance, suspension travel, towing and rack capacity

CAN-AM RENOWN 4WD SYSTEM
Visco-Lok QE front differential efficiency

VEHICLE LOOK
Cutting edge design with LED headlights and taillights

STORAGE CAPACITY
Front dropdown storage, glovebox and rear open dropdown storage

650 cc, 50 hp, Rotax single cylinder, DOHC (Double Overhead Camshaft)

CVT with pDrive primary clutch and engine braking

Tri-mode Dynamic Power Steering (DPS)
Intelligent throttle control technology (iTC)

SUSPENSION:
FR: Double A-arm 9.75 in. travel
RR: Double A-arm 10.25 in. travel
12 in. ground clearance

360 lb (163 kg) rack capacity

1,830 lb (830 kg) towing capacity

Front weather-tight dropdown storage

Rear open dropdown storage

Glovebox

25 in. tires with 12 in. steel wheels

Full 5.5 mm thick skid plate

2 in. hitch receiver

LED headlights and ts

4.5 in. digital display

Rubber-mounted bushings

No break-in maintenance + maintenance every 100 hours or 2,000 miles

2026 CFMOTO [†] CFORCE 600			
KEY FEATURES	580 cc, 44 hp, single cylinder, SOHC (Single Overhead Camshaft)	ADDITIONAL FEATURES	12 in. aluminum wheels with 25 in. tires
	CVT with engine braking, 2WD/4WD/4WD lock		Full skid plate
	Variable Electric Power Steering (EPS)		LED headlights
	SUSPENSION: FR: Double A-arm 6.3 in. travel RR: Double A-arm 8.3 in. travel 10.2 in. ground clearance		Front bumper
	175 lb (80 kg) rack capacity		5 in. digital display
	1,500 lb (680 kg) towing capacity		3,500 lb (1,588 kg) winch
	Front and rear storage, front and rear flat racks		

©2025 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. For other jurisdictions, see your local dealer. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Product performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. BRP recommends that all ATV drivers take a training course. Never exceed the ATV's passenger capacity. All adult model ATVs are meant to be used by drivers aged 16 and older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs are for off-road use only; never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely.

