

# ECOTOXIC

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Biflex<sup>®</sup>

GARRARDS


## ULTRA 100EC INSECTICIDE

For the control of common spiders, cat fleas, Australian sheep blowflies, common house flies and German and American cockroaches on the interior and exterior of domestic and industrial structures.

Contains: 100g/litre bifenthrin in the form of an emulsifiable concentrate.  
Also contains 760 g/litre hydrocarbon liquids.

Approved pursuant to the HSN0 Act 1996 Code HSR 000277  
NZFSA Approved Type B  
(all animal products except dairy)

AgriQuality New Zealand Limited approved  
15 March 2001 for the use in Dairy Factories Category B



Contents: 5 Litres

### HSNO CLASSIFICATIONS

3.1D, 6.1D, 6.3A, 6.4A, 6.9A, 9.1A, 9.2B, 9.3B, 9.4A

**WARNING** – combustible liquid.

**HARMFUL** – may be harmful if swallowed, inhaled or absorbed through the skin. May cause skin and eye irritation.

**TOXIC** – May cause organ damage from repeated oral exposure at high doses.

**ECOTOXIC** – Very toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container. Toxic to the soil environment. Toxic to terrestrial vertebrates. Very toxic to terrestrial invertebrates.

### PRECAUTIONS

Keep away from sources of ignition.  
Keep out of reach of children.

Store in original containers, lightly closed away from foodstuffs. When mixing or applying, wear protective clothing, gloves and goggles. Do not eat, drink or smoke while using. Wash hands and face before meals and after work. Wash protective clothing after work. Avoid contact with skin and inhalation of spray mist. Wash hands and exposed skin before meals and after work.

### Container disposal:

Triple rinse container and add residues to the spray tank. Crush container and bury in suitable landfill.

**FIRST AID** : If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately. If spill on skin, remove contaminated clothing and wash affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in eyes, flush with running water for at least 15 minutes. Take to hospital without delay. If inhaled, remove to fresh air. Take to hospital without delay.

**PRODUCT INFORMATION:** Biflex 100EC is a synthetic pyrethroid, of low irritation to users, with a broad spectrum of activity controlling a wide range of pests. Biflex 100EC has a rapid knockdown action and a long residual control, particularly on non-porous surfaces. Biflex 100EC should only be applied to surfaces that are not going to be damaged from water (e.g. unsealed timber, delicate painted surfaces, delicate fabrics etc). If in doubt of water damage susceptibility, apply on a small inconspicuous area and inspect for adverse affects.

**DIRECTIONS FOR USE:** Mixing: Pour the required amount of Biflex 100EC into water in the spray tank and mix thoroughly. Maintain agitation during both mixing and application.

Application: Apply in sufficient water to achieve good coverage without undue run-off. This will generally be around 5 litres of mix/ 100 square metres on non-porous surfaces and up to 10 litres of mix/ 100 square metres on porous

surfaces. Pay particular attention to protected dark areas such as cracks and crevices, under floors, eaves and other hiding and resting places.

For overall band spraying, apply as a coarse low pressure surface spray. For crack and crevice treatment, use an appropriate solid stream nozzle.

Use the higher rate in situations where pest pressure is high and/or maximum residual protection is required.

### RECOMMENDATIONS:

Pest	Rate/ 10 litres of water	Comments
Common Spiders	25 - 50 ml	For maximum spider control, use a two part treatment – 1. Crack and crevice 2. Overall band spray surfaces
Cat Flea	20 – 40 ml	For knockdown, apply as an overall spray to infested areas.
American and German cockroaches	40 – 80 ml	Apply to cockroach harbors, cracks, crevices and other frequented areas.
Australian sheep blowfly, common house fly	20 – 40 ml	Apply as an overall spray to infested areas. Use the high rate for longest residual control on non-porous surfaces.

**NOTES:** Do not allow spray to contact food, food preparation surfaces or food utensils. Remove or cover foodstuffs before application. Wash all food contact surfaces thoroughly before re-introducing foodstuffs. Do not use in areas where meat products are processed, packed or stored. Do not use where food packaging materials (cartons, liners, etc.) are stored. Do not use near air vents or ducts in food stores or processing plants while they are in operation.

Before spraying, remove any animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove fish ponds, aquariums, etc. before spraying.

Do not spray into the air or directly on humans, pets or animals.

Avoid applying spray beyond the point of run-off as this may cause unsightly “run marks”, especially on vertical surfaces. While Biflex is generally non-staining, if spraying on an unfamiliar or sensitive surface, it is advisable to check surface reaction of a small area, prior to full-scale application.

### Re-Entry Period.

Do not allow people or pets to contact treated areas until spray has dried.

### NOTICE TO BUYER

This product is approved for the uses recommended on this label only. Use of this product on other crops or at rates that differ from those specified on the label, are at the user's own risk. Careful tests have proven that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since the storage and use of the product are beyond our control and we are unable to foresee all circumstances arising therefrom, we do not accept liability for any damage which may result from the storage or use of the product. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

Biflex is a product of: FMC Corporation, 735 Market St., Philadelphia PA 19103  
© - Registered Trade Mark of FMC Corporation, U.S.A

Imported by: Garrards, Unit 4, 27b Cain Rd., Penrose, Auckland  
PO BOX 112139, Penrose, Auckland  
Phone: (09) 526 5232 Fax: (09) 526 4272