

BRIGAND BLOCKS

® Brigand is a registered trademark of PelGar International Ltd.

NET CONTENTS

8kg

GENERAL INFORMATION

The BRIGAND Block bait is formulated for use indoors and outdoors. It will control rats and mice including those that may be resistant to Warfarin. It is approved for use as a ground-based application in a bait station. Locate baits under cover, along walls or rafters and in dark sheltered areas where there are signs of rodent activity. Use only with an appropriate bait station. Pre-feeding is not required as individual rodents can consume a lethal dose at a single feeding. Most rodents die within 10 days.

Baiting strategy

- Eliminate as much as practical, all alternative food sources.
- Locate baits under cover, along walls or rafters and in dark sheltered areas where there are signs of rodent activity.

For mice - use a single bait block 5m apart, or 2m apart for high infestations.

For rats - use 1 to 3 blocks 10 m apart reducing to 5 m apart for high infestations.

- Record location and number of bait stations to assist in checking and later removal.
- Inspect baits regularly.
- Replace baits every 7 days until no more is taken. If baits are ingested more quickly then replace more frequently.

NOTE: One feed is sufficient to kill a mouse or rat but they will continue to eat the bait even after a lethal dose has been eaten.

- Baiting for at least 2 weeks will be necessary to reduce rodent numbers.
- Ensure untaken baits are removed and safely disposed of when rodent activity has ceased.

By law this product must only be used in a bait station and as specified on the label.

WARNING

May be harmful if swallowed. May cause damage to the blood system from repeated oral exposure to high doses. Harmful to aquatic organisms and terrestrial vertebrates.

PRECAUTIONS

Avoid skin contact. Wear gloves. Wash hands and exposed skin after handling. Avoid contamination of any water supply with product or empty container. Do NOT lay baits in places accessible to children, pets, domestic animals, livestock or birds. Do NOT lay baits in bush area where stock or feral animals have access to baits. Dispose of any carcasses by burial or by wrapping in paper, placing in a plastic bag and putting in the garbage.

FIRST AID

If swallowed, do NOT induce vomiting. For advice, contact the National Poisons Centre 0800 poison (0800 764 766) or a doctor, immediately.

Treatment of domestic animals: Depending on the amount eaten, this bait may kill or injure dogs, cats, pigs, poultry and wildlife. Vitamin K1 is an effective antidote against accidental poisoning of domestic animals.

Note to Doctors and Veterinarians: Brodifacoum is a long-lasting anticoagulant compound which if ingested by humans, domestic animals or pets, can reduce the clotting ability of the blood and haemorrhage may result. Vitamin K1 (Phytomenadione) should be administered urgently by medical, appropriate para-medical personnel or veterinarians. If administered intravenously the injection must be given slowly.

STORAGE: Store in original container tightly closed and in a locked, dry, cool area away from direct sunlight and foodstuffs.

DISPOSAL: Ensure container is completely empty. Do NOT use container for any other purpose. Burn empty container if circumstances such as wind direction permit, otherwise crush and bury in a suitable landfill. Wrap untaken or unused baits, place in plastic bag and put into the garbage.

Registered pursuant to the ACVM Act 1997, No. V9591

See www.foodsafety.govt.nz for registration conditions.

EPA Approval Number: HSR001594 HSNO Classifications: 6.1E, 6.9B, 9.1D



International

Registered by:

PelGar International Ltd.

Unit 13, Newman Lane
Alton, Hants. GU34 2QR. UK.
Phone (+44) 1420 80744

www.pelgar.co.uk

New Zealand Agent:

PelGar International (NZ) Ltd.

PO Box 11825
Ellerslie, Auckland 1542
Phone: (+64) 21 670 105

Batch No. See bucket.

D.O.M. See bucket.

D.O.E. See bucket.

In a transport emergency
dial 111, Police or Fire Brigade

