MAXFORCE FUSION COCKROACH GEL

1/10 Revision Date: 22.02.2023

Version 1/NZ

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name MAXFORCE FUSION COCKROACH GEL

Product code (UVP) 79987390

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
EPA Approval HSR000676

1.3 Details of the supplier of the safety data sheet

Importer/distributor Garrards (NZ) Ltd

Unit 4/27B Cain Road

Penrose Auckland 0627 New Zealand

Telephone: 09 526 5232 www.garrards.co.nz

1.4 Emergency telephone numbers

Emergency Number For specialist advice in an emergency call +64 9801 0034 or

0800 425 459 toll free.

The toll free phone number is possibly accessible, but not

guaranteed from payphones within New Zealand and is not accessible

from outside of New Zealand.

National Poisons Centre 0800 764 766 [0800 POISON]

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020

Specific target organ toxicity, repeated exposure Category 2

H373 May cause damage to organs through prolonged or repeated exposure if

inhaled or swallowed.

Hazardous to the aquatic environment, chronic Category 2

H411 Toxic to aquatic life with long lasting effects

Hazardous to soil organisms.

Hazardous to terrestrial invertebrates.

2.2 Label elements

Labelling in accordance with Hazardous Substances (Labelling) Notice 2017

MAXFORCE FUSION COCKROACH GEL

2/10

Revision Date: 22.02.2023

Version 1/NZ

Pictograms





Signal word: Warning

Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure if inhaled or

swallowed.

H411 Toxic to aquatic life with long lasting effects.

H423 Harmful to the soil environment.H441 Very toxic to terrestrial invertebrates.

Precautionary statements

P103 Read label before use.

P260 Do not breathe mist/vapours/spray. P273 Avoid release to the environment.

P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Bait (ready to use) containing Imidacloprid 21.5 g/kg

Hazardous components

Name	CAS-No.	Conc. [%]
Imidacloprid	138261-41-3	2.15
Glycerine	56-81-5	>1
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
Other ingredients	Proprietary	To balance

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice If medical advice is needed, have product container or label at hand.

Contact the National Poisons Centre 0800 764 766 (0800 POISON]. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of

safely.

Inhalation Unlikely to be exposure route.

MAXFORCE FUSION COCKROACH GEL

3/10

Revision Date: 22.02.2023

Version 1/NZ

Skin contact Immediately wash with plenty of soap and water, and if available with

polyethylene glycol 400, then rinse with water. If symptoms persist get

medical advice.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least

15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and

persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a doctor or National Poisons

Centre immediately for advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms If large amounts ingested may have symptoms of nausea, abdominal pain,

dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Risks No specific information.

Treat symptomatically. Monitor: respiratory and cardiac functions. In case of

ingestion gastric lavage should be considered in cases of significant

ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific

antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical, sand.

Unsuitable High volume water jet

5.2 Special hazards arising

from the substance or

mixture

In the event of a fire, hazardous compounds/gases may be released.

5.3 Advice for firefighters

Special protective

equipment for firefighters

of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with

water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

In the event of fire and/or explosion do not breathe fumes. In the event

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. When

dealing with a spillage do not eat, drink or smoke. Use personal

protective equipment.

MAXFORCE FUSION COCKROACH GEL

4/10

Revision Date: 22.02.2023

Version 1/NZ

6.2 Environmental precautions

Contain spillage. Do not allow to get into surface water, drains

and ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upThe form of the product makes a spillage unlikely. Soak up with inert

absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container for disposal. Clean contaminated floors and

objects thoroughly, observing environmental regulations.

Additional advice Comply with any local regulations.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Read label before use.

Advice on protection No specific information.

Hygiene measures

against fire and explosion

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing immediately and wash before reuse. Items that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep out of reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct

sunlight.

Storage of more than 1000 kg requires signage, secondary

containment and an emergency response plan.

Advice on common storage

Keep away from food, drink and animal feeding stuffs.

Suitable materials

HDPE (high density polyethylene), Polypropylene.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Exposure	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)	Inhalation	OES BCS*
Glycerine (mist)	56-81-5	0.7 mg/m3 (TWA)	Inhalation	NZ TWA**

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

^{**} NZ Workplace exposure standards and biological exposure indices, WORKSAFE, ed. 13, April 2022

MAXFORCE FUSION COCKROACH GEL

5/10

Revision Date: 22.02.2023 Version 1 / NZ

8.2 Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Respiratory protection is not required under anticipated

circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment

and/or local extract ventilation. Always follow respirator

manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the

contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating.

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min
Glove thickness > 0.4 mm
Protective index Class 6

Directive Protective gloves complying with

relevant standard

Eye protection Wear chemical goggles.

Skin and body protection Wear standard coveralls. If there is a risk of significant exposure,

consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

If chemical protection suit is splashed, sprayed or significantly contaminated, decontaminate as far as possible, then carefully

remove and dispose of as advised by manufacturer.

General information The following Standards provide general advice regarding safety

clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: **AS/NZS 4501**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective

Footwear: AS/NZS2210

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance White to beige gel

Odour Weak, characteristic

Odour threshold No information

pH 4.5 - 5.0 (1% aqueous) (23 °C)

Freezing point No information

MAXFORCE FUSION COCKROACH GEL

6/10

Revision Date: 22.02.2023

Version 1/NZ

Initial boiling point and

boiling range

Not applicable

Flash point

Not applicable

Flammability (solid, gas)

Non-flammable

Upper/lower flammability or explosive limits

No information

Vapour pressure No information
Vapour density No information

Relative density ca. 1.21 g/cm³ at 20 °C **Solubility** Dispersible in water.

Imidacloprid water solubility, 610 mg/L

Partition coefficient: n-

octanol/water

Imidacloprid: log Pow 0.57

Auto-ignition temperature >381°C

Decomposition temperature

No information

Viscosity, dynamic No information

Particle characteristics No information

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions when stored and handled according to

prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in original container.

10.6 Hazardous decomposition products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

Acute inhalation toxicity

Acute dermal toxicity

Not classified.

Not classified.

Not classified.

Non-irritating.

Eye irritation

Non-irritating.

MAXFORCE FUSION COCKROACH GEL

7/10

Revision Date: 22.02.2023

Version 1/NZ

Respiratory sensitisation Not classified

Skin sensitisation Non-sensitizing (Buehler, and Magnusson & Kligman tests)

Aspiration hazard Based on available data, the classification criteria are not met.

Assessment mutagenicity

Imidacloprid is not mutagenic nor genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Imidacloprid caused reproductive toxicity in a two-generation study in rats but at doses also toxic to parent animals.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen are related to maternal toxicity.

Assessment of toxicity by lactation

Not classified.

Assessment STOT Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid affects liver (hepatotoxicity) and muscles.

Toxicological data

Oral LD50 (Rat) >5,000 mg/kg

Dermal LD50 (Rat) > 5,000 mg/kg

Further information

Not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Hazard classification Toxic to aquatic life with long lasting effects.

Harmful to soil organisms and very toxic to terrestrial

invertebrates.

Toxicity to fish LC50 (*Oncorhynchus mykiss* (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient Imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient

Imidacloprid.

LC50 (Chironomus riparius (non-biting midge) 0.0552 mg/L

Exposure time: 24 h

The value mentioned relates to the active ingredient

Imidacloprid.

LC50 (Chironomus riparius (non-biting midge) 0.87 µg/L

Exposure time: 28 d

The value mentioned relates to the active ingredient

Imidacloprid.

MAXFORCE FUSION COCKROACH GEL

8/10

Revision Date: 22.02.2023

Version 1/NZ

Toxicity to aquatic plants IC50 (*Desmodesmus subspicatus* (green algae)) > 10 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient Imidacloprid.

12.2 Persistence and degradability

Biodegradability Imidacloprid:

Not rapidly biodegradable.

Koc Imidacloprid: 225

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:

Does not bioaccumulate

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soil.

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Imidacloprid: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered

to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

information

No further ecological information is available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product Dispose of this product only by using according to the label, or at an

approved landfill or other approved facility.

Contaminated packaging Triple rinse containers. Recycle if possible. If allowed under local

authority, burn if circumstances, especially wind direction permit, otherwise crush and bury in an approved local authority facility. Do not

use container for any other purpose.

SECTION 14: TRANSPORT INFORMATION

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

ADR/RID/ADN

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IMIDACLOPRID MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Environm. Hazardous Mark YES
Hazchem Code 2Z

MAXFORCE FUSION COCKROACH GEL

9/10

Revision Date: 22.02.2023

Version 1/NZ

IMDG

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IMIDACLOPRID MIXTURE)

14.3 Transport hazard class(es) 9
14.4 Packing group III
14.5 Marine pollutant YES

IATA

14.1 UN number **3077**

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(IMIDACLOPRID MIXTURE)

14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environ. Hazardous Mark
YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Act 1996

HSNO substance No. HSR000676

HSNO Controls See www.epa.govt.nz

ACVM Act 1996

ACVM registration No. Exempt

ACVM conditions See www.foodsafety.govt.nz

Other product approvals Approved Maintenance Compound Type D-

28

SECTION 16: OTHER INFORMATION

Date issued: 22nd February 2023

Reason for issue: Change is supplier and 5-yearly review, update to GHS

Replaces:

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

ECx Effective concentration to x %

MAXFORCE FUSION COCKROACH GEL

10/10

Revision Date: 22.02.2023

Version 1/NZ

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code)

ICx Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TWA Time weighted average

UN United Nations

WHO World Health organisation

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.