

SAFETY DATA SHEET

0007

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name PESTIGAS

Synonyms 0007 - SDS NUMBER ● PRODUCT CODE: 113C ● SYNERGISED NATURAL PYRETHRINS INSECTICIDE

Page 1 of 7

AEROSOL

1.2 Uses and uses advised against

Uses PESTICIDE ● SPACE SPRAY

This product is an insecticide used in the control of insects. It is intended for use by licensed or other

authorised persons.

1.3 Details of the supplier of the product

Supplier name BOC LIMITED (NEW ZEALAND)

Address 988 Great South Road, Penrose, Auckland, NEW ZEALAND

Telephone +64 9 525 5600 **Fax** +64 9 525 7889

Email <u>customer.servicenz@boc.com</u>

Website http://www.boc.co.nz

1.4 Emergency telephone numbers

Emergency 0800 111 333 (NZ only)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

HAZARDOUS ACCORDING TO NZ ENVIRONMENTAL PROTECTION AUTHORITY CRITERIA

Physical Hazards

Gases Under Pressure: Liquefied Gas

Health Hazards

Not classified as a Health Hazard

Environmental Hazards

9.1C - Substances that are harmful in the aquatic environment

2.2 GHS Label elements

Signal word WARNING

Pictograms



Hazard statements

H280 Contains gas under pressure; may explode if heated. H412 Harmful to aquatic life with long lasting effects.

Prevention statements

None allocated.



SDS Date: 15 Oct 2019

Version No: 2.3

Response statements

None allocated.

Storage statements

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Disposal statements

None allocated.

2.3 Other hazards

In high concentrations may cause asphyxiation. Contact with liquid may cause cold burns/frostbite. Pyrethrins have been shown to cause allergic skin reactions and allergy or asthma symptoms or breathing difficulties if inhaled.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content (v/v)
CARBON DIOXIDE	124-38-9	204-696-9	87.6%
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	265-149-8	10%
PIPERONYL BUTOXIDE	51-03-6	200-076-7	2%
PYRETHRUM	8003-34-7	232-319-8	0.4%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye Cold burns: Immediately flush with tepid water or with sterile saline solution. Hold eyelids apart and irrigate

for 15 minutes. Seek medical attention.

Inhalation Remove from exposure area immediately. If assisting a victim, avoid becoming a casualty, wear an Air-line

respirator or Self Contained Breathing Apparatus (SCBA). If victim is not breathing apply artificial respiration

and seek urgent medical attention. Give oxygen if available.

Skin Cold burns: Remove contaminated clothing and gently flush affected areas with warm water (30°C) for 15

minutes. It is recommended that warm water is applied to clothing before removing it so as to prevent further skin damage. Apply sterile dressing and treat as for a thermal burn. For large burns, immerse in warm water

for 15 minutes. DO NOT apply any form of direct heat. Seek immediate medical attention.

Ingestion Ingestion is not considered a potential route of exposure.

First aid facilities None allocated.

4.2 Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Direct contact with the liquefied material or escaping compressed gas may cause frostbite injury. Low concentrations of CO2 cause increased respiration and headache.

4.3 Immediate medical attention and special treatment needed

Treat for asphyxia and cold burns.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use water fog to cool containers from protected area.

5.2 Special hazards arising from the substance or mixture

Non flammable.

5.3 Advice for firefighters

Temperatures in a fire may cause cylinders to rupture. Cool cylinders exposed to fire by applying water from a protected location. Do not approach cylinders suspected of being hot. Remove cool cylinders from the path of the fire.

5.4 Hazchem code

2TE

2 Fine Water Spray.

T Wear full fire kit and breathing apparatus. Dilute spill and run-off.

E Evacuation of people in and around the immediate vicinity of the incident should be considered.

ChemAlert.

SDS Date: 15 Oct 2019 Version No: 2.3

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

If the cylinder is leaking, evacuate area of personnel. Inform manufacturer/supplier of leak. Use Personal Protective Equipment (PPE) as detailed in Section 8 of the SDS. Ventilate area where possible and eliminate ignition sources.

6.2 Environmental precautions

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.3 Methods of cleaning up

Stop the flow of material, if this is without risk. If the leak is irreparable, move the cylinder to a safe and well ventilated area, and allow to discharge. Keep area evacuated and free from ignition sources until any leaked or spilled liquid has evaporated.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Do not drop, roll or drag cylinders. The uncontrolled release of any gas under pressure may cause physical harm. Use a suitable hand truck for cylinder movement.

7.2 Conditions for safe storage, including any incompatibilities

Refer to vessel operating instructions. Do not store near incompatible substances, heat or ignition sources and foodstuffs. Portable liquid containers should be stored: upright, prevented from falling, in a secure area; below 65°C, in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m³	ppm	mg/m³
Carbon dioxide	WES [NZ]	5000	9000	30000	54000
Mineral Oil Mist	WES [NZ]		5		
Pyrethrum	WES [NZ]		5		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls

In poorly ventilated areas, mechanical extraction ventilation is recommended. Maintain vapour levels below the recommended exposure standard. It is recommended to maximise the effectiveness of this product, that it should be applied with artificial and natural ventilation closed. Hand held applications should commence at the furthest point from the exit and continue as the operator moves away from the spray drift towards the exit. Entry should be barred to areas in which fixed nozzle spraying occurs during spraying. Ventilation should be re-opened 2 hours after spraying has ceased.



SDS Date: 15 Oct 2019 Version No: 2.3

PPE

Eye / Face Wear safety glasses.

Hands Wear leather or insulated gloves.

Body Wear coveralls.

Respiratory Where an inhalation risk exists, wear Self Contained Breathing Apparatus (SCBA) or an Air-line respirator.







9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance COLOURLESS GAS (LIQUEFIED UNDER PRESSURE)

Odour CHRYSANTHEMUM-LIKE ODOUR

Flammability NON FLAMMABLE NOT APPLICABLE Flash point NOT AVAILABLE **Boiling point Melting point NOT AVAILABLE NOT APPLICABLE Evaporation rate** NOT APPLICABLE pН **NOT AVAILABLE** Vapour density **NOT APPLICABLE** Specific gravity

Solubility (water) 0.759 cm³/cm³ (Carbon dioxide)
Vapour pressure 6300 kPa @ 25°C (Approximately)

Upper explosion limit **NOT APPLICABLE** Lower explosion limit **NOT APPLICABLE** Partition coefficient NOT AVAILABLE **NOT APPLICABLE** Autoignition temperature **Decomposition temperature** NOT AVAILABLE **Viscosity** NOT AVAILABLE **Explosive properties** NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold NOT AVAILABLE

9.2 Other information

% Volatiles 100 %

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid contact with incompatible substances.

10.5 Incompatible materials

Compatible with most commonly used materials.

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION



SDS Date: 15 Oct 2019 Version No: 2.3

Page 4 of 7

11.1 Information on toxicological effects

Based on available data, the classification criteria are not met. Low concentrations of carbon dioxide cause **Acute toxicity**

increased respiration and headache.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	> 2000 mg/kg (rat)	> 2000 mg/kg (rabbit)	
PIPERONYL BUTOXIDE	2600 mg/kg (mouse)	200 mg/kg (rabbit)	
PYRETHRUM	200 mg/kg (rat)	300 mg/kg (rabbit)	3.4 mg/L (rat)

Skin Not classified as a skin irritant. Contact with dry ice powder may cause frostbite injury or cold burns. Eye Not classified as an eye irritant. Contact with dry ice powder may cause frostbite injury or cold burns.

Pyrethrins have been shown to cause allergic skin reactions and allergy or asthma symptoms or breathing Sensitisation

difficulties if inhaled.

Mutagenicity Not classified as a mutagen. Carcinogenicity Not classified as a carcinogen.

Reproductive Not classified as a reproductive toxin.

Asphyxiant. Effects are proportional to oxygen displacement. Over exposure may result in dizziness, STOT - single

drowsiness, weakness, fatigue, breathing difficulties and unconsciousness. exposure

STOT - repeated Not classified as causing organ damage from repeated exposure.

exposure **Aspiration** Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Piperonyl butoxide is not rapidly biodegradable.

12.3 Bioaccumulative potential

Piperonyl butoxide may bioaccumulate.

12.4 Mobility in soil

The substance is a gas, not applicable.

12.5 Other adverse effects

Piperonyl butoxide is toxic to terrestrial invertebrates and aquatic organisms. The substance must not be applied onto or into water.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Ensure all liquid and gas supply valves are shut. Notify the manufacturer that you will be returning the Waste disposal

portable liquid container. Residual product will be disposed of under the manufacturer's supervision.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005; NZS 5433:2012, UN, IMDG OR IATA





SDS Date: 15 Oct 2019 Version No: 2.3

Page 5 of 7

	LAND TRANSPORT (NZS 5433)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	1968	1968	1968
14.2 Proper Shipping Name	INSECTICIDE GAS, N.O.S. (contains piperonyl butoxide, carbon dioxide)	INSECTICIDE GAS, N.O.S. (contains piperonyl butoxide, carbon dioxide)	INSECTICIDE GAS, N.O.S. (contains piperonyl butoxide, carbon dioxide)
14.3 Transport hazard class	2.2	2.2	2.2
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code 2TE EMS F-C, S-V

Other information

Wherever possible use open vehicles or trailers. If cylinder must be carried in an enclosed van or car ensure good ventilation at all times by: a) Using a compartment within the vehicle permanently vented to the outside but sealed from the rest of the vehicle's interior, or b) Opening the vehicle's windows (this is not a preferred method). NOTE: A car boot would not normally be a ventilated compartment. Ensure cylinder is separated from driver and foodstuffs and that outlet of relief device is not obstructed. Wherever possible use open vehicles or trailers. If cylinder must be carried in an enclosed van or car ensure good ventilation at all times by: a) Using a compartment within the vehicle permanently vented to the outside but sealed from the rest of the vehicle's interior, or b) Opening the vehicle's windows (this is not a preferred method). NOTE: A car boot would not normally be a ventilated compartment. All cylinders must be carried secured firmly so that they cannot move in transit. Cylinders must be protected against damage from other cargo, particularly the valves. Do not store cylinders in an enclosed vehicle overnight or for periods longer than one hour. Do not use cylinders in a closed vehicle. Never transport cylinders with equipment attached unless the cylinder valve is shut and the cylinders are secured.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Approval code HSR000350

Group standard Aerosol containing 2.3 - 20 g/litre pyrethrins and 11.6 - 20 g/litre piperonyl butoxide

Inventory listings NEW ZEALAND: NZIoC (New Zealand Inventory of Chemicals)

All components are listed on the NZIoC inventory, or are exempt.

16. OTHER INFORMATION

Additional information

APPLICATION METHOD: Cylinder positioned vertically with valve at top. Portable cylinders connected to hand held spray gun or manifolded cylinders connected to fixed pipework distribution system with spray nozzles and controlled release.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 15 Oct 2019 Version No: 2.3

Page 6 of 7

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CCID Chemical Classification and Information Database (HSNO)

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

EPA Environmental Protection Authority [New Zealand]

GHS Globally Harmonized System

HSNO Hazardous Substances and New Organisms
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

TLV Threshold Limit Value
TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[End of SDS]

Page 7 of 7



SDS Date: 15 Oct 2019

Version No: 2.3