

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ULTRATHOR™

WATER-BASED TERMITICIDE AND INSECTICIDE

ACTIVE CONSTITUENT: 100 g/L FIPRONIL

GROUP 2B INSECTICIDE

For the protection of structures from subterranean termite damage and for the control of subterranean termites and various insect pests around domestic and commercial structures as specified in the Directions for Use Table.

TO BE USED BY LICENSED PEST CONTROL OPERATORS* ONLY
IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE



ENSYSTEX AUSTRALASIA PTY LTD

ABN 53 102 221 965

Unit 3 The Junction Estate,
4-6 Junction Street Auburn NSW 2144

www.Ensystex.com.au

CUSTOMER SERVICE 13 35 36

EMERGENCY RESPONSE (ALL HOURS) 13 35 36

Contents:
1 Litre

APVMA APPROVAL NO: 64449/133265

ENSYSTEX®

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to the spray tank. Do NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Wash hands after use. When opening the container, preparing spray and using the prepared spray wear chemical resistant clothing buttoned to the neck and wrist and a washable hat, half-facepiece respirator with combined dust and gas cartridge and elbow-length PVC or nitrile gloves. After each day's use, wash gloves, contaminated clothing and respirator and if rubber wash with detergent and warm water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

SDS

Additional information is listed in the Safety Data Sheet which is available from Ensysstex on request. Call Customer Service on 13 35 36 or visit our web site at www.Ensysstex.com.au.

Australian Standards

Licensed Pest Control Operators installing a chemical soil treated zone around an existing building should be familiar with the Australian Standard 3660.2, which provides important information relating to installation of chemical soil termite treatment zones.

*AEPMA Industry Codes of Best Practice.

Licensed Pest Control Operators installing a chemical soil treated zone around an existing building should be familiar with the AEPMA Industry Code of Best Practice for Termite Management which provides important information relating to the installation of chemical soil termite treatment zones.

Licensed Pest Control Operators installing a chemical soil treated zone to a building under construction should be familiar with the AEPMA Industry Code of Best Practice for Termite Management during Constructions which provides important information relating to the installation of chemical soil termite treatment zones.

For details of appropriate Training, Experience and Qualifications for Professional Pest Managers/Technicians, see Section 7.1 of the AEPMA Industry Code of Best Practice for Termite Management.

For details of appropriate inspection standards see Section 12.1 of the AEPMA Industry Code of Best Practice for Termite Management.

NOTICE

Ensysstex warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with Directions for Use under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions or under off-label permits not endorsed by Ensysstex, or under abnormal conditions.

Batch No.:

Date of Manufacture: