

**GENERAL INSTRUCTIONS/GENERAL INSTRUCTIONS**

Pestigas® is self-propelled requiring no auxiliary power. Operate by holding the spray nozzle on its side and which permeates the air with minute-sized particles toxic to insects.

- a) Pestigas® will be injected on an door or into to treated areas. The notice included
- b) Day(s) of the week at.
- c) Time of the day.
- d) Entry must not take place within two (2) hours of treatment.
- e) Emergency contact address and telephone number.

**PROTECTION OF OTHERS**

DO NOT point applicator towards any person. Contaminated gas. Avoid contact with high pressure spray. PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT. DO NOT contaminate dams, rivers, streams, waterways or drains with the chemical or used container.

**INSECTICIDE RESISTANCE WARNING**

GROUP	3A	INSECTICIDE
-------	----	-------------

For insecticide resistance management: Pestigas is a group 3A insecticide. Some naturally occurring insecticides resistant to Pestigas and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually comprise the insect population if Pestigas or other Group 3A insecticides are used repeatedly. The effectiveness of Pestigas on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use BOC LIMITED accepts no liability for any losses that may result from the failure of Pestigas to control resistant insects. Pestigas may be subject to specific resistance management strategies. For further information contact your local supplier, BOC LIMITED representative or local agricultural department agronomist.

The stripe symbol is a trademark of The BOC Group. The letters Pestigas and the Pestigas logo are trademarks of BOC Limited, a member of The BOC Group.

**STORAGE AND DISPOSAL**

Store Pestigas® cylinders in a cool, well ventilated, locked area out of reach of children or unauthorised persons. Empty contents fully. Close all valves and return to point of supply for refill or storage.

Cylinder always remains the property of BOC and must be returned for refilling

**SAFETY DIRECTIONS**

Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing.

- Avoid contact with the skin and eyes.
- Do not inhale spray mist.
- Wash hands after use.

**FIRST AID**

If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. If sprayed on skin, wash thoroughly. If sprayed in mouth, rinse mouth with water. Additional information is given on the PESTIGAS® Material Safety Data Sheet available from www.boc.com.au. If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131122. New Zealand 03 4749500

Patent Number 494186

WDT239 3/07



KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE USE



**Pestigas®**


**PYRETHRINS INSECTICIDE**  
**ACTIVE CONSTITUENTS: 4g/kg PYRETHRINS**  
**20g/kg PIPERONYL BUTOXIDE**

A compressed gas formulation for the control of flying insects (eg. flies, moths, mosquitoes) and crawling insects (eg. cockroaches, beetles, ants, silverfish) in industrial, commercial, rural and domestic premises.

**NET CONTENT: 6Kg**



BOC Limited A.B.N. 95 000 029 729  
10 Julius Avenue, North Ryde NSW 2113  
Ph: 1300 363 109



9328110806189  
WDT 239 03/07

WDT239 3/07

APVMA Approval No 32661/6/0307

**DIRECTIONS FOR USE (ALL STATES)**

**RESTRICTIONS**

DO NOT apply this product with BOC approved equipment.  
For manual spray use kit 736685 and nozzle 736686.

For best safety instructions refer to BOC for approved pest control systems using programmed area-releases or manual release.

DO NOT allow contact with food. Remove all items of food or property from treatment area before treatment is commenced. Food should be protected by suitable means. Do not use this product on surfaces which are to be used for food preparation or consumption.

DO NOT re-enter treated areas within two (2) hours of completing treatment.

SITUATION	PEST	RATE	CRITICAL COMMENTS
Food storage and processing areas of warehouses, animal houses, factories, restaurants, hotels, hospitals and domestic premises.	Flying insects (eg. flies, moths, mosquitoes)	50g/300m <sup>3</sup> (17sec/300m <sup>3</sup> using BOC Gases Kit and 736685 nozzle)	Spray into air space not onto any surface.
	Crawling insects (eg. Cockroaches, beetles, ants, silverfish)	3g/300m <sup>3</sup> Every 30 minutes.	Suitable only as a repellent.
		150g/300m <sup>3</sup> (50sec/300m <sup>3</sup> using BOC Gases kit and 736685 nozzle)	Spray into air space. Using extended nozzle treat cracks and crevices with small amounts.

WD1227 3/07