

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name GRANITGARD

**Synonyms** 

1.2 Uses and uses advised against

Uses TERMITE BARRIER

1.3 Details of the supplier of the product

Supplier name EB MAWSONS & SONS PTY LTD

Address 141 King George Street, Cohuna, Vic, 3568, AUSTRALIA

 Telephone
 (03) 5456 2409

 Fax
 (03) 5456 2428

 1.4 Emergency telephone numbers

**Emergency** (03) 5456 2409

# 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

### 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

#### 2.3 Other hazards

Product is supplied moist to prevent formation of airborne dust. If dry, dust may contain crystalline silica, some of which may be respirable. Repeated exposure to respirable crystalline silica dust may cause lung fibrosis (silicosis).

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

| Ingredient                  | CAS Number    | EC Number     | Content   |
|-----------------------------|---------------|---------------|-----------|
| QUARTZ (CRYSTALLINE SILICA) | 14808-60-7    | 238-878-4     | 25 to 35% |
| MICA                        | 12001-26-2    | 601-648-2     | <1%       |
| FELDSPAR                    | -             | -             | 55 to 65% |
| NON HAZARDOUS INGREDIENTS   | Not Available | Not Available | Remainder |

# 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin**No adverse effects are expected. Dusts may be washed away with running water. If symptoms develop seek

medical attention.

Ingestion No adverse effects are expected. However, if dusts are swallowed, do not induce vomiting. Rinse mouth out

with water. Seek medical attention if symptoms develop.

First aid facilities 
Normal washroom facilities should be available.



### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

### 5.3 Advice for firefighters

No fire or explosion hazard exists.

### 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

#### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust. Material may be dampened with water.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas. Maintain product in a moist condition to minimise release of dust and respirable silica. This product may be sprayed with water to eliminate dust formation during installation.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

### **Exposure standards**

| Ingredient                                      | Reference    | TWA |       | STEL |       |
|---|--------------|-----|-------|------|-------|
| Ingredient                                      | Kelelelice   | ppm | mg/m³ | ppm  | mg/m³ |
| Mica  | SWA [AUS]    |     | 2.5   |      |       |
| Quartz (respirable dust)                        | SWA [AUS]    |     | 0.05  |      |       |
| Quartz (respirable dust) (Precautionary advice) | WorkSafe VIC |     | 0.02  |      |       |



### **Biological limits**

No biological limit values have been entered for this product.

### 8.2 Exposure controls

**Engineering controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended.

**PPE** 

Eye / Face Wear dust-proof goggles. Hands Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

During normal application when product is kept damp, and no special respirator protection should be Respiratory

required. However if airborne dust is formed, particularly when product is used dry, wear a Class P1 (Particulate) respirator. At high dust levels, wear a Powered Air Purifying Respirator (PAPR) with Class P3

(Particulate) filter or a Full-face Class P3 (Particulate) respirator.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

COLOURED POWDER **Appearance** Odour **ODOURLESS** NON FLAMMABLE **Flammability** Flash point **NOT RELEVANT Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE** 

На 3 to 10

Vapour density **NOT AVAILABLE** Relative density 2.0 to 3.0 Solubility (water) **INSOLUBLE** Vapour pressure NOT AVAILABLE Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT Partition coefficient NOT AVAILABLE **NOT AVAILABLE** Autoignition temperature **Decomposition temperature NOT AVAILABLE NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties** Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE** 

### 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

# 10.2 Chemical stability

Stable under recommended conditions of storage.

### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

### 10.4 Conditions to avoid

Avoid contact with incompatible substances.



### 10.5 Incompatible materials

Incompatible with acids (e.g. nitric acid).

# 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity No known toxicological effects from this product. Based on available data, the classification criteria are not

met.

Skin Not classified as a skin irritant. Contact may result in mechanical irritation.

Eye Not classified as an eye irritant. Contact may result in mechanical irritation.

**Sensitisation** Not classified as causing skin or respiratory sensitisation.

**Mutagenicity** No evidence of mutagenic effects.

Carcinogenicity Not classified as a carcinogen. Crystalline silica is classified as carcinogenic to humans (IARC Group 1).

However, there is a body of evidence supporting the fact that increased cancer risk would be limited to

people already suffering from silicosis.

**Reproductive** No relevant or reliable studies were identified.

STOT - single exposure

No known effects from this product.

STOT - repeated

exposure .

Not classified as causing organ damage from repeated exposure. Adverse health effects associated with silica, such as the development of silicosis (lung fibrosis), is not anticipated unless prolonged and repeated

exposure to respirable silica quartz dust occurs.

**Aspiration** This product does not present an aspiration hazard.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities.

### 12.2 Persistence and degradability

Not applicable.

# 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate.

# 12.4 Mobility in soil

This product has low mobility in soil.

# 12.5 Other adverse effects

No information provided.

### 13. DISPOSAL CONSIDERATIONS

# 13.1 Waste treatment methods

Waste disposal Ensure product is covered with moist soil to prevent dust generation and dispose of to approved Council

landfill. Contact the manufacturer/supplier for additional information (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA



|                              | LAND TRANSPORT (ADG) | SEA TRANSPORT (IMDG / IMO) | AIR TRANSPORT (IATA / ICAO) |
|------------------------------|----------------------|----------------------------|-----------------------------|
| 14.1 UN Number               | None allocated.      | None allocated.            | None allocated.             |
| 14.2 Proper<br>Shipping Name | None allocated.      | None allocated.            | None allocated.             |
| 14.3 Transport hazard class  | None allocated.      | None allocated.            | None allocated.             |
| 14.4 Packing Group           | None allocated.      | None allocated.            | None allocated.             |

#### 14.5 Environmental hazards

Not a Marine Pollutant.

### 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

# 16. OTHER INFORMATION

### **Additional information**

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

# **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[ End of SDS ]

Page 6 of 6



SDS Date: 17 Mar 2022

Revision No: 1.1