

#### Section 1. IDENTIFICATION

### Ai Fragrance Deodoriser Refill - Coconut Lime

**Description / Use:** Air deodoriser and neutralise malodours **Product Code:** 6-240

Business name: Flick Anticimex

Address: Unit 9, 145 Arthur Street

Homebush West NSW 2140 Australia

Phone: 1300 65 65 31

W: flick.com.au E: info@flick.com.au

**Issue Date:** 30<sup>th</sup> August 2021 **Review Date:** 30<sup>th</sup> August 2026

Use only according to directions on product spec sheet and label.

Poisons Information Centre: Australia 13 11 26 NZ: 0800 764 766

#### Section 2. HAZARDS IDENTIFICATION

**HAZARDOUS** according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals

**DANGEROUS GOODS** as classified by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail

#### Classification of the substance or mixture:

Physical hazards: Flammable Gas 1 – H220 Press. Gas, Liquefied – H280 Flammable Liq. 2 – H225

Health Hazards: Skin irritation 2 – H315, Eye irritation 2A – H319, STOT SE 3 – H335

Environmental Hazards: Not classified

Human Health: The liquid may be irritating to eyes, respiratory system and skin. Symptoms foliwing

overexposure may include the following: headache, dizziness, nausea, vomiting

SIGNALWORD: DANGER

#### **Hazard Statements**

Hazards

H220: Extremely Flammable gas

H280: Contains gas under pressure; may explode if heated

H225: Highly flammable liquid and vapour

H315: Causes skin irritation

H319: Causes serious eye irritation H335: May cause respiratory irritation

Precautionary statements

P102: Keep out of reach of Children

P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking

P233: Keep container tightly closed

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical equipment







P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P261: Avoid breathing spray

P264: Wash contaminated skin thoroughly after handling

P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P312: Call a POISON CENTRE or doctor/physician if you feel unwell

P321: Specific treatment (see medical advice on this label)

P332+P313: If skin irritation occurs: get medical advice/attention

P337+P313: If eye irritation occurs: get medical advice/attention

P362+P364: Take off contaminated clothing and wash before reuse

P370+P378: In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.

P377: Leaking gas fire: Do not extinguish, unless leak can be stopped safely

P381: Eliminate all ignition sources if safe to do so

P403+P233: Store in a well ventilated place. Keep container tightly closed

P403 + P235: Store in a well-ventilated place. Keep cool

P405: Store locked up

P410+P403: Protect from sunlight. Store in a well-ventilated place

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

Contains: Ethanol

#### Section 3. COMPOSITION INFORMATION

#### **Mixtures**

# Petroleum gases, liquefied 30-60%

CAS number: 68476-85-7

#### Classification

Flam. Gas 1 - H220

Press. Gas, Compressed - H280

Ethanol 30-60%

CAS number: 64-17-5

#### Classification

Flam. Liq. 2 - H225

Skin Irrit. 2 - H315

Eye Irrit. 2A - H319

STOT SE 3 - H335



Isopropylmyristate
CAS number: 110-27-0

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Aquatic Chronic 3 - H412

# Section 4. FIRST AID

#### Description of first aid measures:

**General** Remove affected person from source of contamination. Place unconscious person on

their side in the recovery position and ensure breathing can take place. Get medical

advice/attention if you feel unwell.

**Swallowed** Do NOT induce vomiting. Drink 1-2 glasses of water. Seek medical attention if any

discomfort continues.

**Eye** Immediately flush eyes with plenty of water for 15 minutes, while holding eyelids

open. Remove contact lenses if it is safe to do so. Seek medical attention

immediately.

**Skin** Remove contaminated clothing and shoes after wetting with water. Wash affected

area with soap and plenty of water. Seek medical attention if required.

**Inhaled** Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing. May cause coughing, tightness of the chest and irritation

of the respiratory system.

**Advice to Doctor** Treat symptomatically based on individual reactions of patient and judgement of

doctor.

Most important symptom and effects, both acute and delayed:

**Inhalation**: May cause coughing and difficulties in breathing. May cause eye and respiratory

system irritation. Overexposure may depress the central nervous system, causing

dizziness and intoxication

**Ingestion:** Aspiration hazard if swallowed. May be fatal if swallowed and enters airways.

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. May Cause the following effects: Gastrointestinal symptoms, including upset stomach. Central nervous system depression. Nausea, vomiting. Entry

into the lungs following ingestion or vomiting may cause chemical pneumonitis.

**Skin contact**: May be absorbed through the skin. Product has a defatting effect on skin. The liquid is

irritating to eyes and skin. A single exposure may cause the following adverse effects:

Dryness and/or cracking.

**Eye contact:** Causes serious eye irritation. Burns can occur. A single exposure may cause the

following adverse effects: Pain. Conjunctivitis, irritation, tearing. Prolonged or repeated exposure may cause the following adverse effects: Irritation of eyes and mucous membranes. Prolonged contact causes serious eye and tissue damage

Section 5. FIRE FIGHTING MEASURES



Suitable extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture:

**Specific hazards:** Pressurized container: Must not be exposed to temperatures above

50°C. Containers can burst violently or explode when heated, due to excessive pressure build-up. Vapours are heavier than air and may spread near ground and travel a considerable distance to a source of

ignition and flash back.

Advice for firefighters:

Special protective equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### Section 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Personal precautions: For personal protection, see Section 8. No smoking, sparks, flames or other sources of

ignition near spillage.

**Environmental precautions:** Avoid discharge into drains. Contain spillage with sand, earth or other suitable

non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up: Stop leak if possible without risk. Eliminate all sources of ignition. No smoking,

sparks, flames or other sources of ignition near spillage. Provide adequate

ventilation. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb in vermiculite, dry sand or earth and place into

containers. Wash thoroughly after dealing with a spillage.

#### Section 7. HANDLING AND STORAGE

Precautions for safe handling

**Usage precautions:** Avoid contact with skin and eyes. Keep away from heat, sparks and open flame.

Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Container must be kept tightly closed when not in use. Use explosion proof electric equipment. Avoid discharge into drains

or watercourses or onto the ground.

**Advice on general occupational hygiene**: Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage precautions: Keep away from heat, sparks and open flame. Keep container tightly closed. Keep

only in the original container. Pressurized container: Must not be exposed to

temperatures above 50°C.

Specific end use(s)

Specific end use(s): The identified uses for this product are detailed in Section 1

Section 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Control parameters:** 



## **Occupational exposure limits:**

Petroleum gases, liquefied

Long term exposure limit (8-hour TWA): 1000 ppm 1800 mg/m<sup>3</sup>

Carc. 1B

Carc. 1B = Presumed to have carcinogenic potential for humans.

# Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Aerosol	Colour:	Clear
Flammability Limits:	Highly flammable liquid & vapour	Viscosity:	Same as water
Odour:	Alcohol odour, pleasant odour		

# Section 10. STABILITY AND REACTIVITY

Stability: Stable at normal ambient temperatures and when used as recommended

**Reactivity** Alcohols

# Section 11. TOXICOLOGICAL INFORMATION

**General Information on toxicological effects:** likely routes of exposure: Inhalation; Skin and eye contact; Ingestion

### **Information on Route of Exposure Acute Toxicity:**

**Ingestion:** Does not present an acute toxicity hazard based on known information

**Eye Contact:** May cause eye irritation **Skin Contact:** May cause skin irritation

**Inhalation:** May cause irritation to respiratory system

**Skin Corrosion/Irritation:** Skin irritation

Serious Eye Damage/Irritation:
Respiratory or Skin Sensitisation:
Not classified
Not classified
Not classified
Carcinogenicity:
Not classified

Reproductive Toxicity:

Specific Target Organ Toxicity (STOT) – Single Exposure:

Not classified

Not classified

Not classified

Not classified

Aspiration Hazard:

Not classified

Not classified

Immediate, Delayed or Chronic Health Effects From Exposure: None

#### Section 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Ethanol: If spilled on soil, ethanol will either evaporate or leach into the ground due to the relatively high vapour pressure and low absorption in soil. It will biodegrade, probably to acetic acid and formaldehyde.



### Section 13. DISPOSAL CONSIDERATIONS

#### **General Information**

Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

### Section 14. TRANSPORT INFORMATION

UN number:

UN No. (ADG) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950

UN proper shipping name:

Proper shipping name (ADG) AEROSOLS Proper shipping name (IMDG) AEROSOLS Proper shipping name (ICAO) AEROSOLS

Transport hazard class(es):

ADG class 2.1

ADG classification code 5F

ADG label 2.1

IMDG class 2.1

ICAO class/division 2.1

Packing group:

ADG packing group None

IMDG packing group None

ICAO packing group None

Environmental hazards:

Environmentally hazardous substance/marine pollutant No.

Special precautions for user: EmS F-D, S-U



### Section 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture **National regulations** 

The Chemicals (Hazard Information and Packaging for SUppply)

Regulations 2009 (S.I 2009 No. 716)

Guidance CHIP for everyone HSG228

Workplace exposure limits EH40

Safety Data sheets for Substances and Preparations

Approved Classification and Labelling Guide (Sixth edition) L131

This SDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the



supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier

### Section 16. OTHER INFORMATION

## **Abbreviations and acronyms:**

ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.

AICS: Australian Inventory of Chemical Substances.

CAS Number: Chemical Abstracts Service Registry Number.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

HAZCHEM: An emergency action code of numbers and letters which gives information to emergency

services.

**HSIS: Hazardous Substances Information System** 

IARC: International Agency for Research on Cancer.

NOHSC: National Occupational Health and Safety Commission.

NTP: National Toxicology Program (USA).

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit.

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.

TWA: Time Weighted Average. UN Number: United Nations Number.

### **Literature references:**

- Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia)
- GHS Hazardous Chemical Information List (Safe Work Australia)
- Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. Safe Work Australia.
- Global Harmonized System of Classification and Labelling of Chemicals
- "Australian Exposure Standards"
- Australian Code For The Transport Of Dangerous Goods By Road And Rail
- Standard for the Uniform Scheduling of Medicines and Poisons
- Material Safety Data Sheets individual raw materials Suppliers.
- Approved Criteria for Classifying Hazardous Substances NOHSC:1008(1999)]
- Hazardous Substance Information System National Worksafe Data Base.
- Hazardous Chemical Information System (HCIS).
- Implementation of the globally harmonised system of classification and labelling of chemicals (GHS).
- ECHA (European Chemicals Agency)