



EXXTREME PERFORMANCE PRODUCTIVITY PAYLOAD



2800 POWELL AVE. S. BIRMINGHAM, AL 35233
(205) 324-3104

2025 WEST I-65 SERVICE ROAD NORTH. MOBILE, AL 36618
(251) 631-3766

3196 HWY 231 N. SHELBYVILLE, TN 37160
(615) 696-7066

2601 S. STONE MOUNTAIN LITHONIA RD. STONECREST, GA 30058
(706) 685-6900

WWW.SECEQUIP.COM

APXX™ IN A CLASS OF ITS OWN

APXX is the peak performer of heavy-duty vacuum excavators. Built to operate in the most rugged climates and environments, it reaches new heights by delivering a combination of standard features that make this machine rise to a class of its own.

Designed with multiple axle options, the APXX is positioned to maximize legal payload and make time on the job more profitable.

Operator comfort is second to none, thanks to the standard heated double-walled storage cabinet that provides operators a break and protection from the elements while supporting productivity in cold climates. The quiet operation of the venturi injection system on the Hibon blower provides state-of-the-art sound reduction technology for operators as they perform vacuum excavation applications.

PEAK PERFORMANCE. PEAK PRODUCTIVITY. PEAK PAYLOAD.

The TRUVAC APXX full-size vacuum excavator is designed for extreme performance and productivity. With maximum axle capacity and payload, APXX delivers more time on the job for a broad range of applications that serve vacuum excavation contractors. The 16" boom turret, rock & stick controls and side water tanks lend to operator ease of use.



SECEQUIP.COM

CAPABILITIES

- Hydro Excavation
- Air Excavation
- Potholing/Daylighting to locate underground utilities
- Keyholing for HDD installations
- Slot Trenching
- Cleanup of flood water, drilling spoils, catch basins, construction sites
- Valve box repairs
- Removal of non-hazardous liquids

FEATURES

- 5,250 cfm blower
- Hibon 8702-VS Blower
- Classic style control system
- Large heated cross over water cabinet with tool storage
- Choice of chassis axle configurations
- Debris body vibrator
- 3/4 opening rear door
- 50° debris body dump angle

APXX IS USED FOR APPLICATIONS IN:

- | | |
|-------------------------|---------------------|
| • Industrial | • Railroad |
| • Gas industry | • Airports |
| • Power industry | • Oil fields |
| • Military | • Tunneling |
| • Environmental | • Utilities |
| • Telecommunications | • Nuclear |
| • Construction | • Landscaping |
| • Water & sewer systems | • Road Construction |

APXXTM HIGHLIGHTS

SPOILS TANK: 12 or 14 cubic yards

FRESHWATER TANK: 1,200 gallons

VACUUM SYSTEM: 27" hg Tri-Lobe blower @ 5,250 cfm

WATER PUMP: 10 gpm @ 3,000 psi

BOOM: 24.5' reach boom with 320° rotation


STANDARD SAFETY FEATURE: Back-up camera

OPTIONS:

- 7' telescoping boom
- 400 or 800k BTU water heater
- 20 GPM @ 3,000 psi water pump

Double-walled, insulated, and heated aluminum storage cabinet.

This optional feature organizes tool storage and maximizes the comfort of operators performing safe digging in the harshest of climate conditions.



Classic controls with manual hydraulic levers for ease of operation and quick troubleshooting.



16" Boom Turret is a standard feature providing increased air flow and reduced clogging of job spoils.



TRUVAC.COM

PHONE: 815.672.3171

SERVICE: 877.342.5374

PERFORMANCE

The TRUVAC APXX vacuum excavator is available in multiple sizes, Built by the brand that developed vacuum excavation. Designed for municipal, commercial, and residential applications.

The TRUVAC brand is synonymous with quality, tough and durable design, with innovative enhancements to increase performance.

PRODUCTIVITY

The APXX is a full-size versatile vacuum excavator offering maximum payload with extreme performance and productivity for safe digging on mid to large scale projects. Offering a variety of different features such as heated compartments, heated valves, and heated water lines, to meet all climate conditions.

The 50° dumping debris body & fully opening rear door with tank vibrator make offloading fast & efficient.

PAYLOAD

APXX is engineered to maximize weight distribution across a variety of optional axle configurations, offering the highest legal payloads to extend job productivity.

SERVICE & SUPPORT

The quality of our equipment is matched by the quality of our service and support after the sale.

Our experts are committed to helping you get the most from your equipment so you can focus on getting the job done. Parts and service centers at the ready to keep you up and running.

Expert consultation and training for optimal equipment use, safety and maintenance. Cloud-based access 24/7 to technical information, parts bulletins and warranty information.



| Performance Specifications | APXX |
|---|---------------------------------------|
| Debris Capacity | 12 yd or 14 yd |
| Water Capacity (standard) | 1200 Gallons |
| Blower | 5250 cfm |
| Vacuum Rating | 27" Hg |
| Water Pump Volume | 10 gpm std / 20 gpm option |
| Water Pump Pressure | 3000 psi / 207 bar |
| Length | 406" |
| Width | 104" |
| Height | 160" |
| Weight (empty) | Class 8 |
| STANDARD FEATURES | APXX |
| Back-up camera | ✓ |
| 7' Extendable Boom | ✓ |
| Boom/Body Out of Postion Light/Alarm | ✓ |
| Heated Cross Cabinet w/ Water Components & Tool Storage | ✓ |
| OPTIONS | APXX |
| Air Excavation Package | 185 cfm x 150 psi |
| Water Heater | 400/800K BTU |
| Multiple Axle Configurations | Tandem w/ Pusher, Tri-drive, Spiff-23 |

Specifications are general and subject to change without notice. If exact measurements are required, equipment should be weighed and measured. Delivered equipment may not necessarily match that shown, based on selected options. TRUVAC® is a registered trademark name of Federal Signal Corporation. © 2024 Vactor Manufacturing, LLC.

SECEQUIP.COM