



CHECKLIST OF ACCESSIBLITY FORM

Organiza	ıtion's		
Name:			

This questionnaire is designed to allow evaluation of the overall accessibility of your program by looking at where we send volunteers to serve. It is not meant to eliminate stations for possible placement of volunteers, but to provide information needed to match volunteers appropriately. Please circle "yes" or "no" to each area being evaluated, and if needed, write additional comments on back of form making reference of area being discussed by number.

1.	Is there a flat, non-gravel route from parking/street through the front entrance?		NO
2.	Does the parking lot have spaces reserved for persons with disabilities?	YES	NO
3.	Are doors (entrance, restroom, etc.) no heavier to open than a refrigerator door?	YES	NO
4.	Are the knobs throughout push/pull, or lever type, verses twist knobs?	YES	NC
5.	Are halls and passageways at least one yard wide?	YES	NO
6.	Are halls level, with non-slip stable surfaces and no trip hazards?	YES	NO
7.	Are there alternate routes to enter/exit building for those entrances accessed by steps/stairs, such as ramps, elevators, or other entrance?	YES	NO
8.	Is there adequate maneuvering clearance at entrances, especially restrooms?	YES	NO
9.	Does an accessible restroom have an accessible stall measuring 5'x5'? (Make sure those in a wheel chair can close the door of accessible bathroom stall)	YES	NO
10.	Does an accessible restroom have a sink with level faucets, hot water pipes wrapped to prevent burns, and paper towels lowered?	YES	NO
11.	Are emergency alarms both audible and visual?	YES	NO
12.	Are evacuation plans and areas of rescue assistance accessible to individuals with mobility impairments?	YES	NO
13.	Do policies, practices or standards – either formal or informal - have the direct or indirect effect of limiting or excluding the participation of individuals with mobility impairments?	YES	NO
14.	Do policies exist that ensure that a "reasonable accommodation" is made to individuals, including volunteers, with disabilities?	YES	NO