

STANDARD WALLSTATIONS

WS SERIES WALLSTATIONS

2 Button or 4 Button
configuration

Available in wireless or
wired GreenBus options

Surface Mount or Wall Mount
to junction box or bracket.



Decora style wallplate
support

Available in 4 colors

Custom Button kit with
engraving available



DESCRIPTION

The WS Standard Wallstation series consists of a 2-button and a 4-button wallstation that enable essential lighting control. The 2-button wallstation is a single zone manual controller ideal for conference rooms, private office, classrooms and other similar spaces. A short press of the upper/ lower buttons turns lighting ON/OFF, while a "press and hold" dim lighting up or down.

The 4-button wallstation is a single zone manual controller ideal for conference rooms, libraries, and other similar spaces. It has a dedicated button for ON, OFF and for raise/lower functionality with intuitive button engraving.

The WS Standard Series Wallstations are available in wired and wireless options. Wireless wallstations are available in junction box or surface mount mounting. Wired Wallstations are low-voltage devices that connect to the system via a GreenBus cable with 2-pin connectors.

FEATURES

- Available in either 2 Button or 4 Button configuration options
- The sleek, aesthetic designs are suitable for all interior locations
- Available in White, Ivory, Gray, and Black to suit a range of interior designs
- Available in both Wireless and Wired versions with simple installation with tool-less mounting
- Setup and configuration via Polaris™ software
- Wireless wallstation offer 10-year battery life with automatic battery monitoring via Polaris software

SPECIFICATIONS

Wireless Wallstations


- Power: 2 AA or 4 AAA batteries (depends on mounting)
- Wireless (2.4Ghz) Range: 30ft line-of-sight to repeater device, 15ft through standard wall materials
- Operating Temperature: 14° to 104°F (-10° to 40°C)
- Relative Humidity: 5% to 95%, non-condensing
- Weight: 51 g (1.8 oz)
- Certifications
 - UL/CUL listed under UL916.
 - FCC Part 15/ICES-003
 - CE
 - ROHS Compliant
- Complies with Electromagnetic Compatibility (EMC) Standards: EN 61000-4-2 EN 61000-4-4, EN 61000-4-5
- Environmental Suitability: Rated for dry locations
- 5 year warranty

Wired Wallstations


- Voltage: 22.5 VDC, supplied by GreenBus
- Operating Temperature: 14° to 104°F (-10° to 40°C)
- Relative Humidity: 5% to 95%, non-condensing
- Weight: 47 g (1.65 oz)
- Certifications
 - UL/CUL listed under UL916.
 - FCC Part 15/ICES-003
 - ROHS Compliant
- Complies with Electromagnetic Compatibility (EMC) Standards: EN 61000-4-2 EN 61000-4-4, EN 61000-4-5
- Environmental Suitability: Rated for dry locations
- 5 year warranty

PROJECT		LOCATION/ TYPE	
---------	--	-------------------	--

DIMENSIONS




CONFIGURATION OPTIONS




WIRED SYSTEM OVERVIEW


GreenBus technology makes wiring fast and error-free, since it's intuitive to install.



WIRELESS SYSTEM OVERVIEW




MOUNTING




WIRING

GreenBus Wired Wallstation



Wireless Wallstation – Battery Operated, No Wiring Required




BUTTON REPLACEMENT KIT

The button kit provides the ability for field replacement. It comes with three blank button kits to allow flexibility to replace buttons on an existing wallstation.

NOTE: The button replacement kit is available in white only.

NOTE: Custom engraving kits are available. For more information contact your local sales representative.



ORDERING INFORMATION

Catalog #		Color	Description	Communication Network
☐	EN-WS-2B-GB2-WH	White	Wired 2-Button Switch	Wired GreenBus
☐	EN-WS-2B-GB2-IV	Ivory		
☐	EN-WS-2B-GB2-GR	Gray		
☐	EN-WS-2B-GB2-BL	Black		
☐	EN-WS-4B-GB2-WH	White	Wired 4-Button Switch	Wired GreenBus
☐	EN-WS-4B-GB2-IV	Ivory		
☐	EN-WS-4B-GB2-GR	Gray		
☐	EN-WS-4B-GB2-BL	Black		
☐	EN-WS-2B-ZB-WH	White	Wireless 2-Button Switch	Wireless
☐	EN-WS-2B-ZB-IV	Ivory		
☐	EN-WS-2B-ZB-GR	Gray		
☐	EN-WS-2B-ZB-BL	Black		
☐	EN-WS-4B-ZB-WH	White	Wireless 4-Button Switch	Wireless
☐	EN-WS-4B-ZB-IV	Ivory		
☐	EN-WS-4B-ZB-GR	Gray		
☐	EN-WS-4B-ZB-BL	Black		
☐	EN-SMK-ZB-WH	White	Surface Mount Kit for Wireless Wallstations	Wireless
☐	EN-BLANK-BT01-TH-WH	White	WS Series Wallstation, Blank, 2-Button Kit (3 sets)	N/A

Note: Switches include standard faceplates.
Compatible with decorator style faceplates.