

For personal use only



Investor Presentation

The World's Highest Grade Ionic Adsorption Clay REE Deposit



JULY 2023



DISCLAIMER

The material in this Presentation has been prepared by Meteoric Resources NL (“Meteoric”) and is general background information about Meteoric’s current activities as at the date of this presentation. This information is given in summary form and does not purport to be complete. Information in this presentation, including forecast financial information, should not be considered as advice or a recommendation to investors or potential investors in relation to holding, purchasing or selling securities or other financial products or instruments and does not take into account your particular investment objectives, financial situation or needs.

Before acting on any information you should consider the appropriateness of the information having regard to these matters, any relevant offer document and in particular, you should seek independent financial advice. All securities and financial product or instrument transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments and, in international transactions, currency risk. This presentation may contain forward looking statements including statements regarding our intent, belief or current expectations with respect to Meteoric’s businesses, operations, market conditions, results of operation, financial condition, capital adequacy, specific provisions and risk management practices. Readers are cautioned not to place undue reliance on these forward-looking statements. Meteoric does not undertake any obligation to publicly release the result of any revisions to these forward-looking statements to reflect events or circumstances after the date hereof to reflect the occurrence of unanticipated events. While due care has been used in the preparation of forecast information, actual results may vary in a materially positive or negative manner. Forecasts and hypothetical examples are subject to uncertainty and contingencies outside Meteoric’s control. Past performance is not a reliable indication of future performance.

Competent Persons’ Statements

The information in this presentation that relates to exploration results is based on information reviewed, collated and fairly represented by Dr Andrew Tunks a Competent Person and a Member of Australian Institute of Geoscientists #2820 and a consultant to Meteoric Resources NL. Dr Tunks has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which has been undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results. Dr. Tunks consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. The Company confirms that all material assumptions and technical parameters underpinning the exploration results in this report continue to apply and have not materially changed. The Company is not aware of any new information or data that materially affects the information included in this release.

The information in this presentation that relates to exploration results is based on information reviewed, collated and fairly represented by Dr Carvalho a Competent Person and a Member of the Australasian Institute of Mining and Metallurgy and a consultant to Meteoric Resources NL. Dr.Carvalho has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which has been undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Dr. Carvalho consents to the inclusion in this report of the matters based on this information in the form and context in which it appears

The information in this presentation that relates to Mineral Resources is based on information compiled by Dr. Beck Nader, a Competent Person who is a Fellow of Australian Institute of Geoscientists #4472. Dr. Beck Nader is a consultant for BNA Mining Solutions. He has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify him as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Dr. Beck Nader consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The information in this presentation that relates to Mineral Resources is based on information compiled by Dr. Volodymyr Myadzel, a Competent Person who is a Member of Australian Institute of Geoscientists #3974. Dr. Volodymyr Myadzel is a consultant for BNA Mining Solutions. He has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Dr. Volodymyr Myadzel consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

COMPANY OVERVIEW

Supported by an experienced and competent Board, the share price has performed significantly well this year


MEI Snapshot

ASX Code	MEI
Share Price (17/07/23 Close)	A\$ 0.245
Shares on Issue	1,940M
Market Capitalisation	A\$480M
Liquidity (3-Month Avg.)	A\$ 3M / day
Largest Shareholder	c. 8.47%




Board of Directors

Executive Chairman	Dr Andrew Tunks
Executive Director	Dr Marcelo de Carvalho
Non-Executive Director	Dr Paul Kitto
Chief Executive Officer	Nick Holthouse



MEI:AU




Director Experience and Background



RARE EARTHS AND WHY WE NEED THEM

For personal use only



4 REE have permanent magnet power

praseodymium 59 Pr	neodymium 60 Nd
---------------------------------	------------------------------

Light Rare Earth Elements (LREE)

terbium 65 Tb	dysprosium 66 Dy
----------------------------	-------------------------------

Heavy Rare Earth Elements (HREE)

hydrogen 1 H																	helium 2 He
lithium 3 Li	beryllium 4 Be											boron 5 B	carbon 6 C	nitrogen 7 N	oxygen 8 O	fluorine 9 F	neon 10 Ne
sodium 11 Na	magnesium 12 Mg	Light Rare Earth Elements LREEs		Heavy Rare Earth Elements HREEs				High Value, High Demand Elements				aluminium 13 Al	silicon 14 Si	phosphorus 15 P	sulfur 16 S	chlorine 17 Cl	argon 18 Ar
potassium 19 K	calcium 20 Ca	scandium 21 Sc	titanium 22 Ti	vanadium 23 V	chromium 24 Cr	manganese 25 Mn	iron 26 Fe	cobalt 27 Co	nickel 28 Ni	copper 29 Cu	zinc 30 Zn	gallium 31 Ga	germanium 32 Ge	arsenic 33 As	selenium 34 Se	bromine 35 Br	krypton 36 Kr
rubidium 37 Rb	strontium 38 Sr	yttrium 39 Y	zirconium 40 Zr	niobium 41 Nb	molybdenum 42 Mo	technetium 43 Tc	ruthenium 44 Ru	rhodium 45 Rh	palladium 46 Pd	silver 47 Ag	cadmium 48 Cd	indium 49 In	tin 50 Sn	antimony 51 Sb	tellurium 52 Te	iodine 53 I	xenon 54 Xe
caesium 55 Cs	barium 56 Ba	hafnium 72 Hf		tantalum 73 Ta	tungsten 74 W	rhenium 75 Re	osmium 76 Os	iridium 77 Ir	platinum 78 Pt	gold 79 Au	mercury 80 Hg	thallium 81 Tl	lead 82 Pb	bismuth 83 Bi	polonium 84 Po	astatine 85 At	radon 86 Rn
francium 87 Fr	radium 88 Ra	rutherfordium 104 Rf		dubnium 105 Db	seaborgium 106 Sg	bohrium 107 Bh	hassium 108 Hs	meitnerium 109 Mt	darmstadtium 110 Ds	roentgenium 111 Rg							


lanthanum 57 La	cerium 58 Ce	praseodymium 59 Pr	neodymium 60 Nd	promethium 61 Pm	samarium 62 Sm	europium 63 Eu	gadolinium 64 Gd	terbium 65 Tb	dysprosium 66 Dy	holmium 67 Ho	erbium 68 Er	thulium 69 Tm	ytterbium 70 Yb	lutetium 71 Lu
actinium 89 Ac	thorium 90 Th	protactinium 91 Pa	uranium 92 U	neptunium 93 Np	plutonium 94 Pu	americium 95 Am	curium 96 Cm	berkelium 97 Bk	californium 98 Cf	einsteinium 99 Es	fermium 100 Fm	mendelevium 101 Md	nobelium 102 No	lawrencium 103 Lr

RARE EARTH OVERVIEW


Global governments have listed rare earths as critical minerals including Australia, USA, EU, Canada and the UK

Rare Earths are critical in terms of future consumption and economic security requirements.


Downstream Demand for Rare Earths



REE Mining



REE Magnets



Rare earth permanent magnets are the largest use of rare earths by value.

Rare Earth Magnets and Motors: A European Call for Action, A report by the Rare Earth Magnets and Motors Cluster of the European Raw Materials Alliances, Oct 2021. Argus Analytics Oct 2021.

RARE EARTH DEPOSIT TYPES AND COMPARABLES

Ionic clay allows for expedited development timelines, reduced capex requirements and a higher value product


For personal use only

	Ionic Clay-hosted REE	Hard Rock-hosted REE
		
Location	<ul style="list-style-type: none"> Predominantly mined in China and Myanmar 	<ul style="list-style-type: none"> Majority of production based in China,
Payability	<ul style="list-style-type: none"> Contains both light and heavy REEs 	<ul style="list-style-type: none"> Typically light REEs only
Scale	<ul style="list-style-type: none"> Lower initial capex allows for increased scalability Typically ~US\$15/kg TREO annual output (<i>capital intensity</i>)¹ 	<ul style="list-style-type: none"> Typically ~US\$150/kg TREO annual output (<i>capital intensity</i>)
Exploration	<ul style="list-style-type: none"> Quick and inexpensive – aircore drilling into deeply weathered granite (clays) 	<ul style="list-style-type: none"> Similar to other hard rock base minerals requiring substantial drilling and geochemistry
Mining	<ul style="list-style-type: none"> Surface mining, with minimal stripping of waste material Pits backfilled leaving no tailings or waste dumps 	<ul style="list-style-type: none"> Drill and blast with large mining fleet (typically, with high strip ratios) Capital-intensive open cut and underground operations required
Processing	<ul style="list-style-type: none"> Simple dissolution of REE from clay in ammonium sulphate No radioactive waste streams 	<ul style="list-style-type: none"> High temperature mineral cracking using strong reagents for REE minerals Tailings are often radioactive and are costly to dispose

Source: (1) Hochschild Mining plc, Capital Markets Presentation, September 2021

RARE EARTH MAGNET PRICES

For personal use only



Source: Bloomberg




Source: Bloomberg

SIGNIFICANT HISTORIC EXPLORATION

JOGMEC successfully explored project between 2016 and 2019

Drilling Collar Plan – 1311 Holes




Drilling Results (ASX 16/12/2022)

10m @	8,810 ppm TREO ending in	1,942 ppm TREO	(Hole FG-82)
20m @	8,924 ppm TREO ending in	9,945 ppm TREO	(Hole CDM-311)
15m @	7,042 ppm TREO ending in	3,425 ppm TREO	(Hole CDM-286)
7m @	7,646 ppm TREO ending in	12,429 ppm TREO	(Hole DM2-28)
20m @	6,779 ppm TREO ending in	4,652 ppm TREO	(Hole CDM-47)
12m @	8,367 ppm TREO ending in	5,829 ppm TREO	(Hole CVN-22)
13m @	6,600 ppm TREO ending in	6,817 ppm TREO	(Hole CVN-80)
20m @	5,918 ppm TREO ending in	2,239 ppm TREO	(Hole CDM-27)
14m @	5,979 ppm TREO ending in	2,325 ppm TREO	(Hole FG-27)
15m @	7,551 ppm TREO ending in	7,915 ppm TREO	(Hole FG-89)
13m @	7,641 ppm TREO ending in	2,072 ppm TREO	(Hole SB-109)
19m @	6,895 ppm TREO ending in	7,840 ppm TREO	(Hole CDM-134)
15m @	6,709 ppm TREO ending in	4,460 ppm TREO	(Hole SB-44)

CALDEIRA GRADES, DRILLING INTERCEPTS AND PEERS

Outstanding grades, wide continuous intercepts and open at depth


Capo Do Mel Prospect



Stylised Cross Section 7,566,800m N

New drilling is designed to intersect the underlying granite (green) at depth to establish the thickness of the prospective clay zone. Every hole on this section finished in grades above 1,000ppm TREO. Vertical exaggeration = 5 times (refer ASX release 16/12/2022).

Caldeira Project – Diamond Drilling



For personal use only

TIER 1 IONIC ADSORPTION CLAY (IAC) RARE EARTH

The due diligence program and previous metallurgical work has proven the project's IAC characteristics across various prospects

Metallurgy Bulk Sample

- 4,917ppm TREO
- 25.5% Magnet REE
- MREO = 1,250 ppm

Classification	Element	REE (ppm)	Conversion Factor	Oxide	REO (ppm)	REO /TREO %	
LREE	Lanthanum	La	1961	1.1728	La ₂ O ₃	2300	46.8%
	Cerium	Ce	731	1.2284	Ce ₂ O ₃	898	18.3%
	Praseodymium	Pr	274	1.1702	Pr ₆ O ₁₁	321	6.5%
	Neodymium	Ne	756	1.1664	Nd ₂ O ₃	882	17.9%
HREE	Samarium	Sm	86	1.1596	Sm ₂ O ₃	100	2.0%
	Europium	Eu	22	1.1579	Eu ₂ O ₃	25	0.5%
	Gadolinium	Gd	60	1.1526	Gd ₂ O ₃	69	1.4%
	Terbium	Tb	8	1.151	Tb ₄ O ₇	9	0.2%
	Dysprosium	Dy	35	1.1477	Dy ₂ O ₃	40	0.8%
	Holmium	Ho	6	1.1455	Ho ₂ O ₃	7	0.1%
	Erbium	Er	15	1.1435	Er ₂ O ₃	17	0.3%
	Thulium	Th	2	1.1142	Tm ₂ O ₃	2	0.0%
	Ytterbium	Yt	11	1.1379	Yb ₂ O ₃	13	0.3%
	Lutetium	Lu	2	1.1372	Lu ₂ O ₃	2	0.0%
	Yttrium	Y	183	1.2697	Y ₂ O ₃	232	4.7%
Totals			4151			4917	100%

Metallurgy Results and Future Work

- Leach in ammonium sulphate solution
- pH 4
- Maximum leach % occurring within 5-10mins
- Recoveries to the leach are exceptional
 - Nd & Pr above 70%
 - Tb 60-70% and
 - Dy 50-60%

Metallurgical Recoveries (ASX: 27/6/23)

REO	Sample1	Sample2	Sample3	Sample4	AVERAGE
La ₂ O ₃	61%	62%	59%	64%	62%
Ce ₂ O ₃	4%	4%	4%	4%	4%
Pr ₆ O ₁₁	53%	51%	49%	54%	52%
Nd ₂ O ₃	65%	63%	61%	67%	64%
Sm ₂ O ₃	53%	52%	48%	53%	52%
Eu ₂ O ₃	55%	53%	52%	56%	54%
Gd ₂ O ₃	56%	57%	53%	57%	56%
Tb ₄ O ₇	50%	47%	42%	48%	47%
Dy ₂ O ₃	41%	38%	35%	40%	39%
Ho ₂ O ₃	33%	28%	15%	29%	26%
Er ₂ O ₃	28%	29%	31%	29%	29%
Tm ₂ O ₃	26%	25%	22%	25%	25%
Yb ₂ O ₃	15%	19%	17%	19%	18%
Lu ₂ O ₃	21%	21%	19%	22%	21%
Y ₂ O ₃	37%	38%	35%	37%	37%

For personal use only

CALDEIRA PROJECT MAIDEN RESOURCES – 409Mt @ 2626 ppm TREO

World's Highest Grade Ionic Adsorption Clay REE Deposit (ASX 1/5/2023)



For personal use only

Licence	JORC Category	Tonnes Mt	TREO ppm	Pr ₆ O ₁₁ ppm	Nd ₂ O ₃ ppm	Tb ₄ O ₇ ppm	Dy ₂ O ₃ ppm	MREO ppm	MREO/TREO (%)
Capão do Mel	Inferred	68	2,692	148	399	4	22	572	21.3%
CVN	Inferred	104	2,485	152	472	5	26	655	26.4%
Dona Maria 1 & 2	Inferred	94	2,320	135	404	5	25	569	24.5%
Figueira	Inferred	50	2,811	135	377	5	26	542	19.3%
Soberbo	Inferred	92	2,948	190	537	6	27	759	25.8%
Total	Inferred	409	2,626	154	447	5	25	631	24.0%

SUBSTANTIAL ULTRA HIGH GRADE RESOURCE

Magnetic Rare Earth Oxide proportion increases as cut-off grade increases


For personal use only



HIGH GRADE START TO MINE LIFE


Capão do Mel - Plan View Block Model

For personal use only



CALDEIRA – MOVING FORWARD WITH METEORIC

For personal use only



Drilling Highlights (ASX 24/7/23)


- CDMDD001 - 31.2m @ 3,769ppm TREO, including 16.4m @ 5,537ppm TREO
- CDMDD004 - 16.4m @ 5,967ppm TREO, including 10.7m @ 7,243ppm TREO
- CDMDD006 – 36.0 @ 2,881ppm TREO, including – 9.0m @ 4,228ppm TREO.
- CVNDD001 - 19.2m @ 5,825ppm TREO
- CVNDD003 - 31.8m @ 3,243ppm TREO, including 4m @ 16,074 TREO
- DM1DD003 – 9.93m @ 4,741ppm TREO
- FGDD002 - 58.31m @ 2,449ppm TREO, including 5.53m @ 4,834ppm TREO
- FGDD003 - 45.55m @ 3,352ppm TREO, including FGDD003 - 11.7m @ 6,108 TREO

A Green Mine for Green Metals

IONIC ADSORPTION CLAY PROJECT FLOW SHEET

For personal use only

Simple, Environmentally Friendly Process



A simple process with low technical risk and high environmental compliance

- No drill and blast
- No waste dumps
- No tailings dams

Contact Information

Meteoritic Resources NL

ABN 64 107 985 651

T +61 8 9226 2011

E info@meteoric.com.au

W www.meteoric.com.au

A Level 1, 33 Ord St, West Perth WA 6005

Dr Andrew Tunks - Executive Chairman

T +61 400 205 555

E ajtunks@meteoric.com.au

Victoria Humphries - Investor & Media Relations

T +61 431 151 676

E victoria@nwrcommunications.com

