Internet mini-cores
Local communications in the Internet's "spur" regions

Steve Gibbard

Packet Clearing House

Current Internet Structure

- Well connected core
- Less well connected spurs
- In the core, connectivity is good:
  - Lots of fiber
  - Lots of redundancy
  - Lots of cheap bandwidth
  - The ability to send large amounts of data quickly between urban areas of the "developed world" can now be taken for granted.

Current Internet structure (cont.)

⑦ In the rest of the world:
- ⑦ Many ISPs in a region are likely to have connectivity to the core, but generally few connect to each other.
- ⑦ Connections to the core can go a very long way, sometimes via satellite.
- ⑦ Even "local" connectivity uses these connections.
- ⑦ Long distance connectivity is expensive and unreliable.
- ⑦ In these "spur" regions, the Internet often doesn't work very well.

Packet world tour…

```
 1  <10 ms   10 ms  <10 ms  gw.conference.sanog.org [169.223.0.1]  -- Kathmandu
 2   270 ms   160 ms   100 ms  gw-pck-sp.wlink.com.np [202.79.55.9]
 3    40 ms    50 ms    40 ms  gw.wlink.com.np [202.79.40.1]
 4   231 ms    80 ms   110 ms  mahesh.wlink.com.np [202.79.32.60]
 5   892 ms  1131 ms     *     216.236.105.33
 6  1643 ms  1221 ms  1533 ms  69.88.1.189 -- Honolulu
 7  3105 ms  1442 ms  1962 ms  216.236.111.25
 8  1041 ms   912 ms  1432 ms  hnl-edge-01.inet.qwest.net [67.129.94.1]
 9  1222 ms  1322 ms  1131 ms  bur-core-01.inet.qwest.net [205.171.13.169]  -- Los Angeles
10  1062 ms  1031 ms  1022 ms  lap-brdr-01.inet.qwest.net [205.171.213.46]
11  1432 ms     *     2563 ms  203.208.168.185
12  1743 ms  1552 ms   921 ms  203.208.168.221
13  2784 ms   851 ms  1102 ms  203.208.182.133
14  1542 ms  1672 ms  1643 ms  203.208.172.138 – Singapore?
15  1572 ms  1222 ms  1342 ms  203.208.145.38
16  1251 ms  1122 ms  1432 ms  203.208.140.133
17  1432 ms  1542 ms     *     203.208.140.133
18    *       *       *       Request timed out.
19  1713 ms  1602 ms     *     202.52.242.65 -- Nepal
20  1683 ms  1742 ms  1533 ms  202.52.242.65

Trace complete.
```

Example traceroute with local peering

```
1  gw.sfo.gibbard.org (216.93.185.185)  0.214 ms  0.161 ms  0.173 ms
 2  border-core2-ge6-0.sfo2.servepath.net (69.59.136.17)  0.659 ms  0.218 ms
0.639 ms
 3  paix.pch.net (198.32.176.249)  2.941 ms  3.808 ms  2.408 ms
 4  host.paix.pch.net (206.220.231.245)  2.521 ms *  2.468 ms
```

Different from traditional phone networks

⑦ Traditional phone networks:

  ⑦ Big cost advantage to making local calls.

  ⑦ True even as definitions of local have shifted.

  ⑦ Local phone calls tend to be pretty reliable; international calls are often a different story.

  ⑦ Few people notice when international phone networks break.

⑦ The Internet:

  ⑦ "Distance is dead:" Local and long distance communications cost the same.

  ⑦ This is widely touted as a feature, and sometimes is.

  ⑦ Local communication becomes less reliable, more expensive, and slower than long distance communication.

Examples

- Costs:
  - Urban US: Lots of traffic is local. Cost is around $100 per Mb/s.
  - Northwest Montana (rural US): Not much local traffic. Transit cost is $1,000 per Mb/s.
  - Kathmandu, Nepal:
    - International transit: $5,000 per Mb/s.
    - For ISPs that peer, local traffic is $50 per Mb/s.
  - Perth, Western Australia:
    - Transit: $500 per Mb/s
    - Local traffic via peering: <$10 per Mb/s.
- Reliability:
  - Sri Lanka:
    - Fiber cut in harbor.
    - Outage of "Internet and international phone service."

Proposed new model

⑦ Nothing wrong with the current core, for the parts of the world it covers.

⑦ The rest of the world shouldn't have to send everything through it.

⑦ A better model would be to have lots of "regional cores."

⑦ Long distance circuits should be reserved for long distance traffic.

⑦ Data sent between neighbors should not go to other continents.

⑦ If it's going to replace the traditional phone network, local Internet connectivity needs to be as reliable.

How to get there:

⑦ Keep local traffic local:

  ⑦ Local exchange point.

  ⑦ All ISPs should have access to local peering.

  ⑦ This connectivity does not need to be direct. Buying transit from somebody who peers locally is sometimes sufficient.

  ⑦ Scales well. No hard limit on participants in the market.

  ⑦ Monopoly transit provider

  ⑦ Keeps traffic local – until somebody decides to compete with it.

  ⑦ Doesn't have much incentive to improve service, or lower costs.

Exchange points aren't enough

⑦ Keeping local traffic local doesn't help, if what you need to talk to isn't local.

⑦ Connectivity at layer 3 doesn't help if you're cut off from DNS.

⑦ Even with local DNS, Hotmail (or whatever) may not be local.

⑦ To be self-sufficient, a region needs its own "critical services."

What is a critical service?

- DNS
  - Root.
  - Local ccTLD.
  - Any other zones in local use.
  - Use of domains without local DNS should be avoided.
- E-mail:
  - Local ISP's mail server is presumably safe.
  - Local Equivalent of Yahoo or Hotmail?
- VOIP
  - SIP server.
  - VOIP to PSTN gateways.
- What else?
  - Is Google a critical service?
  - What about Windows Update?
  - Something for content providers to think about.

Progress

⑦ Exchange points being built in lots of places.

⑦ Local TLD operators are hosting in their own regions.

  ⑦ With a local exchange point, this helps. Without one, it doesn't do much.

⑦ Root servers are becoming more distributed.

⑦ Local content providers are starting to host content locally in some places.

More needs to be done

⑦ Many regions still don't have local exchange points.

    ⑦ Without an exchange, other locally hosted services are of little value.

⑦ Johannesburg and Jakarta are the only developing areas with root DNS servers (according to www.root-servers.org).

⑦ .com/.net footprint is still very small, as are many other gTLDs.

Documentation required

⑦ Internet users aren't conditioned to think of locations of services.

⑦ "The local service is faster than the far away service" is easy to understand.

⑦ Services for which location doesn't noticeably affect performance are the real reliability "gotchas." ISPs can help with this.

Caveats

⑦ This shouldn't be seen as an attack on long-distance communication.

⑦ The ability to communicate easily over long distances is a very good thing.

⑦ It just shouldn't have to be depended on for local communications.

Thanks!

⑦Contact info:
  - ⑦Steve Gibbard
  - ⑦Packet Clearing House
  - ⑦scg@pch.net
  - ⑦http://www.pch.net