

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

· Trade name: **V1D**

· Product code: 5004020, 5004030, 5001030

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 Consumer uses: Private households / general public / consumers

· Product category PC1 Adhesives, sealants

· Application of the substance / the mixture: Tyre sealant.

· Uses advised against: No further relevant information available.

#### 1.3 Details of the supplier of the Safety Data Sheet

##### Manufacturer/Supplier:

ITW Global Tire Repair, Europe GmbH

Carl-Benz Str. 10, 88696 Owingen, Germany

Tel 0049 7551-9200-100

Email: Comments@itwgr.com

#### 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

United Kingdom

0845 46 47 (England and Wales)

08454 24 24 24 (Scotland)

0808 808 8000 (Northern Ireland)

(24 hours)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS07 GHS08

· Signal word Warning

(Cont'd. on page 2)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 1)

**Hazard-determining components of labelling:**

 ethylene glycol  
 natural rubber latex

**Hazard statements**

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:  
 Oral.

**Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.

**Results of PBT and vPvB assessment**
**PBT:** Not applicable.

**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**
**Components:**

CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX	ethylene glycol ⚠ STOT RE 2, H373 ⚠ Acute Tox. 4, H302	40-60%
CAS: 9006-04-6 EINECS: 232-689-0	natural rubber latex ⚠ Skin Sens. 1B, H317	20-40%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-XXXX	Potassium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314 ⚠ Acute Tox. 4, H302	<0,5%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2 Reg.nr.: 01-2119982985-14-XXXX	ammonia, aqueous solution ⚠ Skin Corr. 1B, H314 ⚠ Aquatic Acute 1, H400	<0,3%

**Additional information:** For the wording of the listed Hazard Statements refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**General information:** Immediately remove any clothing soiled by the product.

(Cont'd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 2)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation or rash occurs: Get medical advice/attention.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Allergic reactions  
Gastric or intestinal disorders when ingested.
- **Hazards:**  
Harmful if swallowed.  
May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Contains etanodiol. Consult literature for specific antidotes.  
Treat skin and mucous membrane with antihistamine and corticoid preparations.  
Contains natural rubber latex. May produce an allergic reaction.  
Medical supervision for at least 48 hours.  
If medical advice is needed, have product container or label at hand.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up**  
Allow to solidify. Pick up mechanically.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

See Section 13 for disposal information.

(Cont'd. from page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Open and handle receptacle with care.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

#### **107-21-1 ethylene glycol**

IOELV (EU)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin
AGW (Germany)	Long-term value: 26 mg/m <sup>3</sup> , 10 ppm 2(I);DFG, EU, H, Y, 11
WEL (Great Britain)	Short-term value: 104** mg/m <sup>3</sup> , 40** ppm Long-term value: 10* 52** mg/m <sup>3</sup> , 20** ppm Sk *particulate **vapour

#### **1310-58-3 Potassium hydroxide**

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
---------------------	---------------------------------------

#### **1336-21-6 ammonia, aqueous solution**

AGW (Germany)	Long-term value: 14 mg/m <sup>3</sup> , 20 ppm 2(I);DFG, EU, Y
---------------	---

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.

#### · 8.2 Exposure controls

- **Engineering measures** Provide adequate ventilation.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

(Cont'd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 4)

- **Respiratory protection:**  
Not required under normal conditions of use.  
For large spills, respiratory protection may be advisable.
- **Protection of hands:**



Protective gloves

Material: Nitrile  
Thickness: ≥4 mil  
Breakthrough time: 2 hours

- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**  
No further relevant information available.
- **Risk management measures:** No further relevant information available.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · Appearance

- |                           |                 |
|---------------------------|-----------------|
| · <b>Form:</b>            | Liquid          |
| · <b>Colour:</b>          | Whitish         |
| · <b>Odour:</b>           | Ammonia-like    |
| · <b>Odour threshold:</b> | Not determined. |

- |   |                 |
|---|-----------------|
| · <b>pH-value at 20 °C:</b>                       | 9,0             |
| · <b>Melting point/freezing point:</b>            | Not determined. |
| · <b>Initial boiling point and boiling range:</b> | 100 °C          |

- |                       |                 |
|-----------------------|-----------------|
| · <b>Flash point:</b> | Not applicable. |
|-----------------------|-----------------|

- |                                     |                 |
|-------------------------------------|-----------------|
| · <b>Flammability (solid, gas):</b> | Not applicable. |
|-------------------------------------|-----------------|

- |  |        |
|--|--------|
| · <b>Auto/Self-ignition temperature:</b> | 410 °C |
|--|--------|

- |                                     |                 |
|-------------------------------------|-----------------|
| · <b>Decomposition temperature:</b> | Not determined. |
|-------------------------------------|-----------------|

- |                                |   |
|--------------------------------|---|
| · <b>Explosive properties:</b> | Product does not present an explosion hazard. |
|--------------------------------|---|

##### · Explosion limits

- |                 |                 |
|-----------------|-----------------|
| · <b>Lower:</b> | Not determined. |
| · <b>Upper:</b> | Not determined. |

- |                               |                 |
|-------------------------------|-----------------|
| · <b>Oxidising properties</b> | Not determined. |
|-------------------------------|-----------------|

- |                                    |         |
|------------------------------------|---------|
| · <b>Vapour pressure at 20 °C:</b> | 0,1 hPa |
|------------------------------------|---------|

(Cont'd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 5)

- **Density:**
  - Relative density:** 1,00
  - Vapour density:** Not determined.
  - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity**
  - Dynamic at 20 °C:** 750-1200 mPas
  - Kinematic:** Not determined.
- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Polymerisation.  
Reacts with strong acids and oxidising agents.  
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** Excessive heat.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
  - **Acute toxicity:**  
Harmful if swallowed.
  - **LD/LC50 values relevant for classification:**
- | 107-21-1 ethylene glycol |      |                     |
|--------------------------|------|---------------------|
| Oral                     | LD50 | 5840 mg/kg (rat)    |
| Dermal                   | LD50 | 9530 mg/kg (rabbit) |
- **Primary irritant effect**
  - **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.
  - **Serious eye damage/irritation:** Slight irritant effect on eyes.
  - **Respiratory or skin sensitisation:**  
May cause an allergic skin reaction.

(Cont'd. on page 7)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 6)

· **IARC (International Agency for Research on Cancer):**

Present in trace quantities.

50-00-0	formaldehyde	1
---------	--------------	---

· **Probable routes of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· **Acute effects (acute toxicity, irritation and corrosivity):** Harmful if swallowed.

· **Sensitisation:** May cause an allergic skin reaction.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:**

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** The product contains materials that are harmful to the environment.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· **Waste disposal key:**

· **Waste disposal number of waste from residue/unused product** 080409.

· **Waste disposal number of contaminated packaging** 150102.

(Cont'd. on page 8)

## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| <b>14.1 UN-Number</b>  |                 |
| · <b>ADR, IMDG, IATA</b>   | Not Regulated   |
| <b>14.2 UN proper shipping name</b>  |                 |
| · <b>ADR, IMDG, IATA</b>   | Not Regulated   |
| <b>14.3 Transport hazard class(es)</b>   |                 |
| · <b>ADR, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Not Regulated   |
| <b>14.4 Packing group</b>  |                 |
| · <b>ADR, IMDG, IATA</b>   | Not Regulated   |
| <b>14.5 Environmental hazards:</b>   |                 |
| · <b>Marine pollutant:</b>   | No              |
| <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **IARC (International Agency for Research on Cancer)**  
Present in trace quantities.

50-00-0	formaldehyde	1
---------	--------------	---

- **National regulations:**
- **Water hazard class:** Water hazard class 1: slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Cont'd. on page 9)



## Safety Data Sheet

according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 8)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H350 May cause cancer.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:  
Oral.

H400 Very toxic to aquatic life.

#### · Abbreviations and acronyms:

LDLo: Lowest Lethal Dose Observed

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxique

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 10)

**Safety Data Sheet**  
according to 1907/2006/EC

Printing date: 13 July 2017

Revision: 13 July 2017

**Trade name: V1D**

(Cont'd. from page 9)

Website: [www.chemtelinc.com](http://www.chemtelinc.com)