

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **SLX High G Sealant**
Temporary Repair Sealant
 - Product code: See section 16 for list of product codes.
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

 - Application of the substance / the mixture: Coating material
 - Uses advised against: Contact manufacturer
- **1.3 Details of the supplier of the Safety Data Sheet**
 - Manufacturer/Supplier:
ITW Global Tire Repair, Europe GmbH
Carl-Benz Str. 10, 88696 Owingen, Germany
Tel 0049 7551-9200-100
Email: Comments@itwgr.com
- **1.4 Emergency telephone number:**

ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

United Kingdom
0845 46 47 (England and Wales)
08454 24 24 24 (Scotland)
0808 808 8000 (Northern Ireland)
(24 hours)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008
Skin Sens. 1 H317 May cause an allergic skin reaction.
- **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation.
 - Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:
Natural rubber latex
- Hazard statements
H317 May cause an allergic skin reaction.
- Precautionary statements
P102 Keep out of reach of children.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 1)

P280 Wear protective gloves / eye protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P363 Wash contaminated clothing before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards** There are no other hazards not otherwise classified that have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Components:**

CAS: 56-81-5 EINECS: 200-289-5 Reg.nr.: 01-2119471987-18-XXXX	Glycerol substance with a Community workplace exposure limit	25-50%
CAS: 9006-04-6 EINECS: 232-689-0	Natural rubber latex ⚠ Skin Sens. 1B, H317	10-25%
CAS: 9043-30-5 NLP: 500-027-2	Alpha-iso-tridecyl-omega-hydroxy-polyglycol ether ⚠ Eye Dam. 1, H318 ⚠ Acute Tox. 4, H302 Aquatic Chronic 3, H412	<5%

· **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.
 For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
 Do not pull solidified product off the skin.
 Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.
- **After eye contact:**
 Remove contact lenses if worn.
 Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
 Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Allergic reactions
 Gastric or intestinal disorders.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 2)

Slight irritant effect on skin and mucous membranes.
Slight irritant effect on eyes.

· **4.3 Indication of any immediate medical attention and special treatment needed**

Treat skin and mucous membrane with antihistamine and corticoid preparations.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.

· **For safety reasons unsuitable extinguishing agents:** None.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **6.2 Environmental precautions** Avoid release to the environment.

· **6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Use only in well ventilated areas.

Open and handle receptacle with care.

Keep out of reach of children.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 3)

- **Information about storage in one common storage facility:**
 Store away from foodstuffs.
 Store away from oxidising agents.
 Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 Glycerol

AGW (Germany)	Long-term value: 200 E mg/m ³ 2 (I);DFG, Y
WEL (Great Britain)	Long-term value: 10 mg/m ³

- **DNELs:** No further relevant information available.
- **PNECs:** No further relevant information available.

· **8.2 Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not required under normal conditions of use.
 Use suitable respiratory protective device in case of insufficient ventilation.
 Use suitable respiratory protective device when aerosol or mist is formed.
 For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material: Nitrile

Thickness: 4 mil

Breakthrough time: 2 hours

· **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**
 No further relevant information available.
- **Risk management measures:** No further relevant information available.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 4)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **Appearance**

Form:	Liquid
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value:	Not determined.
Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	100 °C

Flash point:	160 °C
--------------	--------

Flammability (solid, gas):	Not applicable.
----------------------------	-----------------

Auto/Self-ignition temperature:	265 °C
---------------------------------	--------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Explosive properties:	Product does not present an explosion hazard.
-----------------------	---

· **Explosion limits**

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties	Non-oxidising.
----------------------	----------------

Vapour pressure at 20 °C:	23 hPa
---------------------------	--------

Density:	
Relative density:	1,1
Vapour density:	Not determined.
Evaporation rate:	Not determined.

Solubility in / Miscibility with water:	Fully miscible.
---	-----------------

Partition coefficient: n-octanol/water:	Not determined.
---	-----------------

· **Viscosity**

Dynamic:	Not determined.
Kinematic:	Not determined.

9.2 Other information	No further relevant information available.
-----------------------	--

SECTION 10: Stability and reactivity

10.1 Reactivity	No further relevant information available.
-----------------	--

· **10.2 Chemical stability**

Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
---	--

10.3 Possibility of hazardous reactions	Reacts with strong acids and oxidising agents.
---	--

10.4 Conditions to avoid	Prevent from drying out.
--------------------------	--------------------------

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 5)

- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect**
- **Skin corrosion/irritation:** Slight irritant effect on skin and mucous membranes.
- **Serious eye damage/irritation:** Slight irritant effect on eyes.
- **Respiratory or skin sensitisation:**
May cause an allergic skin reaction.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **Probable routes of exposure:**
Eye contact.
Skin contact.
Ingestion.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** The product contains materials that are harmful to the environment.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 6)

· **13.1 Waste treatment methods**

· **Recommendation**

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN-Number**

· DOT, ADR, IMDG, IATA Not Regulated

· **14.2 UN proper shipping name**

· DOT, ADR, IMDG, IATA Not Regulated

· **14.3 Transport hazard class(es)**

· DOT, ADR, IMDG, IATA

· Class Not Regulated

· **14.4 Packing group**

· DOT, ADR, IMDG, IATA Not Regulated

· **14.5 Environmental hazards:**

· Marine pollutant: No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients are listed.

· **National regulations:**

· **Water hazard class:** Water hazard class 2: hazardous for water.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC

Printing date: 30 October 2018

Revision: 30 October 2018

Trade name: SLX High G Sealant
Temporary Repair Sealant

(Cont'd. from page 7)

None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Product codes:**

100138, 10100, 10107, 10114, 10139, 10179, 10180, 50048, 50053, 50122, 50123, 5001020, S10157, S10159, S50073, 50129, 1001200

- **Relevant phrases**

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bio-accumulable, Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **Sources**

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com