

EMISSIONS INVENTORY INFORMATION For Inventory Year – 2024

FORM 5: AUTO BODYSHOP VOC CALCULATIONS

| acility ID | Facility Name | C | Contact | | |
|------------------|------------------------------|--|------------------------|-------------------------|--------------|
| | | nts, toners, thinners, and cleaners. Include materials the weighted average VOC content. See AVERAGE | | | |
| Manufacturer - | Product Line: | Use a separate form for each product line or manufacturer. | | | |
| Estimated total | al operating days / year | days | | | |
| PLEASE NOTE *** | * A VOC SUMMARY FROM YOUR CO | DATINGS SUPPLIERS SERVES AS AN ACCEPTABLE SUB | STITUTE FOR THE REMAIL | NDER OF THIS FORM ****. | |
| Туре | of Product | Product Name | Use (gal/yr) | VOC Content¹ (lb/gal) | VOCs (lb/yr) |
| 1. Wax/Grease | e Remover | | | | |
| 2. Surface Pre | p. Solvent | | | | |
| 3. Gun Washe | r Solvent | | | | |
| 4. Thinner/sol | vent/reducer | | | | |
| 5. Pretreatme | nt wash primer | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 6. Primer/Prim | ner Surfacer/Precoat | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 7. Primer Seal | er | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 8. Single Stage | e - Basecoat | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 9. Multi-stage | - Basecoat ² | | | | |
| Midcoat | | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 10. Clear coats | | | | | |
| Catalyst/act | ivator/hardener | | | | |
| 11. Tints and To | oners | | | | |
| 12. Specialty Co | patings ³ | | | | |

2) This category includes all two or more stage coatings.

Total VOCs:

¹⁾ Check MSDS. Contact your supplier, if MSDS is not clear. Use an average VOC content if you have many different products. To calculate the weighted average, multiply each VOC content by the volume used, sum, then divide the sum by the total volume used. Example: I used three products with these VOC contents: 2 gal of BR at 3.15 lb/gal; 12 gal of TR at 2.15 lb/gal; and 19 gal of GH at 2.25 lb/gal. Average VOC content = (2 x 3.15 + 12 x 2.15 + 19 x 2.25)/(2 + 12 + 19) = 2.29 lb/gal. Be sure to use the correct units of measure (lb/gallon).

³⁾ Include coatings for plastics (bumpers, trim, and molding) and texture coating for rocker panels.